

South Africa

**Kobus Herbst, Africa Health Research Institute
Dickman Gareta, Africa Health Research Institute
Siyabonga Nxumalo, Africa Health Research Institute
Thobeka Mngomezulu, Africa Health Research Institute
Sweetness Dube, Africa Health Research Institute**

**AHRI InterVA-5 Verbal Autopsy Input
Indicator data: January 2000 – September 2021**

Study Documentation

January 31, 2022

Metadata Production

Metadata Producer(s)	Sweetness H. Dube (SHD) , Africa Health Research Institute , Data Documentation Archivist
Production Date	January 14, 2017
Identification	DDI.VerbalAutopsy.InteVA05.Raw.Data.2021

Table of Contents

Overview.....	4
Scope & Coverage.....	4
Producers & Sponsors.....	4
Data Collection.....	4
Accessibility.....	5
Files Description.....	6
AHRI.VerbalAutopsy.InteVA05 Raw Data.2021.....	6
Variables List.....	7
AHRI.VerbalAutopsy.InteVA05 Raw Data.2021.....	7
Variables Description.....	26
AHRI.VerbalAutopsy.InteVA05 Raw Data.2021.....	27

AHRI InterVA-5 Verbal Autopsy Input Indicator data: January 2000 – September 2021

Overview	
Identification	AHRI.VerbalAutopsy.InteVA05.Raw.Data.2021
Version	Production Date: 2017-08-14 v1.0.0
Abstract A matrix of InterVA-5 input data from the WHO 2016 verbal autopsy standard.	
Kind of Data	Household surveillance data

Scope & Coverage	
Keywords	Verbal autopsy, Surveillance, InterVA-5, Population level, Mortality, Rural, South Africa
Topics	InterVA-5 Raw Data
Time Period(s)	2000-2021
Countries	South Africa
Geographic Coverage Africa Health Research Institute Population Intervention Study Area (PIPSA).	
Universe Household members of the AHRI PIPSA who become deceased during the course of their household memberships.	

Producers & Sponsors	
Primary Investigator(s)	Kobus Herbst, Africa Health Research Institute Dickman Gareta, Africa Health Research Institute Siyabonga Nxumalo, Africa Health Research Institute Thobeka Mngomezulu, Africa Health Research Institute Sweetness Dube, Africa Health Research Institute
Other Producer(s)	Africa Health Research Institute (AHRI)
Funding Agency/ies	Wellcome Trust (WT) , Core funding SAPRIN (SAPRIN)
Other Acknowledgment(s)	Siyabonga Nxumalo , Data Extraction , Africa Health Research Institute Sweetness Dube , Data Documentation , Africa Health Research Institute Dickman Gareta , Data Management Oversight , Africa Health Research Institute

Data Collection	
Data Collection Dates	start 2000-01-01 end 2021-09-09
Time Period(s)	start 2017-08-14 end 2017-08-14
Data Collection Mode	Face-to-face [f2f]

Accessibility

Access Conditions

The representative of the Receiving Organization agrees to comply with the following conditions:

1. Access to the restricted data will be limited to the Lead Researcher and other members of the research team listed in this request.
2. Copies of the restricted data or any data created on the basis of the original data will not be copied or made available to anyone other than those mentioned in this Data Access Agreement, unless formally authorized by the Data Archive.
3. The data will only be processed for the stated statistical and research purpose. They will be used for solely for reporting of aggregated information, and not for investigation of specific individuals or organizations. Data will not in any way be used for any administrative, proprietary or law enforcement purposes.
4. The Lead Researcher must state if it is their intention to match the restricted microdata with any other micro-dataset. If any matching is to take place, details must be provided of the datasets to be matched and of the reasons for the matching. Any datasets created as a result of matching will be considered to be restricted and must comply with the terms of this Data Access Agreement.
5. The Lead Researcher undertakes that no attempt will be made to identify any individual person, family, business, enterprise or organization. If such a unique disclosure is made inadvertently, no use will be made of the identity of any person or establishment discovered and full details will be reported to the Data Archive. The identification will not be revealed to any other person not included in the Data Access Agreement.
6. The Lead Researcher will implement security measures to prevent unauthorized access to licensed microdata acquired from the Data Archive. The microdata must be destroyed upon the completion of this research, unless the Data Archive obtains satisfactory guarantee that the data can be secured and provides written authorization to the Receiving Organization to retain them. Destruction of the microdata will be confirmed in writing by the Lead Researcher to the Data Archive.
7. Any books, articles, conference papers, theses, dissertations, reports, or other publications that employ data obtained from the Data Archive will cite the source of data in accordance with the citation requirement provided with the dataset.
8. An electronic copy of all reports and publications based on the requested data will be sent to the Data Archive.
9. The original collector of the data, the Data Archive, and the relevant funding agencies bear no responsibility for use of the data or for interpretations or inferences based upon such uses.
10. This agreement will come into force on the date that approval is given for access to the restricted dataset and remain in force until the completion date of the project or an earlier date if the project is completed ahead of time.
11. If there are any changes to the project specification, security arrangements, personnel or organization detailed in this application form, it is the responsibility of the Lead Researcher to seek the agreement of the Data Archive to these changes. Where there is a change to the employer organization of the Lead Researcher this will involve a new application being made and termination of the original project.
12. Breaches of the agreement will be taken seriously and the Data Archive will take action against those responsible for the lapse if willful or accidental. Failure to comply with the directions of the Data Archive will be deemed to be a major breach of the agreement and may involve recourse to legal proceedings. The Data Archive will maintain and share with partner data archives a register of those individuals and organizations which are responsible for breaching the terms of the Data Access Agreement and will impose sanctions on release of future data to these parties.

Citation Requirements

<https://doi.org/10.23664/AHRI.VerbalAutopsy.InteVA05.Raw.Data.2021>

Files Description

Dataset contains 1 file(s)

AHRI.VerbalAutopsy.InteVA05 Raw Data.2021	
# Cases	22837
# Variable(s)	385

Variables List

Dataset contains 385 variable(s)

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	iv5_id	-	continuous	numeric-12.0	22837	0	-
2	DoB	Date of Birth	discrete	character-11	22837	-	-
3	DoD	Date of Death	discrete	character-11	22837	-	-
4	Intervie ..	Interview Date	discrete	character-11	22827	-	-
5	DeathSet ..	Place of death	discrete	numeric-12.0	21385	1452	-
6	sv_refer ..	Was the child referred to another place for care?	discrete	numeric-12.0	72	22765	-
7	sv_reach ..	Did they reach the place they were referred to?	discrete	numeric-12.0	22	22815	-
8	sb_minut ..	How many minutes after birth did the baby first cry?	continuous	numeric-12.0	23	22814	-
9	ap_menta ..	For how many months did (s)he have mental confusion?	continuous	numeric-12.0	558	22279	-
10	md_preg ..	Was she pregnant at the time of death?	discrete	numeric-12.0	1514	21323	-
11	md_die_d ..	Did she die within 6 weeks of delivery, abortion or miscarriage?	discrete	numeric-12.0	1505	21332	-
12	md_die_d ..	Did this woman die more than 42 days after being pregnant or delivering a baby?	discrete	numeric-12.0	1494	21343	-
13	hs_care ..	Was care sought outside the home while (s)he had this illness?	discrete	numeric-12.0	2991	19846	-
14	hs_care ..	Where or from whom did you seek care?	continuous	numeric-12.0	2203	20634	-
15	vb_age_d ..	Please indicate the Age at death.	continuous	numeric-10.0	3401	19436	-
16	ih_age_f ..	How old was the baby when the fatal illness started? (In Days)	continuous	numeric-10.0	26	22811	-
17	bd_breat ..	During the illness that led to death did his/her breathing sound like any of the	discrete	numeric-12.0	3004	19833	-
18	on_narra ..	Are there any of the following words of interest mentioned in the above narrative	discrete	numeric-12.0	3404	19433	-
19	ap_stops ..	Did the baby stop suckling?	discrete	numeric-12.0	3	22834	-
20	ap_stops ..	How many days after birth did the baby stop suckling?	discrete	numeric-12.0	1	22836	-
21	md_birth ..	Was the baby born more than one month early?	discrete	numeric-12.0	164	22673	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021							
#	Name	Label	Type	Format	Valid	Invalid	Question
22	nd_baby_..	What was the weight (in grammes) of the deceased at birth?	continuous	numeric-12.0	115	22722	-
23	hs_biolo_..	Has the deceased's (biological) mother ever been tested for HIV?	discrete	numeric-12.0	116	22721	-
24	hs_biolo_..	Has the deceased's (biological) mother ever been told she had HIV/AIDS by a health	discrete	numeric-12.0	116	22721	-
25	mh_ever_..	Was the HIV test ever positive?	discrete	numeric-12.0	2987	19850	-
26	md_die_d_..	Did she die within 6 weeks of childbirth?	discrete	numeric-12.0	126	22711	-
27	hs_child_..	Do you have the child's vaccination card?	discrete	numeric-12.0	97	22740	-
28	hs_child_..	Can I see the vaccination card (note the vaccines the child received)?	discrete	numeric-12.0	75	22762	-
29	hs_vacc_..	Note vaccines here	discrete	character-132	5	-	-
30	hs_immun_..	Had (s)he received immunization?	discrete	numeric-12.0	109	22728	-
31	sb_ever_..	Did the baby ever move?	discrete	numeric-12.0	33	22804	-
32	hs_art	Did (s)he receive (or need) antiretroviral therapy (ART)?	discrete	numeric-12.0	2185	20652	-
33	i004a	Did s(he) die during the wet season?	discrete	numeric-12.0	22836	1	-
34	i004b	Did s(he) die during the dry season?	discrete	numeric-12.0	22836	1	-
35	i019a	Was he male?	discrete	numeric-12.0	22837	0	-
36	i019b	Was she female?	discrete	numeric-12.0	22837	0	-
37	i022a	Was s(he) aged 65 years or more at death?	discrete	numeric-12.0	22836	1	-
38	i022b	Was s(he) aged 50 to 64 years at death?	discrete	numeric-12.0	22836	1	-
39	i022c	Was s(he) aged 15 to 49 years at death?	discrete	numeric-12.0	22836	1	-
40	i022d	Was s(he) aged 5-14 years at death?	discrete	numeric-12.0	22836	1	-
41	i022e	Was s(he) aged 1 to 4 years at death?	discrete	numeric-12.0	22836	1	-
42	i022f	Was s(he) aged 1 to 11 months at death?	discrete	numeric-12.0	19527	3310	-
43	i022g	Was s(he) aged < 1 month (28 days) at death?	discrete	numeric-12.0	19527	3310	-
44	i022h	Was s(he) a live baby who died within 24 hours of birth?	discrete	numeric-12.0	19527	3310	-
45	i022i	Was s(he) a baby who died between 24 and 48 hours of birth?	discrete	numeric-12.0	19527	3310	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021							
#	Name	Label	Type	Format	Valid	Invalid	Question
46	i022j	Was s(he) a baby who died more than 48 hours from birth, but within the first wee	discrete	numeric-12.0	19527	3310	-
47	i022k	Was s(he) a baby who died after the first week, but within the first month?	discrete	numeric-12.0	19527	3310	-
48	i022l	Was she a woman aged 12-19 years at death?	discrete	numeric-12.0	21131	1706	-
49	i022m	Was she a woman aged 20-34 years at death?	discrete	numeric-12.0	21131	1706	-
50	i022n	Was she a woman aged 35 to 49 years at death?	discrete	numeric-12.0	21131	1706	-
51	i059o	Was she married at the time of death?	discrete	numeric-12.0	6739	16098	-
52	i077o	Did (s)he suffer from any injury or accident that led to her/his death?	discrete	numeric-12.0	21674	1163	-
53	i079o	Was (s)he injured in a road traffic accident?	discrete	numeric-12.0	15932	6905	-
54	i082o	Was (s)he injured in a non-road transport accident?	discrete	numeric-12.0	321	22516	-
55	i083o	Was (s)he injured in a fall?	discrete	numeric-12.0	15927	6910	-
56	i084o	Was (s)he poisoned in any way?	discrete	numeric-12.0	15692	7145	-
57	i085o	Did (s)he die of drowning?	discrete	numeric-12.0	15931	6906	-
58	i086o	Was (s)he injured by the bite or sting of a venomous animal?	discrete	numeric-12.0	15697	7140	-
59	i087o	Was (s)he injured by an animal or insect (non-venomous)	discrete	numeric-12.0	448	22389	-
60	i089o	Was (s)he injured by burns or fire?	discrete	numeric-12.0	15696	7141	-
61	i090o	Was (s)he subject to violence (suicide, homicide, abuse)?	discrete	numeric-12.0	15925	6912	-
62	i091o	Was (s)he injured by a fire arm?	discrete	numeric-12.0	445	22392	-
63	i092o	Was (s)he stabbed, cut or pierced?	discrete	numeric-12.0	446	22391	-
64	i093o	Was (s)he strangled?	discrete	numeric-12.0	434	22403	-
65	i094o	Was (s)he injured by a blunt force?	discrete	numeric-12.0	435	22402	-
66	i095o	Was (s)he injured by a force of nature?	discrete	numeric-12.0	447	22390	-
67	i096o	Was (s)he electrocuted?	discrete	numeric-12.0	448	22389	-
68	i098o	Was the injury accidental?	discrete	numeric-12.0	402	22435	-
69	i099o	Was the injury or accident self-inflicted?	discrete	numeric-12.0	18955	3882	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

#	Name	Label	Type	Format	Valid	Invalid	Question
70	i100o	Was the injury or accident intentionally inflicted by someone else?	discrete	numeric-12.0	15674	7163	-
71	i104o	Did the baby ever cry?	discrete	numeric-12.0	194	22643	-
72	i105o	Did the baby cry immediately after birth, even if only a little bit?	discrete	numeric-12.0	23	22814	-
73	i106a	Was it more than 5 minutes after birth before the baby first cried?	discrete	numeric-12.0	4	22833	-
74	i107o	Did the baby stop being able to cry?	discrete	numeric-12.0	23	22814	-
75	i108a	Did the baby stop crying more than a day before (s)he died?	discrete	numeric-12.0	0	22837	-
76	i109o	Did the baby ever move?	discrete	numeric-12.0	33	22804	-
77	i110o	Did the baby ever breathe?	discrete	numeric-12.0	33	22804	-
78	i111o	Did the baby breathe immediately after birth, even a little?	discrete	numeric-12.0	182	22655	-
79	i112o	Did the baby have a breathing problem?	discrete	numeric-12.0	26	22811	-
80	i113o	Was the baby given assistance to breathe at birth?	discrete	numeric-12.0	180	22657	-
81	i114o	If the baby didn't show any sign of life, was it born dead?	discrete	numeric-12.0	168	22669	-
82	i115o	Were there any bruises or signs of injury on child's body after the birth?	discrete	numeric-12.0	32	22805	-
83	i116o	Was the baby's body soft, pulpy and discoloured with the skin peeling away?	discrete	numeric-12.0	7	22830	-
84	i120a	Did the final illness last less than 3 weeks?	discrete	numeric-12.0	21039	1798	-
85	i120b	Did the final illness last at least 3 weeks?	discrete	numeric-12.0	21030	1807	-
86	i123o	Did (s)he die suddenly?	discrete	numeric-12.0	20829	2008	-
87	i125o	Was there any diagnosis by a health professional of tuberculosis?	discrete	numeric-12.0	19215	3622	-
88	i127o	Was there any diagnosis by a health professional of HIV/AIDS?	discrete	numeric-12.0	21126	1711	-
89	i128o	Did (s)he have a recent positive test by a health professional for malaria?	discrete	numeric-12.0	20796	2041	-
90	i129o	Did (s)he have a recent negative test by a health professional for malaria?	discrete	numeric-12.0	2906	19931	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

#	Name	Label	Type	Format	Valid	Invalid	Question
91	i130o	Was there any diagnosis by a health professional of dengue fever?	discrete	numeric-12.0	2922	19915	-
92	i131o	Was there any diagnosis by a health professional of measles?	discrete	numeric-12.0	4281	18556	-
93	i132o	Was there any diagnosis by a health professional of high blood pressure?	discrete	numeric-12.0	21291	1546	-
94	i133o	Was there any diagnosis by a health professional of heart disease?	discrete	numeric-12.0	20786	2051	-
95	i134o	Was there any diagnosis by a health professional of diabetes?	discrete	numeric-12.0	18741	4096	-
96	i135o	Was there any diagnosis by a health professional of asthma?	discrete	numeric-12.0	18585	4252	-
97	i136o	Was there any diagnosis by a health professional of epilepsy?	discrete	numeric-12.0	20888	1949	-
98	i137o	Was there any diagnosis by a health professional of cancer?	discrete	numeric-12.0	20858	1979	-
99	i138o	Was there any diagnosis by a health professional of Chronic Obstructive Pulmonary	discrete	numeric-12.0	2830	20007	-
100	i139o	Was there any diagnosis by a physician or health worker of dementia?	discrete	numeric-12.0	2831	20006	-
101	i140o	Was there any diagnosis by a health professional of depression?	discrete	numeric-12.0	2807	20030	-
102	i141o	Was there any diagnosis by a health professional of stroke?	discrete	numeric-12.0	21377	1460	-
103	i142o	Was there any diagnosis by a health professional of sickle cell disease?	discrete	numeric-12.0	2922	19915	-
104	i143o	Was there any diagnosis by a health professional of kidney disease?	discrete	numeric-12.0	20790	2047	-
105	i144o	Was there any diagnosis by a health professional of liver disease?	discrete	numeric-12.0	20798	2039	-
106	i147o	During the illness that led to death, did (s)he have a fever?	discrete	numeric-12.0	21435	1402	-
107	i148a	Did the fever last less than a week before death?	discrete	numeric-12.0	18681	4156	-
108	i148b	Did the fever last at least one week, but less than 2 weeks before death?	discrete	numeric-12.0	134	22703	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

#	Name	Label	Type	Format	Valid	Invalid	Question
109	i148c	Did the fever last at least 2 weeks before death?	discrete	numeric-12.0	18681	4156	-
110	i149o	Did the fever continue until death?	discrete	numeric-12.0	722	22115	-
111	i150a	Was the fever severe?	discrete	numeric-12.0	663	22174	-
112	i151a	Was the fever continuous?	discrete	numeric-12.0	703	22134	-
113	i152o	Did (s)he have night sweats?	discrete	numeric-12.0	17431	5406	-
114	i153o	During the illness that led to death, did (s)he have a cough?	discrete	numeric-12.0	21470	1367	-
115	i154a	Did the cough last less than 3 weeks before death?	discrete	numeric-12.0	18628	4209	-
116	i154b	Did the cough last at least 3 weeks before death?	discrete	numeric-12.0	18628	4209	-
117	i155o	Was the cough productive, with sputum?	discrete	numeric-12.0	19136	3701	-
118	i156o	Was the cough very severe?	discrete	numeric-12.0	623	22214	-
119	i157o	Did (s)he cough up blood?	discrete	numeric-12.0	14000	8837	-
120	i158o	Did (s)he make a whooping sound when coughing?	discrete	numeric-12.0	10	22827	-
121	i159o	During the illness that led to death, did (s)he have any difficulty breathing?	discrete	numeric-12.0	21461	1376	-
122	i161a	Did the difficult breathing last for at least 3 days before death?	discrete	numeric-12.0	500	22337	-
123	i165a	Was the difficult breathing continuous during this period?	discrete	numeric-12.0	1180	21657	-
124	i166o	Did (s)he have fast breathing?	discrete	numeric-12.0	17744	5093	-
125	i167a	Did the fast breathing last for less than two weeks before death?	discrete	numeric-12.0	18591	4246	-
126	i167b	Did the fast breathing last for at least 2 weeks before death?	discrete	numeric-12.0	18591	4246	-
127	i168o	Did (s)he have breathlessness?	discrete	numeric-12.0	21461	1376	-
128	i169a	Did the breathlessness last for less than 2 weeks before death?	discrete	numeric-12.0	18677	4160	-
129	i169b	Did the breathlessness last for at least 2 weeks before death?	discrete	numeric-12.0	18677	4160	-
130	i170o	Was (s)he unable to carry out daily routines due to breathlessness?	discrete	numeric-12.0	12981	9856	-
131	i171o	Was (s)he breathless while lying flat?	discrete	numeric-12.0	2358	20479	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021							
#	Name	Label	Type	Format	Valid	Invalid	Question
132	i172o	Did you see the lower chest wall/ribs being pulled in as the child breathed?	discrete	numeric-12.0	14816	8021	-
133	i173a	Did his/her breathing sound like wheezing or grunting?	discrete	numeric-12.0	12677	10160	-
134	i174o	During the illness that led to death, did (s)he have chest pain?	discrete	numeric-12.0	16518	6319	-
135	i175o	Was the chest pain severe?	discrete	numeric-12.0	475	22362	-
136	i176a	Did (s)he experience chest pain at least 3 days before death?	discrete	numeric-12.0	174	22663	-
137	i178a	Did the chest pain last for at least 30 minutes?	discrete	numeric-12.0	332	22505	-
138	i181o	Did (s)he have diarrhoea?	discrete	numeric-12.0	18574	4263	-
139	i182a	Did (s)he have diarrhoea for less than 2 weeks before death?	discrete	numeric-12.0	15740	7097	-
140	i182b	Did (s)he have diarrhoea for at least 2 weeks but less than 4 weeks before death?	discrete	numeric-12.0	15482	7355	-
141	i182c	Did (s)he have diarrhoea for at least 4 weeks before death?	discrete	numeric-12.0	15358	7479	-
142	i183o	-	discrete	numeric-12.0	0	22837	-
143	i184a	Did the frequent loose or liquid stools start at least 3 days before death?	discrete	numeric-12.0	13	22824	-
144	i185o	Did the frequent loose or liquid stools continue up until death?	discrete	numeric-12.0	21	22816	-
145	i186o	At any time during the final illness was there blood in the stools?	discrete	numeric-12.0	17790	5047	-
146	i187o	Was there blood in the stool up until death?	discrete	numeric-12.0	31	22806	-
147	i188o	During the illness that led to death, did (s)he vomit?	discrete	numeric-12.0	16300	6537	-
148	i189o	Did (s)he vomit in the week preceding the death?	discrete	numeric-12.0	2863	19974	-
149	i190o	Did (s)he vomit for at least 3 days before death?	discrete	numeric-12.0	77	22760	-
150	i191o	Was there blood in the vomit?	discrete	numeric-12.0	13404	9433	-
151	i192o	Was the vomit black?	discrete	numeric-12.0	397	22440	-
152	i193o	During the illness that led to death, did (s)he have any abdominal (belly) problem?	discrete	numeric-12.0	16347	6490	-
153	i194o	Did (s)he have abdominal pain?	discrete	numeric-12.0	9180	13657	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021							
#	Name	Label	Type	Format	Valid	Invalid	Question
154	i195o	Was the abdominal pain severe?	discrete	numeric-12.0	230	22607	-
155	i197a	Did (s)he have severe abdominal pain for less than 2 weeks before death?	discrete	numeric-12.0	6425	16412	-
156	i197b	Did (s)he have severe abdominal pain for at least 2 weeks before death?	discrete	numeric-12.0	6425	16412	-
157	i199a	Was the pain in the upper abdomen?	discrete	numeric-12.0	162	22675	-
158	i199b	Was the pain in the lower abdomen?	discrete	numeric-12.0	162	22675	-
159	i200o	Did (s)he have a more than usually protruding abdomen?	discrete	numeric-12.0	14316	8521	-
160	i201a	Did (s)he have a more than usually protruding abdomen for less than 2 weeks before	discrete	numeric-12.0	18591	4246	-
161	i201b	Did (s)he have a more than usually protruding abdomen for at least 2 weeks before	discrete	numeric-12.0	18591	4246	-
162	i203a	Did (s)he develop the protruding abdomen rapidly?	discrete	numeric-12.0	0	22837	-
163	i204o	Did (s)he have any mass in the abdomen?	discrete	numeric-12.0	13416	9421	-
164	i205a	Did (s)he have a mass in the abdomen for less than 2 weeks before death?	discrete	numeric-12.0	18516	4321	-
165	i205b	Did (s)he have a mass in the abdomen for at least 2 weeks before death?	discrete	numeric-12.0	18516	4321	-
166	i207o	During the illness that led to death, did (s)he have a severe headache?	discrete	numeric-12.0	14371	8466	-
167	i208o	During the illness that led to death, did (s)he have a stiff neck?	discrete	numeric-12.0	14082	8755	-
168	i209a	Did (s)he have a stiff neck for less than one week before death?	discrete	numeric-12.0	12975	9862	-
169	i209b	Did (s)he have a stiff neck for at least one week before death?	discrete	numeric-12.0	12975	9862	-
170	i210o	During the illness that led to death, did (s)he have a painful neck?	discrete	numeric-12.0	2882	19955	-
171	i211a	Did (s)he have a painful neck for at least one week before death?	discrete	numeric-12.0	16	22821	-
172	i212o	During the illness that led to death, did (s)he have mental confusion?	discrete	numeric-12.0	2812	20025	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021							
#	Name	Label	Type	Format	Valid	Invalid	Question
173	i213o	Did (s)he have mental confusion for at least 3 months before death?	discrete	numeric-12.0	162	22675	-
174	i214o	During the illness that led to death, was (s)he unconscious?	discrete	numeric-12.0	2915	19922	-
175	i215o	Was (s)he unconscious for at least 24 hours before death?	discrete	numeric-12.0	16008	6829	-
176	i216a	Was (s)he unconscious for at least 6 hours before death?	discrete	numeric-12.0	1	22836	-
177	i217o	Did the unconsciousness start suddenly, quickly (at least within a single day)?	discrete	numeric-12.0	252	22585	-
178	i218o	Did the unconsciousness continue until death?	discrete	numeric-12.0	52	22785	-
179	i219o	During the illness that led to death, did (s)he have any convulsions?	discrete	numeric-12.0	17389	5448	-
180	i220o	Did (s)he experience any generalized convulsions or fits?	discrete	numeric-12.0	7	22830	-
181	i221a	Did the convulsions last for less than 10 minutes?	discrete	numeric-12.0	12	22825	-
182	i221b	Did the convulsions last for at least 10 minutes?	discrete	numeric-12.0	12	22825	-
183	i222o	Did (s)he become unconscious immediately after the convulsion?	discrete	numeric-12.0	18558	4279	-
184	i223o	During the illness that led to death, did (s)he have any urine problems?	discrete	numeric-12.0	17947	4890	-
185	i224o	Did (s)he stop urinating?	discrete	numeric-12.0	15019	7818	-
186	i225o	Did (s)he go to urinate more often than usual?	discrete	numeric-12.0	14916	7921	-
187	i226o	Did (s)he pass blood in the urine?	discrete	numeric-12.0	14933	7904	-
188	i227o	During the illness that led to death, did (s)he have any sores or ulcers anywhere	discrete	numeric-12.0	17839	4998	-
189	i228o	Did (s)he have sores?	discrete	numeric-12.0	1485	21352	-
190	i229o	Did the sores have clear fluid and/or pus?	discrete	numeric-12.0	175	22662	-
191	i230o	Did (s)he have an ulcer (pit) on the foot?	discrete	numeric-12.0	4216	18621	-
192	i231o	Did any ulcer ooze pus?	discrete	numeric-12.0	92	22745	-
193	i232a	Did the ulcer ooze pus for at least 2 weeks?	discrete	numeric-12.0	2	22835	-
194	i233o	During the illness that led to death, did (s)he have any skin rash?	discrete	numeric-12.0	17573	5264	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021							
#	Name	Label	Type	Format	Valid	Invalid	Question
195	i234a	Did (s)he have the skin rash for less than one week?	discrete	numeric-12.0	6663	16174	-
196	i234b	Did (s)he have the skin rash for at least one week?	discrete	numeric-12.0	6663	16174	-
197	i235a	Did (s)he have a rash on the face?	discrete	numeric-12.0	32	22805	-
198	i235b	Did (s)he have a rash on the trunk or abdomen?	discrete	numeric-12.0	32	22805	-
199	i235c	Did (s)he have a rash on the extremities?	discrete	numeric-12.0	32	22805	-
200	i235d	Did (s)he have a rash everywhere?	discrete	numeric-12.0	32	22805	-
201	i236o	Did (s)he have measles rash?	discrete	numeric-12.0	14613	8224	-
202	i237o	Did (s)he ever have shingles or herpes zoster?	discrete	numeric-12.0	15820	7017	-
203	i238o	During the illness that led to death, did her/his skin flake off in patches?	discrete	numeric-12.0	2908	19929	-
204	i239o	During the illness that led to death, did he/she have areas of the skin that turn	discrete	numeric-12.0	106	22731	-
205	i240o	During the illness that led to death, did he/she have areas of the skin with redn	discrete	numeric-12.0	106	22731	-
206	i241o	During the illness that led to death, did (s)he bleed from anywhere?	discrete	numeric-12.0	2936	19901	-
207	i242o	Did (s)he bleed from the nose, mouth or anus?	discrete	numeric-12.0	18300	4537	-
208	i243o	During the illness that led to death, did (s)he have noticeable weight loss?	discrete	numeric-12.0	19007	3830	-
209	i244o	Was (s)he severely thin or wasted?	discrete	numeric-12.0	20098	2739	-
210	i245o	During the illness that led to death, did s/he have a whitish rash inside the mou	discrete	numeric-12.0	18492	4345	-
211	i246o	During the illness that led to death, did (s)he have stiffness of the whole body	discrete	numeric-12.0	17924	4913	-
212	i247o	During the illness that led to death, did (s)he have puffiness of the face?	discrete	numeric-12.0	16566	6271	-
213	i248a	Did (s)he have puffiness of the face for at least one week before death?	discrete	numeric-12.0	38	22799	-
214	i249o	During the illness that led to death, did (s)he have swollen legs or feet?	discrete	numeric-12.0	2903	19934	-
215	i250a	Did the swelling last for at least 3 days before death?	discrete	numeric-12.0	51	22786	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021							
#	Name	Label	Type	Format	Valid	Invalid	Question
216	i251o	Did (s)he have both feet swollen?	discrete	numeric-12.0	16577	6260	-
217	i252o	During the illness that led to death, did (s)he have general puffiness all over h	discrete	numeric-12.0	2903	19934	-
218	i253o	During the illness that led to death, did (s)he have any lumps?	discrete	numeric-12.0	19238	3599	-
219	i254o	Did (s)he have any lumps or lesions in the mouth?	discrete	numeric-12.0	51	22786	-
220	i255o	Did (s)he have any lumps in the neck?	discrete	numeric-12.0	15284	7553	-
221	i256o	Did (s)he have any lumps in the armpit?	discrete	numeric-12.0	15241	7596	-
222	i257o	Did (s)he have any lumps in the groin?	discrete	numeric-12.0	15240	7597	-
223	i258o	During the illness that led to death, was (s)he in any way paralysed?	discrete	numeric-12.0	2901	19936	-
224	i259o	Did (s)he have paralysis of only one side of the body?	discrete	numeric-12.0	14974	7863	-
225	i260a	Was only the right side of the body paralysed?	discrete	numeric-12.0	220	22617	-
226	i260b	Was only the left side of the body paralysed?	discrete	numeric-12.0	220	22617	-
227	i260c	Was only the lower part of the body paralysed?	discrete	numeric-12.0	220	22617	-
228	i260d	Was only the upper part of the body paralysed?	discrete	numeric-12.0	220	22617	-
229	i260e	Was only one leg paralysed?	discrete	numeric-12.0	220	22617	-
230	i260f	Was only one arm paralysed?	discrete	numeric-12.0	220	22617	-
231	i260g	Was the entire body paralysed?	discrete	numeric-12.0	220	22617	-
232	i261o	During the illness that led to death, did (s)he have difficulty swallowing?	discrete	numeric-12.0	2900	19937	-
233	i262a	Did (s)he have difficulty swallowing for at least one week before death?	discrete	numeric-12.0	30	22807	-
234	i263a	Did (s)he have difficulty with swallowing solids?	discrete	numeric-12.0	0	22837	-
235	i263b	Did (s)he have difficulty with swallowing liquids?	discrete	numeric-12.0	16921	5916	-
236	i264o	Did (s)he have pain upon swallowing?	discrete	numeric-12.0	2867	19970	-
237	i265o	During the illness that led to death, did (s)he have yellow discolouration of the	discrete	numeric-12.0	13823	9014	-
238	i266a	Did (s)he have the yellow discolouration for at least 3 weeks before death?	discrete	numeric-12.0	28	22809	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021							
#	Name	Label	Type	Format	Valid	Invalid	Question
239	i267o	During the illness that led to death, did her/his hair change to a reddish or yel	discrete	numeric-12.0	10335	12502	-
240	i268o	During the illness that led to death, did (s)he look pale (thinning/lack of blood	discrete	numeric-12.0	17753	5084	-
241	i269o	During the illness that led to death, did (s)he have sunken eyes?	discrete	numeric-12.0	14488	8349	-
242	i270o	During the illness that led to death, did (s)he drink a lot more water than usual	discrete	numeric-12.0	8133	14704	-
243	i271o	Was the baby able to suckle or bottle-feed within the first 24 hours after birth?	discrete	numeric-12.0	158	22679	-
244	i272o	Did the baby ever suckle in a normal way?	discrete	numeric-12.0	3	22834	-
245	i273o	Did the baby stop suckling?	discrete	numeric-12.0	3	22834	-
246	i274a	Did the baby stop suckling on the 2nd day of life or later?	discrete	numeric-12.0	161	22676	-
247	i275o	Did the baby have convulsions starting within the first 24 hours of life?	discrete	numeric-12.0	152	22685	-
248	i276o	Did the baby have convulsions starting more than 24 hours after birth?	discrete	numeric-12.0	151	22686	-
249	i277o	Did the baby's body become stiff, with the back arched backwards?	discrete	numeric-12.0	3	22834	-
250	i278o	During the illness that led to death, did the baby have a bulging or raised fonta	discrete	numeric-12.0	9474	13363	-
251	i279o	During the illness that led to death, did the baby have a sunken fontanelle?	discrete	numeric-12.0	406	22431	-
252	i281o	During the illness that led to death, did the baby become unresponsive or uncons	discrete	numeric-12.0	3	22834	-
253	i282o	Did the baby become unresponsive or unconscious soon after birth, within less tha	discrete	numeric-12.0	1	22836	-
254	i283o	Did the baby become unresponsive or unconscious more than 24 hours after birth?	discrete	numeric-12.0	1	22836	-
255	i284o	During the illness that led to death, did the baby become cold to touch?	discrete	numeric-12.0	157	22680	-
256	i285a	Was the baby more than 3 days old when it started feeling cold to touch?	discrete	numeric-12.0	1	22836	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

#	Name	Label	Type	Format	Valid	Invalid	Question
257	i286o	During the illness that led to death, did the baby become lethargic, after a peri	discrete	numeric-12.0	2	22835	-
258	i287o	Did the baby have redness or discharge from the umbilical cord stump?	discrete	numeric-12.0	164	22673	-
259	i288o	During the illness that led to death, did the baby have skin ulcer(s) or pits?	discrete	numeric-12.0	2	22835	-
260	i289o	During the illness that led to death, did the baby have yellow skin, palms (hand)	discrete	numeric-12.0	156	22681	-
261	i290o	Did the baby or infant appear to be healthy and then just die suddenly?	discrete	numeric-12.0	2	22835	-
262	i294o	During the illness that led to death, did she have any swelling or lump in the br	discrete	numeric-12.0	8968	13869	-
263	i295o	During the illness that led to death, did she have any ulcers (pits) in the breas	discrete	numeric-12.0	1485	21352	-
264	i296o	Did she ever have a period or menstruate?	discrete	numeric-12.0	1489	21348	-
265	i297o	During the illness that led to death, did she have excessive vaginal bleeding in	discrete	numeric-12.0	5175	17662	-
266	i298o	Was the bleeding excessive?	discrete	numeric-12.0	33	22804	-
267	i299o	Did her menstrual period stop naturally because of menopause?	discrete	numeric-12.0	1315	21522	-
268	i300o	Did she have vaginal bleeding after cessation of menstruation?	discrete	numeric-12.0	4025	18812	-
269	i301o	Was there excessive vaginal bleeding in the week prior to death?	discrete	numeric-12.0	1337	21500	-
270	i302o	At the time of death was her period overdue?	discrete	numeric-12.0	1203	21634	-
271	i303a	Had her period been overdue for at least 4 weeks?	discrete	numeric-12.0	0	22837	-
272	i304o	Did she have a sharp pain in her abdomen shortly before death?	discrete	numeric-12.0	1443	21394	-
273	i305o	Was she pregnant (incl. in labour) at the time of death?	discrete	numeric-12.0	3700	19137	-
274	i306o	Did she die within 6 weeks of delivery, abortion or miscarriage?	discrete	numeric-12.0	6344	16493	-
275	i309o	Was she, or had she been, pregnant for less than 6 months when she died?	discrete	numeric-12.0	4873	17964	-
276	i310o	Please confirm: When she died, she was NEITHER	discrete	numeric-12.0	4348	18489	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021							
#	Name	Label	Type	Format	Valid	Invalid	Question
		pregnant NOR had recently been pre					
277	i312o	Did she die during labour or delivery?	discrete	numeric-12.0	122	22715	-
278	i313o	Did she die after delivering a baby?	discrete	numeric-12.0	125	22712	-
279	i314o	Did she die within 24 hours after delivery?	discrete	numeric-12.0	25	22812	-
280	i315o	Did she die within 6 weeks of childbirth?	discrete	numeric-12.0	122	22715	-
281	i316o	Did she give birth to a live baby (within 6 weeks of her death)?	discrete	numeric-12.0	125	22712	-
282	i317o	Did she die during or after a multiple pregnancy?	discrete	numeric-12.0	125	22712	-
283	i318o	Was she breastfeeding the child in the days before death?	discrete	numeric-12.0	119	22718	-
284	i319a	Did she die during or after her first pregnancy?	discrete	numeric-12.0	32	22805	-
285	i319b	Did she have four or more pregnancies before this one?	discrete	numeric-12.0	34	22803	-
286	i320o	Had she had any previous Caesarean section?	discrete	numeric-12.0	118	22719	-
287	i321o	During pregnancy, did she suffer from high blood pressure?	discrete	numeric-12.0	6054	16783	-
288	i322o	Did she have foul smelling vaginal discharge during pregnancy or after delivery?	discrete	numeric-12.0	14429	8408	-
289	i323o	During the last 3 months of pregnancy, did she suffer from convulsions?	discrete	numeric-12.0	9201	13636	-
290	i324o	During the last 3 months of pregnancy did she suffer from blurred vision?	discrete	numeric-12.0	121	22716	-
291	i325o	Did she have excessive bleeding during pregnancy or shortly after delivery?	discrete	numeric-12.0	8888	13949	-
292	i326o	Was there vaginal bleeding during the first 6 months of pregnancy?	discrete	numeric-12.0	0	22837	-
293	i327o	Was there vaginal bleeding during the last 3 months of pregnancy but before labour?	discrete	numeric-12.0	0	22837	-
294	i328o	Did she have excessive bleeding during labour, before delivery?	discrete	numeric-12.0	121	22716	-
295	i329o	Did she have excessive bleeding after delivery or abortion?	discrete	numeric-12.0	120	22717	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

#	Name	Label	Type	Format	Valid	Invalid	Question
296	i330o	Was the placenta completely delivered?	discrete	numeric-12.0	145	22692	-
297	i331o	Did she deliver or try to deliver an abnormally positioned baby?	discrete	numeric-12.0	120	22717	-
298	i332a	Did her labour last longer than 24 hours?	discrete	numeric-12.0	4870	17967	-
299	i333o	Did she attempt to terminate the pregnancy?	discrete	numeric-12.0	122	22715	-
300	i334o	Did she recently have a pregnancy that ended in an abortion (spontaneous or induc	discrete	numeric-12.0	6319	16518	-
301	i335o	Did she die during an abortion?	discrete	numeric-12.0	2	22835	-
302	i336o	Did she die within 6 weeks of having an abortion?	discrete	numeric-12.0	2	22835	-
303	i337a	Did the mother deliver at a health facility or clinic?	discrete	numeric-12.0	35	22802	-
304	i337b	Did the mother deliver at home?	discrete	numeric-12.0	35	22802	-
305	i337c	Did the mother deliver elsewhere (not at a health facility nor at home)?	discrete	numeric-12.0	35	22802	-
306	i338o	Did she receive professional assistance during the delivery?	discrete	numeric-12.0	122	22715	-
307	i340o	Did she have an operation to remove her uterus shortly before death?	discrete	numeric-12.0	118	22719	-
308	i342o	Was the delivery normal vaginal, without forceps or vacuum?	discrete	numeric-12.0	117	22720	-
309	i343o	Was the delivery vaginal, with forceps or vacuum?	discrete	numeric-12.0	104	22733	-
310	i344o	Was the delivery a Caesarean section?	discrete	numeric-12.0	109	22728	-
311	i347o	Was her baby born more than one month early?	discrete	numeric-12.0	5018	17819	-
312	i354o	Was the child part of a multiple birth?	discrete	numeric-12.0	295	22542	-
313	i355a	If the child was part of a multiple birth, was it born first?	discrete	numeric-12.0	5	22832	-
314	i356o	Is the child's mother still alive?	discrete	numeric-12.0	111	22726	-
315	i357o	Did the child's mother die during or shortly after the delivery?	discrete	numeric-12.0	0	22837	-
316	i358a	Did the child's mother die in the baby's first year of life?	discrete	numeric-12.0	0	22837	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021							
#	Name	Label	Type	Format	Valid	Invalid	Question
317	i360a	Was the baby born in a health facility or clinic?	discrete	numeric-12.0	278	22559	-
318	i360b	Was the baby born at home?	discrete	numeric-12.0	276	22561	-
319	i360c	Was the baby born somewhere else (e.g. on the way to a clinic)?	discrete	numeric-12.0	278	22559	-
320	i361o	Did the mother receive professional assistance during the delivery?	discrete	numeric-12.0	276	22561	-
321	i362o	At birth, was the baby of usual size?	discrete	numeric-12.0	263	22574	-
322	i363o	At birth, was the baby smaller than normal (weighing under 2.5 kg)?	discrete	numeric-12.0	179	22658	-
323	i364o	At birth, was the baby very much smaller than usual, (weighing under 1 kg)?	discrete	numeric-12.0	10	22827	-
324	i365o	At birth, was the baby larger than normal (weighing over 4.5 kg)?	discrete	numeric-12.0	224	22613	-
325	i367a	Was the baby born during the ninth month (at least 37 weeks) of pregnancy?	discrete	numeric-12.0	258	22579	-
326	i367b	Was the baby born during the eighth month (34 to 37 weeks) of pregnancy?	discrete	numeric-12.0	5581	17256	-
327	i367c	Was the baby born before the eighth month (less than 34 weeks) of pregnancy?	discrete	numeric-12.0	8458	14379	-
328	i368o	Were there any complications in the late part of the pregnancy (defined as the la	discrete	numeric-12.0	104	22733	-
329	i369o	Were there any complications during labour or delivery?	discrete	numeric-12.0	16	22821	-
330	i370o	Was any part of the baby physically abnormal at time of delivery? (for example: b	discrete	numeric-12.0	9181	13656	-
331	i371o	Did the baby/child have a swelling or defect on the back?	discrete	numeric-12.0	6323	16514	-
332	i372o	Did the baby/child have a very large head?	discrete	numeric-12.0	6324	16513	-
333	i373o	Did the baby/child have a very small head?	discrete	numeric-12.0	6324	16513	-
334	i376o	Was the baby moving in the last few days before the birth?	discrete	numeric-12.0	33	22804	-
335	i377o	Did the baby stop moving in the womb before labour started?	discrete	numeric-12.0	32	22805	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

#	Name	Label	Type	Format	Valid	Invalid	Question
336	i382a	Did labour and delivery take more than 24 hours?	discrete	numeric-12.0	6	22831	-
337	i383o	Was the baby born 24 hours or more after the waters broke?	discrete	numeric-12.0	168	22669	-
338	i384o	Was the liquor foul smelling when the waters broke?	discrete	numeric-12.0	33	22804	-
339	i385a	Was the liquor a green or brown colour when the waters broke?	discrete	numeric-12.0	29	22808	-
340	i387o	Was the delivery normal vaginal, without forceps or vacuum?	discrete	numeric-12.0	139	22698	-
341	i388o	Was the delivery vaginal, with forceps or vacuum?	discrete	numeric-12.0	119	22718	-
342	i389o	Was the delivery a Caesarean section?	discrete	numeric-12.0	115	22722	-
343	i391o	Did the child's mother receive any vaccinations since reaching adulthood includin	discrete	numeric-12.0	29	22808	-
344	i393o	Did the mother receive tetanus toxoid (TT) vaccine?	discrete	numeric-12.0	19	22818	-
345	i394a	Was this baby born from the mother's first pregnancy?	discrete	numeric-12.0	216	22621	-
346	i394b	Did the baby's mother have four or more births before this one?	discrete	numeric-12.0	216	22621	-
347	i395o	During labour, did the baby's mother suffer from fever?	discrete	numeric-12.0	33	22804	-
348	i396o	During the last 3 months of pregnancy, labour or delivery, did the baby's mother	discrete	numeric-12.0	33	22804	-
349	i397o	Did the baby's mother have diabetes mellitus?	discrete	numeric-12.0	33	22804	-
350	i398o	Did the baby's mother have foul smelling vaginal discharge during pregnancy or af	discrete	numeric-12.0	33	22804	-
351	i399o	During the last 3 months of pregnancy, labour or delivery, did the baby's mother	discrete	numeric-12.0	33	22804	-
352	i400o	During the last 3 months of pregnancy did the baby's mother suffer from blurred v	discrete	numeric-12.0	33	22804	-
353	i401o	Did the baby's mother have severe anaemia?	discrete	numeric-12.0	32	22805	-
354	i402o	Did the baby's mother have vaginal bleeding during the last 3 months of pregnancy	discrete	numeric-12.0	33	22804	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

#	Name	Label	Type	Format	Valid	Invalid	Question
355	i403o	Did the baby's bottom, feet, arm or hand come out of the vagina before its head?	discrete	numeric-12.0	33	22804	-
356	i404o	Was the umbilical cord wrapped more than once around the baby's neck at birth?	discrete	numeric-12.0	31	22806	-
357	i405o	Was the umbilical cord delivered first?	discrete	numeric-12.0	32	22805	-
358	i406o	Was the baby blue in colour at birth?	discrete	numeric-12.0	31	22806	-
359	i408o	Before the illness that led to death, was the baby/child growing normally?	discrete	numeric-12.0	4321	18516	-
360	i411o	Did (s)he drink alcohol?	discrete	numeric-12.0	21443	1394	-
361	i412o	Did (s)he use tobacco?	discrete	numeric-12.0	2824	20013	-
362	i413o	Did (s)he smoke tobacco (cigarette, cigar, pipe, etc.)?	discrete	numeric-12.0	21311	1526	-
363	i414a	Did (s)he use non-smoking tobacco?	discrete	numeric-12.0	307	22530	-
364	i415a	Did (s)he smoke at least 10 cigarettes daily?	discrete	numeric-12.0	7	22830	-
365	i418o	Did (s)he receive any treatment for the illness that led to death?	discrete	numeric-12.0	21488	1349	-
366	i419o	Did (s)he receive oral rehydration salts?	discrete	numeric-12.0	2074	20763	-
367	i420o	Did (s)he receive (or need) intravenous fluids (drip) treatment?	discrete	numeric-12.0	2081	20756	-
368	i421o	Did (s)he receive (or need) a blood transfusion?	discrete	numeric-12.0	2025	20812	-
369	i422o	Did (s)he receive (or need) treatment/food through a tube passed through the nose	discrete	numeric-12.0	2105	20732	-
370	i423o	Did (s)he receive (or need) injectable antibiotics?	discrete	numeric-12.0	1731	21106	-
371	i424o	Did (s)he receive (or need) antiretroviral therapy (ART)?	discrete	numeric-12.0	2031	20806	-
372	i425o	Did (s)he have (or need) an operation for the illness?	discrete	numeric-12.0	20277	2560	-
373	i426o	Did (s)he have the operation within 1 month before death?	discrete	numeric-12.0	73	22764	-
374	i427o	Was (s)he discharged from hospital very ill?	discrete	numeric-12.0	7136	15701	-
375	i428o	Did (s)he receive appropriate immunizations?	discrete	numeric-12.0	100	22737	-
376	i450o	In the final days before death, did s/he travel to a hospital or health facility?	discrete	numeric-12.0	2951	19886	-

File AHRI.VerbalAutopsy.InteVA05 Raw Data.2021							
#	Name	Label	Type	Format	Valid	Invalid	Question
377	i451o	Did (s)he use motorised transport to get to the hospital or health facility?	discrete	numeric-12.0	1565	21272	-
378	i452o	Were there any problems during admission to the hospital or health facility?	discrete	numeric-12.0	1536	21301	-
379	i453o	Were there any problems with the way (s)he was treated (medical treatment, proced	discrete	numeric-12.0	1529	21308	-
380	i454o	Were there any problems getting medications, or diagnostic tests in the hospital	discrete	numeric-12.0	1538	21299	-
381	i455o	Does it take more than 2 hours to get to the nearest hospital or health facility	discrete	numeric-12.0	22400	437	-
382	i456o	In the final days before death, were there any doubts about whether medical care	discrete	numeric-12.0	2926	19911	-
383	i457o	In the final days before death, was traditional medicine used?	discrete	numeric-12.0	16940	5897	-
384	i458o	In the final days before death, did anyone use a telephone or cell phone to call	discrete	numeric-12.0	2939	19898	-
385	i459o	Over the course of illness, did the total costs of care and treatment prohibit ot	discrete	numeric-12.0	2947	19890	-

Variables Description

Dataset contains 385 variable(s)

File : AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

iv5_id

Information	[Type= continuous] [Format=numeric] [Range= 11-252755] [Missing=*]
Statistics [NW/ W]	[Valid=22837 /-] [Invalid=0 /-] [Mean=70497.197 /-] [StdDev=51493.797 /-]

DoB: Date of Birth

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=22837 /-]

DoD: Date of Death

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=22837 /-]

InterviewDate: Interview Date

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=22827 /-]

DeathSetting: Place of death

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=21385 /-] [Invalid=1452 /-]

Value	Label	Cases	Percentage
1	Hospital	8924	41.7%
2	Other Health facility	142	0.7%
3	Home	9562	44.7%
4	On route to hospital or facility	73	0.3%
5	Clinic	506	2.4%
93	Refused	5	0.0%
96	Other	2000	9.4%
97	Not applicable	132	0.6%
98	Don't know	32	0.1%
99	Missing	9	0.0%
Sysmiss		1452	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sv_referralanother: Was the child referred to another place for care?

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=22765 /-]

Value	Label	Cases	Percentage
1	Yes	22	30.6%
2	No	48	66.7%
93	Refused	0	
98	Don't Know	2	2.8%
Sysmiss		22765	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sv_reachplace: Did they reach the place they were referred to?

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=22 /-] [Invalid=22815 /-]

File : AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

sv_reachplace: Did they reach the place they were referred to?

Value	Label	Cases	Percentage
1	Yes	15	<div><div></div></div> 68.2%
2	No	7	<div><div></div></div> 31.8%
93	Refused	0	
98	Don't Know	0	
Sysmiss		22815	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sb_minutes_cry: How many minutes after birth did the baby first cry?

Information	[Type= continuous] [Format=numeric] [Range= 1-9998] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=22814 /-] [Mean=8259.739 /-] [StdDev=3873.596 /-]

ap_mentalconfus_months: For how many months did (s)he have mental confusion?

Information	[Type= continuous] [Format=numeric] [Range= 0-9998] [Missing=*]
Statistics [NW/ W]	[Valid=558 /-] [Invalid=22279 /-] [Mean=7080.427 /-] [StdDev=4546.048 /-]

md_preg_death: Was she pregnant at the time of death?

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1514 /-] [Invalid=21323 /-]

Value	Label	Cases	Percentage
1	Yes	9	<div><div></div></div> 0.6%
2	No	1484	<div><div></div></div> 98.0%
93	Refused	1	<div><div></div></div> 0.1%
98	Don't Know	20	<div><div></div></div> 1.3%
Sysmiss		21323	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

md_die_deliv6wkwith: Did she die within 6 weeks of delivery, abortion or miscarriage?

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1505 /-] [Invalid=21332 /-]

Value	Label	Cases	Percentage
1	Yes	11	<div><div></div></div> 0.7%
2	No	1479	<div><div></div></div> 98.3%
93	Refused	0	
98	Don't Know	15	<div><div></div></div> 1.0%
Sysmiss		21332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

md_die_deliv42: Did this woman die more than 42 days after being pregnant or delivering a baby?

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1494 /-] [Invalid=21343 /-]

Value	Label	Cases	Percentage
1	Yes	7	<div><div></div></div> 0.5%
2	No	1473	<div><div></div></div> 98.6%
93	Refused	0	
98	Don't Know	14	<div><div></div></div> 0.9%

File : AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

md_die_deliv42: Did this woman die more than 42 days after being pregnant or delivering a baby?

Value	Label	Cases	Percentage
Sysmiss		21343	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hs_care_outside: Was care sought outside the home while (s)he had this illness?

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=2991 /-] [Invalid=19846 /-]

Value	Label	Cases	Percentage
1	Yes	2203	73.7%
2	No	769	25.7%
93	Refused	3	0.1%
98	Don't Know	16	0.5%
Sysmiss		19846	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hs_care_from: Where or from whom did you seek care?

Information	[Type= continuous] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=2203 /-] [Invalid=20634 /-] [Mean=4.632 /-] [StdDev=2.995 /-]

vb_age_death: Please indicate the Age at death.

Information	[Type= continuous] [Format=numeric] [Range= -157-218] [Missing=*/1001]
Statistics [NW/ W]	[Valid=3401 /-] [Invalid=19436 /-] [Mean=52.736 /-] [StdDev=24.223 /-]

Value	Label	Cases	Percentage
1001	..		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ih_age_fatal_illness: How old was the baby when the fatal illness started? (In Days)

Information	[Type= continuous] [Format=numeric] [Range= 0-9998] [Missing=*/10001]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=22811 /-] [Mean=1542.14 /-] [StdDev=3677.004 /-]

Value	Label	Cases	Percentage
10001	..		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bd_breath_sound: During the illness that led to death did his/her breathing sound like any of the

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=3004 /-] [Invalid=19833 /-]

Value	Label	Cases	Percentage
1	Stridor	341	11.4%
2	No	1702	56.7%
3	Wheezing	145	4.8%
4	Grunting	630	21.0%
93	Refused to answer	7	0.2%
98	Don't know	179	6.0%
Sysmiss		19833	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

on_narrative_2_5: Are there any of the following words of interest mentioned in the above narrative

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=3404 /-] [Invalid=19433 /-]

ap_stopsuckle: Did the baby stop suckling?

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=22834 /-]

Value	Label	Cases	Percentage
1	Yes	1	33.3%
2	No	2	66.7%
93	Refused	0	
98	Don't Know	0	
Sysmiss		22834	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ap_stopsuckle_days: How many days after birth did the baby stop suckling?

Information	[Type= discrete] [Format=numeric] [Range= 0-0] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=22836 /-]

md_birth_early: Was the baby born more than one month early?

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=164 /-] [Invalid=22673 /-]

Value	Label	Cases	Percentage
1	Yes	23	14.0%
2	No	130	79.3%
93	Refused	0	
98	Don't Know	11	6.7%
Sysmiss		22673	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

nd_baby_weight: What was the weight (in grammes) of the deceased at birth?

Information	[Type= continuous] [Format=numeric] [Range= 600-9998] [Missing=*]
Statistics [NW/ W]	[Valid=115 /-] [Invalid=22722 /-] [Mean=8639.113 /-] [StdDev=2831.607 /-]

hs_biologalmother_hiv: Has the deceased's (biological) mother ever been tested for HIV?

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=116 /-] [Invalid=22721 /-]

Value	Label	Cases	Percentage
1	Yes	95	81.9%
2	No	9	7.8%
93	Refused	1	0.9%
98	Don't Know	11	9.5%
Sysmiss		22721	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hs_biologalmother_aids: Has the deceased's (biological) mother ever been told she had HIV/AIDS by a health

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
-------------	---

File : AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

hs_biologicalmother_aids: Has the deceased's (biological) mother ever been told she had HIV/AIDS by a health

Statistics [NW/ W] [Valid=116 /-] [Invalid=22721 /-]

Value	Label	Cases	Percentage
1	Yes	30	<div><div></div></div> 25.9%
2	No	57	<div><div></div></div> 49.1%
93	Refused	0	
98	Don't Know	29	<div><div></div></div> 25.0%
Sysmiss		22721	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

mh_ever_pos: Was the HIV test ever positive?

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=2987 /-] [Invalid=19850 /-]

Value	Label	Cases	Percentage
1	Yes	756	<div><div></div></div> 25.3%
2	No	2037	<div><div></div></div> 68.2%
93	Refused	3	0.1%
98	Don't Know	191	<div><div></div></div> 6.4%
Sysmiss		19850	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

md_die_deliv6wkafter: Did she die within 6 weeks of childbirth?

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=126 /-] [Invalid=22711 /-]

Value	Label	Cases	Percentage
1	Yes	13	<div><div></div></div> 10.3%
2	No	109	<div><div></div></div> 86.5%
93	Refused	0	
98	Don't Know	4	<div><div></div></div> 3.2%
Sysmiss		22711	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hs_child_vacc_card: Do you have the child's vaccination card?

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=97 /-] [Invalid=22740 /-]

Value	Label	Cases	Percentage
1	Yes	75	<div><div></div></div> 77.3%
2	No	22	<div><div></div></div> 22.7%
93	Refused	0	
98	Don't Know	0	
Sysmiss		22740	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.


hs_child_vacc_see: Can I see the vaccination card (note the vaccines the child received)?

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=75 /-] [Invalid=22762 /-]

File : AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

hs_child_vacc_see: Can I see the vaccination card (note the vaccines the child received)?

Value	Label	Cases	Percentage
1	Yes	5	 6.7%
2	No	70	 93.3%
93	Refused	0	
98	Don't Know	0	
Sysmiss		22762	





Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hs_vacc_note: Note vaccines here

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-]

hs_immunisation: Had (s)he received immunization?



Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=109 /-] [Invalid=22728 /-]

Value	Label	Cases	Percentage
1	Yes	97	 89.0%
2	No	7	 6.4%
93	Refused	1	 0.9%
98	Don't Know	4	 3.7%
Sysmiss		22728	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sb_ever_move: Did the baby ever move?





Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=33 /-] [Invalid=22804 /-]

Value	Label	Cases	Percentage
1	Yes	24	 72.7%
2	No	9	 27.3%
93	Refused	0	
98	Don't Know	0	
Sysmiss		22804	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hs_art: Did (s)he receive (or need) antiretroviral therapy (ART)?

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=2185 /-] [Invalid=20652 /-]

Value	Label	Cases	Percentage
1	Yes	639	 29.2%
2	No	1410	 64.5%
93	Refused	2	 0.1%
98	Don't Know	134	 6.1%
Sysmiss		20652	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

i004a: Did s(he) die during the wet season?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=22836 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
0	No	12042	52.7%
1	Yes	10794	47.3%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i004b: Did s(he) die during the dry season?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=22836 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
0	No	10794	47.3%
1	Yes	12042	52.7%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i019a: Was he male?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=22837 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	11290	49.4%
1	Yes	11547	50.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i019b: Was she female?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=22837 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	11548	50.6%
1	Yes	11289	49.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i022a: Was s(he) aged 65 years or more at death?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=22836 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
0	No	18011	78.9%
1	Yes	4825	21.1%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i022b: Was s(he) aged 50 to 64 years at death?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=22836 /-] [Invalid=1 /-]		

File : AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

i022b: Was s(he) aged 50 to 64 years at death?

Value	Label	Cases	Percentage
0	No	19460	<div><div></div></div> 85.2%
1	Yes	3376	<div><div></div></div> 14.8%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i022c: Was s(he) aged 15 to 49 years at death?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=22836 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	No	10964	<div><div></div></div> 48.0%
1	Yes	11872	<div><div></div></div> 52.0%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i022d: Was s(he) aged 5-14 years at death?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=22836 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	No	22253	<div><div></div></div> 97.4%
1	Yes	583	<div><div></div></div> 2.6%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i022e: Was s(he) aged 1 to 4 years at death?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=22836 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	No	21938	<div><div></div></div> 96.1%
1	Yes	898	<div><div></div></div> 3.9%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i022f: Was s(he) aged 1 to 11 months at death?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19527 /-] [Invalid=3310 /-]

Value	Label	Cases	Percentage
0	No	18472	<div><div></div></div> 94.6%
1	Yes	1055	<div><div></div></div> 5.4%
Sysmiss		3310	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i022g: Was s(he) aged < 1 month (28 days) at death?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19527 /-] [Invalid=3310 /-]

File : AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

i022g: Was s(he) aged < 1 month (28 days) at death?

Value	Label	Cases	Percentage
0	No	19302	98.8%
1	Yes	225	1.2%
Sysmiss		3310	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i022h: Was s(he) a live baby who died within 24 hours of birth?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19527 /-] [Invalid=3310 /-]

Value	Label	Cases	Percentage
0	No	19460	99.7%
1	Yes	67	0.3%
Sysmiss		3310	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i022i: Was s(he) a baby who died between 24 and 48 hours of birth?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19527 /-] [Invalid=3310 /-]

Value	Label	Cases	Percentage
0	No	19497	99.8%
1	Yes	30	0.2%
Sysmiss		3310	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i022j: Was s(he) a baby who died more than 48 hours from birth, but within the first wee

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19527 /-] [Invalid=3310 /-]

Value	Label	Cases	Percentage
0	No	19462	99.7%
1	Yes	65	0.3%
Sysmiss		3310	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i022k: Was s(he) a baby who died after the first week, but within the first month?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=19527 /-] [Invalid=3310 /-]

Value	Label	Cases	Percentage
0	No	19463	99.7%
1	Yes	64	0.3%
Sysmiss		3310	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i022l: Was she a woman aged 12-19 years at death?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=21131 /-] [Invalid=1706 /-]

File : AHRI.VerbalAutopsy.InteVA05 Raw Data.2021

i022l: Was she a woman aged 12-19 years at death?

Value	Label	Cases	Percentage
0	No	20824	<div><div></div></div> 98.5%
1	Yes	307	<div><div></div></div> 1.5%
Sysmiss		1706	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i022m: Was she a woman aged 20-34 years at death?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=21131 /-] [Invalid=1706 /-]

Value	Label	Cases	Percentage
0	No	17982	<div><div></div></div> 85.1%
1	Yes	3149	<div><div></div></div> 14.9%
Sysmiss		1706	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i022n: Was she a woman aged 35 to 49 years at death?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=21131 /-] [Invalid=1706 /-]

Value	Label	Cases	Percentage
0	No	18896	<div><div></div></div> 89.4%
1	Yes	2235	<div><div></div></div> 10.6%
Sysmiss		1706	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# i059o: Was she married at the time of death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6739 /-] [Invalid=16098 /-]		
Value	Label	Cases	Percentage
0	No	3594	<div><div></div></div> 53.3%
1	Yes	3145	<div><div></div></div> 46.7%
Sysmiss		16098	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i077o: Did (s)he suffer from any injury or accident that led to her/his death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=21674 /-] [Invalid=1163 /-]		
Value	Label	Cases	Percentage
0	No	19163	<div><div></div></div> 88.4%
1	Yes	2511	<div><div></div></div> 11.6%
Sysmiss		1163	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i079o: Was (s)he injured in a road traffic accident?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15932 /-] [Invalid=6905 /-]		
Value	Label	Cases	Percentage
0	No	15226	<div><div></div></div> 95.6%
1	Yes	706	<div><div></div></div> 4.4%
Sysmiss		6905	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i082o: Was (s)he injured in a non-road transport accident?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=321 /-] [Invalid=22516 /-]		
Value	Label	Cases	Percentage
0	No	313	<div><div></div></div> 97.5%
1	Yes	8	<div><div></div></div> 2.5%
Sysmiss		22516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i083o: Was (s)he injured in a fall?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15927 /-] [Invalid=6910 /-]		
Value	Label	Cases	Percentage
0	No	15875	<div><div></div></div> 99.7%
1	Yes	52	<div><div></div></div> 0.3%
Sysmiss		6910	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i084o: Was (s)he poisoned in any way?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15692 /-] [Invalid=7145 /-]		

# i084o: Was (s)he poisoned in any way?			
Value	Label	Cases	Percentage
0	No	15606	<div></div> 99.5%
1	Yes	86	<div></div> 0.5%
Sysmiss		7145	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i085o: Did (s)he die of drowning?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15931 /-] [Invalid=6906 /-]		
Value	Label	Cases	Percentage
0	No	15856	<div></div> 99.5%
1	Yes	75	<div></div> 0.5%
Sysmiss		6906	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i086o: Was (s)he injured by the bite or sting of a venomous animal?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15697 /-] [Invalid=7140 /-]		
Value	Label	Cases	Percentage
0	No	15683	<div></div> 99.9%
1	Yes	14	<div></div> 0.1%
Sysmiss		7140	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i087o: Was (s)he injured by an animal or insect (non-venomous)			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=448 /-] [Invalid=22389 /-]		
Value	Label	Cases	Percentage
0	No	447	<div></div> 99.8%
1	Yes	1	<div></div> 0.2%
Sysmiss		22389	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i089o: Was (s)he injured by burns or fire?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15696 /-] [Invalid=7141 /-]		
Value	Label	Cases	Percentage
0	No	15602	<div></div> 99.4%
1	Yes	94	<div></div> 0.6%
Sysmiss		7141	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i090o: Was (s)he subject to violence (suicide, homicide, abuse)?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15925 /-] [Invalid=6912 /-]		
Value	Label	Cases	Percentage
0	No	14705	<div></div> 92.3%

# i090o: Was (s)he subject to violence (suicide, homicide, abuse)?			
Value	Label	Cases	Percentage
1	Yes	1220	<div><div></div></div> 7.7%
Sysmiss		6912	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i091o: Was (s)he injured by a fire arm?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=445 /-] [Invalid=22392 /-]		
Value	Label	Cases	Percentage
0	No	359	<div><div></div></div> 80.7%
1	Yes	86	<div><div></div></div> 19.3%
Sysmiss		22392	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i092o: Was (s)he stabbed, cut or pierced?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=446 /-] [Invalid=22391 /-]		
Value	Label	Cases	Percentage
0	No	372	<div><div></div></div> 83.4%
1	Yes	74	<div><div></div></div> 16.6%
Sysmiss		22391	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i093o: Was (s)he strangled?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=434 /-] [Invalid=22403 /-]		
Value	Label	Cases	Percentage
0	No	409	<div><div></div></div> 94.2%
1	Yes	25	<div><div></div></div> 5.8%
Sysmiss		22403	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i094o: Was (s)he injured by a blunt force?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=435 /-] [Invalid=22402 /-]		
Value	Label	Cases	Percentage
0	No	377	<div><div></div></div> 86.7%
1	Yes	58	<div><div></div></div> 13.3%
Sysmiss		22402	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i095o: Was (s)he injured by a force of nature?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=447 /-] [Invalid=22390 /-]		
Value	Label	Cases	Percentage
0	No	443	<div><div></div></div> 99.1%
1	Yes	4	<div><div></div></div> 0.9%

# i095o: Was (s)he injured by a force of nature?			
Value	Label	Cases	Percentage
Sysmiss		22390	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i096o: Was (s)he electrocuted?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=448 /-] [Invalid=22389 /-]		
Value	Label	Cases	Percentage
0	No	447	99.8%
1	Yes	1	0.2%
Sysmiss		22389	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i098o: Was the injury accidental?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=402 /-] [Invalid=22435 /-]		
Value	Label	Cases	Percentage
0	No	266	66.2%
1	Yes	136	33.8%
Sysmiss		22435	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i099o: Was the injury or accident self-inflicted?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18955 /-] [Invalid=3882 /-]		
Value	Label	Cases	Percentage
0	No	18707	98.7%
1	Yes	248	1.3%
Sysmiss		3882	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i100o: Was the injury or accident intentionally inflicted by someone else?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15674 /-] [Invalid=7163 /-]		
Value	Label	Cases	Percentage
0	No	14622	93.3%
1	Yes	1052	6.7%
Sysmiss		7163	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i104o: Did the baby ever cry?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=194 /-] [Invalid=22643 /-]		
Value	Label	Cases	Percentage
0	No	95	49.0%
1	Yes	99	51.0%
Sysmiss		22643	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i105o: Did the baby cry immediately after birth, even if only a little bit?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=22814 /-]		
Value	Label	Cases	Percentage
0	No	2	<div><div></div></div> 8.7%
1	Yes	21	<div><div></div></div> 91.3%
Sysmiss		22814	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i106a: Was it more than 5 minutes after birth before the baby first cried?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=22833 /-]		
Value	Label	Cases	Percentage
0	No	4	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22833	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i107o: Did the baby stop being able to cry?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=22814 /-]		
Value	Label	Cases	Percentage
0	No	19	<div><div></div></div> 82.6%
1	Yes	4	<div><div></div></div> 17.4%
Sysmiss		22814	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i108a: Did the baby stop crying more than a day before (s)he died?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=22837 /-]		
Value	Label	Cases	Percentage
0	No	0	
1	Yes	0	
Sysmiss		22837	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i109o: Did the baby ever move?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=22804 /-]		
Value	Label	Cases	Percentage
0	No	9	<div><div></div></div> 27.3%
1	Yes	24	<div><div></div></div> 72.7%
Sysmiss		22804	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i110o: Did the baby ever breathe?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=22804 /-]		

# i110o: Did the baby ever breathe?			
Value	Label	Cases	Percentage
0	No	7	<div><div></div></div> 21.2%
1	Yes	26	<div><div></div></div> 78.8%
Sysmiss		22804	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i111o: Did the baby breathe immediately after birth, even a little?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=182 /-] [Invalid=22655 /-]		
Value	Label	Cases	Percentage
0	No	26	<div><div></div></div> 14.3%
1	Yes	156	<div><div></div></div> 85.7%
Sysmiss		22655	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i112o: Did the baby have a breathing problem?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=26 /-] [Invalid=22811 /-]		
Value	Label	Cases	Percentage
0	No	18	<div><div></div></div> 69.2%
1	Yes	8	<div><div></div></div> 30.8%
Sysmiss		22811	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i113o: Was the baby given assistance to breathe at birth?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=180 /-] [Invalid=22657 /-]		
Value	Label	Cases	Percentage
0	No	107	<div><div></div></div> 59.4%
1	Yes	73	<div><div></div></div> 40.6%
Sysmiss		22657	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i114o: If the baby didn't show any sign of life, was it born dead?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=168 /-] [Invalid=22669 /-]		
Value	Label	Cases	Percentage
0	No	143	<div><div></div></div> 85.1%
1	Yes	25	<div><div></div></div> 14.9%
Sysmiss		22669	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i115o: Were there any bruises or signs of injury on child's body after the birth?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=32 /-] [Invalid=22805 /-]		
Value	Label	Cases	Percentage
0	No	30	<div><div></div></div> 93.8%

# i115o: Were there any bruises or signs of injury on child's body after the birth?			
Value	Label	Cases	Percentage
1	Yes	2	<div><div></div></div> 6.2%
Sysmiss		22805	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i116o: Was the baby's body soft, pulpy and discoloured with the skin peeling away?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=22830 /-]		
Value	Label	Cases	Percentage
0	No	6	<div><div></div></div> 85.7%
1	Yes	1	<div><div></div></div> 14.3%
Sysmiss		22830	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i120a: Did the final illness last less than 3 weeks?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=21039 /-] [Invalid=1798 /-]		
Value	Label	Cases	Percentage
0	No	17268	<div><div></div></div> 82.1%
1	Yes	3771	<div><div></div></div> 17.9%
Sysmiss		1798	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i120b: Did the final illness last at least 3 weeks?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=21030 /-] [Invalid=1807 /-]		
Value	Label	Cases	Percentage
0	No	6132	<div><div></div></div> 29.2%
1	Yes	14898	<div><div></div></div> 70.8%
Sysmiss		1807	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i123o: Did (s)he die suddenly?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=20829 /-] [Invalid=2008 /-]		
Value	Label	Cases	Percentage
0	No	18305	<div><div></div></div> 87.9%
1	Yes	2524	<div><div></div></div> 12.1%
Sysmiss		2008	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i125o: Was there any diagnosis by a health professional of tuberculosis?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=19215 /-] [Invalid=3622 /-]		
Value	Label	Cases	Percentage
0	No	12497	<div><div></div></div> 65.0%
1	Yes	6718	<div><div></div></div> 35.0%

# i125o: Was there any diagnosis by a health professional of tuberculosis?			
Value	Label	Cases	Percentage
Sysmiss		3622	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i127o: Was there any diagnosis by a health professional of HIV/AIDS?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=21126 /-] [Invalid=1711 /-]		
Value	Label	Cases	Percentage
0	No	17601	83.3%
1	Yes	3525	16.7%
Sysmiss		1711	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i128o: Did (s)he have a recent positive test by a health professional for malaria?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=20796 /-] [Invalid=2041 /-]		
Value	Label	Cases	Percentage
0	No	20748	99.8%
1	Yes	48	0.2%
Sysmiss		2041	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i129o: Did (s)he have a recent negative test by a health professional for malaria?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2906 /-] [Invalid=19931 /-]		
Value	Label	Cases	Percentage
0	No	2903	99.9%
1	Yes	3	0.1%
Sysmiss		19931	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i130o: Was there any diagnosis by a health professional of dengue fever?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2922 /-] [Invalid=19915 /-]		
Value	Label	Cases	Percentage
0	No	2922	100.0%
1	Yes	0	
Sysmiss		19915	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i131o: Was there any diagnosis by a health professional of measles?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=4281 /-] [Invalid=18556 /-]		
Value	Label	Cases	Percentage
0	No	4278	99.9%
1	Yes	3	0.1%
Sysmiss		18556	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i132o: Was there any diagnosis by a health professional of high blood pressure?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=21291 /-] [Invalid=1546 /-]		
Value	Label	Cases	Percentage
0	No	17444	<div><div></div></div> 81.9%
1	Yes	3847	<div><div></div></div> 18.1%
Sysmiss		1546	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i133o: Was there any diagnosis by a health professional of heart disease?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=20786 /-] [Invalid=2051 /-]		
Value	Label	Cases	Percentage
0	No	20298	<div><div></div></div> 97.7%
1	Yes	488	<div><div></div></div> 2.3%
Sysmiss		2051	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i134o: Was there any diagnosis by a health professional of diabetes?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18741 /-] [Invalid=4096 /-]		
Value	Label	Cases	Percentage
0	No	16934	<div><div></div></div> 90.4%
1	Yes	1807	<div><div></div></div> 9.6%
Sysmiss		4096	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i135o: Was there any diagnosis by a health professional of asthma?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18585 /-] [Invalid=4252 /-]		
Value	Label	Cases	Percentage
0	No	17997	<div><div></div></div> 96.8%
1	Yes	588	<div><div></div></div> 3.2%
Sysmiss		4252	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i136o: Was there any diagnosis by a health professional of epilepsy?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=20888 /-] [Invalid=1949 /-]		
Value	Label	Cases	Percentage
0	No	20498	<div><div></div></div> 98.1%
1	Yes	390	<div><div></div></div> 1.9%
Sysmiss		1949	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i137o: Was there any diagnosis by a health professional of cancer?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=20858 /-] [Invalid=1979 /-]		

i137o: Was there any diagnosis by a health professional of cancer?

Value	Label	Cases	Percentage
0	No	19984	<div><div></div></div> 95.8%
1	Yes	874	<div><div></div></div> 4.2%
Sysmiss		1979	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i138o: Was there any diagnosis by a health professional of Chronic Obstructive Pulmonary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2830 /-] [Invalid=20007 /-]

Value	Label	Cases	Percentage
0	No	2814	<div><div></div></div> 99.4%
1	Yes	16	<div><div></div></div> 0.6%
Sysmiss		20007	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i139o: Was there any diagnosis by a physician or health worker of dementia?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2831 /-] [Invalid=20006 /-]

Value	Label	Cases	Percentage
0	No	2638	<div><div></div></div> 93.2%
1	Yes	193	<div><div></div></div> 6.8%
Sysmiss		20006	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# i140o: Was there any diagnosis by a health professional of depression?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2807 /-] [Invalid=20030 /-]		
Value	Label	Cases	Percentage
0	No	2777	98.9%
1	Yes	30	1.1%
Sysmiss		20030	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i141o: Was there any diagnosis by a health professional of stroke?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=21377 /-] [Invalid=1460 /-]		
Value	Label	Cases	Percentage
0	No	20207	94.5%
1	Yes	1170	5.5%
Sysmiss		1460	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i142o: Was there any diagnosis by a health professional of sickle cell disease?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2922 /-] [Invalid=19915 /-]		
Value	Label	Cases	Percentage
0	No	2919	99.9%
1	Yes	3	0.1%
Sysmiss		19915	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i143o: Was there any diagnosis by a health professional of kidney disease?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=20790 /-] [Invalid=2047 /-]		
Value	Label	Cases	Percentage
0	No	20310	97.7%
1	Yes	480	2.3%
Sysmiss		2047	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i144o: Was there any diagnosis by a health professional of liver disease?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=20798 /-] [Invalid=2039 /-]		
Value	Label	Cases	Percentage
0	No	20382	98.0%
1	Yes	416	2.0%
Sysmiss		2039	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i147o: During the illness that led to death, did (s)he have a fever?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=21435 /-] [Invalid=1402 /-]		

# i147o: During the illness that led to death, did (s)he have a fever?			
Value	Label	Cases	Percentage
0	No	9642	<div><div></div></div> 45.0%
1	Yes	11793	<div><div></div></div> 55.0%
Sysmiss		1402	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i148a: Did the fever last less than a week before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18681 /-] [Invalid=4156 /-]		
Value	Label	Cases	Percentage
0	No	16957	<div><div></div></div> 90.8%
1	Yes	1724	<div><div></div></div> 9.2%
Sysmiss		4156	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i148b: Did the fever last at least one week, but less than 2 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=134 /-] [Invalid=22703 /-]		
Value	Label	Cases	Percentage
0	No	111	<div><div></div></div> 82.8%
1	Yes	23	<div><div></div></div> 17.2%
Sysmiss		22703	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i148c: Did the fever last at least 2 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18681 /-] [Invalid=4156 /-]		
Value	Label	Cases	Percentage
0	No	12182	<div><div></div></div> 65.2%
1	Yes	6499	<div><div></div></div> 34.8%
Sysmiss		4156	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i149o: Did the fever continue until death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=722 /-] [Invalid=22115 /-]		
Value	Label	Cases	Percentage
0	No	299	<div><div></div></div> 41.4%
1	Yes	423	<div><div></div></div> 58.6%
Sysmiss		22115	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i150a: Was the fever severe?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=663 /-] [Invalid=22174 /-]		
Value	Label	Cases	Percentage
0	No	178	<div><div></div></div> 26.8%

# i150a: Was the fever severe?			
Value	Label	Cases	Percentage
1	Yes	485	<div><div></div></div> 73.2%
Sysmiss		22174	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i151a: Was the fever continuous?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=703 /-] [Invalid=22134 /-]		
Value	Label	Cases	Percentage
0	No	547	<div><div></div></div> 77.8%
1	Yes	156	<div><div></div></div> 22.2%
Sysmiss		22134	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i152o: Did (s)he have night sweats?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=17431 /-] [Invalid=5406 /-]		
Value	Label	Cases	Percentage
0	No	13780	<div><div></div></div> 79.1%
1	Yes	3651	<div><div></div></div> 20.9%
Sysmiss		5406	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i153o: During the illness that led to death, did (s)he have a cough?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=21470 /-] [Invalid=1367 /-]		
Value	Label	Cases	Percentage
0	No	11786	<div><div></div></div> 54.9%
1	Yes	9684	<div><div></div></div> 45.1%
Sysmiss		1367	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i154a: Did the cough last less than 3 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18628 /-] [Invalid=4209 /-]		
Value	Label	Cases	Percentage
0	No	17876	<div><div></div></div> 96.0%
1	Yes	752	<div><div></div></div> 4.0%
Sysmiss		4209	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i154b: Did the cough last at least 3 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18628 /-] [Invalid=4209 /-]		
Value	Label	Cases	Percentage
0	No	10508	<div><div></div></div> 56.4%
1	Yes	8120	<div><div></div></div> 43.6%

# i154b: Did the cough last at least 3 weeks before death?			
Value	Label	Cases	Percentage
Sysmiss		4209	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i155o: Was the cough productive, with sputum?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=19136 /-] [Invalid=3701 /-]		
Value	Label	Cases	Percentage
0	No	13283	69.4%
1	Yes	5853	30.6%
Sysmiss		3701	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i156o: Was the cough very severe?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=623 /-] [Invalid=22214 /-]		
Value	Label	Cases	Percentage
0	No	161	25.8%
1	Yes	462	74.2%
Sysmiss		22214	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i157o: Did (s)he cough up blood?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=14000 /-] [Invalid=8837 /-]		
Value	Label	Cases	Percentage
0	No	13067	93.3%
1	Yes	933	6.7%
Sysmiss		8837	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i158o: Did (s)he make a whooping sound when coughing?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=22827 /-]		
Value	Label	Cases	Percentage
0	No	7	70.0%
1	Yes	3	30.0%
Sysmiss		22827	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i159o: During the illness that led to death, did (s)he have any difficulty breathing?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=21461 /-] [Invalid=1376 /-]		
Value	Label	Cases	Percentage
0	No	6533	30.4%
1	Yes	14928	69.6%
Sysmiss		1376	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i161a: Did the difficult breathing last for at least 3 days before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=500 /-] [Invalid=22337 /-]		
Value	Label	Cases	Percentage
0	No	69	<div><div></div></div> 13.8%
1	Yes	431	<div><div></div></div> 86.2%
Sysmiss		22337	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i165a: Was the difficult breathing continuous during this period?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1180 /-] [Invalid=21657 /-]		
Value	Label	Cases	Percentage
0	No	588	<div><div></div></div> 49.8%
1	Yes	592	<div><div></div></div> 50.2%
Sysmiss		21657	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i166o: Did (s)he have fast breathing?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=17744 /-] [Invalid=5093 /-]		
Value	Label	Cases	Percentage
0	No	15997	<div><div></div></div> 90.2%
1	Yes	1747	<div><div></div></div> 9.8%
Sysmiss		5093	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i167a: Did the fast breathing last for less than two weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18591 /-] [Invalid=4246 /-]		
Value	Label	Cases	Percentage
0	No	17989	<div><div></div></div> 96.8%
1	Yes	602	<div><div></div></div> 3.2%
Sysmiss		4246	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i167b: Did the fast breathing last for at least 2 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18591 /-] [Invalid=4246 /-]		
Value	Label	Cases	Percentage
0	No	18440	<div><div></div></div> 99.2%
1	Yes	151	<div><div></div></div> 0.8%
Sysmiss		4246	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i168o: Did (s)he have breathlessness?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=21461 /-] [Invalid=1376 /-]		

# i168o: Did (s)he have breathlessness?			
Value	Label	Cases	Percentage
0	No	9648	<div><div></div></div> 45.0%
1	Yes	11813	<div><div></div></div> 55.0%
Sysmiss		1376	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i169a: Did the breathlessness last for less than 2 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18677 /-] [Invalid=4160 /-]		
Value	Label	Cases	Percentage
0	No	15598	<div><div></div></div> 83.5%
1	Yes	3079	<div><div></div></div> 16.5%
Sysmiss		4160	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i169b: Did the breathlessness last for at least 2 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18677 /-] [Invalid=4160 /-]		
Value	Label	Cases	Percentage
0	No	11071	<div><div></div></div> 59.3%
1	Yes	7606	<div><div></div></div> 40.7%
Sysmiss		4160	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i170o: Was (s)he unable to carry out daily routines due to breathlessness?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=12981 /-] [Invalid=9856 /-]		
Value	Label	Cases	Percentage
0	No	2865	<div><div></div></div> 22.1%
1	Yes	10116	<div><div></div></div> 77.9%
Sysmiss		9856	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i171o: Was (s)he breathless while lying flat?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2358 /-] [Invalid=20479 /-]		
Value	Label	Cases	Percentage
0	No	291	<div><div></div></div> 12.3%
1	Yes	2067	<div><div></div></div> 87.7%
Sysmiss		20479	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i172o: Did you see the lower chest wall/ribs being pulled in as the child breathed?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=14816 /-] [Invalid=8021 /-]		
Value	Label	Cases	Percentage
0	No	13822	<div><div></div></div> 93.3%

# i172o: Did you see the lower chest wall/ribs being pulled in as the child breathed?			
Value	Label	Cases	Percentage
1	Yes	994	<div><div></div></div> 6.7%
Sysmiss		8021	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i173a: Did his/her breathing sound like wheezing or grunting?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=12677 /-] [Invalid=10160 /-]		
Value	Label	Cases	Percentage
0	No	12129	<div><div></div></div> 95.7%
1	Yes	548	<div><div></div></div> 4.3%
Sysmiss		10160	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i174o: During the illness that led to death, did (s)he have chest pain?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=16518 /-] [Invalid=6319 /-]		
Value	Label	Cases	Percentage
0	No	8905	<div><div></div></div> 53.9%
1	Yes	7613	<div><div></div></div> 46.1%
Sysmiss		6319	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i175o: Was the chest pain severe?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=475 /-] [Invalid=22362 /-]		
Value	Label	Cases	Percentage
0	No	29	<div><div></div></div> 6.1%
1	Yes	446	<div><div></div></div> 93.9%
Sysmiss		22362	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i176a: Did (s)he experience chest pain at least 3 days before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=174 /-] [Invalid=22663 /-]		
Value	Label	Cases	Percentage
0	No	173	<div><div></div></div> 99.4%
1	Yes	1	<div><div></div></div> 0.6%
Sysmiss		22663	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i178a: Did the chest pain last for at least 30 minutes?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=332 /-] [Invalid=22505 /-]		
Value	Label	Cases	Percentage
0	No	0	
1	Yes	332	<div><div></div></div> 100.0%

# i178a: Did the chest pain last for at least 30 minutes?			
Value	Label	Cases	Percentage
Sysmiss		22505	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i181o: Did (s)he have diarrhoea?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18574 /-] [Invalid=4263 /-]		
Value	Label	Cases	Percentage
0	No	11159	60.1%
1	Yes	7415	39.9%
Sysmiss		4263	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i182a: Did (s)he have diarrhoea for less than 2 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15740 /-] [Invalid=7097 /-]		
Value	Label	Cases	Percentage
0	No	14214	90.3%
1	Yes	1526	9.7%
Sysmiss		7097	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i182b: Did (s)he have diarrhoea for at least 2 weeks but less than 4 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15482 /-] [Invalid=7355 /-]		
Value	Label	Cases	Percentage
0	No	13125	84.8%
1	Yes	2357	15.2%
Sysmiss		7355	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i182c: Did (s)he have diarrhoea for at least 4 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15358 /-] [Invalid=7479 /-]		
Value	Label	Cases	Percentage
0	No	12278	79.9%
1	Yes	3080	20.1%
Sysmiss		7479	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i183o			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=22837 /-]		
Value	Label	Cases	Percentage
0	No	0	
1	Yes	0	
Sysmiss		22837	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i184a: Did the frequent loose or liquid stools start at least 3 days before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=13 /-] [Invalid=22824 /-]		
Value	Label	Cases	Percentage
0	No	9	<div><div></div></div> 69.2%
1	Yes	4	<div><div></div></div> 30.8%
Sysmiss		22824	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i185o: Did the frequent loose or liquid stools continue up until death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=21 /-] [Invalid=22816 /-]		
Value	Label	Cases	Percentage
0	No	1	<div><div></div></div> 4.8%
1	Yes	20	<div><div></div></div> 95.2%
Sysmiss		22816	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i186o: At any time during the final illness was there blood in the stools?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=17790 /-] [Invalid=5047 /-]		
Value	Label	Cases	Percentage
0	No	17575	<div><div></div></div> 98.8%
1	Yes	215	<div><div></div></div> 1.2%
Sysmiss		5047	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i187o: Was there blood in the stool up until death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=31 /-] [Invalid=22806 /-]		
Value	Label	Cases	Percentage
0	No	11	<div><div></div></div> 35.5%
1	Yes	20	<div><div></div></div> 64.5%
Sysmiss		22806	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i188o: During the illness that led to death, did (s)he vomit?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=16300 /-] [Invalid=6537 /-]		
Value	Label	Cases	Percentage
0	No	10381	<div><div></div></div> 63.7%
1	Yes	5919	<div><div></div></div> 36.3%
Sysmiss		6537	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i189o: Did (s)he vomit in the week preceding the death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2863 /-] [Invalid=19974 /-]		

i189o: Did (s)he vomit in the week preceding the death?

Value	Label	Cases	Percentage
0	No	2426	<div></div> 84.7%
1	Yes	437	<div></div> 15.3%
Sysmiss		19974	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i190o: Did (s)he vomit for at least 3 days before death?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=77 /-] [Invalid=22760 /-]

Value	Label	Cases	Percentage
0	No	45	<div></div> 58.4%
1	Yes	32	<div></div> 41.6%
Sysmiss		22760	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i191o: Was there blood in the vomit?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=13404 /-] [Invalid=9433 /-]

Value	Label	Cases	Percentage
0	No	12874	<div></div> 96.0%
1	Yes	530	<div></div> 4.0%
Sysmiss		9433	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# i192o: Was the vomit black?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=397 /-] [Invalid=22440 /-]		
Value	Label	Cases	Percentage
0	No	355	<div><div></div></div> 89.4%
1	Yes	42	<div><div></div></div> 10.6%
Sysmiss		22440	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i193o: During the illness that led to death, did (s)he have any abdominal (belly) proble			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=16347 /-] [Invalid=6490 /-]		
Value	Label	Cases	Percentage
0	No	11920	<div><div></div></div> 72.9%
1	Yes	4427	<div><div></div></div> 27.1%
Sysmiss		6490	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i194o: Did (s)he have abdominal pain?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=9180 /-] [Invalid=13657 /-]		
Value	Label	Cases	Percentage
0	No	7252	<div><div></div></div> 79.0%
1	Yes	1928	<div><div></div></div> 21.0%
Sysmiss		13657	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i195o: Was the abdominal pain severe?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=230 /-] [Invalid=22607 /-]		
Value	Label	Cases	Percentage
0	No	6	<div><div></div></div> 2.6%
1	Yes	224	<div><div></div></div> 97.4%
Sysmiss		22607	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i197a: Did (s)he have severe abdominal pain for less than 2 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6425 /-] [Invalid=16412 /-]		
Value	Label	Cases	Percentage
0	No	5678	<div><div></div></div> 88.4%
1	Yes	747	<div><div></div></div> 11.6%
Sysmiss		16412	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i197b: Did (s)he have severe abdominal pain for at least 2 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6425 /-] [Invalid=16412 /-]		

# i197b: Did (s)he have severe abdominal pain for at least 2 weeks before death?			
Value	Label	Cases	Percentage
0	No	5404	<div><div></div></div> 84.1%
1	Yes	1021	<div><div></div></div> 15.9%
Sysmiss		16412	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i199a: Was the pain in the upper abdomen?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=162 /-] [Invalid=22675 /-]		
Value	Label	Cases	Percentage
0	No	70	<div><div></div></div> 43.2%
1	Yes	92	<div><div></div></div> 56.8%
Sysmiss		22675	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i199b: Was the pain in the lower abdomen?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=162 /-] [Invalid=22675 /-]		
Value	Label	Cases	Percentage
0	No	11	<div><div></div></div> 6.8%
1	Yes	151	<div><div></div></div> 93.2%
Sysmiss		22675	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i200c: Did (s)he have a more than usually protruding abdomen?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=14316 /-] [Invalid=8521 /-]		
Value	Label	Cases	Percentage
0	No	12571	<div><div></div></div> 87.8%
1	Yes	1745	<div><div></div></div> 12.2%
Sysmiss		8521	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i201a: Did (s)he have a more than usually protruding abdomen for less than 2 weeks before			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18591 /-] [Invalid=4246 /-]		
Value	Label	Cases	Percentage
0	No	17983	<div><div></div></div> 96.7%
1	Yes	608	<div><div></div></div> 3.3%
Sysmiss		4246	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i201b: Did (s)he have a more than usually protruding abdomen for at least 2 weeks before			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18591 /-] [Invalid=4246 /-]		
Value	Label	Cases	Percentage
0	No	17711	<div><div></div></div> 95.3%

# i201b: Did (s)he have a more than usually protruding abdomen for at least 2 weeks before			
Value	Label	Cases	Percentage
1	Yes	880	<div><div></div></div> 4.7%
Sysmiss		4246	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i203a: Did (s)he develop the protruding abdomen rapidly?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=22837 /-]		
Value	Label	Cases	Percentage
0	No	0	
1	Yes	0	
Sysmiss		22837	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i204o: Did (s)he have any mass in the abdomen?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=13416 /-] [Invalid=9421 /-]		
Value	Label	Cases	Percentage
0	No	13227	<div><div></div></div> 98.6%
1	Yes	189	<div><div></div></div> 1.4%
Sysmiss		9421	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i205a: Did (s)he have a mass in the abdomen for less than 2 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18516 /-] [Invalid=4321 /-]		
Value	Label	Cases	Percentage
0	No	18455	<div><div></div></div> 99.7%
1	Yes	61	<div><div></div></div> 0.3%
Sysmiss		4321	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i205b: Did (s)he have a mass in the abdomen for at least 2 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18516 /-] [Invalid=4321 /-]		
Value	Label	Cases	Percentage
0	No	18425	<div><div></div></div> 99.5%
1	Yes	91	<div><div></div></div> 0.5%
Sysmiss		4321	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i207o: During the illness that led to death, did (s)he have a severe headache?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=14371 /-] [Invalid=8466 /-]		
Value	Label	Cases	Percentage
0	No	9958	<div><div></div></div> 69.3%
1	Yes	4413	<div><div></div></div> 30.7%

# i207o: During the illness that led to death, did (s)he have a severe headache?			
Value	Label	Cases	Percentage
Sysmiss		8466	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i208o: During the illness that led to death, did (s)he have a stiff neck?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=14082 /-] [Invalid=8755 /-]		
Value	Label	Cases	Percentage
0	No	12353	<div></div> 87.7%
1	Yes	1729	<div></div> 12.3%
Sysmiss		8755	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i209a: Did (s)he have a stiff neck for less than one week before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=12975 /-] [Invalid=9862 /-]		
Value	Label	Cases	Percentage
0	No	11824	<div></div> 91.1%
1	Yes	1151	<div></div> 8.9%
Sysmiss		9862	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i209b: Did (s)he have a stiff neck for at least one week before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=12975 /-] [Invalid=9862 /-]		
Value	Label	Cases	Percentage
0	No	12679	<div></div> 97.7%
1	Yes	296	<div></div> 2.3%
Sysmiss		9862	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i210o: During the illness that led to death, did (s)he have a painful neck?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2882 /-] [Invalid=19955 /-]		
Value	Label	Cases	Percentage
0	No	2787	<div></div> 96.7%
1	Yes	95	<div></div> 3.3%
Sysmiss		19955	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i211a: Did (s)he have a painful neck for at least one week before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=16 /-] [Invalid=22821 /-]		
Value	Label	Cases	Percentage
0	No	6	<div></div> 37.5%
1	Yes	10	<div></div> 62.5%
Sysmiss		22821	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i212o: During the illness that led to death, did (s)he have mental confusion?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2812 /-] [Invalid=20025 /-]		
Value	Label	Cases	Percentage
0	No	2249	<div><div></div></div> 80.0%
1	Yes	563	<div><div></div></div> 20.0%
Sysmiss		20025	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i213o: Did (s)he have mental confusion for at least 3 months before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=162 /-] [Invalid=22675 /-]		
Value	Label	Cases	Percentage
0	No	100	<div><div></div></div> 61.7%
1	Yes	62	<div><div></div></div> 38.3%
Sysmiss		22675	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i214o: During the illness that led to death, was (s)he unconscious?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2915 /-] [Invalid=19922 /-]		
Value	Label	Cases	Percentage
0	No	2807	<div><div></div></div> 96.3%
1	Yes	108	<div><div></div></div> 3.7%
Sysmiss		19922	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i215o: Was (s)he unconscious for at least 24 hours before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=16008 /-] [Invalid=6829 /-]		
Value	Label	Cases	Percentage
0	No	13085	<div><div></div></div> 81.7%
1	Yes	2923	<div><div></div></div> 18.3%
Sysmiss		6829	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i216a: Was (s)he unconscious for at least 6 hours before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=22836 /-]		
Value	Label	Cases	Percentage
0	No	1	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22836	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i217o: Did the unconsciousness start suddenly, quickly (at least within a single day)?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=252 /-] [Invalid=22585 /-]		

# i217o: Did the unconsciousness start suddenly, quickly (at least within a single day)?			
Value	Label	Cases	Percentage
0	No	203	<div><div></div></div> 80.6%
1	Yes	49	<div><div></div></div> 19.4%
Sysmiss		22585	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i218o: Did the unconsciousness continue until death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=52 /-] [Invalid=22785 /-]		
Value	Label	Cases	Percentage
0	No	4	<div><div></div></div> 7.7%
1	Yes	48	<div><div></div></div> 92.3%
Sysmiss		22785	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i219o: During the illness that led to death, did (s)he have any convulsions?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=17389 /-] [Invalid=5448 /-]		
Value	Label	Cases	Percentage
0	No	16501	<div><div></div></div> 94.9%
1	Yes	888	<div><div></div></div> 5.1%
Sysmiss		5448	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i220o: Did (s)he experience any generalized convulsions or fits?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=22830 /-]		
Value	Label	Cases	Percentage
0	No	3	<div><div></div></div> 42.9%
1	Yes	4	<div><div></div></div> 57.1%
Sysmiss		22830	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i221a: Did the convulsions last for less than 10 minutes?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=22825 /-]		
Value	Label	Cases	Percentage
0	No	9	<div><div></div></div> 75.0%
1	Yes	3	<div><div></div></div> 25.0%
Sysmiss		22825	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i221b: Did the convulsions last for at least 10 minutes?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=22825 /-]		
Value	Label	Cases	Percentage
0	No	3	<div><div></div></div> 25.0%

# i221b: Did the convulsions last for at least 10 minutes?			
Value	Label	Cases	Percentage
1	Yes	9	<div><div></div></div> 75.0%
Sysmiss		22825	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i222o: Did (s)he become unconscious immediately after the convulsion?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18558 /-] [Invalid=4279 /-]		
Value	Label	Cases	Percentage
0	No	18518	<div><div></div></div> 99.8%
1	Yes	40	<div><div></div></div> 0.2%
Sysmiss		4279	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i223o: During the illness that led to death, did (s)he have any urine problems?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=17947 /-] [Invalid=4890 /-]		
Value	Label	Cases	Percentage
0	No	15862	<div><div></div></div> 88.4%
1	Yes	2085	<div><div></div></div> 11.6%
Sysmiss		4890	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i224o: Did (s)he stop urinating?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15019 /-] [Invalid=7818 /-]		
Value	Label	Cases	Percentage
0	No	13693	<div><div></div></div> 91.2%
1	Yes	1326	<div><div></div></div> 8.8%
Sysmiss		7818	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i225o: Did (s)he go to urinate more often than usual?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=14916 /-] [Invalid=7921 /-]		
Value	Label	Cases	Percentage
0	No	14645	<div><div></div></div> 98.2%
1	Yes	271	<div><div></div></div> 1.8%
Sysmiss		7921	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i226o: Did (s)he pass blood in the urine?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=14933 /-] [Invalid=7904 /-]		
Value	Label	Cases	Percentage
0	No	14555	<div><div></div></div> 97.5%
1	Yes	378	<div><div></div></div> 2.5%

# i226o: Did (s)he pass blood in the urine?			
Value	Label	Cases	Percentage
Sysmiss		7904	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i227o: During the illness that led to death, did (s)he have any sores or ulcers anywhere			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=17839 /-] [Invalid=4998 /-]		
Value	Label	Cases	Percentage
0	No	13666	<div></div> 76.6%
1	Yes	4173	<div></div> 23.4%
Sysmiss		4998	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i228o: Did (s)he have sores?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1485 /-] [Invalid=21352 /-]		
Value	Label	Cases	Percentage
0	No	253	<div></div> 17.0%
1	Yes	1232	<div></div> 83.0%
Sysmiss		21352	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i229o: Did the sores have clear fluid and/or pus?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=175 /-] [Invalid=22662 /-]		
Value	Label	Cases	Percentage
0	No	49	<div></div> 28.0%
1	Yes	126	<div></div> 72.0%
Sysmiss		22662	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i230o: Did (s)he have an ulcer (pit) on the foot?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=4216 /-] [Invalid=18621 /-]		
Value	Label	Cases	Percentage
0	No	4034	<div></div> 95.7%
1	Yes	182	<div></div> 4.3%
Sysmiss		18621	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i231o: Did any ulcer ooze pus?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=92 /-] [Invalid=22745 /-]		
Value	Label	Cases	Percentage
0	No	26	<div></div> 28.3%
1	Yes	66	<div></div> 71.7%
Sysmiss		22745	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i232a: Did the ulcer ooze pus for at least 2 weeks?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=22835 /-]		
Value	Label	Cases	Percentage
0	No	0	
1	Yes	2	<div><div></div></div> 100.0%
Sysmiss		22835	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i233o: During the illness that led to death, did (s)he have any skin rash?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=17573 /-] [Invalid=5264 /-]		
Value	Label	Cases	Percentage
0	No	15372	<div><div></div></div> 87.5%
1	Yes	2201	<div><div></div></div> 12.5%
Sysmiss		5264	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i234a: Did (s)he have the skin rash for less than one week?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6663 /-] [Invalid=16174 /-]		
Value	Label	Cases	Percentage
0	No	6572	<div><div></div></div> 98.6%
1	Yes	91	<div><div></div></div> 1.4%
Sysmiss		16174	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i234b: Did (s)he have the skin rash for at least one week?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6663 /-] [Invalid=16174 /-]		
Value	Label	Cases	Percentage
0	No	5121	<div><div></div></div> 76.9%
1	Yes	1542	<div><div></div></div> 23.1%
Sysmiss		16174	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i235a: Did (s)he have a rash on the face?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=32 /-] [Invalid=22805 /-]		
Value	Label	Cases	Percentage
0	No	6	<div><div></div></div> 18.8%
1	Yes	26	<div><div></div></div> 81.2%
Sysmiss		22805	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i235b: Did (s)he have a rash on the trunk or abdomen?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=32 /-] [Invalid=22805 /-]		

i235b: Did (s)he have a rash on the trunk or abdomen?

Value	Label	Cases	Percentage
0	No	28	<div><div></div></div> 87.5%
1	Yes	4	<div><div></div></div> 12.5%
Sysmiss		22805	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i235c: Did (s)he have a rash on the extremities?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=32 /-] [Invalid=22805 /-]

Value	Label	Cases	Percentage
0	No	30	<div><div></div></div> 93.8%
1	Yes	2	<div><div></div></div> 6.2%
Sysmiss		22805	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

i235d: Did (s)he have a rash everywhere?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=32 /-] [Invalid=22805 /-]

Value	Label	Cases	Percentage
0	No	9	<div><div></div></div> 28.1%
1	Yes	23	<div><div></div></div> 71.9%
Sysmiss		22805	











Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# i236o: Did (s)he have measles rash?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=14613 /-] [Invalid=8224 /-]		
Value	Label	Cases	Percentage
0	No	14546	99.5%
1	Yes	67	0.5%
Sysmiss		8224	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i237o: Did (s)he ever have shingles or herpes zoster?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15820 /-] [Invalid=7017 /-]		
Value	Label	Cases	Percentage
0	No	15468	97.8%
1	Yes	352	2.2%
Sysmiss		7017	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i238o: During the illness that led to death, did her/his skin flake off in patches?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2908 /-] [Invalid=19929 /-]		
Value	Label	Cases	Percentage
0	No	2871	98.7%
1	Yes	37	1.3%
Sysmiss		19929	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i239o: During the illness that led to death, did he/she have areas of the skin that turn			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=106 /-] [Invalid=22731 /-]		
Value	Label	Cases	Percentage
0	No	105	99.1%
1	Yes	1	0.9%
Sysmiss		22731	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i240o: During the illness that led to death, did he/she have areas of the skin with redn			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=106 /-] [Invalid=22731 /-]		
Value	Label	Cases	Percentage
0	No	101	95.3%
1	Yes	5	4.7%
Sysmiss		22731	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i241o: During the illness that led to death, did (s)he bleed from anywhere?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2936 /-] [Invalid=19901 /-]		

# i241o: During the illness that led to death, did (s)he bleed from anywhere?			
Value	Label	Cases	Percentage
0	No	2886	<div><div></div></div> 98.3%
1	Yes	50	<div><div></div></div> 1.7%
Sysmiss		19901	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i242o: Did (s)he bleed from the nose, mouth or anus?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18300 /-] [Invalid=4537 /-]		
Value	Label	Cases	Percentage
0	No	18279	<div><div></div></div> 99.9%
1	Yes	21	<div><div></div></div> 0.1%
Sysmiss		4537	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i243o: During the illness that led to death, did (s)he have noticeable weight loss?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=19007 /-] [Invalid=3830 /-]		
Value	Label	Cases	Percentage
0	No	6440	<div><div></div></div> 33.9%
1	Yes	12567	<div><div></div></div> 66.1%
Sysmiss		3830	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i244o: Was (s)he severely thin or wasted?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=20098 /-] [Invalid=2739 /-]		
Value	Label	Cases	Percentage
0	No	11005	<div><div></div></div> 54.8%
1	Yes	9093	<div><div></div></div> 45.2%
Sysmiss		2739	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i245o: During the illness that led to death, did s/he have a whitish rash inside the mou			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=18492 /-] [Invalid=4345 /-]		
Value	Label	Cases	Percentage
0	No	12225	<div><div></div></div> 66.1%
1	Yes	6267	<div><div></div></div> 33.9%
Sysmiss		4345	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i246o: During the illness that led to death, did (s)he have stiffness of the whole body			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=17924 /-] [Invalid=4913 /-]		
Value	Label	Cases	Percentage
0	No	17791	<div><div></div></div> 99.3%

# i246o: During the illness that led to death, did (s)he have stiffness of the whole body			
Value	Label	Cases	Percentage
1	Yes	133	0.7%
Sysmiss		4913	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i247o: During the illness that led to death, did (s)he have puffiness of the face?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=16566 /-] [Invalid=6271 /-]		
Value	Label	Cases	Percentage
0	No	15316	92.5%
1	Yes	1250	7.5%
Sysmiss		6271	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i248a: Did (s)he have puffiness of the face for at least one week before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=38 /-] [Invalid=22799 /-]		
Value	Label	Cases	Percentage
0	No	22	57.9%
1	Yes	16	42.1%
Sysmiss		22799	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i249o: During the illness that led to death, did (s)he have swollen legs or feet?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2903 /-] [Invalid=19934 /-]		
Value	Label	Cases	Percentage
0	No	2405	82.8%
1	Yes	498	17.2%
Sysmiss		19934	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i250a: Did the swelling last for at least 3 days before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=51 /-] [Invalid=22786 /-]		
Value	Label	Cases	Percentage
0	No	9	17.6%
1	Yes	42	82.4%
Sysmiss		22786	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i251o: Did (s)he have both feet swollen?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=16577 /-] [Invalid=6260 /-]		
Value	Label	Cases	Percentage
0	No	11493	69.3%
1	Yes	5084	30.7%

# i251o: Did (s)he have both feet swollen?			
Value	Label	Cases	Percentage
Sysmiss		6260	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i252o: During the illness that led to death, did (s)he have general puffiness all over h			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2903 /-] [Invalid=19934 /-]		
Value	Label	Cases	Percentage
0	No	2753	94.8%
1	Yes	150	5.2%
Sysmiss		19934	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i253o: During the illness that led to death, did (s)he have any lumps?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=19238 /-] [Invalid=3599 /-]		
Value	Label	Cases	Percentage
0	No	13327	69.3%
1	Yes	5911	30.7%
Sysmiss		3599	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i254o: Did (s)he have any lumps or lesions in the mouth?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=51 /-] [Invalid=22786 /-]		
Value	Label	Cases	Percentage
0	No	40	78.4%
1	Yes	11	21.6%
Sysmiss		22786	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i255o: Did (s)he have any lumps in the neck?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15284 /-] [Invalid=7553 /-]		
Value	Label	Cases	Percentage
0	No	14098	92.2%
1	Yes	1186	7.8%
Sysmiss		7553	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i256o: Did (s)he have any lumps in the armpit?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15241 /-] [Invalid=7596 /-]		
Value	Label	Cases	Percentage
0	No	15127	99.3%
1	Yes	114	0.7%
Sysmiss		7596	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i257o: Did (s)he have any lumps in the groin?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=15240 /-] [Invalid=7597 /-]		
Value	Label	Cases	Percentage
0	No	15092	 99.0%
1	Yes	148	 1.0%
Sysmiss		7597	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# i258o: During the illness that led to death, was (s)he in any way paralysed?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2901 /-] [Invalid=19936 /-]		
Value	Label	Cases	Percentage
0	No	2669	 92.0%
1	Yes	232	 8.0%
Sysmiss		19936	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# i259o: Did (s)he have paralysis of only one side of the body?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=14974 /-] [Invalid=7863 /-]		
Value	Label	Cases	Percentage
0	No	13267	 88.6%
1	Yes	1707	 11.4%
Sysmiss		7863	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# i260a: Was only the right side of the body paralysed?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=220 /-] [Invalid=22617 /-]		
Value	Label	Cases	Percentage
0	No	160	 72.7%
1	Yes	60	 27.3%
Sysmiss		22617	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# i260b: Was only the left side of the body paralysed?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=220 /-] [Invalid=22617 /-]		
Value	Label	Cases	Percentage
0	No	136	 61.8%
1	Yes	84	 38.2%
Sysmiss		22617	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# i260c: Was only the lower part of the body paralysed?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=220 /-] [Invalid=22617 /-]		

# i260c: Was only the lower part of the body paralysed?			
Value	Label	Cases	Percentage
0	No	201	<div><div></div></div> 91.4%
1	Yes	19	<div><div></div></div> 8.6%
Sysmiss		22617	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i260d: Was only the upper part of the body paralysed?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=220 /-] [Invalid=22617 /-]		
Value	Label	Cases	Percentage
0	No	216	<div><div></div></div> 98.2%
1	Yes	4	<div><div></div></div> 1.8%
Sysmiss		22617	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i260e: Was only one leg paralysed?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=220 /-] [Invalid=22617 /-]		
Value	Label	Cases	Percentage
0	No	217	<div><div></div></div> 98.6%
1	Yes	3	<div><div></div></div> 1.4%
Sysmiss		22617	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i260f: Was only one arm paralysed?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=220 /-] [Invalid=22617 /-]		
Value	Label	Cases	Percentage
0	No	211	<div><div></div></div> 95.9%
1	Yes	9	<div><div></div></div> 4.1%
Sysmiss		22617	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i260g: Was the entire body paralysed?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=220 /-] [Invalid=22617 /-]		
Value	Label	Cases	Percentage
0	No	181	<div><div></div></div> 82.3%
1	Yes	39	<div><div></div></div> 17.7%
Sysmiss		22617	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i261o: During the illness that led to death, did (s)he have difficulty swallowing?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2900 /-] [Invalid=19937 /-]		
Value	Label	Cases	Percentage
0	No	2732	<div><div></div></div> 94.2%

# i261o: During the illness that led to death, did (s)he have difficulty swallowing?			
Value	Label	Cases	Percentage
1	Yes	168	<div><div></div></div> 5.8%
Sysmiss		19937	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i262a: Did (s)he have difficulty swallowing for at least one week before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=30 /-] [Invalid=22807 /-]		
Value	Label	Cases	Percentage
0	No	14	<div><div></div></div> 46.7%
1	Yes	16	<div><div></div></div> 53.3%
Sysmiss		22807	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i263a: Did (s)he have difficulty with swallowing solids?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=22837 /-]		
Value	Label	Cases	Percentage
0	No	0	
1	Yes	0	
Sysmiss		22837	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i263b: Did (s)he have difficulty with swallowing liquids?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=16921 /-] [Invalid=5916 /-]		
Value	Label	Cases	Percentage
0	No	14716	<div><div></div></div> 87.0%
1	Yes	2205	<div><div></div></div> 13.0%
Sysmiss		5916	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i264o: Did (s)he have pain upon swallowing?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2867 /-] [Invalid=19970 /-]		
Value	Label	Cases	Percentage
0	No	2743	<div><div></div></div> 95.7%
1	Yes	124	<div><div></div></div> 4.3%
Sysmiss		19970	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i265o: During the illness that led to death, did (s)he have yellow discolouration of the			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=13823 /-] [Invalid=9014 /-]		
Value	Label	Cases	Percentage
0	No	13026	<div><div></div></div> 94.2%
1	Yes	797	<div><div></div></div> 5.8%

# i265o: During the illness that led to death, did (s)he have yellow discolouration of the			
Value	Label	Cases	Percentage
Sysmiss		9014	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i266a: Did (s)he have the yellow discolouration for at least 3 weeks before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=22809 /-]		
Value	Label	Cases	Percentage
0	No	22	<div><div></div></div> 78.6%
1	Yes	6	<div><div></div></div> 21.4%
Sysmiss		22809	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i267o: During the illness that led to death, did her/his hair change to a reddish or yel			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10335 /-] [Invalid=12502 /-]		
Value	Label	Cases	Percentage
0	No	10172	<div><div></div></div> 98.4%
1	Yes	163	<div><div></div></div> 1.6%
Sysmiss		12502	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i268o: During the illness that led to death, did (s)he look pale (thinning/lack of blood			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=17753 /-] [Invalid=5084 /-]		
Value	Label	Cases	Percentage
0	No	14531	<div><div></div></div> 81.9%
1	Yes	3222	<div><div></div></div> 18.1%
Sysmiss		5084	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i269o: During the illness that led to death, did (s)he have sunken eyes?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=14488 /-] [Invalid=8349 /-]		
Value	Label	Cases	Percentage
0	No	14192	<div><div></div></div> 98.0%
1	Yes	296	<div><div></div></div> 2.0%
Sysmiss		8349	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i270o: During the illness that led to death, did (s)he drink a lot more water than usual			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=8133 /-] [Invalid=14704 /-]		
Value	Label	Cases	Percentage
0	No	8006	<div><div></div></div> 98.4%
1	Yes	127	<div><div></div></div> 1.6%
Sysmiss		14704	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i271o: Was the baby able to suckle or bottle-feed within the first 24 hours after birth?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=158 /-] [Invalid=22679 /-]		
Value	Label	Cases	Percentage
0	No	115	<div><div></div></div> 72.8%
1	Yes	43	<div><div></div></div> 27.2%
Sysmiss		22679	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i272o: Did the baby ever suckle in a normal way?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=22834 /-]		
Value	Label	Cases	Percentage
0	No	1	<div><div></div></div> 33.3%
1	Yes	2	<div><div></div></div> 66.7%
Sysmiss		22834	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i273o: Did the baby stop suckling?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=22834 /-]		
Value	Label	Cases	Percentage
0	No	2	<div><div></div></div> 66.7%
1	Yes	1	<div><div></div></div> 33.3%
Sysmiss		22834	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i274a: Did the baby stop suckling on the 2nd day of life or later?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=161 /-] [Invalid=22676 /-]		
Value	Label	Cases	Percentage
0	No	132	<div><div></div></div> 82.0%
1	Yes	29	<div><div></div></div> 18.0%
Sysmiss		22676	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i275o: Did the baby have convulsions starting within the first 24 hours of life?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=152 /-] [Invalid=22685 /-]		
Value	Label	Cases	Percentage
0	No	148	<div><div></div></div> 97.4%
1	Yes	4	<div><div></div></div> 2.6%
Sysmiss		22685	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i276o: Did the baby have convulsions starting more than 24 hours after birth?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=151 /-] [Invalid=22686 /-]		

# i276o: Did the baby have convulsions starting more than 24 hours after birth?			
Value	Label	Cases	Percentage
0	No	150	<div></div> 99.3%
1	Yes	1	<div></div> 0.7%
Sysmiss		22686	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i277o: Did the baby's body become stiff, with the back arched backwards?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=22834 /-]		
Value	Label	Cases	Percentage
0	No	3	<div></div> 100.0%
1	Yes	0	
Sysmiss		22834	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i278o: During the illness that led to death, did the baby have a bulging or raised fonta			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=9474 /-] [Invalid=13363 /-]		
Value	Label	Cases	Percentage
0	No	9332	<div></div> 98.5%
1	Yes	142	<div></div> 1.5%
Sysmiss		13363	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i279o: During the illness that led to death, did the baby have a sunken fontanelle?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=406 /-] [Invalid=22431 /-]		
Value	Label	Cases	Percentage
0	No	279	<div><div></div></div> 68.7%
1	Yes	127	<div><div></div></div> 31.3%
Sysmiss		22431	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i281o: During the illness that led to death, did the baby become unresponsive or unconsc			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=22834 /-]		
Value	Label	Cases	Percentage
0	No	3	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22834	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i282o: Did the baby become unresponsive or unconscious soon after birth, within less tha			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=22836 /-]		
Value	Label	Cases	Percentage
0	No	1	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22836	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i283o: Did the baby become unresponsive or unconscious more than 24 hours after birth?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=22836 /-]		
Value	Label	Cases	Percentage
0	No	1	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22836	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i284o: During the illness that led to death, did the baby become cold to touch?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=157 /-] [Invalid=22680 /-]		
Value	Label	Cases	Percentage
0	No	149	<div><div></div></div> 94.9%
1	Yes	8	<div><div></div></div> 5.1%
Sysmiss		22680	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i285a: Was the baby more than 3 days old when it started feeling cold to touch?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=22836 /-]		

# i285a: Was the baby more than 3 days old when it started feeling cold to touch?			
Value	Label	Cases	Percentage
0	No	1	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22836	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i286o: During the illness that led to death, did the baby become lethargic, after a peri			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=22835 /-]		
Value	Label	Cases	Percentage
0	No	0	
1	Yes	2	<div><div></div></div> 100.0%
Sysmiss		22835	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i287o: Did the baby have redness or discharge from the umbilical cord stump?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=164 /-] [Invalid=22673 /-]		
Value	Label	Cases	Percentage
0	No	155	<div><div></div></div> 94.5%
1	Yes	9	<div><div></div></div> 5.5%
Sysmiss		22673	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i288o: During the illness that led to death, did the baby have skin ulcer(s) or pits?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=22835 /-]		
Value	Label	Cases	Percentage
0	No	2	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22835	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i289o: During the illness that led to death, did the baby have yellow skin, palms (hand)			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=156 /-] [Invalid=22681 /-]		
Value	Label	Cases	Percentage
0	No	155	<div><div></div></div> 99.4%
1	Yes	1	<div><div></div></div> 0.6%
Sysmiss		22681	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i290o: Did the baby or infant appear to be healthy and then just die suddenly?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=22835 /-]		
Value	Label	Cases	Percentage
0	No	0	

# i290o: Did the baby or infant appear to be healthy and then just die suddenly?			
Value	Label	Cases	Percentage
1	Yes	2	<div><div></div></div> 100.0%
Sysmiss		22835	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i294o: During the illness that led to death, did she have any swelling or lump in the br			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=8968 /-] [Invalid=13869 /-]		
Value	Label	Cases	Percentage
0	No	8851	<div><div></div></div> 98.7%
1	Yes	117	<div><div></div></div> 1.3%
Sysmiss		13869	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i295o: During the illness that led to death, did she have any ulcers (pits) in the breas			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1485 /-] [Invalid=21352 /-]		
Value	Label	Cases	Percentage
0	No	1474	<div><div></div></div> 99.3%
1	Yes	11	<div><div></div></div> 0.7%
Sysmiss		21352	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i296o: Did she ever have a period or menstruate?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1489 /-] [Invalid=21348 /-]		
Value	Label	Cases	Percentage
0	No	106	<div><div></div></div> 7.1%
1	Yes	1383	<div><div></div></div> 92.9%
Sysmiss		21348	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i297o: During the illness that led to death, did she have excessive vaginal bleeding in			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5175 /-] [Invalid=17662 /-]		
Value	Label	Cases	Percentage
0	No	5025	<div><div></div></div> 97.1%
1	Yes	150	<div><div></div></div> 2.9%
Sysmiss		17662	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i298o: Was the bleeding excessive?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=22804 /-]		
Value	Label	Cases	Percentage
0	No	7	<div><div></div></div> 21.2%
1	Yes	26	<div><div></div></div> 78.8%

# i298o: Was the bleeding excessive?			
Value	Label	Cases	Percentage
Sysmiss		22804	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i299o: Did her menstrual period stop naturally because of menopause?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1315 /-] [Invalid=21522 /-]		
Value	Label	Cases	Percentage
0	No	536	40.8%
1	Yes	779	59.2%
Sysmiss		21522	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i300o: Did she have vaginal bleeding after cessation of menstruation?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=4025 /-] [Invalid=18812 /-]		
Value	Label	Cases	Percentage
0	No	3878	96.3%
1	Yes	147	3.7%
Sysmiss		18812	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i301o: Was there excessive vaginal bleeding in the week prior to death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1337 /-] [Invalid=21500 /-]		
Value	Label	Cases	Percentage
0	No	1293	96.7%
1	Yes	44	3.3%
Sysmiss		21500	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i302o: At the time of death was her period overdue?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1203 /-] [Invalid=21634 /-]		
Value	Label	Cases	Percentage
0	No	1202	99.9%
1	Yes	1	0.1%
Sysmiss		21634	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i303a: Had her period been overdue for at least 4 weeks?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=22837 /-]		
Value	Label	Cases	Percentage
0	No	0	
1	Yes	0	
Sysmiss		22837	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i304o: Did she have a sharp pain in her abdomen shortly before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1443 /-] [Invalid=21394 /-]		
Value	Label	Cases	Percentage
0	No	1345	<div><div></div></div> 93.2%
1	Yes	98	<div><div></div></div> 6.8%
Sysmiss		21394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i305o: Was she pregnant (incl. in labour) at the time of death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=3700 /-] [Invalid=19137 /-]		
Value	Label	Cases	Percentage
0	No	3646	<div><div></div></div> 98.5%
1	Yes	54	<div><div></div></div> 1.5%
Sysmiss		19137	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i306o: Did she die within 6 weeks of delivery, abortion or miscarriage?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6344 /-] [Invalid=16493 /-]		
Value	Label	Cases	Percentage
0	No	6277	<div><div></div></div> 98.9%
1	Yes	67	<div><div></div></div> 1.1%
Sysmiss		16493	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i309o: Was she, or had she been, pregnant for less than 6 months when she died?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=4873 /-] [Invalid=17964 /-]		
Value	Label	Cases	Percentage
0	No	4870	<div><div></div></div> 99.9%
1	Yes	3	<div><div></div></div> 0.1%
Sysmiss		17964	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i310o: Please confirm: When she died, she was NEITHER pregnant NOR had recently been pre			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=4348 /-] [Invalid=18489 /-]		
Value	Label	Cases	Percentage
0	No	207	<div><div></div></div> 4.8%
1	Yes	4141	<div><div></div></div> 95.2%
Sysmiss		18489	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i312o: Did she die during labour or delivery?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=122 /-] [Invalid=22715 /-]		

# i312o: Did she die during labour or delivery?			
Value	Label	Cases	Percentage
0	No	122	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22715	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i313o: Did she die after delivering a baby?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=22712 /-]		
Value	Label	Cases	Percentage
0	No	100	<div><div></div></div> 80.0%
1	Yes	25	<div><div></div></div> 20.0%
Sysmiss		22712	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i314o: Did she die within 24 hours after delivery?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=25 /-] [Invalid=22812 /-]		
Value	Label	Cases	Percentage
0	No	22	<div><div></div></div> 88.0%
1	Yes	3	<div><div></div></div> 12.0%
Sysmiss		22812	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i315o: Did she die within 6 weeks of childbirth?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=122 /-] [Invalid=22715 /-]		
Value	Label	Cases	Percentage
0	No	109	<div><div></div></div> 89.3%
1	Yes	13	<div><div></div></div> 10.7%
Sysmiss		22715	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i316o: Did she give birth to a live baby (within 6 weeks of her death)?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=22712 /-]		
Value	Label	Cases	Percentage
0	No	108	<div><div></div></div> 86.4%
1	Yes	17	<div><div></div></div> 13.6%
Sysmiss		22712	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i317o: Did she die during or after a multiple pregnancy?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=125 /-] [Invalid=22712 /-]		
Value	Label	Cases	Percentage
0	No	125	<div><div></div></div> 100.0%

# i317o: Did she die during or after a multiple pregnancy?			
Value	Label	Cases	Percentage
1	Yes	0	
Sysmiss		22712	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i318o: Was she breastfeeding the child in the days before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=119 /-] [Invalid=22718 /-]		
Value	Label	Cases	Percentage
0	No	109	<div><div></div></div> 91.6%
1	Yes	10	<div><div></div></div> 8.4%
Sysmiss		22718	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i319a: Did she die during or after her first pregnancy?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=32 /-] [Invalid=22805 /-]		
Value	Label	Cases	Percentage
0	No	26	<div><div></div></div> 81.2%
1	Yes	6	<div><div></div></div> 18.8%
Sysmiss		22805	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i319b: Did she have four or more pregnancies before this one?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=34 /-] [Invalid=22803 /-]		
Value	Label	Cases	Percentage
0	No	28	<div><div></div></div> 82.4%
1	Yes	6	<div><div></div></div> 17.6%
Sysmiss		22803	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i320o: Had she had any previous Caesarean section?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=118 /-] [Invalid=22719 /-]		
Value	Label	Cases	Percentage
0	No	108	<div><div></div></div> 91.5%
1	Yes	10	<div><div></div></div> 8.5%
Sysmiss		22719	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i321o: During pregnancy, did she suffer from high blood pressure?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6054 /-] [Invalid=16783 /-]		
Value	Label	Cases	Percentage
0	No	6033	<div><div></div></div> 99.7%
1	Yes	21	<div><div></div></div> 0.3%

# i321o: During pregnancy, did she suffer from high blood pressure?			
Value	Label	Cases	Percentage
Sysmiss		16783	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i322o: Did she have foul smelling vaginal discharge during pregnancy or after delivery?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=14429 /-] [Invalid=8408 /-]		
Value	Label	Cases	Percentage
0	No	14208	98.5%
1	Yes	221	1.5%
Sysmiss		8408	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i323o: During the last 3 months of pregnancy, did she suffer from convulsions?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=9201 /-] [Invalid=13636 /-]		
Value	Label	Cases	Percentage
0	No	9197	100.0%
1	Yes	4	0.0%
Sysmiss		13636	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i324o: During the last 3 months of pregnancy did she suffer from blurred vision?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=121 /-] [Invalid=22716 /-]		
Value	Label	Cases	Percentage
0	No	120	99.2%
1	Yes	1	0.8%
Sysmiss		22716	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i325o: Did she have excessive bleeding during pregnancy or shortly after delivery?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=8888 /-] [Invalid=13949 /-]		
Value	Label	Cases	Percentage
0	No	8866	99.8%
1	Yes	22	0.2%
Sysmiss		13949	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i326o: Was there vaginal bleeding during the first 6 months of pregnancy?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=22837 /-]		
Value	Label	Cases	Percentage
0	No	0	
1	Yes	0	
Sysmiss		22837	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i327o: Was there vaginal bleeding during the last 3 months of pregnancy but before labour			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=22837 /-]		
Value	Label	Cases	Percentage
0	No	0	
1	Yes	0	
Sysmiss		22837	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i328o: Did she have excessive bleeding during labour, before delivery?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=121 /-] [Invalid=22716 /-]		
Value	Label	Cases	Percentage
0	No	121	100.0%
1	Yes	0	
Sysmiss		22716	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i329o: Did she have excessive bleeding after delivery or abortion?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=120 /-] [Invalid=22717 /-]		
Value	Label	Cases	Percentage
0	No	119	99.2%
1	Yes	1	0.8%
Sysmiss		22717	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i330o: Was the placenta completely delivered?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=145 /-] [Invalid=22692 /-]		
Value	Label	Cases	Percentage
0	No	102	70.3%
1	Yes	43	29.7%
Sysmiss		22692	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i331o: Did she deliver or try to deliver an abnormally positioned baby?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=120 /-] [Invalid=22717 /-]		
Value	Label	Cases	Percentage
0	No	118	98.3%
1	Yes	2	1.7%
Sysmiss		22717	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i332a: Did her labour last longer than 24 hours?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=4870 /-] [Invalid=17967 /-]		

# i332a: Did her labour last longer than 24 hours?			
Value	Label	Cases	Percentage
0	No	4866	<div></div> 99.9%
1	Yes	4	0.1%
Sysmiss		17967	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i333o: Did she attempt to terminate the pregnancy?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=122 /-] [Invalid=22715 /-]		
Value	Label	Cases	Percentage
0	No	122	<div></div> 100.0%
1	Yes	0	
Sysmiss		22715	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i334o: Did she recently have a pregnancy that ended in an abortion (spontaneous or induc			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6319 /-] [Invalid=16518 /-]		
Value	Label	Cases	Percentage
0	No	6314	<div></div> 99.9%
1	Yes	5	0.1%
Sysmiss		16518	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i335o: Did she die during an abortion?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=22835 /-]		
Value	Label	Cases	Percentage
0	No	2	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22835	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i336o: Did she die within 6 weeks of having an abortion?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=22835 /-]		
Value	Label	Cases	Percentage
0	No	2	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22835	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i337a: Did the mother deliver at a health facility or clinic?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=35 /-] [Invalid=22802 /-]		
Value	Label	Cases	Percentage
0	No	3	<div><div></div></div> 8.6%
1	Yes	32	<div><div></div></div> 91.4%
Sysmiss		22802	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i337b: Did the mother deliver at home?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=35 /-] [Invalid=22802 /-]		
Value	Label	Cases	Percentage
0	No	34	<div><div></div></div> 97.1%
1	Yes	1	<div><div></div></div> 2.9%
Sysmiss		22802	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i337c: Did the mother deliver elsewhere (not at a health facility nor at home)?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=35 /-] [Invalid=22802 /-]		
Value	Label	Cases	Percentage
0	No	34	<div><div></div></div> 97.1%
1	Yes	1	<div><div></div></div> 2.9%
Sysmiss		22802	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i338o: Did she receive professional assistance during the delivery?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=122 /-] [Invalid=22715 /-]		

# i338o: Did she receive professional assistance during the delivery?			
Value	Label	Cases	Percentage
0	No	91	<div><div></div></div> 74.6%
1	Yes	31	<div><div></div></div> 25.4%
Sysmiss		22715	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i340o: Did she have an operation to remove her uterus shortly before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=118 /-] [Invalid=22719 /-]		
Value	Label	Cases	Percentage
0	No	115	<div><div></div></div> 97.5%
1	Yes	3	<div><div></div></div> 2.5%
Sysmiss		22719	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i342o: Was the delivery normal vaginal, without forceps or vacuum?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=117 /-] [Invalid=22720 /-]		
Value	Label	Cases	Percentage
0	No	104	<div><div></div></div> 88.9%
1	Yes	13	<div><div></div></div> 11.1%
Sysmiss		22720	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i343o: Was the delivery vaginal, with forceps or vacuum?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=104 /-] [Invalid=22733 /-]		
Value	Label	Cases	Percentage
0	No	104	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22733	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i344o: Was the delivery a Caesarean section?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=109 /-] [Invalid=22728 /-]		
Value	Label	Cases	Percentage
0	No	97	<div><div></div></div> 89.0%
1	Yes	12	<div><div></div></div> 11.0%
Sysmiss		22728	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i347o: Was her baby born more than one month early?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5018 /-] [Invalid=17819 /-]		
Value	Label	Cases	Percentage
0	No	4959	<div><div></div></div> 98.8%

# i347o: Was her baby born more than one month early?			
Value	Label	Cases	Percentage
1	Yes	59	<div><div></div></div> 1.2%
Sysmiss		17819	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i354o: Was the child part of a multiple birth?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=295 -/] [Invalid=22542 -/]		
Value	Label	Cases	Percentage
0	No	268	<div><div></div></div> 90.8%
1	Yes	27	<div><div></div></div> 9.2%
Sysmiss		22542	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i355a: If the child was part of a multiple birth, was it born first?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5 -/] [Invalid=22832 -/]		
Value	Label	Cases	Percentage
0	No	2	<div><div></div></div> 40.0%
1	Yes	3	<div><div></div></div> 60.0%
Sysmiss		22832	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i356o: Is the child's mother still alive?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=111 -/] [Invalid=22726 -/]		
Value	Label	Cases	Percentage
0	No	5	<div><div></div></div> 4.5%
1	Yes	106	<div><div></div></div> 95.5%
Sysmiss		22726	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i357o: Did the child's mother die during or shortly after the delivery?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 -/] [Invalid=22837 -/]		
Value	Label	Cases	Percentage
0	No	0	
1	Yes	0	
Sysmiss		22837	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i358a: Did the child's mother die in the baby's first year of life?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 -/] [Invalid=22837 -/]		
Value	Label	Cases	Percentage
0	No	0	
1	Yes	0	

# i358a: Did the child's mother die in the baby's first year of life?			
Value	Label	Cases	Percentage
Sysmiss		22837	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i360a: Was the baby born in a health facility or clinic?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=278 /-] [Invalid=22559 /-]		
Value	Label	Cases	Percentage
0	No	39	<div><div></div></div> 14.0%
1	Yes	239	<div><div></div></div> 86.0%
Sysmiss		22559	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i360b: Was the baby born at home?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=276 /-] [Invalid=22561 /-]		
Value	Label	Cases	Percentage
0	No	240	<div><div></div></div> 87.0%
1	Yes	36	<div><div></div></div> 13.0%
Sysmiss		22561	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i360c: Was the baby born somewhere else (e.g. on the way to a clinic)?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=278 /-] [Invalid=22559 /-]		
Value	Label	Cases	Percentage
0	No	275	<div><div></div></div> 98.9%
1	Yes	3	<div><div></div></div> 1.1%
Sysmiss		22559	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i361o: Did the mother receive professional assistance during the delivery?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=276 /-] [Invalid=22561 /-]		
Value	Label	Cases	Percentage
0	No	45	<div><div></div></div> 16.3%
1	Yes	231	<div><div></div></div> 83.7%
Sysmiss		22561	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i362o: At birth, was the baby of usual size?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=263 /-] [Invalid=22574 /-]		
Value	Label	Cases	Percentage
0	No	85	<div><div></div></div> 32.3%
1	Yes	178	<div><div></div></div> 67.7%
Sysmiss		22574	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i363o: At birth, was the baby smaller than normal (weighing under 2.5 kg)?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=179 /-] [Invalid=22658 /-]		
Value	Label	Cases	Percentage
0	No	114	<div><div></div></div> 63.7%
1	Yes	65	<div><div></div></div> 36.3%
Sysmiss		22658	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i364o: At birth, was the baby very much smaller than usual, (weighing under 1 kg)?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=22827 /-]		
Value	Label	Cases	Percentage
0	No	8	<div><div></div></div> 80.0%
1	Yes	2	<div><div></div></div> 20.0%
Sysmiss		22827	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i365o: At birth, was the baby larger than normal (weighing over 4.5 kg)?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=224 /-] [Invalid=22613 /-]		
Value	Label	Cases	Percentage
0	No	211	<div><div></div></div> 94.2%
1	Yes	13	<div><div></div></div> 5.8%
Sysmiss		22613	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i367a: Was the baby born during the ninth month (at least 37 weeks) of pregnancy?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=258 /-] [Invalid=22579 /-]		
Value	Label	Cases	Percentage
0	No	72	<div><div></div></div> 27.9%
1	Yes	186	<div><div></div></div> 72.1%
Sysmiss		22579	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i367b: Was the baby born during the eighth month (34 to 37 weeks) of pregnancy?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5581 /-] [Invalid=17256 /-]		
Value	Label	Cases	Percentage
0	No	5526	<div><div></div></div> 99.0%
1	Yes	55	<div><div></div></div> 1.0%
Sysmiss		17256	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i367c: Was the baby born before the eighth month (less than 34 weeks) of pregnancy?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=8458 /-] [Invalid=14379 /-]		

# i367c: Was the baby born before the eighth month (less than 34 weeks) of pregnancy?			
Value	Label	Cases	Percentage
0	No	8447	<div><div></div></div> 99.9%
1	Yes	11	<div><div></div></div> 0.1%
Sysmiss		14379	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i368o: Were there any complications in the late part of the pregnancy (defined as the la			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=104 /-] [Invalid=22733 /-]		
Value	Label	Cases	Percentage
0	No	94	<div><div></div></div> 90.4%
1	Yes	10	<div><div></div></div> 9.6%
Sysmiss		22733	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i369o: Were there any complications during labour or delivery?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=16 /-] [Invalid=22821 /-]		
Value	Label	Cases	Percentage
0	No	16	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22821	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i370o: Was any part of the baby physically abnormal at time of delivery? (for example: b			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=9181 /-] [Invalid=13656 /-]		
Value	Label	Cases	Percentage
0	No	9114	<div><div></div></div> 99.3%
1	Yes	67	<div><div></div></div> 0.7%
Sysmiss		13656	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i371o: Did the baby/child have a swelling or defect on the back?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6323 /-] [Invalid=16514 /-]		
Value	Label	Cases	Percentage
0	No	6319	<div><div></div></div> 99.9%
1	Yes	4	<div><div></div></div> 0.1%
Sysmiss		16514	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i372o: Did the baby/child have a very large head?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6324 /-] [Invalid=16513 /-]		
Value	Label	Cases	Percentage
0	No	6317	<div><div></div></div> 99.9%

# i372o: Did the baby/child have a very large head?			
Value	Label	Cases	Percentage
1	Yes	7	0.1%
Sysmiss		16513	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i373o: Did the baby/child have a very small head?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6324 /-] [Invalid=16513 /-]		
Value	Label	Cases	Percentage
0	No	6323	100.0%
1	Yes	1	0.0%
Sysmiss		16513	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i376o: Was the baby moving in the last few days before the birth?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=22804 /-]		
Value	Label	Cases	Percentage
0	No	5	15.2%
1	Yes	28	84.8%
Sysmiss		22804	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i377o: Did the baby stop moving in the womb before labour started?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=32 /-] [Invalid=22805 /-]		
Value	Label	Cases	Percentage
0	No	28	87.5%
1	Yes	4	12.5%
Sysmiss		22805	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i382a: Did labour and delivery take more than 24 hours?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=22831 /-]		
Value	Label	Cases	Percentage
0	No	6	100.0%
1	Yes	0	
Sysmiss		22831	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i383o: Was the baby born 24 hours or more after the waters broke?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=168 /-] [Invalid=22669 /-]		
Value	Label	Cases	Percentage
0	No	144	85.7%
1	Yes	24	14.3%

# i383o: Was the baby born 24 hours or more after the waters broke?			
Value	Label	Cases	Percentage
Sysmiss		22669	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i384o: Was the liquor foul smelling when the waters broke?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=22804 /-]		
Value	Label	Cases	Percentage
0	No	33	100.0%
1	Yes	0	
Sysmiss		22804	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i385a: Was the liquor a green or brown colour when the waters broke?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=29 /-] [Invalid=22808 /-]		
Value	Label	Cases	Percentage
0	No	28	96.6%
1	Yes	1	3.4%
Sysmiss		22808	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i387o: Was the delivery normal vaginal, without forceps or vacuum?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=139 /-] [Invalid=22698 /-]		
Value	Label	Cases	Percentage
0	No	23	16.5%
1	Yes	116	83.5%
Sysmiss		22698	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i388o: Was the delivery vaginal, with forceps or vacuum?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=119 /-] [Invalid=22718 /-]		
Value	Label	Cases	Percentage
0	No	111	93.3%
1	Yes	8	6.7%
Sysmiss		22718	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i389o: Was the delivery a Caesarean section?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=115 /-] [Invalid=22722 /-]		
Value	Label	Cases	Percentage
0	No	103	89.6%
1	Yes	12	10.4%
Sysmiss		22722	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i391o: Did the child's mother receive any vaccinations since reaching adulthood includin			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=29 /-] [Invalid=22808 /-]		
Value	Label	Cases	Percentage
0	No	7	<div><div></div></div> 24.1%
1	Yes	22	<div><div></div></div> 75.9%
Sysmiss		22808	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i393o: Did the mother receive tetanus toxoid (TT) vaccine?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=19 /-] [Invalid=22818 /-]		
Value	Label	Cases	Percentage
0	No	0	
1	Yes	19	<div><div></div></div> 100.0%
Sysmiss		22818	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i394a: Was this baby born from the mother's first pregnancy?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=216 /-] [Invalid=22621 /-]		
Value	Label	Cases	Percentage
0	No	129	<div><div></div></div> 59.7%
1	Yes	87	<div><div></div></div> 40.3%
Sysmiss		22621	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i394b: Did the baby's mother have four or more births before this one?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=216 /-] [Invalid=22621 /-]		
Value	Label	Cases	Percentage
0	No	160	<div><div></div></div> 74.1%
1	Yes	56	<div><div></div></div> 25.9%
Sysmiss		22621	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i395o: During labour, did the baby's mother suffer from fever?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=22804 /-]		
Value	Label	Cases	Percentage
0	No	32	<div><div></div></div> 97.0%
1	Yes	1	<div><div></div></div> 3.0%
Sysmiss		22804	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i396o: During the last 3 months of pregnancy, labour or delivery, did the baby's mother			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=22804 /-]		

# i396o: During the last 3 months of pregnancy, labour or delivery, did the baby's mother			
Value	Label	Cases	Percentage
0	No	25	<div></div> 75.8%
1	Yes	8	<div></div> 24.2%
Sysmiss		22804	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i397o: Did the baby's mother have diabetes mellitus?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=22804 /-]		
Value	Label	Cases	Percentage
0	No	33	<div></div> 100.0%
1	Yes	0	
Sysmiss		22804	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i398o: Did the baby's mother have foul smelling vaginal discharge during pregnancy or af			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=22804 /-]		
Value	Label	Cases	Percentage
0	No	33	<div></div> 100.0%
1	Yes	0	
Sysmiss		22804	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i399o: During the last 3 months of pregnancy, labour or delivery, did the baby's mother			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=22804 /-]		
Value	Label	Cases	Percentage
0	No	33	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22804	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i400o: During the last 3 months of pregnancy did the baby's mother suffer from blurred v			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=22804 /-]		
Value	Label	Cases	Percentage
0	No	33	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22804	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i401o: Did the baby's mother have severe anaemia?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=32 /-] [Invalid=22805 /-]		
Value	Label	Cases	Percentage
0	No	32	<div><div></div></div> 100.0%
1	Yes	0	
Sysmiss		22805	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i402o: Did the baby's mother have vaginal bleeding during the last 3 months of pregnancy			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=22804 /-]		
Value	Label	Cases	Percentage
0	No	32	<div><div></div></div> 97.0%
1	Yes	1	<div><div></div></div> 3.0%
Sysmiss		22804	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i403o: Did the baby's bottom, feet, arm or hand come out of the vagina before its head?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-] [Invalid=22804 /-]		
Value	Label	Cases	Percentage
0	No	29	<div><div></div></div> 87.9%
1	Yes	4	<div><div></div></div> 12.1%
Sysmiss		22804	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i404o: Was the umbilical cord wrapped more than once around the baby's neck at birth?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=31 /-] [Invalid=22806 /-]		

# i404o: Was the umbilical cord wrapped more than once around the baby's neck at birth?			
Value	Label	Cases	Percentage
0	No	30	<div><div></div></div> 96.8%
1	Yes	1	<div><div></div></div> 3.2%
Sysmiss		22806	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i405o: Was the umbilical cord delivered first?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=32 /-] [Invalid=22805 /-]		
Value	Label	Cases	Percentage
0	No	31	<div><div></div></div> 96.9%
1	Yes	1	<div><div></div></div> 3.1%
Sysmiss		22805	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i406o: Was the baby blue in colour at birth?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=31 /-] [Invalid=22806 /-]		
Value	Label	Cases	Percentage
0	No	25	<div><div></div></div> 80.6%
1	Yes	6	<div><div></div></div> 19.4%
Sysmiss		22806	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i408o: Before the illness that led to death, was the baby/child growing normally?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=4321 /-] [Invalid=18516 /-]		
Value	Label	Cases	Percentage
0	No	815	<div><div></div></div> 18.9%
1	Yes	3506	<div><div></div></div> 81.1%
Sysmiss		18516	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i411o: Did (s)he drink alcohol?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=21443 /-] [Invalid=1394 /-]		
Value	Label	Cases	Percentage
0	No	17357	<div><div></div></div> 80.9%
1	Yes	4086	<div><div></div></div> 19.1%
Sysmiss		1394	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i412o: Did (s)he use tobacco?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2824 /-] [Invalid=20013 /-]		
Value	Label	Cases	Percentage
0	No	2463	<div><div></div></div> 87.2%

# i412o: Did (s)he use tobacco?			
Value	Label	Cases	Percentage
1	Yes	361	<div><div></div></div> 12.8%
Sysmiss		20013	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i413o: Did (s)he smoke tobacco (cigarette, cigar, pipe, etc.)?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=21311 /-] [Invalid=1526 /-]		
Value	Label	Cases	Percentage
0	No	18465	<div><div></div></div> 86.6%
1	Yes	2846	<div><div></div></div> 13.4%
Sysmiss		1526	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i414a: Did (s)he use non-smoking tobacco?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=307 /-] [Invalid=22530 /-]		
Value	Label	Cases	Percentage
0	No	299	<div><div></div></div> 97.4%
1	Yes	8	<div><div></div></div> 2.6%
Sysmiss		22530	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i415a: Did (s)he smoke at least 10 cigarettes daily?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=22830 /-]		
Value	Label	Cases	Percentage
0	No	6	<div><div></div></div> 85.7%
1	Yes	1	<div><div></div></div> 14.3%
Sysmiss		22830	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i418o: Did (s)he receive any treatment for the illness that led to death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=21488 /-] [Invalid=1349 /-]		
Value	Label	Cases	Percentage
0	No	7674	<div><div></div></div> 35.7%
1	Yes	13814	<div><div></div></div> 64.3%
Sysmiss		1349	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i419o: Did (s)he receive oral rehydration salts?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2074 /-] [Invalid=20763 /-]		
Value	Label	Cases	Percentage
0	No	1746	<div><div></div></div> 84.2%
1	Yes	328	<div><div></div></div> 15.8%

# i419o: Did (s)he receive oral rehydration salts?			
Value	Label	Cases	Percentage
Sysmiss		20763	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i420o: Did (s)he receive (or need) intravenous fluids (drip) treatment?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2081 /-] [Invalid=20756 /-]		
Value	Label	Cases	Percentage
0	No	370	<div></div> 17.8%
1	Yes	1711	<div></div> 82.2%
Sysmiss		20756	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i421o: Did (s)he receive (or need) a blood transfusion?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2025 /-] [Invalid=20812 /-]		
Value	Label	Cases	Percentage
0	No	1897	<div></div> 93.7%
1	Yes	128	<div></div> 6.3%
Sysmiss		20812	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i422o: Did (s)he receive (or need) treatment/food through a tube passed through the nose			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2105 /-] [Invalid=20732 /-]		
Value	Label	Cases	Percentage
0	No	2036	<div></div> 96.7%
1	Yes	69	<div></div> 3.3%
Sysmiss		20732	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i423o: Did (s)he receive (or need) injectable antibiotics?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1731 /-] [Invalid=21106 /-]		
Value	Label	Cases	Percentage
0	No	611	<div></div> 35.3%
1	Yes	1120	<div></div> 64.7%
Sysmiss		21106	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i424o: Did (s)he receive (or need) antiretroviral therapy (ART)?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2031 /-] [Invalid=20806 /-]		
Value	Label	Cases	Percentage
0	No	1401	<div></div> 69.0%
1	Yes	630	<div></div> 31.0%
Sysmiss		20806	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# i425o: Did (s)he have (or need) an operation for the illness?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=20277 /-] [Invalid=2560 /-]		
Value	Label	Cases	Percentage
0	No	19073	94.1%
1	Yes	1204	5.9%
Sysmiss		2560	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i426o: Did (s)he have the operation within 1 month before death?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=73 /-] [Invalid=22764 /-]		
Value	Label	Cases	Percentage
0	No	43	58.9%
1	Yes	30	41.1%
Sysmiss		22764	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i427o: Was (s)he discharged from hospital very ill?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=7136 /-] [Invalid=15701 /-]		
Value	Label	Cases	Percentage
0	No	6494	91.0%
1	Yes	642	9.0%
Sysmiss		15701	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i428o: Did (s)he receive appropriate immunizations?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=100 /-] [Invalid=22737 /-]		
Value	Label	Cases	Percentage
0	No	6	6.0%
1	Yes	94	94.0%
Sysmiss		22737	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i450o: In the final days before death, did s/he travel to a hospital or health facility?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2951 /-] [Invalid=19886 /-]		
Value	Label	Cases	Percentage
0	No	1381	46.8%
1	Yes	1570	53.2%
Sysmiss		19886	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i451o: Did (s)he use motorised transport to get to the hospital or health facility?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1565 /-] [Invalid=21272 /-]		

# i451o: Did (s)he use motorised transport to get to the hospital or health facility?			
Value	Label	Cases	Percentage
0	No	53	3.4%
1	Yes	1512	96.6%
Sysmiss		21272	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i452o: Were there any problems during admission to the hospital or health facility?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1536 /-] [Invalid=21301 /-]		
Value	Label	Cases	Percentage
0	No	1500	97.7%
1	Yes	36	2.3%
Sysmiss		21301	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i453o: Were there any problems with the way (s)he was treated (medical treatment, proced			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1529 /-] [Invalid=21308 /-]		
Value	Label	Cases	Percentage
0	No	1493	97.6%
1	Yes	36	2.4%
Sysmiss		21308	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i454o: Were there any problems getting medications, or diagnostic tests in the hospital			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1538 /-] [Invalid=21299 /-]		
Value	Label	Cases	Percentage
0	No	1507	98.0%
1	Yes	31	2.0%
Sysmiss		21299	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i455o: Does it take more than 2 hours to get to the nearest hospital or health facility			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=22400 /-] [Invalid=437 /-]		
Value	Label	Cases	Percentage
0	No	22376	99.9%
1	Yes	24	0.1%
Sysmiss		437	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i456o: In the final days before death, were there any doubts about whether medical care			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2926 /-] [Invalid=19911 /-]		
Value	Label	Cases	Percentage
0	No	2840	97.1%

# i456o: In the final days before death, were there any doubts about whether medical care			
Value	Label	Cases	Percentage
1	Yes	86	<div><div></div></div> 2.9%
Sysmiss		19911	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i457o: In the final days before death, was traditional medicine used?			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=16940 /-] [Invalid=5897 /-]		
Value	Label	Cases	Percentage
0	No	13761	<div><div></div></div> 81.2%
1	Yes	3179	<div><div></div></div> 18.8%
Sysmiss		5897	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i458o: In the final days before death, did anyone use a telephone or cell phone to call			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2939 /-] [Invalid=19898 /-]		
Value	Label	Cases	Percentage
0	No	1143	<div><div></div></div> 38.9%
1	Yes	1796	<div><div></div></div> 61.1%
Sysmiss		19898	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# i459o: Over the course of illness, did the total costs of care and treatment prohibit ot			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=2947 /-] [Invalid=19890 /-]		
Value	Label	Cases	Percentage
0	No	1224	<div><div></div></div> 41.5%
1	Yes	1723	<div><div></div></div> 58.5%
Sysmiss		19890	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			