

South Africa

**Kobus Herbst, AHRI
Mark Siedner, AHRI/MGH
Willem Hanekom, AHRI**

AHRI.Core Dataset:Deaths.2023

Study Documentation

October 4, 2023

Metadata Production

Metadata Producer(s)	Africa Health Research Institute (AHRI)
Identification	DDI.RD01-05.CoreDataset.Deaths.2023

Table of Contents

Overview	4
Producers & Sponsors	4
Data Collection	4
Accessibility	4
Files Description	6
RD01-05 ACDIS Deaths	6
Variables List	7
RD01-05 ACDIS Deaths	7
Variables Description	9
RD01-05 ACDIS Deaths	10

AHRI.Core Dataset:Deaths.2023

Overview	
Identification	AHRI.RD01-05.CoreDataset.Deaths.2023
Version	v1.0.0
Abstract Includes most, but not all information collected via the DTN form. It also contains some information from the Verbal Autopsy ('VA') visit. However, there is a (deliberate) time-lag of 6 months+ between the DTN and the VA visit, so the VA data are less complete. ICD-10 definitions: The underlying cause of death is the disease or injury that initiated the chain of events leading directly to death. An associated or contributory cause of death is a significant condition that unfavourably influences the course of the morbid process and thus contributes to the fatal outcome, but which is not related to the disease or condition directly causing death. The immediate cause of death is the final disease (condition) or complication that occurred closest to the time of death and directly causes the death. The underlying cause is of most public health importance and is the one usually used for tabulation of mortality statistics	
Unit of Analysis	Contains one record for each individual registered in ACDIS for whom a Death Outcome Notification Form ("DTN") has been recorded. i.e. the "End Type" of the individual is 'DTH'.

Topics	Deaths
Time Period(s)	2000-2023
Countries	South Africa

Producers & Sponsors	
Primary Investigator(s)	Kobus Herbst, AHRI Mark Siedner, AHRI/MGH Willem Hanekom, AHRI
Other Producer(s)	Africa Health Research Institute (AHRI)
Other Acknowledgment(s)	Mpukunyoni community for their participation in the Population Intervention Programme

Data Collection	
Data Collection Dates	start 2000-01-01 end 2023-08-03

Accessibility	
Access Conditions Access to the data requires accurate completion of the online data access application form accessible on the AHRI Data repository(< https://data.ahri.org/ >). Data users are required to abide by the data use conditions stipulated on the application for access to the data. Failure to do so may result in their data access privileges being revoked by the Data Custodian. In order to recognise the effort and intellectual contributions of AHRI investigators in producing and curating the data, users of AHRI data must acknowledge the source of the data and abide by the terms and conditions under which the data is accessed and must cite the dataset in publication using the citation provided as part of this documentation. All analytical datasets published	

on the AHRI Data Repository are assigned digital object identifier (DOIs) and the DOIs can be found on the Data Repository under Study Description tab - Access policy. AHRI data users are required to always cite the dataset using the relevant DOI.

Citation Requirements

Herbst, K., Siedner, M., & Hanekom, W. (2023). AHRI.Core Dataset:Deaths.2023 [Data set]. Africa Health Research Institute.

DOI:<https://doi.org/10.23664/AHRI.RD01-05.COREDATASET.DEATHS.2023>

Files Description

Dataset contains 1 file(s)

RD01-05 ACDIS Deaths	
# Cases	25923
# Variable(s)	47

Variables List

Dataset contains 47 variable(s)

File RD01-05 ACDIS Deaths							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IintId	Unique Internal Id of dead person	continuous	numeric-12.0	25923	0	-
2	DateOfDe ..	Date of Death	discrete	character-11	25923	-	-
3	IEndInfo ..	Unique Internal Id IEnd Informant	continuous	numeric-12.0	15995	9928	-
4	IEndInfo ..	Informant's relationship to the dead person	discrete	numeric-12.0	25923	0	-
5	DateOfBi ..	Date of Birth	discrete	character-11	25923	-	-
6	Sex	Gender	discrete	numeric-12.0	25923	0	-
7	DeathNot ..	Date of the Visit when the DTN form was completed	discrete	character-11	25923	-	-
8	VisitType	Type of Visit at which the DTN form was completed	discrete	numeric-12.0	25923	0	-
9	DeathSet ..	The 'Setting' where the individual died	discrete	numeric-12.0	25923	0	-
10	DeathCar ..	Care provider for the deceased	discrete	numeric-12.0	25923	0	-
11	DeathLoc ..	Location type of death	discrete	numeric-12.0	20906	5017	-
12	DeathBSI ..	BSIntId of place where individual died	continuous	numeric-12.0	20906	5017	-
13	DeathBSI ..	IS BS of death Urban or Rural	discrete	numeric-12.0	11319	14604	-
14	DeathPla ..	Is the Non-BS location Urban	discrete	numeric-12.0	5001	20922	-
15	DeathPla ..	Is the non-BS location Formal	discrete	numeric-12.0	5001	20922	-
16	IsMaternal	Is Maternal	discrete	numeric-12.0	25920	3	-
17	VACODass ..	Has Cause of death been assigned via Verbal Autopsy process	discrete	numeric-12.0	25923	0	-
18	Immediat ..	Immediate cause of death	discrete	character-7	4291	0	-
19	Immediat ..	Immediate Cause Descriptin	discrete	character-200	4291	-	-
20	Immediat ..	Immediate Cause GBD code	discrete	character-4	4291	0	-
21	Immediat ..	Immediate Cause GBD Descriptin	discrete	character-80	4291	0	-
22	Underlyi ..	Underlying cause of death	discrete	character-7	15731	0	-
23	Underlyi ..	Underlying Cause Descriptin	discrete	character-200	15731	-	-
24	Underlyi ..	Underlying Cause GBD code	discrete	character-4	15731	0	-
25	Underlyi ..	Underlying Cause GBD Desc	discrete	character-80	15731	0	-
26	Associat ..	Associated cause of death 1	discrete	character-7	1841	0	-
27	Associat ..	Associated Cause 1 Descriptin	discrete	character-200	1841	-	-

File RD01-05 ACDIS Deaths							
#	Name	Label	Type	Format	Valid	Invalid	Question
28	Associat ..	Associated Cause 1 Cause GBD code	discrete	character-4	1841	0	-
29	Associat ..	Associated Cause 1 GBD Descriptin	discrete	character-80	1841	0	-
30	Associat ..	Associated cause of death 2	discrete	character-7	426	0	-
31	Associat ..	Descriptive label for code above	discrete	character-200	426	-	-
32	Associat ..	Associated Cause 2 Cause GBD code	discrete	character-4	426	0	-
33	Associat ..	Associated Cause 2 GBD Descriptin	discrete	character-80	426	0	-
34	DeathCau ..	Summary GBD Cause	discrete	numeric-12.0	25923	0	-
35	ClinicAt ..	Did person seek treatment in last 12m	discrete	numeric-12.0	25920	3	-
36	MalPrev	Mal Prev	discrete	character-1	23530	0	-
37	HivPrev	Hiv Prev	discrete	character-1	23530	0	-
38	PregStat	Preg Stat	discrete	character-50	23530	0	-
39	PregLik	Preg Lik	continuous	numeric-12.0	5614	20309	-
40	Indet	Indet	continuous	numeric-12.0	23530	2393	-
41	Cause1	Cause 1	discrete	character-50	24782	0	-
42	Lik1	Lik 1	continuous	numeric-12.0	24782	1141	-
43	Cause2	Cause 2	discrete	character-50	1933	0	-
44	Lik2	Lik 2	continuous	numeric-12.0	1933	23990	-
45	Cause3	Cause 3	discrete	character-50	58	0	-
46	Lik3	Lik 3	discrete	numeric-12.0	58	25865	-
47	NoSymptoms	No verbal autopsy data	discrete	numeric-12.0	24782	1141	-

Variables Description

Dataset contains 47 variable(s)

File : RD01-05 ACDIS Deaths

IntId: Unique Internal Id of dead person

Information [Type= continuous] [Format=numeric] [Range= 11-270768] [Missing=*]

Statistics [NW/ W] [Valid=25923 /-] [Invalid=0 /-] [Mean=77387.531 /-] [StdDev=58679.573 /-]

DateOfDeath: Date of Death

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=25923 /-]

IEndInformantId: Unique Internal Id IEnd Informant

Information [Type= continuous] [Format=numeric] [Range= 16-271619] [Missing=*]

Statistics [NW/ W] [Valid=15995 /-] [Invalid=9928 /-] [Mean=78082.294 /-] [StdDev=62689.207 /-]

IEndInformantType: Informant's relationship to the dead person

Information [Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]

Statistics [NW/ W] [Valid=25923 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	_none	0	
1	Owner	11	0.0%
4	Household Head	5376	20.7%
6	Household Member	15309	59.1%
7	Member of other HH	114	0.4%
8	self	44	0.2%
9	Mother	2451	9.5%
10	Caregiver	50	0.2%
11	Partner	1	0.0%
21	Neighbour	8	0.0%
22	Staff Member	0	
94	_query	0	
95	_default	14	0.1%
96	_other	2544	9.8%
99	_missing	1	0.0%
999	Unknown	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DateOfBirth: Date of Birth

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=25923 /-]

Sex: Gender

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=25923 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Male	13009	50.2%
2	Female	12913	49.8%
9	Unknown	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : RD01-05 ACDIS Deaths

DeathNotificationDate: Date of the Visit when the DTN form was completed

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=25923 /-]

VisitType: Type of Visit at which the DTN form was completed

Information [Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]

Statistics [NW/ W] [Valid=25923 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Avoided Visit	1	0.0%
2	Unsuccessful Visit	427	1.6%
3	Regular Visit	20651	79.7%
4	Special Task Visit	0	
5	Problem Solving	223	0.9%
6	Quality Control	12	0.0%
7	Spot Check	0	
8	Tracking	823	3.2%
9	Verbal Autopsy	0	
10	Mapping Visit	7	0.0%
11	COUNSELLING VISIT	0	
12	Illness And Death	36	0.1%
13	Bounded Structure Verification	2	0.0%
14	Call Centre Visit	0	
15	External Study Visit	0	
30	Community Liaison Office Visit	2	0.0%
31	Community Engagement Visit	0	
93	Refused Visit	11	0.0%
94	_query	3721	14.4%
95	_default	0	
96	_other	1	0.0%
97	_non applicable	5	0.0%
99	_missing	1	0.0%
255	_deprecated	0	
999	Unknown	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeathSetting: The 'Setting' where the individual died

Information [Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]

Statistics [NW/ W] [Valid=25923 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Own Home	11309	43.6%
2	Working Place	85	0.3%
10	Hospital (not further specified)	221	0.9%
11	Governmental (public) Hospital	10134	39.1%
12	Private Hospital	262	1.0%
20	Fixed Clinic (not further specified)	41	0.2%
21	Governmental (public) Fixed Clinic	895	3.5%

File : RD01-05 ACDIS Deaths

DeathSetting: The 'Setting' where the individual died

Value	Label	Cases	Percentage
22	Private Clinic	23	0.1%
30	Africa Centre Counselling Centre	0	
31	Mobile Clinic	7	0.0%
32	GP Surgery	109	0.4%
33	Traditional Healer?s Place	25	0.1%
40	Primary School (not further specified)	2	0.0%
41	Governmental (public) Primary School	5	0.0%
42	Private Primary School	1	0.0%
50	Secondary School (not further specified)	1	0.0%
51	Governmental (public) Secondary School	3	0.0%
52	Private Secondary School	1	0.0%
60	Tertiary Educational Institution	0	
66	Other Educational Facility	2	0.0%
86	Other Homestead	323	1.2%
94	_query	1	0.0%
95	_default	2	0.0%
96	_other	1540	5.9%
97	_non applicable	103	0.4%
98	_don't know	820	3.2%
99	_missing	5	0.0%
999	Unknown	3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeathCareProvider: Care provider for the deceased

Information	[Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]
Statistics [NW/ W]	[Valid=25923 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	_none	838	3.2%
10	Medical Professional	214	0.8%
11	Medical Doctor	681	2.6%
12	Specialised Medical Doctor	32	0.1%
13	General Practitioner	55	0.2%
15	Nurse / Midwife	10645	41.1%
20	Traditional Healer	33	0.1%
30	Counsellor	1	0.0%
31	Physician	0	
32	Pharmacist	0	
33	Laboratory Worker	0	
66	Other Health Professional	47	0.2%
70	Community Health Worker	7	0.0%
71	Family Member	11217	43.3%
72	Self	41	0.2%
80	Neighbour	32	0.1%
93	_refused	25	0.1%

File : RD01-05 ACDIS Deaths

DeathCareProvider: Care provider for the deceased

Value	Label	Cases	Percentage
94	_query	1	0.0%
95	_default	3	0.0%
96	_other	706	2.7%
97	_non applicable	159	0.6%
98	_don't know	1166	4.5%
99	_missing	16	0.1%
255	_deprecated	1	0.0%
999	Unknown	3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeathLocation: Location type of death

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=20906 /-] [Invalid=5017 /-]

Value	Label	Cases	Percentage
1	Homestead	9499	45.4%
2	Facility	10326	49.4%
9	Unknown	1081	5.2%
Sysmiss		5017	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeathBSIntId: BSIntId of place where individual died

Information	[Type= continuous] [Format=numeric] [Range= 17-999998] [Missing=*]
Statistics [NW/ W]	[Valid=20906 /-] [Invalid=5017 /-] [Mean=60865.79 /-] [StdDev=219480.135 /-]

DeathBSIDIsUrbanOrRural: IS BS of death Urban or Rural

Information	[Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]
Statistics [NW/ W]	[Valid=11319 /-] [Invalid=14604 /-]

Value	Label	Cases	Percentage
1	Default	1090	9.6%
2	Peri-Urban	2556	22.6%
3	Rural	6931	61.2%
4	Urban	742	6.6%
999	Missing	0	
Sysmiss		14604	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeathPlaceIsUrban: Is the Non-BS location Urban

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=5001 /-] [Invalid=20922 /-]

Value	Label	Cases	Percentage
1	Yes, Urban	1748	35.0%
2	No, Rural	1854	37.1%
7	_Not applicable	151	3.0%
8	_Unknown	1248	25.0%
Sysmiss		20922	

File : RD01-05 ACDIS Deaths

DeathPlaceIsUrban: Is the Non-BS location Urban

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeathPlaceIsFormal: Is the non-BS location Formal

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=5001 /-] [Invalid=20922 /-]

Value	Label	Cases	Percentage
1	Yes, Formal	1666	33.3%
2	No, not formal	1207	24.1%
3	Tribal Area	648	13.0%
4	Commercial Farm	10	0.2%
5	Other (??)	10	0.2%
7	_Not Applicable	151	3.0%
8	_Unknown	1309	26.2%
Sysmiss		20922	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IsMaternal: Is Maternal

Information [Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]

Statistics [NW/ W] [Valid=25920 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	Neither pregnant nor recent Delivery/Abortion	4391	16.9%
1	Pregnant	130	0.5%
2	Delivery/abortion in last 90 days	150	0.6%
7	Not applicable (i.e. not a female aged 15-59)	20721	79.9%
8	Don't know	528	2.0%
999	Unknown	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

VACODassigned: Has Cause of death been assigned via Verbal Autopsy process

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=25923 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	15078	58.2%
2	No	10845	41.8%
9	Unknown	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ImmediateCauseCode: Immediate cause of death

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=4291 /-] [Invalid=0 /-]

ImmediateCauseDesc: Immediate Cause Descriptin

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=4291 /-]

File : RD01-05 ACDIS Deaths

ImmediateCauseGBDCode: Immediate Cause GBD code

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=4291 /-] [Invalid=0 /-]

ImmediateCauseGBDDesc: Immediate Cause GBD Descriptin

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=4291 /-] [Invalid=0 /-]

UnderlyingCauseCode: Underlying cause of death

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=15731 /-] [Invalid=0 /-]

UnderlyingCauseDesc: Underlying Cause Descriptin

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=15731 /-]

UnderlyingCauseGBDCode: Underlying Cause GBD code

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=15731 /-] [Invalid=0 /-]

UnderlyingCauseGBDDesc: Underlying Cause GBD Desc

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=15731 /-] [Invalid=0 /-]

AssociatedCause1Code: Associated cause of death 1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1841 /-] [Invalid=0 /-]

AssociatedCause1Desc: Associated Cause 1 Descriptin

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1841 /-]

AssociatedCause1GBDCode: Associated Cause 1 Cause GBD code

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1841 /-] [Invalid=0 /-]

AssociatedCause1GBDDesc: Associated Cause 1 GBD Descriptin

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1841 /-] [Invalid=0 /-]

AssociatedCause2Code: Associated cause of death 2

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=426 /-] [Invalid=0 /-]

AssociatedCause2Desc: Descriptive label for code above

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=426 /-]

AssociatedCause2GBDCode: Associated Cause 2 Cause GBD code

Information [Type= discrete] [Format=character] [Missing=*]

File : RD01-05 ACDIS Deaths

AssociatedCause2GBDCode: Associated Cause 2 Cause GBD code

Statistics [NW/ W] [Valid=426 /-] [Invalid=0 /-]

AssociatedCause2GBDDesc: Associated Cause 2 GBD Descriptin

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=426 /-] [Invalid=0 /-]

DeathCauseGBDgroup: Summary GBD Cause

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=25923 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	AIDS_TB	7582	29.2%
2	CMPN	2023	7.8%
3	NonComm	3363	13.0%
4	Injuries	1507	5.8%
9	Unknown	11448	44.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ClinicAttendance: Did person seek treatment in last 12m

Information [Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]

Statistics [NW/ W] [Valid=25920 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	No	13132	50.7%
1	Yes, admitted to hospital	6527	25.2%
2	Yes, treated as out-patient	3244	12.5%
8	Don't know	1759	6.8%
9	Not Applicable	1258	4.9%
999	Unknown	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MalPrev: Mal Prev

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=23530 /-] [Invalid=0 /-]

HivPrev: Hiv Prev

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=23530 /-] [Invalid=0 /-]

PregStat: Preg Stat

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=23530 /-] [Invalid=0 /-]

PregLik: Preg Lik

Information [Type= continuous] [Format=numeric] [Range= 33-100] [Missing=*]

Statistics [NW/ W] [Valid=5614 /-] [Invalid=20309 /-] [Mean=96.072 /-] [StdDev=9.689 /-]

Indet: Indet

Information [Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]

File : RD01-05 ACDIS Deaths

Indet: Indet

Statistics [NW/ W] [Valid=23530 /-] [Invalid=2393 /-] [Mean=9.536 /-] [StdDev=17.798 /-]

Cause1: Cause 1

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=24782 /-] [Invalid=0 /-]

Lik1: Lik 1

Information [Type= continuous] [Format=numeric] [Range= 40-100] [Missing=*]

Statistics [NW/ W] [Valid=24782 /-] [Invalid=1141 /-] [Mean=90.263 /-] [StdDev=15.088 /-]

Cause2: Cause 2

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1933 /-] [Invalid=0 /-]

Lik2: Lik 2

Information [Type= continuous] [Format=numeric] [Range= 20-49] [Missing=*]

Statistics [NW/ W] [Valid=1933 /-] [Invalid=23990 /-] [Mean=36.715 /-] [StdDev=6.971 /-]

Cause3: Cause 3

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=58 /-] [Invalid=0 /-]

Lik3: Lik 3

Information [Type= discrete] [Format=numeric] [Range= 20-28] [Missing=*]

Statistics [NW/ W] [Valid=58 /-] [Invalid=25865 /-]

NoSymptoms: No verbal autopsy data

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=24782 /-] [Invalid=1141 /-]

Value	Label	Cases	Percentage
0	No	23530	94.9%
1	Yes	1252	5.1%
Sysmiss		1141	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.