

South Africa

Dr Abraham Jacobus Herbst, Africa Health Research Institute

Prof. Willem Hanekom, Africa Health Research Institute

Prof. Janet Seeley, Africa Health Research Institute

Prof. Maryam Shahmanesh, Africa Health Research Institute

Dr. Guy Harling, Africa Health Research Institute

Dr. Mark Siedner, Africa Health Research Institute

AHRI.HDSS.Individual Health Surveillance HIV 2003-04

Study Documentation

June 5, 2025

Metadata Production

Metadata Producer(s)	Africa Health Research Institute (AHRI)
Identification	DDI.RD05-01.ACDIS.HIV.2003-4

Table of Contents

Overview	4
Scope & Coverage	5
Producers & Sponsors	5
Sampling	6
Data Collection	6
Data Processing & Appraisal	6
Accessibility	6
Files Description	7
RD05-01 ACDIS HIV 2003 4	7
Variables List	8
RD05-01 ACDIS HIV 2003 4	8
Variables Description	9
RD05-01 ACDIS HIV 2003 4	10

AHRI.HDSS.Individual Health Surveillance HIV 2003-04

Overview

Identification	RD05-01.ACDIS.HIV.2003-4
Version	v2.0.0

Abstract

The Africa Centre Demographic Information System (ACDIS) was established in 2000 by the Africa Health Research Institute (AHRI; formerly the Africa Centre for Health and Population Studies) covering a population of approximately 85,000 residents and non-residents from an area 438km² in size in uMkhanyakude district, KwaZulu-Natal province, South Africa.

In 2003, population-based individual health surveillance (funded by the Wellcome Trust, UK) was started in ACDIS through annual surveys. The field visits took place from November 2002 to February 2005, the vast majority (>97%) during 2003-04. The annual individual health surveillance involved drawing, at the start of each data collection surveillance round, an "Eligibility List" of all adult eligible individuals, and then, during the data collection round, attempting to visit and contact those individuals. At the time of visit some people included in the Eligibility List were found to in fact be ineligible - perhaps because they were dead or had out-migrated - events either not known about at the time the Eligibility List was compiled or occurring between the drawing up of the Eligibility List and the actual visit. These 'retrospective ineligibilities' are identifiable in the dataset as 'Premature Completions with reasons such as "Death or "Outmigration". There were also some individuals who could not be contacted, even after repeated visits and 'tracking' attempts for those who were reported to have moved. These are identifiable as `PrematureCompletionReason = ??` (i.e. Non-Contact). Additionally, a small number were contacted but refused to participate in the survey. They are identifiable by `VisitType = Refused`. Finally, there are some who participated in the survey, but refused the HIV test offered. They are identifiable as `HIVRefused = 'Y'`.

This dataset includes only those included in the Eligibility List. It does not include the small number (x) of 'Voluntary walk-in Testers' i.e., individuals who were not part of the Eligibility List, but who visited Counselling Centres and requested an HIV test.

Eligibility criteria for inclusion into the Eligibility List was different for residents and non-residents. For residents: resident males aged 15 and 54 and resident females aged 15 and 49 were included. For non-residents: a 10% stratified sample of non-residents was also included in the Eligibility List. A specific reference date was used to draw the Eligibility List.

Collection of the heights/weights/blood pressures was abandoned after part of the Round (in March 2004) as it was very slow, especially the blood pressures.

For 2003-04 General Health dataset, the records defined, for this dataset as being those `Woman/ManStatusObservations` with visit dates between 1 Jan 2003 and 31 Dec 2004 and `DSS Round` not 101 or 102. This spans DSS Rounds 8, 9 and 10 and 10. 97% of the visits actually took place between February 2003 and April 2004. Before then the forms used are known as 'WHL' or 'MGL' for which a separate dataset exists. Also, after `WGHv1/MGHv1` there were substantially shorter forms used, called `WGHv2/MGHv2`. That is also a separately available dataset.

Individuals were free to refuse to participate in and to withdraw from the individual surveys, without any impact on routine health care or other services to which they were entitled. If a household refused to participate in the household component, its members were not invited to participate in the individual component during that same household visit.

Note: Users of these datasets are strongly encouraged to refer to the questionnaires included in the documentation for the dataset to check carefully for any changes in question wording, ordering, options offered etc. This document does not attempt to describe every single change and variation.

For more refer:

1. Tanser F, Hosegood V, Bärnighausen T, Herbst K, Nyirenda M, Muhwava W, Newell C, Viljoen J, Mutevedzi T, Newell ML. Cohort Profile: Africa Centre Demographic Information System (ACDIS) and population-based HIV survey. *Int J Epidemiol.* 2008 Oct;37(5):956-62. doi: 10.1093/ije/dym211. Epub 2007 Nov 12. PMID: 17998242; PMCID: PMC2557060.

Kind of Data	Surveillance data
Unit of Analysis	AHRI HDSS Individual surveillance eligible individuals

Scope & Coverage

Keywords	South Africa, Surveillance, Epidemiology, HIV, Population Cohort
Topics	HIV, Population, Surveillance, HIV Incidence, HIV prevalence, Epidemiology, Africa, Demography, information systems, South Africa, KwaZulu-Natal, Medical, Population Intervention
Time Period(s)	2003-2005
Countries	South Africa

Geographic Coverage

AHRI's Population Intervention Programme Study Area (PIPSA) is situated in uMkhanyakude district KwaZulu-Natal province which is approximately 200km north of Durban.

For more refer:

1. Tanser F, Hosegood V, Bärnighausen T, Herbst K, Nyirenda M, Muhwava W, Newell C, Viljoen J, Mutevedzi T, Newell ML. Cohort Profile: Africa Centre Demographic Information System (ACDIS) and population-based HIV survey. *Int J Epidemiol.* 2008 Oct;37(5):956-62. doi: 10.1093/ije/dym211. Epub 2007 Nov 12. PMID: 17998242; PMCID: PMC2557060.

Universe

All resident household members from AHRI's DSA who met eligibility criteria and gave informed consent for their surveillance participation.

Producers & Sponsors

Primary Investigator(s)	Dr Abraham Jacobus Herbst, Africa Health Research Institute Prof. Willem Hanekom, Africa Health Research Institute Prof. Janet Seeley, Africa Health Research Institute Prof. Maryam Shahmanesh, Africa Health Research Institute Dr. Guy Harling, Africa Health Research Institute Dr. Mark Siedner, Africa Health Research Institute
Other Producer(s)	Africa Health Research Institute (AHRI)
Funding Agency/ies	Welcome Trust (WT) , Funder DSI-MRC South African Population Research Infrastructure Network (SAPRIN) , Funder
Other Acknowledgment(s)	Thobeka Mngomezulu , Data collection , AHRI Phumzile Dlamini , Data collection , AHRI Lindiwe Sithole , Data collection , AHRI Bonginkosi Ntimane , Data quality , AHRI Njabulo Myeni , Data quality , AHRI Eugene Ehlers , Software Development , AHRI Eugene Prenzler , Data Analytics , AHRI Brendan Gilbert , IT infrastructure , AHRI Sweetness Dube , Data documentation , AHRI Siyabonga Nxumalo , Research Data management , AHRI Dickman Gareta , Research Data management , AHRI Kathy Baisley , Statistics , AHRI

Sampling

Sampling Procedure

All individuals meeting the eligibility criteria described in the abstract

Data Collection

Data Collection Dates	start 2003-03-09 end 2005-10-27
------------------------------	------------------------------------

Data Processing & Appraisal

Data Editing

Surveillance data is processed and stored on servers under the physical control of AHRI until datasets are made available on the data repository. The data is de-identified and can then be downloaded for processing on the data user's computer.

Data is stored on industry-standard relational databases with data integrity and user authentication for access control. Data is replicated on at least a daily basis to the Durban site of the Institution to provide secure offsite storage of data. Transactional logs are backed up every 30 minutes to enable recovery of data in the event of equipment failure.

All users of the system are authenticated through individual passwords with minimum complexity and regular change rules (passwords must be at least eight digits, with a mix of small and capital letters, at least one numeric or non-alphabetic digit and changed at least every 45 days). AHRI uses industry standard malware and intrusion detection with at least annual penetration tests by a reputable outside security audit company.

Both at the Institute and for the clinic-based data collection, a client-server architecture is implemented where data is not stored on laptops or local workstation, but only on a central server with restricted physical access. Specifically, at the clinics the local server is enclosed in a tamper-proof enclosure kept under lock and key. The server hard disk is encrypted.

Accessibility

Access Conditions

Access to the data requires accurate completion of the online data access application form accessible on the AHRI Data repository (<<https://data.ahri.org/>>). Data users are required to abide by the data use conditions stipulated on the application for access to the data. Failure to do so may result in their data access privileges being revoked by the Data Custodian. In order to recognise the effort and intellectual contributions of AHRI investigators in producing and curating the data, users of AHRI data must acknowledge the source of the data and abide by the terms and conditions under which the data is accessed and must cite the dataset in publication using the citation provided as part of this documentation. All analytical datasets published on the AHRI Data Repository are assigned digital object identifier (DOIs) and the DOIs can be found on the Data Repository under Study Description tab - Access policy. AHRI data users are required to always cite the dataset using the relevant DOI.

Citation Requirements

Herbst, A. J., Hanekom, W., Seeley, J., Shahmanesh, M., Harling, G., & Siedner, M. (2025). AHRI.HDSS.Individual Health Surveillance HIV 2003-04 [Data set]. Africa Health Research Institute. DOI:<https://doi.org/10.23664/RD05-01.ACDIS.HIV.2003-4>

Files Description

Dataset contains 1 file(s)

RD05-01 ACDIS HIV 2003_4	
# Cases	33551
# Variable(s)	26

Variables List

Dataset contains 26 variable(s)

File RD05-01 ACDIS HIV 2003_4							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	BMFStatu..	BMFStatusObservation Id	continuous	numeric-12.0	22138	11413	-
2	Prematur..	Premature Completion Reason	discrete	numeric-12.0	22138	11413	-
3	IntId	Unique Internal Id of Individual	continuous	numeric-12.0	33551	0	-
4	Sex	Sex	discrete	numeric-12.0	32759	792	-
5	DateOfBi..	Date of birth	discrete	character-11	32759	-	-
6	Household	Household Id	continuous	numeric-12.0	33551	0	-
7	BSIntId	Unique Internal Id of BoundedStructures	continuous	numeric-12.0	33551	0	-
8	Resident	Residency status	discrete	numeric-12.0	33551	0	-
9	VisitDate	Visit Date	discrete	character-11	22138	-	-
10	VisitType	Visit Type	discrete	numeric-12.0	22138	11413	-
11	HIVSampl..	HIV Sample Id	discrete	character-100	12624	0	-
12	HIVRefused	HIV Refused	discrete	numeric-12.0	22138	11413	-
13	HIVRefus..	HIV Refused By	discrete	numeric-12.0	22138	11413	-
14	HIVSampl..	HIV Sample Available	discrete	numeric-12.0	22138	11413	-
15	HIVResult	HIV Result	discrete	numeric-12.0	21972	11579	-
16	HeightRe..	Height Refused	discrete	numeric-12.0	22138	11413	-
17	HeightCms	Height in Cms	discrete	numeric-10.0	22138	11413	-
18	WeightRe..	Weight Refused	discrete	numeric-12.0	22138	11413	-
19	WeightKgs	Weight in Kgs	discrete	numeric-10.0	22138	11413	-
20	BPRefused	BP Refused	discrete	numeric-12.0	22138	11413	-
21	BPFirstS..	BP First Systolic	discrete	numeric-12.0	22138	11413	-
22	BPFirstD..	BP First Diastolic	discrete	numeric-12.0	22138	11413	-
23	BPSecond..	BP Second Systolic	discrete	numeric-12.0	22138	11413	-
24	BPSecond..	BP Second Diastolic	discrete	numeric-12.0	22138	11413	-
25	BPTthirdS..	BP Third Systolic	discrete	numeric-12.0	22138	11413	-
26	BPTthirdD..	BP Third Diastolic	discrete	numeric-12.0	22138	11413	-

Variables Description

Dataset contains 26 variable(s)

File : RD05-01 ACDIS HIV 2003_4

BMFStatusObservation: BMFStatusObservation Id

Information [Type= continuous] [Format=numeric] [Range= 801-57302] [Missing=*]

Statistics [NW/ W] [Valid=22138 /-] [Invalid=11413 /-] [Mean=14742.975 /-] [StdDev=7939.308 /-]

PrematureCompletionReason: Premature Completion Reason

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=22138 /-] [Invalid=11413 /-]

Value	Label	Cases	Percentage
1	Broken Down BS	0	
2	Mentally Disabled	41	0.2%
3	Outmigration	0	
4	Non-contact	0	
5	Other Reasons	21	0.1%
6	Very Sick	5	0.0%
7	Not Tracked (too far)	0	
93	Refused	8	0.0%
97	Not Applicable	708	3.2%
99	Missing	21355	96.5%
Sysmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IntId: Unique Internal Id of Individual

Information [Type= continuous] [Format=numeric] [Range= 14-133987] [Missing=*]

Statistics [NW/ W] [Valid=33551 /-] [Invalid=0 /-] [Mean=53387.598 /-] [StdDev=31462.078 /-]

Sex: Sex

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=32759 /-] [Invalid=792 /-]

Value	Label	Cases	Percentage
1	Male	14841	45.3%
2	Female	17918	54.7%
99	Unknown	0	
Sysmiss		792	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DateOfBirth: Date of birth

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=32759 /-]

Household: Household Id

Information [Type= continuous] [Format=numeric] [Range= 11-15351] [Missing=*]

Statistics [NW/ W] [Valid=33551 /-] [Invalid=0 /-] [Mean=6818.042 /-] [StdDev=4015.648 /-]

BSIntId: Unique Internal Id of BoundedStructures

Information [Type= continuous] [Format=numeric] [Range= 12-12759] [Missing=*]

Statistics [NW/ W] [Valid=33551 /-] [Invalid=0 /-] [Mean=6002.349 /-] [StdDev=3567.303 /-]

File : RD05-01 ACDIS HIV 2003_4

Resident: Residency status

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=33551 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	31520	93.9%
2	No	2031	6.1%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	0	
98	Don?t know	0	
99	Missing	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

VisitDate: Visit Date

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=22138 /-]

VisitType: Visit Type

Information [Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]

Statistics [NW/ W] [Valid=22138 /-] [Invalid=11413 /-]

Value	Label	Cases	Percentage
1	Avoided Visit	0	
2	Unsuccessful Visit	356	1.6%
3	Regular Visit	19557	88.3%
4	Special Task Visit	0	
5	Problem Solving	12	0.1%
6	Quality Control	0	
7	Spot Check	0	
8	Tracking	1452	6.6%
9	Verbal Autopsy	0	
10	Mapping Visit	0	
11	COUNSELLING VISIT	4	0.0%
12	Illness And Death	2	0.0%
13	Bounded Structure Verification	0	
30	Community Liaison Office Visit	0	
92	Deprecated	0	
93	Refused Visit	753	3.4%
94	Query	0	
95	Default	0	
96	Other	1	0.0%
97	Not Applicable	1	0.0%
99	Missing	0	

File : RD05-01 ACDIS HIV 2003_4

VisitType: Visit Type

Value	Label	Cases	Percentage
999	Unknown	0	
Sysmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HIVSampleId: HIV Sample Id

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=12624 /-] [Invalid=0 /-]

HIVRefused: HIV Refused

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=22138 /-] [Invalid=11413 /-]

Value	Label	Cases	Percentage
1	Yes	9286	41.9%
2	No	12776	57.7%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	1	0.0%
96	Other	0	
97	Not Applicable	75	0.3%
98	Don?t know	0	
99	Missing	0	
Sysmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HIVRefusedBy: HIV Refused By

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=22138 /-] [Invalid=11413 /-]

Value	Label	Cases	Percentage
1	Self	98	0.4%
2	Partner	0	
3	HH head	0	
4	BS owner	0	
5	Other	0	
97	Not applicable	676	3.1%
99	Missing	21364	96.5%
Sysmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HIVSampleAvailable: HIV Sample Available

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=22138 /-] [Invalid=11413 /-]

Value	Label	Cases	Percentage
1	Yes	12623	57.0%

File : RD05-01 ACDIS HIV 2003_4

HIVSampleAvailable: HIV Sample Available

Value	Label	Cases	Percentage
2	No,but there is a BMFStatusObs	9515	43.0%
Sysmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HIVResult: HIV Result

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=21972 /-] [Invalid=11579 /-]

Value	Label	Cases	Percentage
0	Negative	9765	44.4%
1	Positive	2798	12.7%
2	Indeterminate	44	0.2%
3	Insufficient sample volume	0	
4	Spurious (probably not this person)	5	0.0%
5	Spurious negative(HIV reverse seroconversion)	0	
6	Spurious positive(HIV reverse seroconversion)	1	0.0%
97	Not applicable	9359	42.6%
99	Missing (Sample lost)	0	
Sysmiss		11579	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HeightRefused: Height Refused

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=22138 /-] [Invalid=11413 /-]

Value	Label	Cases	Percentage
1	Yes	764	3.5%
2	No	2878	13.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	18496	83.5%
98	Don?t know	0	
99	Missing	0	
Sysmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HeightCms: Height in Cms

Information	[Type= discrete] [Format=numeric] [Range= 117.2-999] [Missing=*/1001]
Statistics [NW/ W]	[Valid=22138 /-] [Invalid=11413 /-]

Value	Label	Cases	Percentage
117.2		1	0.0%
124		1	0.0%

File : RD05-01 ACDIS HIV 2003_4

HeightCms: Height in Cms

Value	Label	Cases	Percentage
127		1	0.0%
130.4		1	0.0%
134.6		1	0.0%
136.8		1	0.0%
140.5		1	0.0%
141.4		1	0.0%
142.1		1	0.0%
142.3		1	0.0%
142.4		2	0.0%
143.1		1	0.0%
143.3		1	0.0%
143.5		1	0.0%
143.7		1	0.0%
144		1	0.0%
144.3		2	0.0%
144.5		1	0.0%
144.7		1	0.0%
145		1	0.0%
145.3		1	0.0%
145.4		1	0.0%
145.5		2	0.0%
145.6		1	0.0%
145.7		2	0.0%
145.8		1	0.0%
146		1	0.0%
146.1		2	0.0%
146.4		1	0.0%
146.5		1	0.0%
146.7		2	0.0%
146.8		1	0.0%
147		2	0.0%
147.2		2	0.0%
147.3		3	0.0%
147.4		4	0.0%
147.6		2	0.0%
147.7		1	0.0%
148		3	0.0%
148.1		1	0.0%
148.2		2	0.0%
148.3		2	0.0%
148.4		1	0.0%
148.6		3	0.0%
148.7		2	0.0%

File : RD05-01 ACDIS HIV 2003_4

HeightCms: Height in Cms

Value	Label	Cases	Percentage
148.8		1	0.0%
149		11	0.0%
149.1		1	0.0%
149.2		2	0.0%
149.3		4	0.0%
149.4		2	0.0%
149.5		5	0.0%
149.6		5	0.0%
149.7		1	0.0%
149.8		2	0.0%
149.9		1	0.0%
150		8	0.0%
150.1		5	0.0%
150.2		5	0.0%
150.3		7	0.0%
150.4		5	0.0%
150.5		2	0.0%
150.6		4	0.0%
150.7		2	0.0%
150.9		2	0.0%
151		8	0.0%
151.1		6	0.0%
151.2		1	0.0%
151.3		3	0.0%
151.4		7	0.0%
151.5		7	0.0%
151.6		3	0.0%
151.7		3	0.0%
151.8		4	0.0%
151.9		1	0.0%
152		18	0.1%
152.1		7	0.0%
152.2		8	0.0%
152.3		6	0.0%
152.4		3	0.0%
152.5		5	0.0%
152.6		9	0.0%
152.7		8	0.0%
152.8		4	0.0%
152.9		1	0.0%
153		17	0.1%
153.1		6	0.0%
153.2		5	0.0%

File : RD05-01 ACDIS HIV 2003_4

HeightCms: Height in Cms

Value	Label	Cases	Percentage
153.3		8	0.0%
153.4		7	0.0%
153.5		16	0.1%
153.6		7	0.0%
153.7		10	0.0%
153.8		6	0.0%
153.9		6	0.0%
154		18	0.1%
154.1		10	0.0%
154.2		8	0.0%
154.3		8	0.0%
154.4		14	0.1%
154.5		13	0.1%
154.6		13	0.1%
154.7		5	0.0%
154.8		14	0.1%
154.9		4	0.0%
155		14	0.1%
155.1		6	0.0%
155.2		8	0.0%
155.3		9	0.0%
155.4		5	0.0%
155.5		11	0.0%
155.6		14	0.1%
155.7		10	0.0%
155.8		7	0.0%
155.9		4	0.0%
156		22	0.1%
156.1		6	0.0%
156.2		15	0.1%
156.3		10	0.0%
156.4		11	0.0%
156.5		12	0.1%
156.6		12	0.1%
156.7		11	0.0%
156.8		4	0.0%
156.9		5	0.0%
157		20	0.1%
157.1		13	0.1%
157.2		8	0.0%
157.3		17	0.1%
157.4		11	0.0%
157.5		13	0.1%

File : RD05-01 ACDIS HIV 2003_4

HeightCms: Height in Cms

Value	Label	Cases	Percentage
157.6		8	0.0%
157.7		13	0.1%
157.8		8	0.0%
157.9		5	0.0%
158		22	0.1%
158.1		12	0.1%
158.2		12	0.1%
158.3		11	0.0%
158.4		8	0.0%
158.5		12	0.1%
158.6		16	0.1%
158.7		15	0.1%
158.8		7	0.0%
158.9		10	0.0%
159		24	0.1%
159.1		9	0.0%
159.2		10	0.0%
159.3		14	0.1%
159.4		17	0.1%
159.5		14	0.1%
159.6		12	0.1%
159.7		13	0.1%
159.8		5	0.0%
159.9		9	0.0%
160		34	0.2%
160.1		13	0.1%
160.2		13	0.1%
160.3		15	0.1%
160.4		15	0.1%
160.5		10	0.0%
160.6		10	0.0%
160.7		12	0.1%
160.8		9	0.0%
160.9		13	0.1%
161		27	0.1%
161.1		10	0.0%
161.2		14	0.1%
161.3		10	0.0%
161.4		17	0.1%
161.5		22	0.1%
161.6		9	0.0%
161.7		9	0.0%
161.8		12	0.1%

File : RD05-01 ACDIS HIV 2003_4

HeightCms: Height in Cms

Value	Label	Cases	Percentage
161.9		8	0.0%
162		30	0.1%
162.1		12	0.1%
162.2		9	0.0%
162.3		14	0.1%
162.4		15	0.1%
162.5		14	0.1%
162.6		12	0.1%
162.7		12	0.1%
162.8		9	0.0%
162.9		6	0.0%
163		25	0.1%
163.1		14	0.1%
163.2		9	0.0%
163.3		17	0.1%
163.4		7	0.0%
163.5		19	0.1%
163.6		14	0.1%
163.7		11	0.0%
163.8		10	0.0%
163.9		9	0.0%
164		12	0.1%
164.1		9	0.0%
164.2		15	0.1%
164.3		15	0.1%
164.4		11	0.0%
164.5		13	0.1%
164.6		6	0.0%
164.7		6	0.0%
164.8		8	0.0%
164.9		10	0.0%
165		25	0.1%
165.1		7	0.0%
165.2		3	0.0%
165.3		11	0.0%
165.4		13	0.1%
165.5		16	0.1%
165.6		13	0.1%
165.7		7	0.0%
165.8		7	0.0%
165.9		11	0.0%
166		22	0.1%
166.1		12	0.1%

File : RD05-01 ACDIS HIV 2003_4

HeightCms: Height in Cms

Value	Label	Cases	Percentage
166.2		11	0.0%
166.3		10	0.0%
166.4		15	0.1%
166.5		16	0.1%
166.6		7	0.0%
166.7		8	0.0%
166.8		2	0.0%
166.9		7	0.0%
167		14	0.1%
167.1		11	0.0%
167.2		12	0.1%
167.3		13	0.1%
167.4		7	0.0%
167.5		14	0.1%
167.6		7	0.0%
167.7		5	0.0%
167.8		9	0.0%
167.9		3	0.0%
168		19	0.1%
168.1		2	0.0%
168.2		5	0.0%
168.3		8	0.0%
168.4		6	0.0%
168.5		13	0.1%
168.6		10	0.0%
168.7		6	0.0%
168.8		2	0.0%
168.9		8	0.0%
169		16	0.1%
169.1		7	0.0%
169.2		7	0.0%
169.3		9	0.0%
169.4		7	0.0%
169.5		11	0.0%
169.6		6	0.0%
169.7		4	0.0%
169.8		9	0.0%
169.9		3	0.0%
170		17	0.1%
170.1		3	0.0%
170.2		3	0.0%
170.3		5	0.0%
170.4		11	0.0%

File : RD05-01 ACDIS HIV 2003_4

HeightCms: Height in Cms

Value	Label	Cases	Percentage
170.5		9	0.0%
170.6		4	0.0%
170.7		4	0.0%
170.8		6	0.0%
170.9		4	0.0%
171		10	0.0%
171.1		8	0.0%
171.2		12	0.1%
171.3		4	0.0%
171.4		6	0.0%
171.5		8	0.0%
171.6		5	0.0%
171.7		2	0.0%
171.8		8	0.0%
171.9		6	0.0%
172		16	0.1%
172.1		3	0.0%
172.2		6	0.0%
172.3		3	0.0%
172.4		6	0.0%
172.5		4	0.0%
172.6		6	0.0%
172.7		3	0.0%
172.8		8	0.0%
172.9		2	0.0%
173		10	0.0%
173.1		3	0.0%
173.2		2	0.0%
173.3		5	0.0%
173.4		4	0.0%
173.5		7	0.0%
173.6		8	0.0%
173.7		5	0.0%
173.8		2	0.0%
173.9		3	0.0%
174		8	0.0%
174.1		5	0.0%
174.2		4	0.0%
174.3		3	0.0%
174.35		1	0.0%
174.4		7	0.0%
174.5		9	0.0%
174.6		6	0.0%

File : RD05-01 ACDIS HIV 2003_4

HeightCms: Height in Cms

Value	Label	Cases	Percentage
174.7		8	0.0%
174.8		2	0.0%
174.9		2	0.0%
175		11	0.0%
175.1		1	0.0%
175.2		4	0.0%
175.3		4	0.0%
175.4		2	0.0%
175.5		2	0.0%
175.6		7	0.0%
175.7		6	0.0%
175.8		1	0.0%
176		9	0.0%
176.1		4	0.0%
176.2		7	0.0%
176.3		3	0.0%
176.4		1	0.0%
176.5		11	0.0%
176.6		3	0.0%
176.7		3	0.0%
176.8		3	0.0%
176.9		3	0.0%
177		9	0.0%
177.1		3	0.0%
177.2		4	0.0%
177.3		1	0.0%
177.4		1	0.0%
177.5		2	0.0%
177.6		5	0.0%
177.7		2	0.0%
177.8		3	0.0%
178		10	0.0%
178.1		2	0.0%
178.3		3	0.0%
178.4		1	0.0%
178.5		1	0.0%
178.6		4	0.0%
178.7		2	0.0%
178.8		2	0.0%
178.9		1	0.0%
179		9	0.0%
179.2		2	0.0%
179.3		3	0.0%

File : RD05-01 ACDIS HIV 2003_4

HeightCms: Height in Cms

Value	Label	Cases	Percentage
179.4		1	0.0%
179.5		5	0.0%
179.6		3	0.0%
179.7		2	0.0%
179.8		2	0.0%
179.9		1	0.0%
180		2	0.0%
180.1		1	0.0%
180.2		1	0.0%
180.4		3	0.0%
180.5		3	0.0%
180.6		1	0.0%
180.7		2	0.0%
180.9		3	0.0%
181.1		2	0.0%
181.2		2	0.0%
181.3		4	0.0%
181.4		4	0.0%
181.8		1	0.0%
182		1	0.0%
182.2		2	0.0%
182.3		2	0.0%
182.4		2	0.0%
182.5		4	0.0%
182.7		1	0.0%
182.8		1	0.0%
182.9		1	0.0%
183.1		1	0.0%
183.2		1	0.0%
183.4		1	0.0%
183.6		1	0.0%
184.3		2	0.0%
184.5		2	0.0%
185		4	0.0%
185.1		2	0.0%
185.3		1	0.0%
185.4		1	0.0%
185.6		1	0.0%
185.8		1	0.0%
185.9		1	0.0%
186.3		1	0.0%
186.6		1	0.0%
187		1	0.0%

File : RD05-01 ACDIS HIV 2003_4

HeightCms: Height in Cms

Value	Label	Cases	Percentage
188		1	0.0%
189.2		1	0.0%
189.3		1	0.0%
190.1		1	0.0%
990	SpecialQuery	0	
991	Deprecated	0	
992	Deprecated	0	
993	Refused	0	
994	Query	7	0.0%
995	Default	0	
996	Other	0	
997	Not Applicable	19260	87.0%
998	Don't know	0	
999	Missing	194	0.9%
1001	..	0	
Sysmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WeightRefused: Weight Refused

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=22138 /-] [Invalid=11413 /-]

Value	Label	Cases	Percentage
1	Yes	756	3.4%
2	No	2886	13.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	18496	83.5%
98	Don?t know	0	
99	Missing	0	
Sysmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WeightKgs: Weight in Kgs

Information	[Type= discrete] [Format=numeric] [Range= 35.3-999] [Missing=*/1001]
Statistics [NW/ W]	[Valid=22138 /-] [Invalid=11413 /-]

Value	Label	Cases	Percentage
990	SpecialQuery		
991	Deprecated		
992	Deprecated		
993	Refused		

File : RD05-01 ACDIS HIV 2003_4

WeightKgs: Weight in Kgs

Value	Label	Cases	Percentage
994	Query		
995	Default		
996	Other		
997	Not Applicable		
998	Don't know		
999	Missing		
1001	..		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPrefused: BP Refused

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=22138 /-] [Invalid=11413 /-]

Value	Label	Cases	Percentage
1	Yes	764	3.5%
2	No	2878	13.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	18496	83.5%
98	Don?t know	0	
99	Missing	0	
Sysmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPFIRSTSystolic: BP First Systolic

Information	[Type= discrete] [Format=numeric] [Range= 68-999] [Missing=*]
Statistics [NW/ W]	[Valid=22138 /-] [Invalid=11413 /-]

Value	Label	Cases	Percentage
68		2	0.0%
74		1	0.0%
75		1	0.0%
79		2	0.0%
80		1	0.0%
84		1	0.0%
85		1	0.0%
86		1	0.0%
88		1	0.0%
89		4	0.0%
90		3	0.0%
91		4	0.0%
92		3	0.0%

File : RD05-01 ACDIS HIV 2003_4

BPFfirstSystolic: BP First Systolic

Value	Label	Cases	Percentage
93		5	0.0%
94		2	0.0%
95		8	0.0%
96		13	0.1%
97		7	0.0%
98		10	0.0%
99		18	0.1%
100		26	0.1%
101		26	0.1%
102		20	0.1%
103		25	0.1%
104		42	0.2%
105		39	0.2%
106		33	0.1%
107		31	0.1%
108		25	0.1%
109		39	0.2%
110		41	0.2%
111		61	0.3%
112		45	0.2%
113		52	0.2%
114		48	0.2%
115		51	0.2%
116		70	0.3%
117		62	0.3%
118		59	0.3%
119		63	0.3%
120		63	0.3%
121		62	0.3%
122		51	0.2%
123		75	0.3%
124		60	0.3%
125		64	0.3%
126		66	0.3%
127		65	0.3%
128		56	0.3%
129		65	0.3%
130		67	0.3%
131		53	0.2%
132		51	0.2%
133		50	0.2%
134		53	0.2%
135		50	0.2%

File : RD05-01 ACDIS HIV 2003_4

BPFIRSTSystolic: BP First Systolic

Value	Label	Cases	Percentage
136		39	0.2%
137		44	0.2%
138		34	0.2%
139		36	0.2%
140		49	0.2%
141		29	0.1%
142		41	0.2%
143		25	0.1%
144		27	0.1%
145		24	0.1%
146		19	0.1%
147		23	0.1%
148		21	0.1%
149		24	0.1%
150		24	0.1%
151		20	0.1%
152		19	0.1%
153		13	0.1%
154		14	0.1%
155		18	0.1%
156		15	0.1%
157		7	0.0%
158		18	0.1%
159		20	0.1%
160		18	0.1%
161		14	0.1%
162		8	0.0%
163		9	0.0%
164		9	0.0%
165		10	0.0%
166		14	0.1%
167		7	0.0%
168		8	0.0%
169		4	0.0%
170		9	0.0%
171		12	0.1%
172		3	0.0%
173		6	0.0%
174		3	0.0%
175		4	0.0%
176		7	0.0%
177		4	0.0%
178		5	0.0%

File : RD05-01 ACDIS HIV 2003_4

BPFIRSTSystolic: BP First Systolic

Value	Label	Cases	Percentage
179		6	0.0%
180		9	0.0%
181		7	0.0%
182		2	0.0%
183		5	0.0%
184		6	0.0%
185		1	0.0%
186		4	0.0%
187		1	0.0%
188		2	0.0%
189		3	0.0%
190		4	0.0%
191		2	0.0%
192		5	0.0%
193		1	0.0%
194		3	0.0%
196		2	0.0%
198		1	0.0%
199		1	0.0%
201		1	0.0%
203		1	0.0%
204		1	0.0%
208		1	0.0%
210		1	0.0%
213		1	0.0%
215		2	0.0%
216		1	0.0%
219		1	0.0%
221		3	0.0%
222		1	0.0%
224		2	0.0%
225		1	0.0%
226		1	0.0%
990	SpecialQuery	0	
991	Deprecated	0	
992	Deprecated	0	
993	Refused	0	
994	Query	4	0.0%
995	Default	0	
996	Other	0	
997	Not Applicable	19260	87.0%
998	Don't know	0	
999	Missing	137	0.6%

File : RD05-01 ACDIS HIV 2003_4

BPFIRSTSystolic: BP First Systolic

Value	Label	Cases	Percentage
Systemmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPFIRSTDiastolic: BP First Diastolic

Information	[Type= discrete] [Format=numeric] [Range= 40-999] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=22138 /-] [Invalid=11413 /-]
---------------------------	-------------------------------------

Value	Label	Cases	Percentage
40		1	0.0%
41		2	0.0%
43		1	0.0%
46		2	0.0%
47		1	0.0%
50		3	0.0%
52		2	0.0%
54		5	0.0%
55		9	0.0%
56		8	0.0%
57		5	0.0%
58		16	0.1%
59		18	0.1%
60		12	0.1%
61		23	0.1%
62		22	0.1%
63		25	0.1%
64		44	0.2%
65		47	0.2%
66		53	0.2%
67		53	0.2%
68		69	0.3%
69		66	0.3%
70		64	0.3%
71		75	0.3%
72		80	0.4%
73		86	0.4%
74		92	0.4%
75		90	0.4%
76		100	0.5%
77		77	0.3%
78		91	0.4%
79		93	0.4%
80		106	0.5%
81		78	0.4%
82		74	0.3%
83		93	0.4%

File : RD05-01 ACDIS HIV 2003_4

BPFIRSTDIASTOLIC: BP First Diastolic

Value	Label	Cases	Percentage
84		80	0.4%
85		69	0.3%
86		78	0.4%
87		65	0.3%
88		62	0.3%
89		60	0.3%
90		50	0.2%
91		52	0.2%
92		52	0.2%
93		38	0.2%
94		38	0.2%
95		36	0.2%
96		32	0.1%
97		27	0.1%
98		26	0.1%
99		27	0.1%
100		32	0.1%
101		25	0.1%
102		22	0.1%
103		18	0.1%
104		32	0.1%
105		12	0.1%
106		12	0.1%
107		13	0.1%
108		9	0.0%
109		8	0.0%
110		13	0.1%
111		7	0.0%
112		9	0.0%
113		5	0.0%
114		3	0.0%
115		8	0.0%
116		2	0.0%
117		2	0.0%
118		7	0.0%
119		4	0.0%
121		2	0.0%
122		2	0.0%
123		2	0.0%
124		1	0.0%
125		1	0.0%
126		2	0.0%
127		2	0.0%

File : RD05-01 ACDIS HIV 2003_4

BPFIRSTDiastolic: BP First Diastolic

Value	Label	Cases	Percentage
128		1	0.0%
129		1	0.0%
130		2	0.0%
132		1	0.0%
141		1	0.0%
144		1	0.0%
990	SpecialQuery	0	
991	Deprecated	0	
992	Deprecated	0	
993	Refused	0	
994	Query	1	0.0%
995	Default	0	
996	Other	0	
997	Not Applicable	19260	87.0%
998	Don't know	0	
999	Missing	137	0.6%
Sysmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPSecondSystolic: BP Second Systolic

Information [Type= discrete] [Format=numeric] [Range= 79-999] [Missing=*]

Statistics [NW/ W] [Valid=22138 /-] [Invalid=11413 /-]

Value	Label	Cases	Percentage
79		1	0.0%
81		2	0.0%
82		1	0.0%
84		2	0.0%
88		5	0.0%
89		3	0.0%
90		2	0.0%
91		5	0.0%
92		3	0.0%
93		5	0.0%
94		8	0.0%
95		12	0.1%
96		17	0.1%
97		14	0.1%
98		24	0.1%
99		24	0.1%
100		31	0.1%
101		19	0.1%
102		35	0.2%
103		41	0.2%
104		38	0.2%

File : RD05-01 ACDIS HIV 2003_4

BPSecondSystolic: BP Second Systolic

Value	Label	Cases	Percentage
105		34	0.2%
106		46	0.2%
107		45	0.2%
108		64	0.3%
109		45	0.2%
110		60	0.3%
111		64	0.3%
112		67	0.3%
113		67	0.3%
114		60	0.3%
115		71	0.3%
116		71	0.3%
117		71	0.3%
118		55	0.2%
119		71	0.3%
120		72	0.3%
121		59	0.3%
122		57	0.3%
123		73	0.3%
124		67	0.3%
125		57	0.3%
126		57	0.3%
127		58	0.3%
128		48	0.2%
129		62	0.3%
130		53	0.2%
131		48	0.2%
132		46	0.2%
133		41	0.2%
134		51	0.2%
135		28	0.1%
136		41	0.2%
137		33	0.1%
138		37	0.2%
139		30	0.1%
140		37	0.2%
141		31	0.1%
142		26	0.1%
143		23	0.1%
144		19	0.1%
145		15	0.1%
146		11	0.0%
147		20	0.1%

File : RD05-01 ACDIS HIV 2003_4

BPSecondSystolic: BP Second Systolic

Value	Label	Cases	Percentage
148		15	0.1%
149		14	0.1%
150		23	0.1%
151		13	0.1%
152		19	0.1%
153		17	0.1%
154		18	0.1%
155		6	0.0%
156		12	0.1%
157		16	0.1%
158		8	0.0%
159		11	0.0%
160		11	0.0%
161		6	0.0%
162		5	0.0%
163		16	0.1%
164		7	0.0%
165		12	0.1%
166		7	0.0%
167		6	0.0%
168		6	0.0%
169		9	0.0%
170		5	0.0%
171		5	0.0%
172		4	0.0%
173		4	0.0%
174		3	0.0%
175		6	0.0%
176		3	0.0%
177		4	0.0%
178		2	0.0%
179		3	0.0%
180		1	0.0%
181		3	0.0%
183		8	0.0%
184		1	0.0%
186		2	0.0%
188		4	0.0%
189		2	0.0%
190		1	0.0%
191		1	0.0%
193		3	0.0%
194		2	0.0%

File : RD05-01 ACDIS HIV 2003_4

BPSecondSystolic: BP Second Systolic

Value	Label	Cases	Percentage
195		1	0.0%
196		1	0.0%
197		2	0.0%
198		1	0.0%
199		2	0.0%
200		1	0.0%
202		3	0.0%
204		1	0.0%
205		2	0.0%
206		1	0.0%
207		2	0.0%
211		1	0.0%
213		1	0.0%
214		2	0.0%
222		1	0.0%
223		1	0.0%
990	SpecialQuery	0	
991	Deprecated	0	
992	Deprecated	0	
993	Refused	0	
994	Query	4	0.0%
995	Default	0	
996	Other	0	
997	Not Applicable	19260	87.0%
998	Don't know	0	
999	Missing	144	0.7%
Sysmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPSecondDiastolic: BP Second Diastolic

Value	Label	Cases	Percentage
35		1	0.0%
42		1	0.0%
45		1	0.0%
48		1	0.0%
51		3	0.0%
52		5	0.0%
53		4	0.0%
54		6	0.0%
55		4	0.0%
56		12	0.1%
57		16	0.1%

File : RD05-01 ACDIS HIV 2003_4

BPSecondDiastolic: BP Second Diastolic

Value	Label	Cases	Percentage
58		17	0.1%
59		21	0.1%
60		30	0.1%
61		23	0.1%
62		32	0.1%
63		47	0.2%
64		38	0.2%
65		48	0.2%
66		65	0.3%
67		73	0.3%
68		74	0.3%
69		64	0.3%
70		78	0.4%
71		92	0.4%
72		93	0.4%
73		86	0.4%
74		83	0.4%
75		96	0.4%
76		99	0.4%
77		89	0.4%
78		103	0.5%
79		78	0.4%
80		76	0.3%
81		87	0.4%
82		95	0.4%
83		65	0.3%
84		68	0.3%
85		69	0.3%
86		63	0.3%
87		47	0.2%
88		52	0.2%
89		56	0.3%
90		50	0.2%
91		55	0.2%
92		48	0.2%
93		33	0.1%
94		34	0.2%
95		34	0.2%
96		14	0.1%
97		26	0.1%
98		39	0.2%
99		24	0.1%
100		22	0.1%

File : RD05-01 ACDIS HIV 2003_4

BPSecondDiastolic: BP Second Diastolic

Value	Label	Cases	Percentage
101		21	0.1%
102		23	0.1%
103		16	0.1%
104		17	0.1%
105		15	0.1%
106		12	0.1%
107		7	0.0%
108		7	0.0%
109		14	0.1%
110		7	0.0%
111		7	0.0%
112		8	0.0%
113		5	0.0%
114		4	0.0%
115		5	0.0%
116		2	0.0%
117		4	0.0%
119		2	0.0%
120		3	0.0%
121		1	0.0%
122		2	0.0%
125		2	0.0%
126		2	0.0%
127		1	0.0%
129		1	0.0%
130		1	0.0%
133		2	0.0%
137		1	0.0%
177		1	0.0%
990	SpecialQuery	0	
991	Deprecated	0	
992	Deprecated	0	
993	Refused	0	
994	Query	1	0.0%
995	Default	0	
996	Other	0	
997	Not Applicable	19260	87.0%
998	Don't know	0	
999	Missing	144	0.7%
Sysmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPThirdSystolic: BP Third Systolic

Information [Type= discrete] [Format=numeric] [Range= 67-999] [Missing=*]

File : RD05-01 ACDIS HIV 2003_4

BPThirdSystolic: BP Third Systolic

Statistics [NW/ W] [Valid=22138 /-] [Invalid=11413 /-]

Value	Label	Cases	Percentage
67		1	0.0%
75		1	0.0%
77		1	0.0%
79		1	0.0%
82		2	0.0%
83		1	0.0%
84		1	0.0%
85		1	0.0%
87		4	0.0%
88		3	0.0%
89		1	0.0%
90		9	0.0%
91		11	0.0%
92		4	0.0%
93		10	0.0%
94		8	0.0%
95		18	0.1%
96		25	0.1%
97		18	0.1%
98		24	0.1%
99		15	0.1%
100		31	0.1%
101		38	0.2%
102		26	0.1%
103		42	0.2%
104		53	0.2%
105		40	0.2%
106		48	0.2%
107		52	0.2%
108		56	0.3%
109		49	0.2%
110		71	0.3%
111		68	0.3%
112		55	0.2%
113		72	0.3%
114		66	0.3%
115		66	0.3%
116		76	0.3%
117		66	0.3%
118		62	0.3%
119		77	0.3%
120		54	0.2%

File : RD05-01 ACDIS HIV 2003_4

BPThirdSystolic: BP Third Systolic

Value	Label	Cases	Percentage
121		62	0.3%
122		65	0.3%
123		69	0.3%
124		64	0.3%
125		42	0.2%
126		56	0.3%
127		48	0.2%
128		65	0.3%
129		47	0.2%
130		54	0.2%
131		44	0.2%
132		43	0.2%
133		44	0.2%
134		40	0.2%
135		24	0.1%
136		40	0.2%
137		29	0.1%
138		34	0.2%
139		29	0.1%
140		33	0.1%
141		29	0.1%
142		17	0.1%
143		25	0.1%
144		18	0.1%
145		14	0.1%
146		24	0.1%
147		28	0.1%
148		19	0.1%
149		20	0.1%
150		11	0.0%
151		16	0.1%
152		19	0.1%
153		13	0.1%
154		11	0.0%
155		12	0.1%
156		10	0.0%
157		6	0.0%
158		12	0.1%
159		10	0.0%
160		7	0.0%
161		13	0.1%
162		8	0.0%
163		7	0.0%

File : RD05-01 ACDIS HIV 2003_4

BPThirdSystolic: BP Third Systolic

Value	Label	Cases	Percentage
164		5	0.0%
165		8	0.0%
166		5	0.0%
167		1	0.0%
168		5	0.0%
169		1	0.0%
170		10	0.0%
171		5	0.0%
172		7	0.0%
173		4	0.0%
174		4	0.0%
175		1	0.0%
176		1	0.0%
177		5	0.0%
178		4	0.0%
179		2	0.0%
180		3	0.0%
181		3	0.0%
183		1	0.0%
184		1	0.0%
185		2	0.0%
186		2	0.0%
187		5	0.0%
188		4	0.0%
190		2	0.0%
193		2	0.0%
194		1	0.0%
195		1	0.0%
197		2	0.0%
199		2	0.0%
200		1	0.0%
201		2	0.0%
206		1	0.0%
207		2	0.0%
208		2	0.0%
209		1	0.0%
210		1	0.0%
211		1	0.0%
213		1	0.0%
214		2	0.0%
219		1	0.0%
221		1	0.0%
990	SpecialQuery	0	

File : RD05-01 ACDIS HIV 2003_4

BPTthirdSystolic: BP Third Systolic

Value	Label	Cases	Percentage
991	Deprecated	0	
992	Deprecated	0	
993	Refused	0	
994	Query	5	0.0%
995	Default	0	
996	Other	0	
997	Not Applicable	19260	87.0%
998	Don't know	0	
999	Missing	150	0.7%
Sysmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPTthirdDiastolic: BP Third Diastolic

Value	Label	Cases	Percentage
32		1	0.0%
42		1	0.0%
43		1	0.0%
45		1	0.0%
47		2	0.0%
48		1	0.0%
49		1	0.0%
50		1	0.0%
51		4	0.0%
52		5	0.0%
53		5	0.0%
54		6	0.0%
55		10	0.0%
56		9	0.0%
57		17	0.1%
58		25	0.1%
59		22	0.1%
60		28	0.1%
61		32	0.1%
62		40	0.2%
63		42	0.2%
64		46	0.2%
65		51	0.2%
66		50	0.2%
67		70	0.3%
68		78	0.4%
69		71	0.3%
70		84	0.4%

File : RD05-01 ACDIS HIV 2003_4

BPThirdDiastolic: BP Third Diastolic

Value	Label	Cases	Percentage
71		92	0.4%
72		86	0.4%
73		92	0.4%
74		87	0.4%
75		85	0.4%
76		114	0.5%
77		95	0.4%
78		90	0.4%
79		67	0.3%
80		91	0.4%
81		69	0.3%
82		84	0.4%
83		77	0.3%
84		61	0.3%
85		60	0.3%
86		78	0.4%
87		59	0.3%
88		57	0.3%
89		58	0.3%
90		45	0.2%
91		54	0.2%
92		41	0.2%
93		32	0.1%
94		30	0.1%
95		37	0.2%
96		27	0.1%
97		30	0.1%
98		20	0.1%
99		19	0.1%
100		16	0.1%
101		28	0.1%
102		17	0.1%
103		12	0.1%
104		14	0.1%
105		9	0.0%
106		14	0.1%
107		8	0.0%
108		10	0.0%
109		12	0.1%
110		4	0.0%
111		8	0.0%
112		2	0.0%
113		2	0.0%

File : RD05-01 ACDIS HIV 2003_4

BPTthirdDiastolic: BP Third Diastolic

Value	Label	Cases	Percentage
114		4	0.0%
115		1	0.0%
116		1	0.0%
117		3	0.0%
119		5	0.0%
121		1	0.0%
123		1	0.0%
124		3	0.0%
125		3	0.0%
126		1	0.0%
129		1	0.0%
130		1	0.0%
131		1	0.0%
135		1	0.0%
138		1	0.0%
990	SpecialQuery	0	
991	Deprecated	0	
992	Deprecated	0	
993	Refused	0	
994	Query	3	0.0%
995	Default	0	
996	Other	0	
997	Not Applicable	19260	87.0%
998	Don't know	0	
999	Missing	150	0.7%
Sysmiss		11413	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.