

## **South Africa**

**Dr Abraham Jacobus Herbst, Africa Health Research Institute**

**Prof. Willem Hanekom, Africa Health Research Institute**

**Prof. Janet Seeley, Africa Health Research Institute**

**Prof. Maryam Shahmanesh, Africa Health Research Institute**

**Dr. Guy Harling, Africa Health Research Institute**

**Dr. Mark Siedner, Africa Health Research Institute**

**AHRI.HDSS.RD05-04 ACDIS HIV 2007**

## **Study Documentation**

June 5, 2025

# Metadata Production

<b>Metadata Producer(s)</b>	Africa Health Research Institute (AHRI)
<b>Identification</b>	DDI.RD05-04.ACDIS.HIV.2007

# Table of Contents

<a href="#">Overview</a>	<a href="#">4</a>
<a href="#">Scope &amp; Coverage</a>	<a href="#">5</a>
<a href="#">Producers &amp; Sponsors</a>	<a href="#">5</a>
<a href="#">Sampling</a>	<a href="#">5</a>
<a href="#">Data Collection</a>	<a href="#">6</a>
<a href="#">Data Processing &amp; Appraisal</a>	<a href="#">6</a>
<a href="#">Accessibility</a>	<a href="#">6</a>
<a href="#">Files Description</a>	<a href="#">7</a>
<a href="#">RD05-04 ACDIS HIV 2007</a>	<a href="#">7</a>
<a href="#">Variables List</a>	<a href="#">8</a>
<a href="#">RD05-04 ACDIS HIV 2007</a>	<a href="#">8</a>
<a href="#">Variables Description</a>	<a href="#">10</a>
<a href="#">RD05-04 ACDIS HIV 2007</a>	<a href="#">11</a>

## AHRI.HDSS.RD05-04 ACDIS HIV 2007

Overview	
<b>Identification</b>	RD05-04.ACDIS.HIV.2007
<b>Version</b>	v2.0.0
<p><b>Abstract</b></p> <p>The Africa Centre Demographic Information System (ACDIS) was established in 2000 by the Africa Health Research Institute (AHRI; formerly the Africa Centre for Health and Population Studies) covering a population of approximately 85,000 residents and non-residents from an area 438km<sup>2</sup> in size in uMkhanyakude district, KwaZulu-Natal province, South Africa.</p> <p>In 2007, The “Eligibility List” for Round 4 of the HIV Surveillance used 11 January 2007 as its reference date. The criteria for inclusion were different for Residents and non-Residents. For Residents (i.e., those with an Individual Residency Episode when last seen) all males and females aged 15 and over were selected. The inclusion of those over 50/55 is new from this Round. For Non-Residents a stratified sampling procedure was adopted with the overall objective of obtaining a representative sample of 12.5% of all non-residents aged 15-49 (females) and 15-54 (males). The 10 strata were defined by sex and by ?? and five 'return patterns', i.e., self-stated frequencies of returning home to the household in the DSA ('annual', 'occasional', 'month end', 'frequent', and 'other'). Other criteria were also used, and full details are available separately.</p> <p>The total number eligible, Resident and Non-resident, was 38, 498, and this is the number of rows in the dataset. The field visits took place from January 2007 to December 2007. At the time of visit some people included in the Eligibility List were found to in fact be ineligible - perhaps because they were dead or had outmigrated - events either not known about at the time the Eligibility List was compiled or occurring between the drawing up of the Eligibility List and the actual visit. These 'retrospective ineligibilities' are identifiable in the dataset as 'Premature Completions with reasons such as “Death or “Outmigration”. There were also some individuals who could not be contacted, even after repeated visits and 'tracking' attempts for those who were reported to have moved. These are identifiable as <code>PrematureCompletionReason = Non-Contact</code>. Additionally, some people were contacted but refused to participate in the survey. They are identifiable by <code>VisitType = Refusal</code>. Finally, there are some who participated in the survey, but refused the HIV test offered. They are identifiable as <code>HIVRefused = 'Y'</code></p> <p>This dataset includes only those in the Eligibility List. It does not include the small number of 'Voluntary walk-in Testers' i.e. individuals who were not part of the Eligibility List, but who visited Counselling Centres and requested and were given a test.</p> <p>Individuals were free to refuse to participate in and to withdraw from the individual surveys, without any impact on routine health care or other services to which they were entitled. If a household refused to participate in the household component, its members were not invited to participate in the individual component during that same household visit.</p> <p>Note: Users of these datasets are strongly encouraged to refer to the questionnaires included in the documentation for the dataset to check carefully for any changes in question wording, ordering, options offered etc. This document does not attempt to describe every single change and variation.</p> <p>For more refer:</p> <p>1. Tanser F, Hosegood V, Bärnighausen T, Herbst K, Nyirenda M, Muhwava W, Newell C, Viljoen J, Mutevedzi T, Newell ML. Cohort Profile: Africa Centre Demographic Information System (ACDIS) and population-based HIV survey. <i>Int J Epidemiol.</i> 2008 Oct;37(5):956-62. doi: 10.1093/ije/dym211. Epub 2007 Nov 12. PMID: 17998242; PMCID: PMC2557060.</p>	
<b>Kind of Data</b>	Surveillance data
<b>Unit of Analysis</b>	AHRI HDSS Individual surveillance eligible individuals

<b>Scope &amp; Coverage</b>	
<b>Keywords</b>	South Africa, Surveillance, Epidemiology, HIV, Population Cohort
<b>Topics</b>	HIV, Population, Surveillance, HIV Incidence, HIV prevalence, Epidemiology, Africa, Demography, information systems, South Africa, KwaZulu-Natal, Medical, Population Intervention
<b>Time Period(s)</b>	2007-2008
<b>Countries</b>	South Africa
<p><b>Geographic Coverage</b>            AHRI's Population Intervention Programme Study Area (PIPSA) is situated in uMkhanyakude district KwaZulu-Natal province which is approximately 200km north of Durban.</p> <p>For more refer:</p> <p>1. Tanser F, Hosegood V, Bärnighausen T, Herbst K, Nyirenda M, Muhwava W, Newell C, Viljoen J, Mutevedzi T, Newell ML. Cohort Profile: Africa Centre Demographic Information System (ACDIS) and population-based HIV survey. Int J Epidemiol. 2008 Oct;37(5):956-62. doi: 10.1093/ije/dym211. Epub 2007 Nov 12. PMID: 17998242; PMCID: PMC2557060.</p>	
<p><b>Universe</b>            All resident household members from AHRI's DSA who met eligibility criteria and gave informed consent for their surveillance participation.</p>	

<b>Producers &amp; Sponsors</b>	
<b>Primary Investigator(s)</b>	Dr Abraham Jacobus Herbst, Africa Health Research Institute Prof. Willem Hanekom, Africa Health Research Institute Prof. Janet Seeley, Africa Health Research Institute Prof. Maryam Shahmanesh, Africa Health Research Institute Dr. Guy Harling, Africa Health Research Institute Dr. Mark Siedner, Africa Health Research Institute
<b>Other Producer(s)</b>	Africa Health Research Institute (AHRI)
<b>Funding Agency/ies</b>	Welcome Trust (WT) , Funder DSI-MRC South African Population Research Infrastructure Network (SAPRIN) , Funder
<b>Other Acknowledgment(s)</b>	Thobeka Mngomezulu , Data collection , AHRI Phumzile Dlamini , Data collection , AHRI Lindiwe Sithole , Data collection , AHRI Bonginkosi Ntimane , Data quality , AHRI Njabulo Myeni , Data quality , AHRI Eugene Ehlers , Software Development , AHRI Eugene Prenzler , Data Analytics , AHRI Brendan Gilbert , IT infrastructure , AHRI Sweetness Dube , Data documentation , AHRI Siyabonga Nxumalo , Research Data management , AHRI Dickman Gareta , Research Data management , AHRI Kathy Baisley , Statistics , AHRI

<b>Sampling</b>
<p><b>Sampling Procedure</b>            All individuals meeting the eligibility criteria described in the abstract</p>

## Data Collection

<b>Data Collection Dates</b>	start 2007-01-11 end 2008-01-25
------------------------------	------------------------------------

## Data Processing & Appraisal

### Data Editing

Surveillance data is processed and stored on servers under the physical control of AHRI until datasets are made available on the data repository. The data is de-identified and can then be downloaded for processing on the data user's computer.

Data is stored on industry-standard relational databases with data integrity and user authentication for access control. Data is replicated on at least a daily basis to the Durban site of the Institution to provide secure offsite storage of data. Transactional logs are backed up every 30 minutes to enable recovery of data in the event of equipment failure.

All users of the system are authenticated through individual passwords with minimum complexity and regular change rules (passwords must be at least eight digits, with a mix of small and capital letters, at least one numeric or non-alphabetic digit and changed at least every 45 days). AHRI uses industry standard malware and intrusion detection with at least annual penetration tests by a reputable outside security audit company.

Both at the Institute and for the clinic-based data collection, a client-server architecture is implemented where data is not stored on laptops or local workstation, but only on a central server with restricted physical access. Specifically, at the clinics the local server is enclosed in a tamper-proof enclosure kept under lock and key. The server hard disk is encrypted.

## Accessibility

### Access Conditions

Access to the data requires accurate completion of the online data access application form accessible on the AHRI Data repository (<<https://data.ahri.org/>>). Data users are required to abide by the data use conditions stipulated on the application for access to the data. Failure to do so may result in their data access privileges being revoked by the Data Custodian. In order to recognise the effort and intellectual contributions of AHRI investigators in producing and curating the data, users of AHRI data must acknowledge the source of the data and abide by the terms and conditions under which the data is accessed and must cite the dataset in publication using the citation provided as part of this documentation. All analytical datasets published on the AHRI Data Repository are assigned digital object identifier (DOIs) and the DOIs can be found on the Data Repository under Study Description tab - Access policy. AHRI data users are required to always cite the dataset using the relevant DOI.

### Citation Requirements

Herbst, A. J., Hanekom, W., Seeley, J., Shahmanesh, M., Harling, G., & Siedner, M. (2025). AHRI.HDSS.RD05-04 ACDIS HIV 2007 [Data set]. Africa Health Research Institute. DOI:<https://doi.org/10.23664/RD05-04.ACDIS.HIV.2007>

# Files Description

Dataset contains 1 file(s)

<b>RD05-04 ACDIS HIV 2007</b>	
<b># Cases</b>	38498
<b># Variable(s)</b>	48

# Variables List

Dataset contains 48 variable(s)

File RD05-04 ACDIS HIV 2007							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">Question ..</a>	Questionnaire Id	continuous	numeric-12.0	38498	0	-
2	<a href="#">Document ..</a>	Document Status	discrete	character-40	38498	0	-
3	<a href="#">BMFStatu ..</a>	BMFStatusObservation Id	continuous	numeric-12.0	28181	10317	-
4	<a href="#">Prematur ..</a>	Premature Completion Reason	discrete	numeric-12.0	10069	28429	-
5	<a href="#">IIntId</a>	Unique Internal Id of Individual	continuous	numeric-12.0	38498	0	-
6	<a href="#">Sex</a>	Sex	discrete	numeric-12.0	38498	0	-
7	<a href="#">DateOfBi ..</a>	Date of birth	discrete	character-11	38498	-	-
8	<a href="#">Resident</a>	Residency status	discrete	numeric-12.0	38498	0	-
9	<a href="#">BSIntId</a>	Unique Internal Id of BoundedStructures	continuous	numeric-12.0	38498	0	-
10	<a href="#">VisitDate</a>	Visit Date	discrete	character-11	28181	-	-
11	<a href="#">VisitType</a>	Visit Type	discrete	numeric-12.0	38218	280	-
12	<a href="#">HIVRefused</a>	HIV Refused	discrete	numeric-12.0	28181	10317	-
13	<a href="#">HIVRefus ..</a>	HIV Refused By	discrete	numeric-12.0	28181	10317	-
14	<a href="#">HIVSampl ..</a>	HIV Sample Available	discrete	numeric-12.0	28181	10317	-
15	<a href="#">HIVResult</a>	HIV Result	discrete	numeric-12.0	28162	10336	-
16	<a href="#">RefusedF ..</a>	Refused Further Questions	discrete	numeric-12.0	27965	10533	-
17	<a href="#">WillingT ..</a>	Willing To Explain Not Tested	discrete	numeric-12.0	27965	10533	-
18	<a href="#">KnowsRes ..</a>	Knows HIV Result	discrete	numeric-12.0	27965	10533	-
19	<a href="#">Dislikes ..</a>	Dislikes Blood Taken	discrete	numeric-12.0	27965	10533	-
20	<a href="#">NothingC ..</a>	NothingCan Be Done	discrete	numeric-12.0	27965	10533	-
21	<a href="#">ReasonNo ..</a>	Reason Not Testing Refused	discrete	numeric-12.0	27965	10533	-
22	<a href="#">ReasonNo ..</a>	Reason Not Testing Dont know	discrete	numeric-12.0	27965	10533	-
23	<a href="#">ReasonNo ..</a>	Reason Not Testing Other	discrete	numeric-12.0	27965	10533	-
24	<a href="#">RefusedA ..</a>	Refused Additional Questions	discrete	numeric-12.0	27965	10533	-
25	<a href="#">SupportR ..</a>	Support Research	discrete	numeric-12.0	27965	10533	-
26	<a href="#">ToLearnH ..</a>	To Learn HIV Status	discrete	numeric-12.0	27965	10533	-
27	<a href="#">ReasonTe ..</a>	Reason Testing Refused	discrete	numeric-12.0	27965	10533	-
28	<a href="#">ReasonTe ..</a>	Reason Testing Dont know	discrete	numeric-12.0	27965	10533	-
29	<a href="#">ReasonTe ..</a>	Reason Testing Other	discrete	numeric-12.0	27965	10533	-
30	<a href="#">EverTest ..</a>	Ever Tested HIV	discrete	numeric-12.0	27965	10533	-
31	<a href="#">TestedAf ..</a>	Tested Africa Centre	discrete	numeric-12.0	27965	10533	-
32	<a href="#">TestedGo ..</a>	Tested Government Clinic	discrete	numeric-12.0	27965	10533	-

<b>File RD05-04 ACDIS HIV 2007</b>							
<b>#</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Valid</b>	<b>Invalid</b>	<b>Question</b>
33	<a href="#">TestedGo..</a>	Tested Government Hospital	discrete	numeric-12.0	27965	10533	-
34	<a href="#">TestedPr..</a>	Tested Private Clinic	discrete	numeric-12.0	27965	10533	-
35	<a href="#">TestedPr..</a>	TestedPrivateHospital	discrete	numeric-12.0	27965	10533	-
36	<a href="#">TestedWo..</a>	Tested Work Place	discrete	numeric-12.0	27965	10533	-
37	<a href="#">TestedIn..</a>	Tested Insurance Purposes	discrete	numeric-12.0	27965	10533	-
38	<a href="#">TestedOT..</a>	Tested Other Institutions	discrete	numeric-12.0	27965	10533	-
39	<a href="#">TestedRe..</a>	Tested Refused	discrete	numeric-12.0	27965	10533	-
40	<a href="#">TestedDo..</a>	Tested Dont Know	discrete	numeric-12.0	27965	10533	-
41	<a href="#">TestedOT..</a>	Tested Other	discrete	numeric-12.0	27965	10533	-
42	<a href="#">KnowsHIV..</a>	Knows HIV Status	discrete	numeric-12.0	27965	10533	-
43	<a href="#">HeardAbo..</a>	Heard About ART	discrete	numeric-12.0	27965	10533	-
44	<a href="#">KnowsWhe..</a>	Knows Where To ObtainART	discrete	numeric-12.0	27965	10533	-
45	<a href="#">CanNameP..</a>	Can Name Place To Obtain ART	discrete	numeric-12.0	27965	10533	-
46	<a href="#">Approves..</a>	Approves Provision ART	discrete	numeric-12.0	27965	10533	-
47	<a href="#">Believes..</a>	Believes ART Make Feel Better	discrete	numeric-12.0	27965	10533	-
48	<a href="#">KnowsSom..</a>	Knows Somebody Personally On ART	discrete	numeric-12.0	27965	10533	-

# Variables Description

Dataset contains 48 variable(s)

## File : RD05-04 ACDIS HIV 2007

### # QuestionnaireId: Questionnaire Id

**Information** [Type= continuous] [Format=numeric] [Range= 1885050-1923766] [Missing=\*]

**Statistics [NW/ W]** [Valid=38498 /-] [Invalid=0 /-] [Mean=1904410.379 /-] [StdDev=11182.479 /-]

### # DocumentStatus: Document Status

**Information** [Type= discrete] [Format=character] [Missing=\*]

**Statistics [NW/ W]** [Valid=38498 /-] [Invalid=0 /-]

### # BMFStatusObservation: BMFStatusObservation Id

**Information** [Type= continuous] [Format=numeric] [Range= 89930-152735] [Missing=\*]

**Statistics [NW/ W]** [Valid=28181 /-] [Invalid=10317 /-] [Mean=107733.323 /-] [StdDev=10894.78 /-]

### # PrematureCompletionReason: Premature Completion Reason

**Information** [Type= discrete] [Format=numeric] [Range= 1-97] [Missing=\*]

**Statistics [NW/ W]** [Valid=10069 /-] [Invalid=28429 /-]

Value	Label	Cases	Percentage
1	Stay in currently Avoided BS/HH	0	
2	Temporarily away for more than 2 months	0	
3	Non-Functional BS	12	0.1%
4	Reported Dead	641	6.4%
5	Household dissolution	0	
6	HH Migrated External	0	
7	Household Migrations	0	
8	HH Migrated Internal	0	
9	OutMigrated	4294	42.6%
10	Mentally Disabled	223	2.2%
11	Migrated unknown destination	2049	20.3%
12	Non-Contact After Tracking	1715	17.0%
13	No HSE Informant	0	
14	Refused Bundles	0	
15	Refused HSE	0	
16	Refused Tracking	262	2.6%
17	Very Sick	175	1.7%
96	Other Reason	698	6.9%
97	Not applicable	0	
Systemmiss		28429	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # IntId: Unique Internal Id of Individual

**Information** [Type= continuous] [Format=numeric] [Range= 14-267311] [Missing=\*]

**Statistics [NW/ W]** [Valid=38498 /-] [Invalid=0 /-] [Mean=57586.247 /-] [StdDev=36694.967 /-]

### # Sex: Sex

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=38498 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Male	16167	42.0%

## File : RD05-04 ACDIS HIV 2007

### # Sex: Sex

Value	Label	Cases	Percentage
2	Female	22331	58.0%
9	Unknown	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DateOfBirth: Date of birth

**Information** [Type= discrete] [Format=character] [Missing=\*]

**Statistics [NW/ W]** [Valid=38498 /-]

### # Resident: Residency status

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=38498 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	36054	93.7%
2	No	2444	6.3%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	0	
98	Don?t know	0	
99	Missing	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BSIntId: Unique Internal Id of BoundedStructures

**Information** [Type= continuous] [Format=numeric] [Range= 11-15177] [Missing=\*]

**Statistics [NW/ W]** [Valid=38498 /-] [Invalid=0 /-] [Mean=6465.48 /-] [StdDev=3922.219 /-]

### # VisitDate: Visit Date

**Information** [Type= discrete] [Format=character] [Missing=\*]

**Statistics [NW/ W]** [Valid=28181 /-]

### # VisitType: Visit Type

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=38218 /-] [Invalid=280 /-]

Value	Label	Cases	Percentage
1	Avoided Visit	41	0.1%
2	Unsuccessful Visit	1	0.0%
3	Regular Visit	22961	60.1%
4	Special Task Visit	0	
5	Problem Solving	0	
6	Quality Control	0	
7	Spot Check	3	0.0%
8	Tracking	14943	39.1%

## File : RD05-04 ACDIS HIV 2007

### # VisitType: Visit Type

Value	Label	Cases	Percentage
9	Verbal Autopsy	1	0.0%
10	Mapping Visit	0	
11	COUNSELLING VISIT	0	
12	Illness And Death	0	
13	Bounded Structure Verification	0	
30	Community Liaison Office Visit	0	
92	Deprecated	0	
93	Refused Visit	268	0.7%
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	0	
99	Missing	0	
Sysmiss		280	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HIVRefused: HIV Refused

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=28181 /-] [Invalid=10317 /-]

Value	Label	Cases	Percentage
1	Yes	18256	64.8%
2	No	9922	35.2%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	3	0.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10317	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HIVRefusedBy: HIV Refused By

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=28181 /-] [Invalid=10317 /-]

Value	Label	Cases	Percentage
1	Self	16396	58.2%
2	Partner	316	1.1%
3	HH head	621	2.2%
4	BS owner	378	1.3%
5	Other	545	1.9%
97	Not applicable	9925	35.2%

## File : RD05-04 ACDIS HIV 2007

### # HIVRefusedBy: HIV Refused By

Value	Label	Cases	Percentage
99	Missing	0	
Sysmiss		10317	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HIVSampleAvailable: HIV Sample Available

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=28181 /-] [Invalid=10317 /-]

Value	Label	Cases	Percentage
1	Yes	9921	35.2%
2	No,but there is a BMFStatusObs	18260	64.8%
Sysmiss		10317	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HIVResult: HIV Result

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=28162 /-] [Invalid=10336 /-]

Value	Label	Cases	Percentage
0	Negative	8033	28.5%
1	Positive	1849	6.6%
2	Indeterminate	18	0.1%
3	Insufficient sample volume	0	
4	Spurious (probably not this person)	3	0.0%
5	Spurious negative(HIV reverse seroconversion)	0	
6	Spurious positive(HIV reverse seroconversion)	0	
97	Not applicable	18259	64.8%
99	Missing (Sample lost)	0	
Sysmiss		10336	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # RefusedFurtherQuestions: Refused Further Questions

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	8780	31.4%
2	No	8383	30.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	10044	35.9%
96	Other	0	
97	Not Applicable	758	2.7%
98	Don?t know	0	
99	Missing	0	

## File : RD05-04 ACDIS HIV 2007

### # RefusedFurtherQuestions: Refused Further Questions

Value	Label	Cases	Percentage
Sysmiss		10533	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # WillingToExplainNotTested: Willing To Explain NotT ested

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	6723	24.0%
2	No	1222	4.4%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	9139	32.7%
94	Query	0	
95	Default	10123	36.2%
96	Other	0	
97	Not Applicable	758	2.7%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # KnowsResult: Knows HIV Result

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	1816	6.5%
2	No	41	0.1%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	16327	58.4%
96	Other	0	
97	Not Applicable	9781	35.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DislikesBloodTaken: Dislikes Blood Taken

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	3563	12.7%

## File : RD05-04 ACDIS HIV 2007

### # DislikesBloodTaken: Dislikes Blood Taken

Value	Label	Cases	Percentage
2	No	88	0.3%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	14537	52.0%
96	Other	0	
97	Not Applicable	9777	35.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # NothingCanBeDone: Nothing Can Be Done

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	122	0.4%
2	No	160	0.6%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	17896	64.0%
96	Other	0	
97	Not Applicable	9787	35.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ReasonNotTestingRefused: Reason Not Testing Refused

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	8935	32.0%
2	No	61	0.2%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	18129	64.8%
96	Other	0	
97	Not Applicable	840	3.0%

## File : RD05-04 ACDIS HIV 2007

### # ReasonNotTestingRefused: Reason Not Testing Refused

Value	Label	Cases	Percentage
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ReasonNotTestingDontknow: Reason Not Testing Dont know

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	74	0.3%
2	No	6	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	18172	65.0%
96	Other	0	
97	Not Applicable	9713	34.7%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ReasonNotTestingOther: Reason Not Testing Other

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	1079	3.9%
2	No	6	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	17094	61.1%
96	Other	0	
97	Not Applicable	9786	35.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # RefusedAdditionalQuestions: Refused Additional Questions

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

## File : RD05-04 ACDIS HIV 2007

### # RefusedAdditionalQuestions: Refused Additional Questions

Value	Label	Cases	Percentage
1	Yes	215	0.8%
2	No	9702	34.7%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	452	1.6%
96	Other	0	
97	Not Applicable	17596	62.9%
98	Don?t know	0	
99	Missing	0	
Systemmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SupportResearch: Support Research

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	3524	12.6%
2	No	104	0.4%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	6476	23.2%
96	Other	0	
97	Not Applicable	17861	63.9%
98	Don?t know	0	
99	Missing	0	
Systemmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ToLearnHIVStatus: To Learn HIV Status

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	7782	27.8%
2	No	40	0.1%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	2288	8.2%
96	Other	0	

## File : RD05-04 ACDIS HIV 2007

### # ToLearnHIVStatus: To Learn HIV Status

Value	Label	Cases	Percentage
97	Not Applicable	17855	63.8%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ReasonTestingRefused: Reason Testing Refused

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	217	0.8%
2	No	3	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	10103	36.1%
96	Other	0	
97	Not Applicable	17642	63.1%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ReasonTestingDontknow: Reason Testing Dont know

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	42	0.2%
2	No	136	0.5%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	9971	35.7%
96	Other	0	
97	Not Applicable	17816	63.7%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ReasonTestingOther: Reason Testing Other

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

## File : RD05-04 ACDIS HIV 2007

### # ReasonTestingOther: Reason Testing Other

Value	Label	Cases	Percentage
1	Yes	4	0.0%
2	No	3	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	10097	36.1%
96	Other	0	
97	Not Applicable	17861	63.9%
98	Don?t know	0	
99	Missing	0	
System		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # EverTestedHIV: Ever Tested HIV

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	11183	40.0%
2	No	6624	23.7%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	9058	32.4%
94	Query	0	
95	Default	366	1.3%
96	Other	0	
97	Not Applicable	734	2.6%
98	Don?t know	0	
99	Missing	0	
System		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedAfricaCentre: Tested Africa Centre

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	7270	26.0%
2	No	39	0.1%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	10885	38.9%
96	Other	0	

## File : RD05-04 ACDIS HIV 2007

### # TestedAfricaCentre: Tested Africa Centre

Value	Label	Cases	Percentage
97	Not Applicable	9771	34.9%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedGovernmentClinic: Tested Government Clinic

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	3737	13.4%
2	No	68	0.2%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	14390	51.5%
96	Other	0	
97	Not Applicable	9770	34.9%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedGovernmentHospital: Tested Government Hospital

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	551	2.0%
2	No	26	0.1%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	17611	63.0%
96	Other	0	
97	Not Applicable	9777	35.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedPrivateClinic: Tested Private Clinic

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

## File : RD05-04 ACDIS HIV 2007

### # TestedPrivateClinic: Tested Private Clinic

Value	Label	Cases	Percentage
1	Yes	82	0.3%
2	No	106	0.4%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	17998	64.4%
96	Other	0	
97	Not Applicable	9779	35.0%
98	Don?t know	0	
99	Missing	0	
System		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedPrivateHospital: TestedPrivateHospital

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	108	0.4%
2	No	37	0.1%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	18041	64.5%
96	Other	0	
97	Not Applicable	9779	35.0%
98	Don?t know	0	
99	Missing	0	
System		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedWorkPlace: Tested Work Place

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	121	0.4%
2	No	6	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	18059	64.6%
96	Other	0	

## File : RD05-04 ACDIS HIV 2007

### # TestedWorkPlace: Tested Work Place

Value	Label	Cases	Percentage
97	Not Applicable	9779	35.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedInsurancePurposes: Tested Insurance Purposes

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	14	0.1%
2	No	6	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	18166	65.0%
96	Other	0	
97	Not Applicable	9779	35.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedOtherInstitutions: Tested Other Institutions

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	5	0.0%
2	No	5	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	18176	65.0%
96	Other	0	
97	Not Applicable	9779	35.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedRefused: Tested Refused

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

## File : RD05-04 ACDIS HIV 2007

### # TestedRefused: Tested Refused

Value	Label	Cases	Percentage
1	Yes	9007	32.2%
2	No	26	0.1%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	18169	65.0%
96	Other	0	
97	Not Applicable	763	2.7%
98	Don?t know	0	
99	Missing	0	
System		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedDontKnow: Tested Dont Know

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	19	0.1%
2	No	8	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	18179	65.0%
96	Other	0	
97	Not Applicable	9759	34.9%
98	Don?t know	0	
99	Missing	0	
System		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedOther: Tested Other

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	267	1.0%
2	No	8	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	17912	64.1%
96	Other	0	

## File : RD05-04 ACDIS HIV 2007

### # TestedOther: Tested Other

Value	Label	Cases	Percentage
97	Not Applicable	9778	35.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # KnowsHIVStatus: Knows HIV Status

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	5867	21.0%
2	No	11905	42.6%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	9027	32.3%
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	734	2.6%
98	Don?t know	0	
99	Missing	432	1.5%
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HeardAboutART: Heard About ART

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	10874	38.9%
2	No	6903	24.7%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	9021	32.3%
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	734	2.6%
98	Don?t know	0	
99	Missing	433	1.5%
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # KnowsWhereToObtainART: Knows Where To ObtainART

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

## File : RD05-04 ACDIS HIV 2007

### # KnowsWhereToObtainART: Knows Where To Obtain ART

Value	Label	Cases	Percentage
1	Yes	7692	27.5%
2	No	3169	11.3%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	9022	32.3%
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	8080	28.9%
98	Don?t know	0	
99	Missing	2	0.0%
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CanNamePlaceToObtainART: Can Name Place To Obtain ART

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	7652	27.4%
2	No	1928	6.9%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	9021	32.3%
94	Query	0	
95	Default	8629	30.9%
96	Other	0	
97	Not Applicable	735	2.6%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ApprovesProvisionART: Approves Provision ART

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]

Value	Label	Cases	Percentage
1	Yes	10283	36.8%
2	No	241	0.9%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	9047	32.4%
94	Query	0	
95	Default	7347	26.3%
96	Other	0	

## File : RD05-04 ACDIS HIV 2007

### # ApprovesProvisionART: Approves Provision ART

Value	Label	Cases	Percentage
97	Not Applicable	734	2.6%
98	Don?t know	313	1.1%
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BelievesARTMakeFeelBetter: Believes ART Make Feel Better

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]
---------------------------	-------------------------------------

Value	Label	Cases	Percentage
1	Yes	9190	32.9%
2	No	726	2.6%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	9052	32.4%
94	Query	0	
95	Default	7344	26.3%
96	Other	0	
97	Not Applicable	734	2.6%
98	Don?t know	919	3.3%
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # KnowsSomebodyPersonallyOnART: Knows Somebody Personally On ART

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
--------------------	---

<b>Statistics [NW/ W]</b>	[Valid=27965 /-] [Invalid=10533 /-]
---------------------------	-------------------------------------

Value	Label	Cases	Percentage
1	Yes	4781	17.1%
2	No	6048	21.6%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	9046	32.3%
94	Query	0	
95	Default	7356	26.3%
96	Other	0	
97	Not Applicable	734	2.6%
98	Don?t know	0	
99	Missing	0	
Sysmiss		10533	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.