

## **South Africa**

**Dr Abraham Jacobus Herbst, Africa Health Research Institute**

**Prof. Willem Hanekom, Africa Health Research Institute**

**Prof. Janet Seeley, Africa Health Research Institute**

**Prof. Maryam Shahmanesh, Africa Health Research Institute**

**Dr. Guy Harling, Africa Health Research Institute**

**Dr. Mark Siedner, Africa Health Research Institute**

**AHRI HDSS.RD05-05 ACDIS HIV 2008**

## **Study Documentation**

June 5, 2025

# Metadata Production

<b>Metadata Producer(s)</b>	Africa Health Research Institute (AHRI)
<b>Identification</b>	DDI.RD05-05.ACDIS.HIV.2008

# Table of Contents

<a href="#">Overview</a> .....	4
<a href="#">Scope &amp; Coverage</a> .....	5
<a href="#">Producers &amp; Sponsors</a> .....	5
<a href="#">Sampling</a> .....	6
<a href="#">Data Collection</a> .....	6
<a href="#">Data Processing &amp; Appraisal</a> .....	6
<a href="#">Accessibility</a> .....	6
<a href="#">Files Description</a> .....	7
<a href="#">RD05-05 ACDIS HIV 2008</a> .....	7
<a href="#">Variables List</a> .....	8
<a href="#">RD05-05 ACDIS HIV 2008</a> .....	8
<a href="#">Variables Description</a> .....	10
<a href="#">RD05-05 ACDIS HIV 2008</a> .....	11

## AHRI HDSS.RD05-05 ACDIS HIV 2008

Overview	
<b>Identification</b>	RD05-05.ACDIS.HIV.2008
<b>Version</b>	v2.0.0
<p><b>Abstract</b></p> <p>The Africa Centre Demographic Information System (ACDIS) was established in 2000 by the Africa Health Research Institute (AHRI; formerly the Africa Centre for Health and Population Studies) covering a population of approximately 85,000 residents and non-residents from an area 438km<sup>2</sup> in size in uMkhanyakude district, KwaZulu-Natal province, South Africa.</p> <p>In 2008, the “Eligibility List” for Round 5 of the HIV Surveillance used 11 January 2008 as its reference date. The criteria for inclusion were different for Residents and non-Residents. For Residents (i.e., those with an Individual Residency Episode when last seen) all males and females aged 15 and over were selected. The inclusion of those over 50/55 is new from this Round. For Non-Residents a stratified sampling procedure was adopted with the overall objective of obtaining a representative sample of 12.5% of all non-residents aged 15-49 (females) and 15-54 (males). The 10 strata were defined by sex and by ?? and five 'return patterns', i.e., self-stated frequencies of returning home to the household in the DSA ('annual', 'occasional', 'month end', 'frequent', and 'other'). Other criteria were also used, and full details are available separately.</p> <p>The total number eligible, Resident and Non-resident, was 39,896, and this is the number of rows in the dataset.</p> <p>The field visits took place from January 2008 to Dec 2008. At the time of visit some people included in the Eligibility List were found to in fact be ineligible - perhaps because they were dead or had outmigrated - events either not known about at the time the Eligibility List was compiled, or occurring between the drawing up of the Eligibility List and the actual visit. These 'retrospective ineligibilities' are identifiable in the dataset as 'Premature Completions with reasons such as “Death or “Outmigration”. There were also some individuals who could not be contacted, even after repeated visits and 'tracking' attempts for those who were reported to have moved. These are identifiable as <code>PrematureCompletionReason = Non-Contact</code>. Additionally, some people were contacted but refused to participate in the survey. They are identifiable by <code>VisitType = Refusal</code>. Finally, there are some who participated in the survey, but refused the HIV test offered. They are identifiable as <code>HIVRefused = 'Y'</code></p> <p>This dataset includes only those in the Eligibility List. It does not include the small number of 'Voluntary walk-in Testers' i.e. individuals who were not part of the Eligibility List, but who visited Counselling Centres and requested and were given a test.</p> <p>Individuals were free to refuse to participate in and to withdraw from the individual surveys, without any impact on routine health care or other services to which they were entitled. If a household refused to participate in the household component, its members were not invited to participate in the individual component during that same household visit.</p> <p>Note: Users of these datasets are strongly encouraged to refer to the questionnaires included in the documentation for the dataset to check carefully for any changes in question wording, ordering, options offered etc. This document does not attempt to describe every single change and variation.</p> <p>For more refer:</p> <p>1. Tanser F, Hosegood V, Bärnighausen T, Herbst K, Nyirenda M, Muhwava W, Newell C, Viljoen J, Mutevedzi T, Newell ML. Cohort Profile: Africa Centre Demographic Information System (ACDIS) and population-based HIV survey. <i>Int J Epidemiol.</i> 2008 Oct;37(5):956-62. doi: 10.1093/ije/dym211. Epub 2007 Nov 12. PMID: 17998242; PMCID: PMC2557060.</p>	
<b>Kind of Data</b>	Surveillance data
<b>Unit of Analysis</b>	AHRI HDSS Individual surveillance eligible individuals

<b>Scope &amp; Coverage</b>	
<b>Keywords</b>	South Africa, Surveillance, Epidemiology, HIV, Population Cohort
<b>Topics</b>	HIV, Population, Surveillance, HIV Incidence, HIV prevalence, Epidemiology, Africa, Demography, information systems, South Africa, KwaZulu-Natal, Medical, Population Intervention
<b>Time Period(s)</b>	2008
<b>Countries</b>	South Africa
<p><b>Geographic Coverage</b>            AHRI's Demographic Surveillance Area (DSA) is situated in Mtubatuba local authority, uMkhanyakude district, KwaZulu-Natal province which is approximately 200km north of Durban.</p> <p>For more refer:</p> <ol style="list-style-type: none"> <li>1. Dickman Gareta, Kathy Baisley, Thobeka Mngomezulu, Theresa Smit, Thandeka Khoza, Siyabonga Nxumalo, Jaco Dreyer, Sweetness Dube, Nomathamsanqa Majozi, Gregory Ordng-Jespersion, Eugene Ehlers, Guy Harling, Maryam Shahmanesh, Mark Siedner, Willem Hanekom, Kobus Herbst, Cohort Profile Update: Africa Centre Demographic Information System (ACDIS) and population-based HIV survey, International Journal of Epidemiology, Volume 50, Issue 1, February 2021, Pages 33-34, &lt;<a href="https://doi.org/10.1093/ije/dyaa264">https://doi.org/10.1093/ije/dyaa264</a>&gt;</li> <li>2. Tanser F, Hosegood V, Bärnighausen T, Herbst K, Nyirenda M, Muhwava W, Newell C, Viljoen J, Mutevedzi T, Newell ML. Cohort Profile: Africa Centre Demographic Information System (ACDIS) and population-based HIV survey. Int J Epidemiol. 2008 Oct;37(5):956-62. doi: 10.1093/ije/dym211. Epub 2007 Nov 12. PMID: 17998242; PMCID: PMC2557060.</li> <li>3. Iwuji CC, Orne-Gliemann J, Larmarange J, Balestre E, Thiebaut R, Tanser F, Okesola N, Makowa T, Dreyer J, Herbst K, McGrath N, Bärnighausen T, Boyer S, De Oliveira T, Rekacewicz C, Bazin B, Newell ML, Pillay D, Dabis F; ANRS 12249 TasP Study Group. Universal test and treat and the HIV epidemic in rural South Africa: a phase 4, open-label, community cluster randomised trial. Lancet HIV. 2018 Mar;5(3):e116-e125. doi: 10.1016/S2352-3018(17)30205-9. Epub 2017 Nov 30. PMID: 29199100.</li> </ol>	
<p><b>Universe</b>            All resident household members from AHRI's DSA who met eligibility criteria and gave informed consent for their surveillance participation.</p>	

<b>Producers &amp; Sponsors</b>	
<b>Primary Investigator(s)</b>	Dr Abraham Jacobus Herbst, Africa Health Research Institute Prof. Willem Hanekom, Africa Health Research Institute Prof. Janet Seeley, Africa Health Research Institute Prof. Maryam Shahmanesh, Africa Health Research Institute Dr. Guy Harling, Africa Health Research Institute Dr. Mark Siedner, Africa Health Research Institute
<b>Other Producer(s)</b>	Africa Health Research Institute (AHRI)
<b>Funding Agency/ies</b>	Welcome Trust (WT) , Funder DSI-MRC South African Population Research Infrastructure Network (SAPRIN) , Funder
<b>Other Acknowledgment(s)</b>	Thobeka Mngomezulu , Data collection , AHRI Phumzile Dlamini , Data collection , AHRI Lindiwe Sithole , Data collection , AHRI Bonginkosi Ntimane , Data quality , AHRI Njabulo Myeni , Data quality , AHRI Eugene Ehlers , Software Development , AHRI Eugene Prenzler , Data Analytics , AHRI Brendan Gilbert , IT infrastructure , AHRI Sweetness Dube , Data documentation , AHRI

	Siyabonga Nxumalo , Research Data management , AHRI Dickman Gareta , Research Data management , AHRI
--	---

## Sampling

### Sampling Procedure

All individuals meeting the eligibility criteria described in the abstract

## Data Collection

<b>Data Collection Dates</b>	start 2008-01-14 end 2008-12-11
------------------------------	------------------------------------

## Data Processing & Appraisal

### Data Editing

Surveillance data is processed and stored on servers under the physical control of AHRI until datasets are made available on the data repository. The data is de-identified and can then be downloaded for processing on the data user's computer.

Data is stored on industry-standard relational databases with data integrity and user authentication for access control. Data is replicated on at least a daily basis to the Durban site of the Institution to provide secure offsite storage of data. Transactional logs are backed up every 30 minutes to enable recovery of data in the event of equipment failure.

All users of the system are authenticated through individual passwords with minimum complexity and regular change rules (passwords must be at least eight digits, with a mix of small and capital letters, at least one numeric or non-alphabetic digit and changed at least every 45 days). AHRI uses industry standard malware and intrusion detection with at least annual penetration tests by a reputable outside security audit company.

Both at the Institute and for the clinic-based data collection, a client-server architecture is implemented where data is not stored on laptops or local workstation, but only on a central server with restricted physical access. Specifically, at the clinics the local server is enclosed in a tamper-proof enclosure kept under lock and key. The server hard disk is encrypted.

## Accessibility

### Access Conditions

Access to the data requires accurate completion of the online data access application form accessible on the AHRI Data repository (<<https://data.ahri.org/>>). Data users are required to abide by the data use conditions stipulated on the application for access to the data. Failure to do so may result in their data access privileges being revoked by the Data Custodian. In order to recognise the effort and intellectual contributions of AHRI investigators in producing and curating the data, users of AHRI data must acknowledge the source of the data and abide by the terms and conditions under which the data is accessed and must cite the dataset in publication using the citation provided as part of this documentation. All analytical datasets published on the AHRI Data Repository are assigned digital object identifier (DOIs) and the DOIs can be found on the Data Repository under Study Description tab - Access policy. AHRI data users are required to always cite the dataset using the relevant DOI.

### Citation Requirements

Herbst, A. J., Hanekom, W., Seeley, J., Shahmanesh, M., Harling, G., & Siedner, M. (2025). AHRI HDSS.RD05-05 ACDIS HIV 2008 [Data set]. Africa Health Research Institute. DOI:<https://doi.org/10.23664/RD05-05.ACDIS.HIV.2008>

# Files Description

Dataset contains 1 file(s)

<b>RD05-05 ACDIS HIV 2008</b>	
<b># Cases</b>	39896
<b># Variable(s)</b>	48

# Variables List

Dataset contains 48 variable(s)

File RD05-05 ACDIS HIV 2008							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">Question ..</a>	Questionnaire Id	continuous	numeric-12.0	39896	0	-
2	<a href="#">Document ..</a>	Document Status	discrete	character-40	39896	0	-
3	<a href="#">BMFStatu ..</a>	BMFStatusObservation Id	continuous	numeric-12.0	30303	9593	-
4	<a href="#">Prematur ..</a>	Premature Completion Reason	discrete	numeric-12.0	9565	30331	-
5	<a href="#">IIntId</a>	Unique Internal Id of Individual	continuous	numeric-12.0	39896	0	-
6	<a href="#">Sex</a>	Sex	discrete	numeric-12.0	39896	0	-
7	<a href="#">DateOfBi ..</a>	Date of birth	discrete	character-11	39896	-	-
8	<a href="#">Resident</a>	Residency status	discrete	numeric-12.0	39896	0	-
9	<a href="#">BSIntId</a>	Unique Internal Id of BoundedStructures	continuous	numeric-12.0	39896	0	-
10	<a href="#">VisitDate</a>	Visit Date	discrete	character-11	30303	-	-
11	<a href="#">VisitType</a>	Visit Type	discrete	numeric-12.0	30303	9593	-
12	<a href="#">HIVRefused</a>	HIV Refused	discrete	numeric-12.0	30303	9593	-
13	<a href="#">HIVRefus ..</a>	HIV Refused By	discrete	numeric-12.0	30303	9593	-
14	<a href="#">HIVSampl ..</a>	HIV Sample Available	discrete	numeric-12.0	30303	9593	-
15	<a href="#">HIVResult</a>	HIV Result	discrete	numeric-12.0	30301	9595	-
16	<a href="#">RefusedF ..</a>	Refused Further Questions	discrete	numeric-12.0	30239	9657	-
17	<a href="#">WillingT ..</a>	Willing To Explain Not Tested	discrete	numeric-12.0	30239	9657	-
18	<a href="#">KnowsRes ..</a>	Knows HIV Result	discrete	numeric-12.0	30239	9657	-
19	<a href="#">Dislikes ..</a>	Dislikes Blood Taken	discrete	numeric-12.0	30239	9657	-
20	<a href="#">NothingC ..</a>	NothingCan Be Done	discrete	numeric-12.0	30239	9657	-
21	<a href="#">ReasonNo ..</a>	Reason Not Testing Refused	discrete	numeric-12.0	30239	9657	-
22	<a href="#">ReasonNo ..</a>	Reason Not Testing Dont know	discrete	numeric-12.0	30239	9657	-
23	<a href="#">ReasonNo ..</a>	Reason Not Testing Other	discrete	numeric-12.0	30239	9657	-
24	<a href="#">RefusedA ..</a>	Refused Additional Questions	discrete	numeric-12.0	30239	9657	-
25	<a href="#">SupportR ..</a>	Support Research	discrete	numeric-12.0	30239	9657	-
26	<a href="#">ToLearnH ..</a>	To Learn HIV Status	discrete	numeric-12.0	30239	9657	-
27	<a href="#">ReasonTe ..</a>	Reason Testing Refused	discrete	numeric-12.0	30239	9657	-
28	<a href="#">ReasonTe ..</a>	Reason Testing Dont know	discrete	numeric-12.0	30239	9657	-
29	<a href="#">ReasonTe ..</a>	Reason Testing Other	discrete	numeric-12.0	30239	9657	-
30	<a href="#">EverTest ..</a>	Ever Tested HIV	discrete	numeric-12.0	30239	9657	-
31	<a href="#">TestedAf ..</a>	Tested Africa Centre	discrete	numeric-12.0	30239	9657	-
32	<a href="#">TestedGo ..</a>	Tested Government Clinic	discrete	numeric-12.0	30239	9657	-

<b>File RD05-05 ACDIS HIV 2008</b>							
<b>#</b>	<b>Name</b>	<b>Label</b>	<b>Type</b>	<b>Format</b>	<b>Valid</b>	<b>Invalid</b>	<b>Question</b>
33	<a href="#">TestedGo..</a>	Tested Government Hospital	discrete	numeric-12.0	30239	9657	-
34	<a href="#">TestedPr..</a>	Tested Private Clinic	discrete	numeric-12.0	30239	9657	-
35	<a href="#">TestedPr..</a>	TestedPrivateHospital	discrete	numeric-12.0	30239	9657	-
36	<a href="#">TestedWo..</a>	Tested Work Place	discrete	numeric-12.0	30239	9657	-
37	<a href="#">TestedIn..</a>	Tested Insurance Purposes	discrete	numeric-12.0	30239	9657	-
38	<a href="#">TestedOt..</a>	Tested Other Institutions	discrete	numeric-12.0	30239	9657	-
39	<a href="#">TestedRe..</a>	Tested Refused	discrete	numeric-12.0	30239	9657	-
40	<a href="#">TestedDo..</a>	Tested Dont Know	discrete	numeric-12.0	30239	9657	-
41	<a href="#">TestedOt..</a>	Tested Other	discrete	numeric-12.0	30239	9657	-
42	<a href="#">KnowsHIV..</a>	Knows HIV Status	discrete	numeric-12.0	30239	9657	-
43	<a href="#">HeardAbo..</a>	Heard About ART	discrete	numeric-12.0	30239	9657	-
44	<a href="#">KnowsWhe..</a>	Knows Where To ObtainART	discrete	numeric-12.0	30239	9657	-
45	<a href="#">CanNameP..</a>	Can Name Place To Obtain ART	discrete	numeric-12.0	30239	9657	-
46	<a href="#">Approves..</a>	Approves Provision ART	discrete	numeric-12.0	30239	9657	-
47	<a href="#">Believes..</a>	Believes ART Make Feel Better	discrete	numeric-12.0	30239	9657	-
48	<a href="#">KnowsSom..</a>	Knows Somebody Personally On ART	discrete	numeric-12.0	30239	9657	-

# Variables Description

Dataset contains 48 variable(s)

## File : RD05-05 ACDIS HIV 2008

### # QuestionnaireId: Questionnaire Id

**Information** [Type= continuous] [Format=numeric] [Range= 3116319-31317254] [Missing=\*]

**Statistics [NW/ W]** [Valid=39896 /-] [Invalid=0 /-] [Mean=3161107.758 /-] [StdDev=160450.184 /-]

### # DocumentStatus: Document Status

**Information** [Type= discrete] [Format=character] [Missing=\*]

**Statistics [NW/ W]** [Valid=39896 /-] [Invalid=0 /-]

### # BMFStatusObservation: BMFStatusObservation Id

**Information** [Type= continuous] [Format=numeric] [Range= 129354-193788] [Missing=\*]

**Statistics [NW/ W]** [Valid=30303 /-] [Invalid=9593 /-] [Mean=152279.481 /-] [StdDev=12537.537 /-]

### # PrematureCompletionReason: Premature Completion Reason

**Information** [Type= discrete] [Format=numeric] [Range= 1-97] [Missing=\*]

**Statistics [NW/ W]** [Valid=9565 /-] [Invalid=30331 /-]

Value	Label	Cases	Percentage
1	Stay in currently Avoided BS/HH	0	
2	Temporarily away for more than 2 months	0	
3	Non-Functional BS	12	0.1%
4	Reported Dead	493	5.2%
5	Household dissolution	0	
6	HH Migrated External	0	
7	Household Migrations	0	
8	HH Migrated Internal	0	
9	OutMigrated	4490	46.9%
10	Mentally Disabled	240	2.5%
11	Migrated unknown destination	2022	21.1%
12	Non-Contact After Tracking	1101	11.5%
13	No HSE Informant	0	
14	Refused Bundles	0	
15	Refused HSE	0	
16	Refused Tracking	162	1.7%
17	Very Sick	147	1.5%
96	Other Reason	898	9.4%
97	Not applicable	0	
Systemmiss		30331	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # IntId: Unique Internal Id of Individual

**Information** [Type= continuous] [Format=numeric] [Range= 14-264757] [Missing=\*]

**Statistics [NW/ W]** [Valid=39896 /-] [Invalid=0 /-] [Mean=59941.69 /-] [StdDev=38445.886 /-]

### # Sex: Sex

**Information** [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=\*]

**Statistics [NW/ W]** [Valid=39896 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Male	16741	42.0%

## File : RD05-05 ACDIS HIV 2008

### # Sex: Sex

Value	Label	Cases	Percentage
2	Female	23155	58.0%
9	Unknown	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DateOfBirth: Date of birth

**Information** [Type= discrete] [Format=character] [Missing=\*]

**Statistics [NW/ W]** [Valid=39896 /-]

### # Resident: Residency status

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=39896 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	36397	91.2%
2	No	3497	8.8%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	0	
98	Don?t know	0	
99	Missing	2	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # BSIntId: Unique Internal Id of BoundedStructures

**Information** [Type= continuous] [Format=numeric] [Range= 11-15760] [Missing=\*]

**Statistics [NW/ W]** [Valid=39896 /-] [Invalid=0 /-] [Mean=6745.83 /-] [StdDev=4125.213 /-]

### # VisitDate: Visit Date

**Information** [Type= discrete] [Format=character] [Missing=\*]

**Statistics [NW/ W]** [Valid=30303 /-]

### # VisitType: Visit Type

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30303 /-] [Invalid=9593 /-]

Value	Label	Cases	Percentage
1	Avoided Visit	65	0.2%
2	Unsuccessful Visit	0	
3	Regular Visit	22062	72.8%
4	Special Task Visit	0	
5	Problem Solving	0	
6	Quality Control	0	
7	Spot Check	0	
8	Tracking	7948	26.2%

## File : RD05-05 ACDIS HIV 2008

### # VisitType: Visit Type

Value	Label	Cases	Percentage
9	Verbal Autopsy	0	
10	Mapping Visit	2	0.0%
11	COUNSELLING VISIT	0	
12	Illness And Death	0	
13	Bounded Structure Verification	0	
30	Community Liaison Office Visit	0	
92	Deprecated	0	
93	Refused Visit	226	0.7%
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	0	
99	Missing	0	
Sysmiss		9593	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HIVRefused: HIV Refused

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30303 /-] [Invalid=9593 /-]

Value	Label	Cases	Percentage
1	Yes	20398	67.3%
2	No	9905	32.7%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	0	
98	Don?t know	0	
99	Missing	0	
Sysmiss		9593	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HIVRefusedBy: HIV Refused By

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30303 /-] [Invalid=9593 /-]

Value	Label	Cases	Percentage
1	Self	17720	58.5%
2	Partner	382	1.3%
3	HH head	1004	3.3%
4	BS owner	475	1.6%
5	Other	816	2.7%
97	Not applicable	9906	32.7%

## File : RD05-05 ACDIS HIV 2008

### # HIVRefusedBy: HIV Refused By

Value	Label	Cases	Percentage
99	Missing	0	
Sysmiss		9593	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HIVSampleAvailable: HIV Sample Available

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30303 /-] [Invalid=9593 /-]

Value	Label	Cases	Percentage
1	Yes	9905	32.7%
2	No,but there is a BMFStatusObs	20398	67.3%
Sysmiss		9593	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HIVResult: HIV Result

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30301 /-] [Invalid=9595 /-]

Value	Label	Cases	Percentage
0	Negative	7906	26.1%
1	Positive	1902	6.3%
2	Indeterminate	35	0.1%
3	Insufficient sample volume	3	0.0%
4	Spurious (probably not this person)	2	0.0%
97	Not applicable	20398	67.3%
99	Missing (Sample lost)	55	0.2%
Sysmiss		9595	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # RefusedFurtherQuestions: Refused Further Questions

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	12285	40.6%
2	No	383	1.3%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	9945	32.9%
96	Other	0	
97	Not Applicable	7626	25.2%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : RD05-05 ACDIS HIV 2008

### # WillingToExplainNotTested: Willing To Explain NotT ested

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	15448	51.1%
2	No	1026	3.4%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	12636	41.8%
94	Query	0	
95	Default	729	2.4%
96	Other	0	
97	Not Applicable	400	1.3%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # KnowsResult: Knows HIV Result

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	2044	6.8%
2	No	76	0.3%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	15013	49.6%
96	Other	0	
97	Not Applicable	13106	43.3%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DislikesBloodTaken: Dislikes Blood Taken

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	3662	12.1%
2	No	96	0.3%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	

## File : RD05-05 ACDIS HIV 2008

### # DislikesBloodTaken: Dislikes Blood Taken

Value	Label	Cases	Percentage
94	Query	0	
95	Default	13388	44.3%
96	Other	0	
97	Not Applicable	13093	43.3%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # NothingCanBeDone: NothingCan Be Done

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	202	0.7%
2	No	163	0.5%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	16754	55.4%
96	Other	0	
97	Not Applicable	13120	43.4%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ReasonNotTestingRefused: Reason Not Testing Refused

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	13002	43.0%
2	No	91	0.3%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	17075	56.5%
96	Other	0	
97	Not Applicable	71	0.2%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : RD05-05 ACDIS HIV 2008

### # ReasonNotTestingDontknow: Reason Not Testing Dont know

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	38	0.1%
2	No	14	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	17102	56.6%
96	Other	0	
97	Not Applicable	13085	43.3%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ReasonNotTestingOther: Reason Not Testing Other

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	678	2.2%
2	No	2	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	16440	54.4%
96	Other	0	
97	Not Applicable	13119	43.4%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # RefusedAdditionalQuestions: Refused Additional Questions

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	388	1.3%
2	No	351	1.2%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	

## File : RD05-05 ACDIS HIV 2008

### # RefusedAdditionalQuestions: Refused Additional Questions

Value	Label	Cases	Percentage
94	Query	0	
95	Default	9480	31.4%
96	Other	0	
97	Not Applicable	20020	66.2%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SupportResearch: Support Research

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	4061	13.4%
2	No	118	0.4%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	5187	17.2%
96	Other	0	
97	Not Applicable	20873	69.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ToLearnHIVStatus: To Learn HIV Status

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	7383	24.4%
2	No	78	0.3%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	1920	6.3%
96	Other	0	
97	Not Applicable	20858	69.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : RD05-05 ACDIS HIV 2008

### # ReasonTestingRefused: Reason Testing Refused

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	1727	5.7%
2	No	33	0.1%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	9350	30.9%
96	Other	0	
97	Not Applicable	19129	63.3%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ReasonTestingDontknow: Reason Testing Dont know

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	14	0.0%
2	No	256	0.8%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	9097	30.1%
96	Other	0	
97	Not Applicable	20872	69.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ReasonTestingOther: Reason Testing Other

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	1	0.0%
2	No	3	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	

## File : RD05-05 ACDIS HIV 2008

### # ReasonTestingOther: Reason Testing Other

Value	Label	Cases	Percentage
94	Query	0	
95	Default	9348	30.9%
96	Other	0	
97	Not Applicable	20887	69.1%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # EverTestedHIV: Ever Tested HIV

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	11893	39.3%
2	No	4696	15.5%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	12667	41.9%
94	Query	0	
95	Default	982	3.2%
96	Other	0	
97	Not Applicable	1	0.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedAfricaCentre: Tested Africa Centre

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	8050	26.6%
2	No	59	0.2%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	20894	69.1%
96	Other	0	
97	Not Applicable	1236	4.1%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : RD05-05 ACDIS HIV 2008

### # TestedGovernmentClinic: Tested Government Clinic

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	3914	12.9%
2	No	108	0.4%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	24983	82.6%
96	Other	0	
97	Not Applicable	1234	4.1%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # TestedGovernmentHospital: Tested Government Hospital

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	508	1.7%
2	No	35	0.1%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	28460	94.1%
96	Other	0	
97	Not Applicable	1236	4.1%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # TestedPrivateClinic: Tested Private Clinic

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	287	0.9%
2	No	177	0.6%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	

## File : RD05-05 ACDIS HIV 2008

### # TestedPrivateClinic: Tested Private Clinic

Value	Label	Cases	Percentage
94	Query	0	
95	Default	28539	94.4%
96	Other	0	
97	Not Applicable	1236	4.1%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedPrivateHospital: TestedPrivateHospital

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	122	0.4%
2	No	64	0.2%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	28816	95.3%
96	Other	0	
97	Not Applicable	1237	4.1%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedWorkPlace: Tested Work Place

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	130	0.4%
2	No	15	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	28857	95.4%
96	Other	0	
97	Not Applicable	1237	4.1%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : RD05-05 ACDIS HIV 2008

### # TestedInsurancePurposes: Tested Insurance Purposes

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	9	0.0%
2	No	14	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	28979	95.8%
96	Other	0	
97	Not Applicable	1237	4.1%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # TestedOtherInstitutions: Tested Other Institutions

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	68	0.2%
2	No	6	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	28928	95.7%
96	Other	0	
97	Not Applicable	1237	4.1%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # TestedRefused: Tested Refused

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	1225	4.1%
2	No	23	0.1%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	

## File : RD05-05 ACDIS HIV 2008

### # TestedRefused: Tested Refused

Value	Label	Cases	Percentage
94	Query	0	
95	Default	28987	95.9%
96	Other	0	
97	Not Applicable	4	0.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedDontKnow: Tested Dont Know

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	3	0.0%
2	No	9	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	28993	95.9%
96	Other	0	
97	Not Applicable	1234	4.1%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # TestedOther: Tested Other

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	221	0.7%
2	No	3	0.0%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	0	
94	Query	0	
95	Default	28781	95.2%
96	Other	0	
97	Not Applicable	1234	4.1%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : RD05-05 ACDIS HIV 2008

### # KnowsHIVStatus: Knows HIV Status

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	6671	22.1%
2	No	9856	32.6%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	12526	41.4%
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	1	0.0%
98	Don?t know	0	
99	Missing	1185	3.9%
Sysmiss		9657	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HeardAboutART: Heard About ART

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	11341	37.5%
2	No	5257	17.4%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	12587	41.6%
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	1	0.0%
98	Don?t know	0	
99	Missing	1053	3.5%
Sysmiss		9657	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # KnowsWhereToObtainART: Knows Where To ObtainART

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	9116	30.1%
2	No	2164	7.2%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	33	0.1%

## File : RD05-05 ACDIS HIV 2008

### # KnowsWhereToObtainART: Knows Where To ObtainART

Value	Label	Cases	Percentage
94	Query	0	
95	Default	0	
96	Other	0	
97	Not Applicable	17577	58.1%
98	Don?t know	0	
99	Missing	1349	4.5%
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CanNamePlaceToObtainART: Can Name Place To Obtain ART

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	8299	27.4%
2	No	1086	3.6%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	15	0.0%
94	Query	0	
95	Default	20838	68.9%
96	Other	0	
97	Not Applicable	1	0.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ApprovesProvisionART: Approves Provision ART

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	10859	35.9%
2	No	185	0.6%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	59	0.2%
94	Query	0	
95	Default	18906	62.5%
96	Other	0	
97	Not Applicable	1	0.0%
98	Don?t know	229	0.8%
99	Missing	0	
Sysmiss		9657	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : RD05-05 ACDIS HIV 2008

### # BelievesARTMakeFeelBetter: Believes ART Make Feel Better

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	9885	32.7%
2	No	637	2.1%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	64	0.2%
94	Query	0	
95	Default	18885	62.5%
96	Other	0	
97	Not Applicable	1	0.0%
98	Don?t know	767	2.5%
99	Missing	0	
Sysmiss		9657	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # KnowsSomebodyPersonallyOnART: Knows Somebody Personally On ART

**Information** [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=30239 /-] [Invalid=9657 /-]

Value	Label	Cases	Percentage
1	Yes	6302	20.8%
2	No	4975	16.5%
90	SpecialQuery	0	
92	Deprecated	0	
93	Refused	52	0.2%
94	Query	0	
95	Default	18909	62.5%
96	Other	0	
97	Not Applicable	1	0.0%
98	Don?t know	0	
99	Missing	0	
Sysmiss		9657	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*