

South Africa

Dr Abraham Jacobus Herbst, Africa Health Research Institute

Prof. Willem Hanekom, Africa Health Research Institute

Prof. Janet Seeley, Africa Health Research Institute

Prof. Maryam Shahmanesh, Africa Health Research Institute

Dr. Guy Harling, Africa Health Research Institute

Dr. Mark Siedner, Africa Health Research Institute

AHRI HDSS:RD05-07 ACDIS HIV 2010

Study Documentation

June 5, 2025

Metadata Production

| | |
|-----------------------------|---|
| Metadata Producer(s) | Africa Health Research Institute (AHRI) |
| Identification | DDI.RD05-07.ACDIS.HIV.2010 |

Table of Contents

| | |
|---|----|
| Overview | 4 |
| Scope & Coverage | 5 |
| Producers & Sponsors | 5 |
| Sampling | 6 |
| Data Collection | 6 |
| Data Processing & Appraisal | 6 |
| Accessibility | 6 |
| Files Description | 8 |
| RD05-07 ACDIS HIV 2010 | 8 |
| Variables List | 9 |
| RD05-07 ACDIS HIV 2010 | 9 |
| Variables Description | 12 |
| RD05-07 ACDIS HIV 2010 | 13 |

AHRI HDSS:RD05-07 ACDIS HIV 2010

Overview

| | |
|-----------------------|------------------------|
| Identification | RD05-07.ACDIS.HIV.2010 |
| Version | v2.0.0 |

Abstract

The Africa Centre Demographic Information System (ACDIS) was established in 2000 by the Africa Health Research Institute (AHRI; formerly the Africa Centre for Health and Population Studies) covering a population of approximately 85,0000 residents and non-residents from an area 438km² in size in uMkhanyakude district, KwaZulu-Natal province, South Africa.

In 2010, The “Eligibility List” for Round 7 of the HIV Surveillance used 10 December 2010 as its reference date. The criteria for inclusion were different for Residents and non-Residents. For Residents (i.e., those with an Individual Residency episode when last seen) all males and females aged 15 and over were selected. For Non-Residents a stratified sampling procedure was adopted with the overall objective of obtaining a representative sample of approximately 10% of all non-residents aged 15-49 (females) and 15-54 (males). The 10 strata were defined by sex and by five 'return patterns', i.e., self-stated frequencies of returning home to the household in the DSA ('annual', 'occasional', 'month end', 'frequent', and 'other'). Other criteria were also used, and full details are available separately.

The total number eligible, Resident and Non-resident, was 40,915, and this is the number of rows in the dataset.

The field visits took place from January 2010 to Dec 2010. At the time of visit some people included in the Eligibility List were found to in fact be ineligible - perhaps because they were dead, very sick, or had outmigrated - events either not known about at the time the Eligibility List was compiled or occurring between the drawing up of the Eligibility List and the actual visit. These 'retrospective ineligibilities' are identifiable in the dataset as 'Premature Completions' with reasons such as “Death or “Outmigration”. There were also some individuals who could not be contacted, even after repeated visits and 'tracking' attempts for those who were reported to have moved. These are identifiable as `PrematureCompletionReason = Non-Contact`. Additionally, some people were contacted but refused to participate in the survey. They are identifiable by `VisitType = Refusal`. Finally, there are some who participated in the survey, but refused the HIV test offered. They are identifiable as `HIVRefused = 'Y'`

The main change for 2010 is the inclusion, for the first time since HIV Round 1 in 2003-4, of a section asking about height, weight and blood pressure.

Additionally, in late 2010 a series of 'experimental' changes to the questionnaire were adopted to try to increase consent rates. First, to assess the feasibility of alternative sample donation for HIV testing among resident participants. The five field teams were randomized into three arms. The first, 'control' arm was offered an anonymized linked microcapillary only. The second arm was offered both an anonymized linked microcapillary and an anonymized pooled microcapillary. The third arm was offered an anonymized linked microcapillary and anonymized linked oral specimen.

Individuals were free to refuse to participate in and to withdraw from the individual surveys, without any impact on routine health care or other services to which they were entitled. If a household refused to participate in the household component, its members were not invited to participate in the individual component during that same household visit.

Note: Users of these datasets are strongly encouraged to refer to the questionnaires included in the documentation for the dataset to check carefully for any changes in question wording, ordering, options offered etc. This document does not attempt to describe every single change and variation.

For more refer:

| | |
|---|--|
| 1. Tanser F, Hosegood V, Bärnighausen T, Herbst K, Nyirenda M, Muhwava W, Newell C, Viljoen J, Mutevedzi T, Newell ML. Cohort Profile: Africa Centre Demographic Information System (ACDIS) and population-based HIV survey. <i>Int J Epidemiol.</i> 2008 Oct;37(5):956-62. doi: 10.1093/ije/dym211. Epub 2007 Nov 12. PMID: 17998242; PMCID: PMC2557060. | |
| Kind of Data | Surveillance data |
| Unit of Analysis | AHRI HDSS Individual surveillance eligible individuals |

| Scope & Coverage | |
|--|--|
| Keywords | South Africa, Surveillance, Epidemiology, HIV, Population Cohort |
| Topics | HIV, Population, Surveillance, HIV Incidence, HIV prevalence, Epidemiology, Africa, Demography, information systems, South Africa, KwaZulu-Natal, Medical, Population Intervention |
| Time Period(s) | 2010 |
| Countries | South Africa |
| <p>Geographic Coverage AHRI's Demographic Surveillance Area (DSA) is situated in Mtubatuba local authority, uMkhanyakude district, KwaZulu-Natal province which is approximately 200km north of Durban.</p> <p>For more refer:</p> <p>1. Dickman Gareta, Kathy Baisley, Thobeka Mngomezulu, Theresa Smit, Thandeka Khoza, Siyabonga Nxumalo, Jaco Dreyer, Sweetness Dube, Nomathamsanqa Majozi, Gregory Ording-Jespersion, Eugene Ehlers, Guy Harling, Maryam Shahmanesh, Mark Siedner, Willem Hanekom, Kobus Herbst, Cohort Profile Update: Africa Centre Demographic Information System (ACDIS) and population-based HIV survey, <i>International Journal of Epidemiology</i>, Volume 50, Issue 1, February 2021, Pages 33-34, <https://doi.org/10.1093/ije/dyaa264></p> <p>2. Tanser F, Hosegood V, Bärnighausen T, Herbst K, Nyirenda M, Muhwava W, Newell C, Viljoen J, Mutevedzi T, Newell ML. Cohort Profile: Africa Centre Demographic Information System (ACDIS) and population-based HIV survey. <i>Int J Epidemiol.</i> 2008 Oct;37(5):956-62. doi: 10.1093/ije/dym211. Epub 2007 Nov 12. PMID: 17998242; PMCID: PMC2557060.</p> <p>3. Iwuji CC, Orne-Gliemann J, Larmarange J, Balestre E, Thiebaut R, Tanser F, Okesola N, Makowa T, Dreyer J, Herbst K, McGrath N, Bärnighausen T, Boyer S, De Oliveira T, Rekacewicz C, Bazin B, Newell ML, Pillay D, Dabis F; ANRS 12249 TasP Study Group. Universal test and treat and the HIV epidemic in rural South Africa: a phase 4, open-label, community cluster randomised trial. <i>Lancet HIV.</i> 2018 Mar;5(3):e116-e125. doi: 10.1016/S2352-3018(17)30205-9. Epub 2017 Nov 30. PMID: 29199100.</p> | |
| <p>Universe All resident household members from AHRI's DSA who met eligibility criteria and gave informed consent for their surveillance participation.</p> | |

| Producers & Sponsors | |
|---------------------------------|---|
| Primary Investigator(s) | Dr Abraham Jacobus Herbst, Africa Health Research Institute Prof. Willem Hanekom, Africa Health Research Institute Prof. Janet Seeley, Africa Health Research Institute Prof. Maryam Shahmanesh, Africa Health Research Institute Dr. Guy Harling, Africa Health Research Institute Dr. Mark Siedner, Africa Health Research Institute |
| Other Producer(s) | Africa Health Research Institute (AHRI) |
| Funding Agency/ies | Welcome Trust (WT) , Funder DSI-MRC South African Population Research Infrastructure Network (SAPRIN) , Funder |

| | |
|--------------------------------|--|
| Other Acknowledgment(s) | Thobeka Mngomezulu , Data collection , AHRI Phumzile Dlamini , Data collection , AHRI Lindiwe Sithole , Data collection , AHRI Bonginkosi Ntimane , Data quality , AHRI Njabulo Myeni , Data quality , AHRI Eugene Ehlers , Software Development , AHRI Eugene Prenzler , Data Analytics , AHRI Brendan Gilbert , IT infrastructure , AHRI Sweetness Dube , Data documentation , AHRI Siyabonga Nxumalo , Research Data management , AHRI Dickman Gareta , Research Data management , AHRI |
|--------------------------------|--|

Sampling

Sampling Procedure

All individuals meeting the eligibility criteria described in the abstract

Data Collection

| | |
|------------------------------|------------------------------------|
| Data Collection Dates | start 2010-01-03 end 2010-12-10 |
|------------------------------|------------------------------------|

Data Processing & Appraisal

Data Editing

Surveillance data is processed and stored on servers under the physical control of AHRI until datasets are made available on the data repository. The data is de-identified and can then be downloaded for processing on the data user's computer.

Data is stored on industry-standard relational databases with data integrity and user authentication for access control. Data is replicated on at least a daily basis to the Durban site of the Institution to provide secure offsite storage of data. Transactional logs are backed up every 30 minutes to enable recovery of data in the event of equipment failure.

All users of the system are authenticated through individual passwords with minimum complexity and regular change rules (passwords must be at least eight digits, with a mix of small and capital letters, at least one numeric or non-alphabetic digit and changed at least every 45 days). AHRI uses industry standard malware and intrusion detection with at least annual penetration tests by a reputable outside security audit company.

Both at the Institute and for the clinic-based data collection, a client-server architecture is implemented where data is not stored on laptops or local workstation, but only on a central server with restricted physical access. Specifically, at the clinics the local server is enclosed in a tamper-proof enclosure kept under lock and key. The server hard disk is encrypted.

Accessibility

Access Conditions

Access to the data requires accurate completion of the online data access application form accessible on the AHRI Data repository(<<https://data.ahri.org/>>). Data users are required to abide by the data use conditions stipulated on the application for access to the data. Failure to do so may result in their data access privileges being revoked by the Data Custodian. In order to recognise the effort and intellectual contributions of AHRI investigators in producing and curating the data, users of AHRI data must acknowledge the source of the data and abide by the terms and conditions under which the data is accessed and must cite the dataset in publication using the citation provided as part of this documentation. All analytical datasets published on the AHRI Data Repository are assigned digital object identifier (DOIs) and the DOIs can be found on the Data Repository under Study Description tab - Access policy. AHRI data users are required to always cite the dataset using the relevant DOI.

Citation Requirements

Herbst, A. J., Hanekom, W., Seeley, J., Shahmanesh, M., Harling, G., & Siedner, M. (2025). AHRI HDSS:RD05-07 ACDIS HIV 2010 [Data set]. Africa Health Research Institute. DOI:<https://doi.org/10.23664/RD05-07.ACDIS.HIV.2010>

Files Description

Dataset contains 1 file(s)

| RD05-07 ACDIS HIV 2010 | |
|-------------------------------|-------|
| # Cases | 40914 |
| # Variable(s) | 86 |

Variables List

Dataset contains 86 variable(s)

| File RD05-07 ACDIS HIV 2010 | | | | | | | |
|-----------------------------|-----------------------------|---|------------|---------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | Question .. | Questionnaire Id | continuous | numeric-12.0 | 40914 | 0 | - |
| 2 | Document .. | Document Status | discrete | character-100 | 40914 | 0 | - |
| 3 | BMFStatu .. | BMFStatusObservation Id | continuous | numeric-12.0 | 27809 | 13105 | - |
| 4 | Prematur .. | Premature Completion Reason | discrete | numeric-12.0 | 13078 | 27836 | - |
| 5 | IIntId | Unique Internal Id of Individual | continuous | numeric-12.0 | 40914 | 0 | - |
| 6 | Sex | Sex | discrete | numeric-12.0 | 40914 | 0 | - |
| 7 | DateOfBi .. | Date of birth | discrete | character-11 | 40914 | - | - |
| 8 | Resident | Residency status | discrete | numeric-12.0 | 40914 | 0 | - |
| 9 | BSIntId | Unique Internal Id of BoundedStructures | continuous | numeric-12.0 | 40914 | 0 | - |
| 10 | HHIntId | Household Id | continuous | numeric-12.0 | 40914 | 0 | - |
| 11 | VisitDate | Visit Date | discrete | character-11 | 27809 | - | - |
| 12 | VisitType | Visit Type | discrete | numeric-12.0 | 27809 | 13105 | - |
| 13 | HIVRefused | HIV Refused | discrete | numeric-12.0 | 27809 | 13105 | - |
| 14 | HIVRefus .. | HIV Refused By | discrete | numeric-12.0 | 27809 | 13105 | - |
| 15 | HIVSampl .. | HIV Sample Available | discrete | numeric-12.0 | 27809 | 13105 | - |
| 16 | HIVSpeci .. | HIV Specimen Type | discrete | numeric-12.0 | 27277 | 13637 | - |
| 17 | HIVResult | HIV Result | discrete | numeric-12.0 | 27809 | 13105 | - |
| 18 | CD4Count | CD4 Count | continuous | numeric-12.0 | 5008 | 35906 | - |
| 19 | CD4Pct | CD4 Percentage | continuous | numeric-12.0 | 5008 | 35906 | - |
| 20 | CD4Comme .. | CD4 Comments | discrete | character-50 | 512 | 0 | - |
| 21 | HeightRe .. | Height Refused | discrete | numeric-12.0 | 27809 | 13105 | - |
| 22 | HeightCms | Height in Cms | discrete | numeric-10.0 | 27809 | 13105 | - |
| 23 | WeightRe .. | Weight Refused | discrete | numeric-12.0 | 27809 | 13105 | - |
| 24 | WeightKgs | Weight in Kgs | discrete | numeric-10.0 | 27809 | 13105 | - |
| 25 | BPRefused | BP Refused | discrete | numeric-12.0 | 27809 | 13105 | - |
| 26 | BPFIRST .. | BP First Systolic | discrete | numeric-12.0 | 27809 | 13105 | - |
| 27 | BPFIRSTD .. | BP First Diastolic | discrete | numeric-12.0 | 27809 | 13105 | - |
| 28 | FirstPulse | First Pulse | discrete | numeric-12.0 | 27809 | 13105 | - |
| 29 | BPSECOND .. | BP Second Systolic | discrete | numeric-12.0 | 27809 | 13105 | - |
| 30 | BPSECOND .. | BP Second Diastolic | discrete | numeric-12.0 | 27809 | 13105 | - |
| 31 | SecondPu .. | Second Pulse | discrete | numeric-12.0 | 27809 | 13105 | - |
| 32 | BPTHIRDS .. | BP Third Systolic | discrete | numeric-12.0 | 27809 | 13105 | - |
| 33 | BPTHIRSD .. | BP Third Diastolic | discrete | numeric-12.0 | 27809 | 13105 | - |
| 34 | ThirdPulse | Third Pulse | discrete | numeric-12.0 | 27809 | 13105 | - |

| File RD05-07 ACDIS HIV 2010 | | | | | | | |
|------------------------------------|-----------------------------|-----------------------------------|----------|--------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 35 | Preferre .. | Preferred Place ToTest | discrete | numeric-12.0 | 15361 | 25553 | - |
| 36 | KnowsHIV .. | Knows HIV Status | discrete | numeric-12.0 | 15361 | 25553 | - |
| 37 | WhenLast .. | When Last Tested | discrete | numeric-12.0 | 15361 | 25553 | - |
| 38 | WhereLas .. | Where Last Tested | discrete | numeric-12.0 | 15361 | 25553 | - |
| 39 | HeardOfU .. | Heard Of Ubumbano Lwentsha | discrete | numeric-12.0 | 15361 | 25553 | - |
| 40 | Attended .. | Attended Ubumbano Lwentsha | discrete | numeric-12.0 | 15361 | 25553 | - |
| 41 | HeardAbo .. | Heard About ART | discrete | numeric-12.0 | 15361 | 25553 | - |
| 42 | Believes .. | Believes ART Improves Health | discrete | numeric-12.0 | 15361 | 25553 | - |
| 43 | KnowsWhe .. | Knows Where To ObtainART | discrete | numeric-12.0 | 15361 | 25553 | - |
| 44 | Believes .. | Believes ART Makes Talk Easier | discrete | numeric-12.0 | 15361 | 25553 | - |
| 45 | TestMore .. | Test More If ART Immediately | discrete | numeric-12.0 | 15361 | 25553 | - |
| 46 | TestEasi .. | Test Easier If ART Immediately | discrete | numeric-12.0 | 15361 | 25553 | - |
| 47 | FoodVouc .. | Food Voucher Recipient | discrete | numeric-12.0 | 23225 | 17689 | - |
| 48 | FwkAttem .. | First Attempt FieldWorker | discrete | character-3 | 16755 | 0 | - |
| 49 | FwkAttem .. | First Attempt Date | discrete | character-11 | 16755 | - | - |
| 50 | FwkAttem .. | Second Attempt FieldWorker | discrete | character-3 | 7653 | 0 | - |
| 51 | FwkAttem .. | Second Attempt Date | discrete | character-11 | 7653 | - | - |
| 52 | FwkAttem .. | Third Attempt FieldWorker | discrete | character-3 | 5057 | 0 | - |
| 53 | FwkAttem .. | Third Attempt Date | discrete | character-11 | 5057 | - | - |
| 54 | FwkAttem .. | Fourth Attempt FieldWorker | discrete | character-3 | 2741 | 0 | - |
| 55 | FwkAttem .. | Fourth Attempt Date | discrete | character-11 | 2741 | - | - |
| 56 | TrkAttem .. | First Attempt Tracker | discrete | character-3 | 4856 | 0 | - |
| 57 | TrkAttem .. | Tracker First Attempt Date | discrete | character-11 | 4856 | - | - |
| 58 | TrkAttem .. | Second Attempt Tracker | discrete | character-3 | 3573 | 0 | - |
| 59 | TrkAttem .. | Tracker Second Attempt Date | discrete | character-11 | 3573 | - | - |
| 60 | TrkAttem .. | Third Attempt Tracker | discrete | character-3 | 3204 | 0 | - |
| 61 | TrkAttem .. | Tracker Third Attempt Date | discrete | character-11 | 3204 | - | - |
| 62 | TrkAttem .. | Fourth Attempt Tracker | discrete | character-3 | 2759 | 0 | - |
| 63 | TrkAttem .. | Tracker Fourth Attempt Date | discrete | character-11 | 2759 | - | - |
| 64 | HIVField .. | HIV FieldWorker | discrete | character-3 | 27809 | 0 | - |
| 65 | WeekBlock | Week Block | discrete | character-5 | 40914 | 0 | - |
| 66 | Isigodi | Isigodi | discrete | numeric-12.0 | 40914 | 0 | - |
| 67 | LocalArea | LocalArea | discrete | numeric-12.0 | 40914 | 0 | - |
| 68 | icRapidH .. | Rapid HIV Test Consent | discrete | character-1 | 21232 | 0 | - |

| File RD05-07 ACDIS HIV 2010 | | | | | | | |
|------------------------------------|----------------------------|-------------------------------|-------------|---------------|--------------|----------------|-----------------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 69 | icConven.. | Conventional HIV Test Consent | discrete | numeric-12.0 | 21232 | 19682 | - |
| 70 | icHomeDe.. | Home Delivery Consent | discrete | character-1 | 21232 | 0 | - |
| 71 | icStored | Storage Consent | discrete | numeric-12.0 | 21232 | 19682 | - |
| 72 | icTesting | Testing Consent | discrete | character-1 | 21232 | 0 | - |
| 73 | icRecont.. | Recontact Sample Consent | discrete | numeric-12.0 | 21232 | 19682 | - |
| 74 | icHealth | General Health Consent | discrete | numeric-12.0 | 21232 | 19682 | - |
| 75 | icSexual.. | Sexual Behaviour Consent | discrete | numeric-12.0 | 21232 | 19682 | - |
| 76 | icRecont.. | Recontac for QA Consent | discrete | numeric-12.0 | 21232 | 19682 | - |
| 77 | icRecont.. | Recontact Other Info Consent | discrete | numeric-12.0 | 21232 | 19682 | - |
| 78 | icLiving.. | Living Arrangements Consent | discrete | character-1 | 21232 | 0 | - |
| 79 | icBiomea.. | Biomeasures | discrete | numeric-12.0 | 21232 | 19682 | - |
| 80 | icFieldw.. | Fieldworker inform consent | discrete | character-3 | 21232 | 0 | - |
| 81 | FormRefu.. | FormRefused | discrete | numeric-12.0 | 27809 | 13105 | - |
| 82 | WasRefusal | Refusal | discrete | numeric-12.0 | 40914 | 0 | - |
| 83 | RNFDocum.. | RNF Documen tId | continuous | numeric-12.0 | 1029 | 39885 | - |
| 84 | RefusalI.. | Refusal IIntId | continuous | numeric-12.0 | 939 | 39975 | - |
| 85 | RefusalH.. | Refusal HH IntId | continuous | numeric-12.0 | 44 | 40870 | - |
| 86 | RefusalW.. | Refusal Whole BS | discrete | numeric-2.0 | 55 | 40859 | - |

Variables Description

Dataset contains 86 variable(s)

File : RD05-07 ACDIS HIV 2010

QuestionnaireId: Questionnaire Id

Information [Type= continuous] [Format=numeric] [Range= 44679160-44860534] [Missing=*]

Statistics [NW/ W] [Valid=40914 /-] [Invalid=0 /-] [Mean=44710218.836 /-] [StdDev=43817.313 /-]

DocumentStatus: Document Status

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=40914 /-] [Invalid=0 /-]

BMFStatusObservation: BMFStatusObservation Id

Information [Type= continuous] [Format=numeric] [Range= 197121-259103] [Missing=*]

Statistics [NW/ W] [Valid=27809 /-] [Invalid=13105 /-] [Mean=234592.112 /-] [StdDev=13603.506 /-]

PrematureCompletionReason: Premature Completion Reason

Information [Type= discrete] [Format=numeric] [Range= 1-97] [Missing=*]

Statistics [NW/ W] [Valid=13078 /-] [Invalid=27836 /-]

| Value | Label | Cases | Percentage |
|------------|---|-------|------------|
| 1 | Stay in currently Avoided BS/HH | 0 | |
| 2 | Temporarily away for more than 2 months | 0 | |
| 3 | Non-Functional BS | 2 | 0.0% |
| 4 | Reported Dead | 464 | 3.5% |
| 5 | Household dissolution | 0 | |
| 6 | HH Migrated External | 0 | |
| 7 | Household Migrations | 0 | |
| 8 | HH Migrated Internal | 0 | |
| 9 | OutMigrated | 5481 | 41.9% |
| 10 | Mentally Disabled | 245 | 1.9% |
| 11 | Migrated unknown destination | 924 | 7.1% |
| 12 | Non-Contact After Tracking | 3122 | 23.9% |
| 13 | No HSE Informant | 0 | |
| 14 | Refused Bundles | 0 | |
| 15 | Refused HSE | 0 | |
| 16 | Refused Tracking | 186 | 1.4% |
| 17 | Very Sick | 309 | 2.4% |
| 96 | Other Reason | 2345 | 17.9% |
| 97 | Not applicable | 0 | |
| Systemmiss | | 27836 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

IntId: Unique Internal Id of Individual

Information [Type= continuous] [Format=numeric] [Range= 16-264757] [Missing=*]

Statistics [NW/ W] [Valid=40914 /-] [Invalid=0 /-] [Mean=61868.011 /-] [StdDev=41467.583 /-]

Sex: Sex

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=40914 /-] [Invalid=0 /-]

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 1 | Male | 17173 | 42.0% |

File : RD05-07 ACDIS HIV 2010

Sex: Sex

| Value | Label | Cases | Percentage |
|-------|---------|-------|------------|
| 2 | Female | 23741 | 58.0% |
| 9 | Unknown | 0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DateOfBirth: Date of birth

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=40914 /-]

Resident: Residency status

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=40914 /-] [Invalid=0 /-]

| Value | Label | Cases | Percentage |
|-------|----------------|-------|------------|
| 1 | Yes | 37821 | 92.4% |
| 2 | No | 3092 | 7.6% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused | 0 | |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 0 | |
| 98 | Don't know | 0 | |
| 99 | Missing | 1 | 0.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BSIntId: Unique Internal Id of BoundedStructures

Information [Type= continuous] [Format=numeric] [Range= 11-16225] [Missing=*]

Statistics [NW/ W] [Valid=40914 /-] [Invalid=0 /-] [Mean=7135.002 /-] [StdDev=4443.973 /-]

HHIntId: Household Id

Information [Type= continuous] [Format=numeric] [Range= 11-27769] [Missing=*]

Statistics [NW/ W] [Valid=40914 /-] [Invalid=0 /-] [Mean=8694.647 /-] [StdDev=6273.009 /-]

VisitDate: Visit Date

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=27809 /-]

VisitType: Visit Type

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=27809 /-] [Invalid=13105 /-]

| Value | Label | Cases | Percentage |
|-------|--------------------|-------|------------|
| 1 | Avoided Visit | 0 | |
| 2 | Unsuccessful Visit | 0 | |
| 3 | Regular Visit | 21716 | 78.1% |
| 4 | Special Task Visit | 0 | |
| 5 | Problem Solving | 40 | 0.1% |

File : RD05-07 ACDIS HIV 2010

VisitType: Visit Type

| Value | Label | Cases | Percentage |
|---------|--------------------------------|-------|------------|
| 6 | Quality Control | 0 | |
| 7 | Spot Check | 0 | |
| 8 | Tracking | 6053 | 21.8% |
| 9 | Verbal Autopsy | 0 | |
| 10 | Mapping Visit | 0 | |
| 11 | COUNSELLING VISIT | 0 | |
| 12 | Illness And Death | 0 | |
| 13 | Bounded Structure Verification | 0 | |
| 30 | Community Liaison Office Visit | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused Visit | 0 | |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 0 | |
| 99 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HIVRefused: HIV Refused

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=27809 /-] [Invalid=13105 /-] |

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 1 | Yes | 9982 | 35.9% |
| 2 | No | 11225 | 40.4% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused | 0 | |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 6602 | 23.7% |
| 98 | Don?t know | 0 | |
| 99 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HIVRefusedBy: HIV Refused By

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=27809 /-] [Invalid=13105 /-] |

| Value | Label | Cases | Percentage |
|-------|---------|-------|------------|
| 1 | Self | 8688 | 31.2% |
| 2 | Partner | 139 | 0.5% |
| 3 | HH head | 541 | 1.9% |

File : RD05-07 ACDIS HIV 2010

HIVRefusedBy: HIV Refused By

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 4 | BS owner | 178 | 0.6% |
| 5 | Other | 427 | 1.5% |
| 97 | Not applicable | 17836 | 64.1% |
| 99 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HIVSampleAvailable: HIV Sample Available

| Value | Label | Cases | Percentage |
|---------|---------------------------------|-------|------------|
| 1 | Yes | 8101 | 29.1% |
| 2 | No, but there is a BMFStatusObs | 19708 | 70.9% |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HIVSpecimenType: HIV Specimen Type

| Value | Label | Cases | Percentage |
|---------|-----------------------------|-------|------------|
| 1 | Dried Blood Spot | 292 | 1.1% |
| 2 | Microcapillary - Individual | 10378 | 38.0% |
| 3 | Microcapillary - Pooled | 5 | 0.0% |
| 4 | Oral | 154 | 0.6% |
| 97 | Not Applicable | 16448 | 60.3% |
| Sysmiss | | 13637 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HIVResult: HIV Result

| Value | Label | Cases | Percentage |
|---------|---|-------|------------|
| 0 | Negative | 8500 | 30.6% |
| 1 | Positive | 2624 | 9.4% |
| 2 | Indeterminate | 17 | 0.1% |
| 3 | Insufficient sample volume | 75 | 0.3% |
| 4 | Spurious (probably not this person) | 8 | 0.0% |
| 5 | Spurious negative(HIV reverse seroconversion) | 0 | |
| 6 | Spurious positive(HIV reverse seroconversion) | 1 | 0.0% |
| 97 | Not applicable | 16584 | 59.6% |
| 99 | Missing (Sample lost) | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : RD05-07 ACDIS HIV 2010

CD4Count: CD4 Count

Information [Type= continuous] [Format=numeric] [Range= 8-4198] [Missing=*]

Statistics [NW/ W] [Valid=5008 /-] [Invalid=35906 /-] [Mean=711.636 /-] [StdDev=335.006 /-]

CD4Pct: CD4 Percentage

Information [Type= continuous] [Format=numeric] [Range= 2-76] [Missing=*]

Statistics [NW/ W] [Valid=5008 /-] [Invalid=35906 /-] [Mean=36.01 /-] [StdDev=11.645 /-]

CD4Comments: CD4 Comments

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=512 /-] [Invalid=0 /-]

| Value | Label | Cases | Percentage |
|---------------------------------|-------|-------|------------|
| SAMLE INSUFFICIENT | | 1 | 0.2% |
| SAMPLE CLOTTED | | 438 | 85.5% |
| SAMPLE HAEMOLYZED | | 3 | 0.6% |
| SAMPLE HAS GEL | | 2 | 0.4% |
| SAMPLE INSUFFICIENT | | 57 | 11.1% |
| SAMPLE INSUFFICIENT AND CLOTTED | | 1 | 0.2% |
| SAMPLE INSUFICIENT | | 3 | 0.6% |
| SAMPLE INSUUFFICIENT | | 7 | 1.4% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HeightRefused: Height Refused

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=27809 /-] [Invalid=13105 /-]

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 1 | Yes | 4758 | 17.1% |
| 2 | No | 10878 | 39.1% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused | 0 | |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 12173 | 43.8% |
| 98 | Don?t know | 0 | |
| 99 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : RD05-07 ACDIS HIV 2010

HeightCms: Height in Cms

Information [Type= discrete] [Format=numeric] [Range= 102.3-999] [Missing=*/1001]

Statistics [NW/ W] [Valid=27809 /-] [Invalid=13105 /-]

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 102.3 | | 1 | 0.0% |
| 108.2 | | 1 | 0.0% |
| 108.7 | | 1 | 0.0% |
| 114 | | 1 | 0.0% |
| 115 | | 1 | 0.0% |
| 115.3 | | 1 | 0.0% |
| 115.4 | | 1 | 0.0% |
| 115.9 | | 1 | 0.0% |
| 117.8 | | 1 | 0.0% |
| 128.5 | | 1 | 0.0% |
| 132 | | 1 | 0.0% |
| 133 | | 1 | 0.0% |
| 134.8 | | 1 | 0.0% |
| 135 | | 1 | 0.0% |
| 135.5 | | 1 | 0.0% |
| 136 | | 1 | 0.0% |
| 136.5 | | 1 | 0.0% |
| 137.5 | | 1 | 0.0% |
| 137.6 | | 1 | 0.0% |
| 137.7 | | 1 | 0.0% |
| 138 | | 2 | 0.0% |
| 138.3 | | 1 | 0.0% |
| 138.5 | | 1 | 0.0% |
| 138.9 | | 1 | 0.0% |
| 139 | | 1 | 0.0% |
| 139.5 | | 1 | 0.0% |
| 140 | | 1 | 0.0% |
| 140.2 | | 2 | 0.0% |
| 140.3 | | 2 | 0.0% |
| 140.4 | | 2 | 0.0% |
| 140.5 | | 1 | 0.0% |
| 140.8 | | 2 | 0.0% |
| 140.9 | | 2 | 0.0% |
| 141 | | 3 | 0.0% |
| 141.2 | | 1 | 0.0% |
| 141.4 | | 2 | 0.0% |
| 141.5 | | 1 | 0.0% |
| 141.8 | | 1 | 0.0% |
| 141.9 | | 1 | 0.0% |
| 142 | | 2 | 0.0% |
| 142.2 | | 4 | 0.0% |

File : RD05-07 ACDIS HIV 2010

HeightCms: Height in Cms

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 142.4 | | 1 | 0.0% |
| 142.5 | | 1 | 0.0% |
| 142.6 | | 2 | 0.0% |
| 142.7 | | 2 | 0.0% |
| 142.8 | | 1 | 0.0% |
| 142.9 | | 1 | 0.0% |
| 143 | | 4 | 0.0% |
| 143.2 | | 1 | 0.0% |
| 143.3 | | 1 | 0.0% |
| 143.4 | | 2 | 0.0% |
| 143.5 | | 1 | 0.0% |
| 143.7 | | 2 | 0.0% |
| 143.8 | | 2 | 0.0% |
| 143.9 | | 1 | 0.0% |
| 144 | | 3 | 0.0% |
| 144.1 | | 1 | 0.0% |
| 144.2 | | 3 | 0.0% |
| 144.3 | | 1 | 0.0% |
| 144.4 | | 3 | 0.0% |
| 144.5 | | 4 | 0.0% |
| 144.6 | | 3 | 0.0% |
| 144.7 | | 1 | 0.0% |
| 144.8 | | 1 | 0.0% |
| 145 | | 8 | 0.0% |
| 145.1 | | 3 | 0.0% |
| 145.3 | | 3 | 0.0% |
| 145.5 | | 5 | 0.0% |
| 145.6 | | 3 | 0.0% |
| 145.7 | | 1 | 0.0% |
| 145.9 | | 1 | 0.0% |
| 146 | | 17 | 0.1% |
| 146.1 | | 2 | 0.0% |
| 146.2 | | 6 | 0.0% |
| 146.3 | | 3 | 0.0% |
| 146.4 | | 6 | 0.0% |
| 146.5 | | 8 | 0.0% |
| 146.6 | | 4 | 0.0% |
| 146.7 | | 5 | 0.0% |
| 146.8 | | 4 | 0.0% |
| 146.9 | | 3 | 0.0% |
| 147 | | 10 | 0.0% |
| 147.1 | | 1 | 0.0% |
| 147.2 | | 6 | 0.0% |

File : RD05-07 ACDIS HIV 2010

HeightCms: Height in Cms

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 147.3 | | 7 | 0.0% |
| 147.4 | | 4 | 0.0% |
| 147.5 | | 5 | 0.0% |
| 147.6 | | 1 | 0.0% |
| 147.7 | | 2 | 0.0% |
| 147.8 | | 1 | 0.0% |
| 147.9 | | 5 | 0.0% |
| 148 | | 17 | 0.1% |
| 148.1 | | 8 | 0.0% |
| 148.2 | | 7 | 0.0% |
| 148.3 | | 6 | 0.0% |
| 148.4 | | 3 | 0.0% |
| 148.5 | | 8 | 0.0% |
| 148.6 | | 2 | 0.0% |
| 148.7 | | 12 | 0.0% |
| 148.8 | | 6 | 0.0% |
| 148.9 | | 6 | 0.0% |
| 149 | | 28 | 0.1% |
| 149.1 | | 9 | 0.0% |
| 149.2 | | 14 | 0.1% |
| 149.3 | | 9 | 0.0% |
| 149.4 | | 6 | 0.0% |
| 149.5 | | 12 | 0.0% |
| 149.6 | | 1 | 0.0% |
| 149.7 | | 8 | 0.0% |
| 149.8 | | 4 | 0.0% |
| 149.9 | | 9 | 0.0% |
| 150 | | 96 | 0.3% |
| 150.1 | | 16 | 0.1% |
| 150.2 | | 18 | 0.1% |
| 150.3 | | 16 | 0.1% |
| 150.4 | | 18 | 0.1% |
| 150.5 | | 27 | 0.1% |
| 150.6 | | 19 | 0.1% |
| 150.7 | | 14 | 0.1% |
| 150.8 | | 7 | 0.0% |
| 150.9 | | 5 | 0.0% |
| 151 | | 29 | 0.1% |
| 151.1 | | 8 | 0.0% |
| 151.2 | | 16 | 0.1% |
| 151.3 | | 15 | 0.1% |
| 151.4 | | 15 | 0.1% |
| 151.5 | | 18 | 0.1% |

File : RD05-07 ACDIS HIV 2010

HeightCms: Height in Cms

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 151.6 | | 19 | 0.1% |
| 151.7 | | 14 | 0.1% |
| 151.8 | | 12 | 0.0% |
| 151.9 | | 9 | 0.0% |
| 152 | | 63 | 0.2% |
| 152.1 | | 15 | 0.1% |
| 152.2 | | 13 | 0.0% |
| 152.3 | | 23 | 0.1% |
| 152.4 | | 23 | 0.1% |
| 152.5 | | 24 | 0.1% |
| 152.6 | | 19 | 0.1% |
| 152.7 | | 20 | 0.1% |
| 152.8 | | 10 | 0.0% |
| 152.9 | | 14 | 0.1% |
| 153 | | 72 | 0.3% |
| 153.1 | | 16 | 0.1% |
| 153.2 | | 24 | 0.1% |
| 153.3 | | 20 | 0.1% |
| 153.4 | | 27 | 0.1% |
| 153.5 | | 38 | 0.1% |
| 153.6 | | 15 | 0.1% |
| 153.7 | | 17 | 0.1% |
| 153.8 | | 16 | 0.1% |
| 153.9 | | 8 | 0.0% |
| 154 | | 81 | 0.3% |
| 154.1 | | 18 | 0.1% |
| 154.2 | | 29 | 0.1% |
| 154.3 | | 30 | 0.1% |
| 154.4 | | 28 | 0.1% |
| 154.5 | | 48 | 0.2% |
| 154.6 | | 33 | 0.1% |
| 154.7 | | 31 | 0.1% |
| 154.8 | | 21 | 0.1% |
| 154.9 | | 13 | 0.0% |
| 155 | | 120 | 0.4% |
| 155.1 | | 19 | 0.1% |
| 155.2 | | 45 | 0.2% |
| 155.3 | | 20 | 0.1% |
| 155.4 | | 30 | 0.1% |
| 155.5 | | 54 | 0.2% |
| 155.6 | | 24 | 0.1% |
| 155.7 | | 29 | 0.1% |
| 155.8 | | 19 | 0.1% |

File : RD05-07 ACDIS HIV 2010

HeightCms: Height in Cms

| Value | Label | Cases | Percentage |
|--------|-------|-------|------------|
| 155.9 | | 22 | 0.1% |
| 156 | | 95 | 0.3% |
| 156.06 | | 1 | 0.0% |
| 156.1 | | 26 | 0.1% |
| 156.2 | | 44 | 0.2% |
| 156.3 | | 36 | 0.1% |
| 156.4 | | 29 | 0.1% |
| 156.5 | | 58 | 0.2% |
| 156.6 | | 22 | 0.1% |
| 156.7 | | 30 | 0.1% |
| 156.8 | | 23 | 0.1% |
| 156.9 | | 23 | 0.1% |
| 157 | | 115 | 0.4% |
| 157.1 | | 31 | 0.1% |
| 157.2 | | 42 | 0.2% |
| 157.3 | | 41 | 0.1% |
| 157.4 | | 34 | 0.1% |
| 157.5 | | 53 | 0.2% |
| 157.6 | | 38 | 0.1% |
| 157.7 | | 27 | 0.1% |
| 157.8 | | 22 | 0.1% |
| 157.9 | | 18 | 0.1% |
| 158 | | 114 | 0.4% |
| 158.1 | | 30 | 0.1% |
| 158.2 | | 55 | 0.2% |
| 158.3 | | 41 | 0.1% |
| 158.4 | | 43 | 0.2% |
| 158.5 | | 71 | 0.3% |
| 158.6 | | 30 | 0.1% |
| 158.7 | | 37 | 0.1% |
| 158.8 | | 28 | 0.1% |
| 158.9 | | 42 | 0.2% |
| 159 | | 138 | 0.5% |
| 159.1 | | 32 | 0.1% |
| 159.2 | | 58 | 0.2% |
| 159.3 | | 40 | 0.1% |
| 159.4 | | 35 | 0.1% |
| 159.5 | | 39 | 0.1% |
| 159.6 | | 12 | 0.0% |
| 159.7 | | 13 | 0.0% |
| 159.8 | | 19 | 0.1% |
| 159.9 | | 17 | 0.1% |
| 160 | | 283 | 1.0% |

File : RD05-07 ACDIS HIV 2010

HeightCms: Height in Cms

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 160.1 | | 34 | 0.1% |
| 160.2 | | 61 | 0.2% |
| 160.3 | | 36 | 0.1% |
| 160.4 | | 46 | 0.2% |
| 160.5 | | 67 | 0.2% |
| 160.6 | | 38 | 0.1% |
| 160.7 | | 39 | 0.1% |
| 160.8 | | 30 | 0.1% |
| 160.9 | | 29 | 0.1% |
| 161 | | 92 | 0.3% |
| 161.1 | | 33 | 0.1% |
| 161.2 | | 51 | 0.2% |
| 161.3 | | 51 | 0.2% |
| 161.4 | | 32 | 0.1% |
| 161.5 | | 80 | 0.3% |
| 161.6 | | 32 | 0.1% |
| 161.7 | | 34 | 0.1% |
| 161.8 | | 16 | 0.1% |
| 161.9 | | 27 | 0.1% |
| 162 | | 129 | 0.5% |
| 162.1 | | 39 | 0.1% |
| 162.2 | | 51 | 0.2% |
| 162.3 | | 68 | 0.2% |
| 162.4 | | 38 | 0.1% |
| 162.5 | | 74 | 0.3% |
| 162.6 | | 38 | 0.1% |
| 162.7 | | 37 | 0.1% |
| 162.8 | | 28 | 0.1% |
| 162.9 | | 25 | 0.1% |
| 163 | | 117 | 0.4% |
| 163.1 | | 41 | 0.1% |
| 163.2 | | 44 | 0.2% |
| 163.3 | | 48 | 0.2% |
| 163.4 | | 42 | 0.2% |
| 163.5 | | 68 | 0.2% |
| 163.6 | | 35 | 0.1% |
| 163.7 | | 39 | 0.1% |
| 163.8 | | 16 | 0.1% |
| 163.9 | | 22 | 0.1% |
| 164 | | 114 | 0.4% |
| 164.1 | | 36 | 0.1% |
| 164.2 | | 40 | 0.1% |
| 164.3 | | 29 | 0.1% |

File : RD05-07 ACDIS HIV 2010

HeightCms: Height in Cms

| Value | Label | Cases | Percentage |
|--------|-------|-------|------------|
| 164.4 | | 33 | 0.1% |
| 164.5 | | 54 | 0.2% |
| 164.6 | | 21 | 0.1% |
| 164.7 | | 28 | 0.1% |
| 164.8 | | 35 | 0.1% |
| 164.9 | | 18 | 0.1% |
| 165 | | 120 | 0.4% |
| 165.1 | | 35 | 0.1% |
| 165.2 | | 52 | 0.2% |
| 165.3 | | 45 | 0.2% |
| 165.4 | | 35 | 0.1% |
| 165.5 | | 71 | 0.3% |
| 165.6 | | 33 | 0.1% |
| 165.7 | | 26 | 0.1% |
| 165.8 | | 25 | 0.1% |
| 165.9 | | 21 | 0.1% |
| 166 | | 82 | 0.3% |
| 166.1 | | 20 | 0.1% |
| 166.2 | | 47 | 0.2% |
| 166.3 | | 33 | 0.1% |
| 166.4 | | 28 | 0.1% |
| 166.5 | | 44 | 0.2% |
| 166.6 | | 25 | 0.1% |
| 166.7 | | 28 | 0.1% |
| 166.8 | | 15 | 0.1% |
| 166.9 | | 10 | 0.0% |
| 167 | | 88 | 0.3% |
| 167.1 | | 29 | 0.1% |
| 167.2 | | 36 | 0.1% |
| 167.25 | | 1 | 0.0% |
| 167.3 | | 35 | 0.1% |
| 167.32 | | 1 | 0.0% |
| 167.4 | | 20 | 0.1% |
| 167.5 | | 47 | 0.2% |
| 167.6 | | 29 | 0.1% |
| 167.7 | | 19 | 0.1% |
| 167.78 | | 1 | 0.0% |
| 167.8 | | 23 | 0.1% |
| 167.9 | | 11 | 0.0% |
| 168 | | 70 | 0.3% |
| 168.1 | | 28 | 0.1% |
| 168.2 | | 41 | 0.1% |
| 168.3 | | 25 | 0.1% |

File : RD05-07 ACDIS HIV 2010

HeightCms: Height in Cms

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 168.4 | | 29 | 0.1% |
| 168.5 | | 46 | 0.2% |
| 168.6 | | 20 | 0.1% |
| 168.7 | | 20 | 0.1% |
| 168.8 | | 18 | 0.1% |
| 168.9 | | 19 | 0.1% |
| 169 | | 67 | 0.2% |
| 169.1 | | 24 | 0.1% |
| 169.2 | | 28 | 0.1% |
| 169.3 | | 12 | 0.0% |
| 169.4 | | 17 | 0.1% |
| 169.5 | | 18 | 0.1% |
| 169.6 | | 8 | 0.0% |
| 169.7 | | 7 | 0.0% |
| 169.8 | | 15 | 0.1% |
| 169.9 | | 15 | 0.1% |
| 170 | | 162 | 0.6% |
| 170.1 | | 23 | 0.1% |
| 170.2 | | 24 | 0.1% |
| 170.3 | | 21 | 0.1% |
| 170.4 | | 24 | 0.1% |
| 170.5 | | 33 | 0.1% |
| 170.6 | | 23 | 0.1% |
| 170.7 | | 13 | 0.0% |
| 170.8 | | 11 | 0.0% |
| 170.9 | | 9 | 0.0% |
| 171 | | 57 | 0.2% |
| 171.1 | | 20 | 0.1% |
| 171.2 | | 23 | 0.1% |
| 171.3 | | 25 | 0.1% |
| 171.4 | | 22 | 0.1% |
| 171.5 | | 31 | 0.1% |
| 171.6 | | 19 | 0.1% |
| 171.7 | | 13 | 0.0% |
| 171.8 | | 6 | 0.0% |
| 171.9 | | 10 | 0.0% |
| 172 | | 71 | 0.3% |
| 172.1 | | 23 | 0.1% |
| 172.2 | | 25 | 0.1% |
| 172.3 | | 20 | 0.1% |
| 172.4 | | 20 | 0.1% |
| 172.5 | | 25 | 0.1% |
| 172.6 | | 12 | 0.0% |

File : RD05-07 ACDIS HIV 2010

HeightCms: Height in Cms

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 172.7 | | 12 | 0.0% |
| 172.8 | | 9 | 0.0% |
| 172.9 | | 12 | 0.0% |
| 173 | | 51 | 0.2% |
| 173.1 | | 16 | 0.1% |
| 173.2 | | 18 | 0.1% |
| 173.3 | | 14 | 0.1% |
| 173.4 | | 20 | 0.1% |
| 173.5 | | 20 | 0.1% |
| 173.6 | | 11 | 0.0% |
| 173.7 | | 13 | 0.0% |
| 173.8 | | 7 | 0.0% |
| 173.9 | | 9 | 0.0% |
| 174 | | 48 | 0.2% |
| 174.1 | | 23 | 0.1% |
| 174.2 | | 22 | 0.1% |
| 174.3 | | 19 | 0.1% |
| 174.4 | | 9 | 0.0% |
| 174.5 | | 20 | 0.1% |
| 174.6 | | 18 | 0.1% |
| 174.7 | | 11 | 0.0% |
| 174.8 | | 6 | 0.0% |
| 174.9 | | 7 | 0.0% |
| 175 | | 34 | 0.1% |
| 175.1 | | 9 | 0.0% |
| 175.2 | | 15 | 0.1% |
| 175.3 | | 8 | 0.0% |
| 175.4 | | 14 | 0.1% |
| 175.5 | | 22 | 0.1% |
| 175.6 | | 14 | 0.1% |
| 175.7 | | 9 | 0.0% |
| 175.8 | | 12 | 0.0% |
| 175.9 | | 8 | 0.0% |
| 176 | | 31 | 0.1% |
| 176.1 | | 4 | 0.0% |
| 176.2 | | 7 | 0.0% |
| 176.3 | | 15 | 0.1% |
| 176.4 | | 13 | 0.0% |
| 176.5 | | 14 | 0.1% |
| 176.6 | | 9 | 0.0% |
| 176.7 | | 10 | 0.0% |
| 176.8 | | 11 | 0.0% |
| 176.9 | | 4 | 0.0% |

File : RD05-07 ACDIS HIV 2010

HeightCms: Height in Cms

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 177 | | 40 | 0.1% |
| 177.1 | | 6 | 0.0% |
| 177.2 | | 12 | 0.0% |
| 177.3 | | 6 | 0.0% |
| 177.4 | | 9 | 0.0% |
| 177.5 | | 14 | 0.1% |
| 177.6 | | 3 | 0.0% |
| 177.7 | | 2 | 0.0% |
| 177.8 | | 2 | 0.0% |
| 177.9 | | 3 | 0.0% |
| 178 | | 23 | 0.1% |
| 178.1 | | 6 | 0.0% |
| 178.2 | | 11 | 0.0% |
| 178.3 | | 12 | 0.0% |
| 178.4 | | 7 | 0.0% |
| 178.5 | | 12 | 0.0% |
| 178.6 | | 3 | 0.0% |
| 178.7 | | 4 | 0.0% |
| 178.8 | | 4 | 0.0% |
| 178.9 | | 6 | 0.0% |
| 179 | | 14 | 0.1% |
| 179.1 | | 1 | 0.0% |
| 179.2 | | 12 | 0.0% |
| 179.3 | | 4 | 0.0% |
| 179.4 | | 3 | 0.0% |
| 179.5 | | 2 | 0.0% |
| 179.6 | | 3 | 0.0% |
| 179.8 | | 3 | 0.0% |
| 179.9 | | 3 | 0.0% |
| 180 | | 39 | 0.1% |
| 180.1 | | 2 | 0.0% |
| 180.2 | | 9 | 0.0% |
| 180.3 | | 1 | 0.0% |
| 180.4 | | 3 | 0.0% |
| 180.5 | | 6 | 0.0% |
| 180.6 | | 4 | 0.0% |
| 180.7 | | 4 | 0.0% |
| 180.9 | | 2 | 0.0% |
| 181 | | 14 | 0.1% |
| 181.1 | | 3 | 0.0% |
| 181.2 | | 4 | 0.0% |
| 181.3 | | 3 | 0.0% |
| 181.4 | | 3 | 0.0% |

File : RD05-07 ACDIS HIV 2010

HeightCms: Height in Cms

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 181.5 | | 6 | 0.0% |
| 181.6 | | 2 | 0.0% |
| 181.7 | | 2 | 0.0% |
| 181.8 | | 2 | 0.0% |
| 181.9 | | 2 | 0.0% |
| 182 | | 12 | 0.0% |
| 182.1 | | 3 | 0.0% |
| 182.2 | | 4 | 0.0% |
| 182.3 | | 2 | 0.0% |
| 182.5 | | 3 | 0.0% |
| 182.7 | | 3 | 0.0% |
| 182.8 | | 2 | 0.0% |
| 182.9 | | 1 | 0.0% |
| 183 | | 9 | 0.0% |
| 183.1 | | 1 | 0.0% |
| 183.2 | | 4 | 0.0% |
| 183.3 | | 3 | 0.0% |
| 183.4 | | 2 | 0.0% |
| 183.5 | | 2 | 0.0% |
| 183.7 | | 1 | 0.0% |
| 183.8 | | 1 | 0.0% |
| 183.9 | | 1 | 0.0% |
| 184 | | 5 | 0.0% |
| 184.1 | | 1 | 0.0% |
| 184.2 | | 1 | 0.0% |
| 184.3 | | 3 | 0.0% |
| 184.4 | | 2 | 0.0% |
| 184.5 | | 2 | 0.0% |
| 184.6 | | 4 | 0.0% |
| 184.7 | | 1 | 0.0% |
| 184.8 | | 1 | 0.0% |
| 184.9 | | 2 | 0.0% |
| 185 | | 8 | 0.0% |
| 185.1 | | 1 | 0.0% |
| 185.2 | | 1 | 0.0% |
| 185.3 | | 5 | 0.0% |
| 185.5 | | 5 | 0.0% |
| 185.6 | | 2 | 0.0% |
| 185.7 | | 2 | 0.0% |
| 185.8 | | 2 | 0.0% |
| 185.9 | | 1 | 0.0% |
| 186 | | 3 | 0.0% |
| 186.2 | | 1 | 0.0% |

File : RD05-07 ACDIS HIV 2010

HeightCms: Height in Cms

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 186.3 | | 2 | 0.0% |
| 186.5 | | 1 | 0.0% |
| 186.6 | | 1 | 0.0% |
| 186.7 | | 1 | 0.0% |
| 186.8 | | 1 | 0.0% |
| 187 | | 1 | 0.0% |
| 187.2 | | 1 | 0.0% |
| 187.5 | | 1 | 0.0% |
| 187.6 | | 1 | 0.0% |
| 188 | | 3 | 0.0% |
| 188.1 | | 1 | 0.0% |
| 188.2 | | 1 | 0.0% |
| 188.5 | | 1 | 0.0% |
| 188.9 | | 1 | 0.0% |
| 189.5 | | 1 | 0.0% |
| 191 | | 1 | 0.0% |
| 192.2 | | 1 | 0.0% |
| 194 | | 1 | 0.0% |
| 194.4 | | 1 | 0.0% |
| 195.2 | | 1 | 0.0% |
| 199.1 | | 1 | 0.0% |
| 199.2 | | 1 | 0.0% |
| 990 | SpecialQuery | 0 | |
| 991 | Deprecated | 0 | |
| 992 | Deprecated | 0 | |
| 993 | Refused | 0 | |
| 994 | Query | 0 | |
| 995 | Default | 0 | |
| 996 | Other | 0 | |
| 997 | Not Applicable | 12313 | 44.3% |
| 998 | Don't know | 0 | |
| 999 | Missing | 5741 | 20.6% |
| 1001 | .. | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WeightRefused: Weight Refused

| Value | Label | Cases | Percentage |
|-------|--------------|-------|------------|
| 1 | Yes | 2925 | 10.5% |
| 2 | No | 12661 | 45.5% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |

File : RD05-07 ACDIS HIV 2010

WeightRefused: Weight Refused

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 93 | Refused | 0 | |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 12223 | 44.0% |
| 98 | Don?t know | 0 | |
| 99 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WeightKgs: Weight in Kgs

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 20.3-999] [Missing=*/1001] |
| Statistics [NW/ W] | [Valid=27809 /-] [Invalid=13105 /-] |

| Value | Label | Cases | Percentage |
|-------|----------------|-------|------------|
| 990 | SpecialQuery | | |
| 991 | Deprecated | | |
| 992 | Deprecated | | |
| 993 | Refused | | |
| 994 | Query | | |
| 995 | Default | | |
| 996 | Other | | |
| 997 | Not Applicable | | |
| 998 | Don't know | | |
| 999 | Missing | | |
| 1001 | .. | | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPRefused: BP Refused

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=27809 /-] [Invalid=13105 /-] |

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 1 | Yes | 2733 | 9.8% |
| 2 | No | 12839 | 46.2% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused | 0 | |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 12237 | 44.0% |
| 98 | Don?t know | 0 | |
| 99 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : RD05-07 ACDIS HIV 2010

BPFIRSTSYSTOLIC: BP First Systolic

Information [Type= discrete] [Format=numeric] [Range= 60-999] [Missing=*]

Statistics [NW/ W] [Valid=27809 /-] [Invalid=13105 /-]

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 60 | | 1 | 0.0% |
| 65 | | 2 | 0.0% |
| 67 | | 1 | 0.0% |
| 68 | | 1 | 0.0% |
| 69 | | 1 | 0.0% |
| 70 | | 1 | 0.0% |
| 71 | | 1 | 0.0% |
| 72 | | 3 | 0.0% |
| 73 | | 2 | 0.0% |
| 75 | | 2 | 0.0% |
| 76 | | 1 | 0.0% |
| 79 | | 3 | 0.0% |
| 80 | | 2 | 0.0% |
| 81 | | 6 | 0.0% |
| 82 | | 7 | 0.0% |
| 83 | | 4 | 0.0% |
| 84 | | 14 | 0.1% |
| 85 | | 6 | 0.0% |
| 86 | | 8 | 0.0% |
| 87 | | 15 | 0.1% |
| 88 | | 13 | 0.0% |
| 89 | | 23 | 0.1% |
| 90 | | 26 | 0.1% |
| 91 | | 42 | 0.2% |
| 92 | | 38 | 0.1% |
| 93 | | 40 | 0.1% |
| 94 | | 56 | 0.2% |
| 95 | | 73 | 0.3% |
| 96 | | 67 | 0.2% |
| 97 | | 87 | 0.3% |
| 98 | | 99 | 0.4% |
| 99 | | 109 | 0.4% |
| 100 | | 127 | 0.5% |
| 101 | | 157 | 0.6% |
| 102 | | 138 | 0.5% |
| 103 | | 151 | 0.5% |
| 104 | | 180 | 0.6% |
| 105 | | 226 | 0.8% |
| 106 | | 236 | 0.8% |
| 107 | | 231 | 0.8% |
| 108 | | 240 | 0.9% |

File : RD05-07 ACDIS HIV 2010

BPFIRSTSYSTOLIC: BP First Systolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 109 | | 218 | 0.8% |
| 110 | | 279 | 1.0% |
| 111 | | 267 | 1.0% |
| 112 | | 265 | 1.0% |
| 113 | | 262 | 0.9% |
| 114 | | 242 | 0.9% |
| 115 | | 266 | 1.0% |
| 116 | | 271 | 1.0% |
| 117 | | 263 | 0.9% |
| 118 | | 291 | 1.0% |
| 119 | | 278 | 1.0% |
| 120 | | 260 | 0.9% |
| 121 | | 282 | 1.0% |
| 122 | | 220 | 0.8% |
| 123 | | 242 | 0.9% |
| 124 | | 222 | 0.8% |
| 125 | | 198 | 0.7% |
| 126 | | 223 | 0.8% |
| 127 | | 184 | 0.7% |
| 128 | | 203 | 0.7% |
| 129 | | 210 | 0.8% |
| 130 | | 189 | 0.7% |
| 131 | | 156 | 0.6% |
| 132 | | 154 | 0.6% |
| 133 | | 151 | 0.5% |
| 134 | | 141 | 0.5% |
| 135 | | 151 | 0.5% |
| 136 | | 116 | 0.4% |
| 137 | | 121 | 0.4% |
| 138 | | 120 | 0.4% |
| 139 | | 123 | 0.4% |
| 140 | | 133 | 0.5% |
| 141 | | 115 | 0.4% |
| 142 | | 118 | 0.4% |
| 143 | | 97 | 0.3% |
| 144 | | 93 | 0.3% |
| 145 | | 93 | 0.3% |
| 146 | | 88 | 0.3% |
| 147 | | 54 | 0.2% |
| 148 | | 78 | 0.3% |
| 149 | | 78 | 0.3% |
| 150 | | 71 | 0.3% |
| 151 | | 78 | 0.3% |

File : RD05-07 ACDIS HIV 2010

BPFIRSTSystolic: BP First Systolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 152 | | 76 | 0.3% |
| 153 | | 67 | 0.2% |
| 154 | | 60 | 0.2% |
| 155 | | 70 | 0.3% |
| 156 | | 71 | 0.3% |
| 157 | | 55 | 0.2% |
| 158 | | 44 | 0.2% |
| 159 | | 54 | 0.2% |
| 160 | | 51 | 0.2% |
| 161 | | 33 | 0.1% |
| 162 | | 45 | 0.2% |
| 163 | | 39 | 0.1% |
| 164 | | 31 | 0.1% |
| 165 | | 26 | 0.1% |
| 166 | | 40 | 0.1% |
| 167 | | 40 | 0.1% |
| 168 | | 31 | 0.1% |
| 169 | | 46 | 0.2% |
| 170 | | 34 | 0.1% |
| 171 | | 30 | 0.1% |
| 172 | | 34 | 0.1% |
| 173 | | 35 | 0.1% |
| 174 | | 34 | 0.1% |
| 175 | | 23 | 0.1% |
| 176 | | 31 | 0.1% |
| 177 | | 21 | 0.1% |
| 178 | | 31 | 0.1% |
| 179 | | 20 | 0.1% |
| 180 | | 26 | 0.1% |
| 181 | | 21 | 0.1% |
| 182 | | 19 | 0.1% |
| 183 | | 24 | 0.1% |
| 184 | | 19 | 0.1% |
| 185 | | 19 | 0.1% |
| 186 | | 25 | 0.1% |
| 187 | | 18 | 0.1% |
| 188 | | 19 | 0.1% |
| 189 | | 28 | 0.1% |
| 190 | | 13 | 0.0% |
| 191 | | 7 | 0.0% |
| 192 | | 20 | 0.1% |
| 193 | | 12 | 0.0% |
| 194 | | 13 | 0.0% |

File : RD05-07 ACDIS HIV 2010

BPFIRSTSYSTOLIC: BP First Systolic

| Value | Label | Cases | Percentage |
|-------|--------------|-------|------------|
| 195 | | 12 | 0.0% |
| 196 | | 15 | 0.1% |
| 197 | | 11 | 0.0% |
| 198 | | 10 | 0.0% |
| 199 | | 12 | 0.0% |
| 200 | | 13 | 0.0% |
| 201 | | 16 | 0.1% |
| 202 | | 7 | 0.0% |
| 203 | | 10 | 0.0% |
| 204 | | 12 | 0.0% |
| 205 | | 13 | 0.0% |
| 206 | | 5 | 0.0% |
| 207 | | 7 | 0.0% |
| 208 | | 16 | 0.1% |
| 209 | | 9 | 0.0% |
| 210 | | 11 | 0.0% |
| 211 | | 7 | 0.0% |
| 212 | | 8 | 0.0% |
| 213 | | 8 | 0.0% |
| 214 | | 3 | 0.0% |
| 215 | | 4 | 0.0% |
| 216 | | 6 | 0.0% |
| 217 | | 3 | 0.0% |
| 218 | | 3 | 0.0% |
| 219 | | 7 | 0.0% |
| 220 | | 4 | 0.0% |
| 221 | | 2 | 0.0% |
| 222 | | 7 | 0.0% |
| 223 | | 4 | 0.0% |
| 224 | | 3 | 0.0% |
| 225 | | 3 | 0.0% |
| 226 | | 2 | 0.0% |
| 227 | | 4 | 0.0% |
| 228 | | 2 | 0.0% |
| 229 | | 1 | 0.0% |
| 232 | | 2 | 0.0% |
| 233 | | 3 | 0.0% |
| 236 | | 1 | 0.0% |
| 245 | | 1 | 0.0% |
| 258 | | 1 | 0.0% |
| 990 | SpecialQuery | 0 | |
| 991 | Deprecated | 0 | |
| 992 | Deprecated | 0 | |

File : RD05-07 ACDIS HIV 2010

BPFIRSTSYSTOLIC: BP First Systolic

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 993 | Refused | 0 | |
| 994 | Query | 0 | |
| 995 | Default | 0 | |
| 996 | Other | 0 | |
| 997 | Not Applicable | 15982 | 57.5% |
| 998 | Don't know | 0 | |
| 999 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPFIRSTDIASTOLIC: BP First Diastolic

Information [Type= discrete] [Format=numeric] [Range= 37-999] [Missing=*]

Statistics [NW/ W] [Valid=27809 /-] [Invalid=13105 /-]

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 37 | | 1 | 0.0% |
| 38 | | 1 | 0.0% |
| 39 | | 1 | 0.0% |
| 40 | | 1 | 0.0% |
| 41 | | 4 | 0.0% |
| 43 | | 1 | 0.0% |
| 44 | | 2 | 0.0% |
| 45 | | 2 | 0.0% |
| 46 | | 2 | 0.0% |
| 47 | | 1 | 0.0% |
| 48 | | 8 | 0.0% |
| 49 | | 7 | 0.0% |
| 50 | | 9 | 0.0% |
| 51 | | 7 | 0.0% |
| 52 | | 15 | 0.1% |
| 53 | | 19 | 0.1% |
| 54 | | 17 | 0.1% |
| 55 | | 31 | 0.1% |
| 56 | | 32 | 0.1% |
| 57 | | 46 | 0.2% |
| 58 | | 46 | 0.2% |
| 59 | | 65 | 0.2% |
| 60 | | 91 | 0.3% |
| 61 | | 88 | 0.3% |
| 62 | | 127 | 0.5% |
| 63 | | 150 | 0.5% |
| 64 | | 171 | 0.6% |
| 65 | | 179 | 0.6% |
| 66 | | 235 | 0.8% |
| 67 | | 229 | 0.8% |

File : RD05-07 ACDIS HIV 2010

BPFIRSTDIASTOLIC: BP First Diastolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 68 | | 261 | 0.9% |
| 69 | | 287 | 1.0% |
| 70 | | 307 | 1.1% |
| 71 | | 271 | 1.0% |
| 72 | | 344 | 1.2% |
| 73 | | 332 | 1.2% |
| 74 | | 358 | 1.3% |
| 75 | | 325 | 1.2% |
| 76 | | 369 | 1.3% |
| 77 | | 390 | 1.4% |
| 78 | | 341 | 1.2% |
| 79 | | 355 | 1.3% |
| 80 | | 389 | 1.4% |
| 81 | | 339 | 1.2% |
| 82 | | 331 | 1.2% |
| 83 | | 326 | 1.2% |
| 84 | | 295 | 1.1% |
| 85 | | 299 | 1.1% |
| 86 | | 271 | 1.0% |
| 87 | | 274 | 1.0% |
| 88 | | 248 | 0.9% |
| 89 | | 257 | 0.9% |
| 90 | | 215 | 0.8% |
| 91 | | 218 | 0.8% |
| 92 | | 217 | 0.8% |
| 93 | | 195 | 0.7% |
| 94 | | 182 | 0.7% |
| 95 | | 170 | 0.6% |
| 96 | | 145 | 0.5% |
| 97 | | 136 | 0.5% |
| 98 | | 145 | 0.5% |
| 99 | | 120 | 0.4% |
| 100 | | 123 | 0.4% |
| 101 | | 117 | 0.4% |
| 102 | | 108 | 0.4% |
| 103 | | 94 | 0.3% |
| 104 | | 93 | 0.3% |
| 105 | | 66 | 0.2% |
| 106 | | 65 | 0.2% |
| 107 | | 76 | 0.3% |
| 108 | | 73 | 0.3% |
| 109 | | 60 | 0.2% |
| 110 | | 59 | 0.2% |

File : RD05-07 ACDIS HIV 2010

BPFfirstDiastolic: BP First Diastolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 111 | | 51 | 0.2% |
| 112 | | 47 | 0.2% |
| 113 | | 33 | 0.1% |
| 114 | | 40 | 0.1% |
| 115 | | 39 | 0.1% |
| 116 | | 50 | 0.2% |
| 117 | | 29 | 0.1% |
| 118 | | 32 | 0.1% |
| 119 | | 25 | 0.1% |
| 120 | | 25 | 0.1% |
| 121 | | 28 | 0.1% |
| 122 | | 18 | 0.1% |
| 123 | | 13 | 0.0% |
| 124 | | 19 | 0.1% |
| 125 | | 11 | 0.0% |
| 126 | | 13 | 0.0% |
| 127 | | 10 | 0.0% |
| 128 | | 13 | 0.0% |
| 129 | | 12 | 0.0% |
| 130 | | 7 | 0.0% |
| 131 | | 12 | 0.0% |
| 132 | | 4 | 0.0% |
| 133 | | 6 | 0.0% |
| 134 | | 2 | 0.0% |
| 135 | | 2 | 0.0% |
| 136 | | 6 | 0.0% |
| 137 | | 9 | 0.0% |
| 138 | | 2 | 0.0% |
| 139 | | 4 | 0.0% |
| 140 | | 3 | 0.0% |
| 141 | | 2 | 0.0% |
| 142 | | 1 | 0.0% |
| 143 | | 2 | 0.0% |
| 144 | | 3 | 0.0% |
| 145 | | 2 | 0.0% |
| 147 | | 1 | 0.0% |
| 148 | | 1 | 0.0% |
| 149 | | 1 | 0.0% |
| 150 | | 2 | 0.0% |
| 151 | | 1 | 0.0% |
| 152 | | 1 | 0.0% |
| 156 | | 1 | 0.0% |
| 159 | | 1 | 0.0% |

File : RD05-07 ACDIS HIV 2010

BPFIRSTDIASTOLIC: BP First Diastolic

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 169 | | 1 | 0.0% |
| 173 | | 1 | 0.0% |
| 174 | | 1 | 0.0% |
| 181 | | 1 | 0.0% |
| 185 | | 1 | 0.0% |
| 186 | | 1 | 0.0% |
| 191 | | 1 | 0.0% |
| 192 | | 1 | 0.0% |
| 990 | SpecialQuery | 0 | |
| 991 | Deprecated | 0 | |
| 992 | Deprecated | 0 | |
| 993 | Refused | 0 | |
| 994 | Query | 0 | |
| 995 | Default | 0 | |
| 996 | Other | 0 | |
| 997 | Not Applicable | 15983 | 57.5% |
| 998 | Don't know | 0 | |
| 999 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FirstPulse: First Pulse

Information [Type= discrete] [Format=numeric] [Range= 32-999] [Missing=*]

Statistics [NW/ W] [Valid=27809 /-] [Invalid=13105 /-]

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 32 | | 1 | 0.0% |
| 33 | | 1 | 0.0% |
| 34 | | 2 | 0.0% |
| 37 | | 1 | 0.0% |
| 38 | | 1 | 0.0% |
| 40 | | 1 | 0.0% |
| 41 | | 1 | 0.0% |
| 42 | | 4 | 0.0% |
| 43 | | 7 | 0.0% |
| 44 | | 6 | 0.0% |
| 45 | | 5 | 0.0% |
| 46 | | 8 | 0.0% |
| 47 | | 11 | 0.0% |
| 48 | | 27 | 0.1% |
| 49 | | 16 | 0.1% |
| 50 | | 25 | 0.1% |
| 51 | | 45 | 0.2% |
| 52 | | 41 | 0.1% |
| 53 | | 68 | 0.2% |

File : RD05-07 ACDIS HIV 2010

FirstPulse: First Pulse

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 54 | | 64 | 0.2% |
| 55 | | 76 | 0.3% |
| 56 | | 100 | 0.4% |
| 57 | | 133 | 0.5% |
| 58 | | 105 | 0.4% |
| 59 | | 154 | 0.6% |
| 60 | | 168 | 0.6% |
| 61 | | 175 | 0.6% |
| 62 | | 190 | 0.7% |
| 63 | | 224 | 0.8% |
| 64 | | 236 | 0.8% |
| 65 | | 288 | 1.0% |
| 66 | | 267 | 1.0% |
| 67 | | 283 | 1.0% |
| 68 | | 283 | 1.0% |
| 69 | | 354 | 1.3% |
| 70 | | 350 | 1.3% |
| 71 | | 341 | 1.2% |
| 72 | | 361 | 1.3% |
| 73 | | 345 | 1.2% |
| 74 | | 405 | 1.5% |
| 75 | | 363 | 1.3% |
| 76 | | 355 | 1.3% |
| 77 | | 372 | 1.3% |
| 78 | | 367 | 1.3% |
| 79 | | 387 | 1.4% |
| 80 | | 332 | 1.2% |
| 81 | | 379 | 1.4% |
| 82 | | 285 | 1.0% |
| 83 | | 313 | 1.1% |
| 84 | | 295 | 1.1% |
| 85 | | 317 | 1.1% |
| 86 | | 243 | 0.9% |
| 87 | | 240 | 0.9% |
| 88 | | 243 | 0.9% |
| 89 | | 234 | 0.8% |
| 90 | | 186 | 0.7% |
| 91 | | 140 | 0.5% |
| 92 | | 162 | 0.6% |
| 93 | | 159 | 0.6% |
| 94 | | 137 | 0.5% |
| 95 | | 120 | 0.4% |
| 96 | | 124 | 0.4% |

File : RD05-07 ACDIS HIV 2010

FirstPulse: First Pulse

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 97 | | 94 | 0.3% |
| 98 | | 124 | 0.4% |
| 99 | | 67 | 0.2% |
| 100 | | 72 | 0.3% |
| 101 | | 77 | 0.3% |
| 102 | | 52 | 0.2% |
| 103 | | 61 | 0.2% |
| 104 | | 37 | 0.1% |
| 105 | | 35 | 0.1% |
| 106 | | 41 | 0.1% |
| 107 | | 27 | 0.1% |
| 108 | | 11 | 0.0% |
| 109 | | 34 | 0.1% |
| 110 | | 17 | 0.1% |
| 111 | | 20 | 0.1% |
| 112 | | 13 | 0.0% |
| 113 | | 17 | 0.1% |
| 114 | | 10 | 0.0% |
| 115 | | 12 | 0.0% |
| 116 | | 7 | 0.0% |
| 117 | | 8 | 0.0% |
| 118 | | 5 | 0.0% |
| 119 | | 8 | 0.0% |
| 120 | | 10 | 0.0% |
| 121 | | 4 | 0.0% |
| 122 | | 3 | 0.0% |
| 123 | | 2 | 0.0% |
| 124 | | 2 | 0.0% |
| 125 | | 1 | 0.0% |
| 126 | | 4 | 0.0% |
| 127 | | 3 | 0.0% |
| 128 | | 2 | 0.0% |
| 129 | | 2 | 0.0% |
| 130 | | 2 | 0.0% |
| 131 | | 1 | 0.0% |
| 132 | | 1 | 0.0% |
| 133 | | 2 | 0.0% |
| 138 | | 1 | 0.0% |
| 140 | | 1 | 0.0% |
| 142 | | 2 | 0.0% |
| 148 | | 1 | 0.0% |
| 150 | | 1 | 0.0% |
| 151 | | 1 | 0.0% |

File : RD05-07 ACDIS HIV 2010

FirstPulse: First Pulse

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 165 | | 1 | 0.0% |
| 171 | | 1 | 0.0% |
| 181 | | 2 | 0.0% |
| 184 | | 1 | 0.0% |
| 990 | SpecialQuery | 0 | |
| 991 | Deprecated | 0 | |
| 992 | Deprecated | 0 | |
| 993 | Refused | 0 | |
| 994 | Query | 0 | |
| 995 | Default | 0 | |
| 996 | Other | 0 | |
| 997 | Not Applicable | 15983 | 57.5% |
| 998 | Don't know | 0 | |
| 999 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPSecondSystolic: BP Second Systolic

Information [Type= discrete] [Format=numeric] [Range= 56-999] [Missing=*]

Statistics [NW/ W] [Valid=27809 /-] [Invalid=13105 /-]

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 56 | | 1 | 0.0% |
| 61 | | 1 | 0.0% |
| 64 | | 2 | 0.0% |
| 69 | | 1 | 0.0% |
| 72 | | 1 | 0.0% |
| 73 | | 3 | 0.0% |
| 75 | | 4 | 0.0% |
| 76 | | 5 | 0.0% |
| 77 | | 1 | 0.0% |
| 78 | | 2 | 0.0% |
| 79 | | 1 | 0.0% |
| 80 | | 5 | 0.0% |
| 81 | | 1 | 0.0% |
| 82 | | 5 | 0.0% |
| 83 | | 2 | 0.0% |
| 84 | | 13 | 0.0% |
| 85 | | 22 | 0.1% |
| 86 | | 13 | 0.0% |
| 87 | | 16 | 0.1% |
| 88 | | 26 | 0.1% |
| 89 | | 33 | 0.1% |
| 90 | | 33 | 0.1% |
| 91 | | 44 | 0.2% |

File : RD05-07 ACDIS HIV 2010

BPSecondSystolic: BP Second Systolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 92 | | 56 | 0.2% |
| 93 | | 54 | 0.2% |
| 94 | | 80 | 0.3% |
| 95 | | 89 | 0.3% |
| 96 | | 83 | 0.3% |
| 97 | | 99 | 0.4% |
| 98 | | 138 | 0.5% |
| 99 | | 127 | 0.5% |
| 100 | | 174 | 0.6% |
| 101 | | 171 | 0.6% |
| 102 | | 189 | 0.7% |
| 103 | | 223 | 0.8% |
| 104 | | 250 | 0.9% |
| 105 | | 265 | 1.0% |
| 106 | | 248 | 0.9% |
| 107 | | 252 | 0.9% |
| 108 | | 275 | 1.0% |
| 109 | | 279 | 1.0% |
| 110 | | 288 | 1.0% |
| 111 | | 284 | 1.0% |
| 112 | | 289 | 1.0% |
| 113 | | 283 | 1.0% |
| 114 | | 282 | 1.0% |
| 115 | | 283 | 1.0% |
| 116 | | 281 | 1.0% |
| 117 | | 271 | 1.0% |
| 118 | | 303 | 1.1% |
| 119 | | 272 | 1.0% |
| 120 | | 272 | 1.0% |
| 121 | | 246 | 0.9% |
| 122 | | 239 | 0.9% |
| 123 | | 223 | 0.8% |
| 124 | | 202 | 0.7% |
| 125 | | 178 | 0.6% |
| 126 | | 185 | 0.7% |
| 127 | | 208 | 0.7% |
| 128 | | 172 | 0.6% |
| 129 | | 176 | 0.6% |
| 130 | | 161 | 0.6% |
| 131 | | 148 | 0.5% |
| 132 | | 128 | 0.5% |
| 133 | | 151 | 0.5% |
| 134 | | 104 | 0.4% |

File : RD05-07 ACDIS HIV 2010

BPSecondSystolic: BP Second Systolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 135 | | 142 | 0.5% |
| 136 | | 110 | 0.4% |
| 137 | | 107 | 0.4% |
| 138 | | 98 | 0.4% |
| 139 | | 107 | 0.4% |
| 140 | | 104 | 0.4% |
| 141 | | 93 | 0.3% |
| 142 | | 98 | 0.4% |
| 143 | | 80 | 0.3% |
| 144 | | 66 | 0.2% |
| 145 | | 89 | 0.3% |
| 146 | | 64 | 0.2% |
| 147 | | 69 | 0.2% |
| 148 | | 64 | 0.2% |
| 149 | | 56 | 0.2% |
| 150 | | 63 | 0.2% |
| 151 | | 58 | 0.2% |
| 152 | | 65 | 0.2% |
| 153 | | 59 | 0.2% |
| 154 | | 60 | 0.2% |
| 155 | | 47 | 0.2% |
| 156 | | 51 | 0.2% |
| 157 | | 51 | 0.2% |
| 158 | | 40 | 0.1% |
| 159 | | 50 | 0.2% |
| 160 | | 47 | 0.2% |
| 161 | | 41 | 0.1% |
| 162 | | 35 | 0.1% |
| 163 | | 37 | 0.1% |
| 164 | | 32 | 0.1% |
| 165 | | 42 | 0.2% |
| 166 | | 37 | 0.1% |
| 167 | | 28 | 0.1% |
| 168 | | 27 | 0.1% |
| 169 | | 23 | 0.1% |
| 170 | | 30 | 0.1% |
| 171 | | 23 | 0.1% |
| 172 | | 30 | 0.1% |
| 173 | | 16 | 0.1% |
| 174 | | 23 | 0.1% |
| 175 | | 22 | 0.1% |
| 176 | | 16 | 0.1% |
| 177 | | 24 | 0.1% |

File : RD05-07 ACDIS HIV 2010

BPSecondSystolic: BP Second Systolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 178 | | 20 | 0.1% |
| 179 | | 25 | 0.1% |
| 180 | | 19 | 0.1% |
| 181 | | 13 | 0.0% |
| 182 | | 22 | 0.1% |
| 183 | | 25 | 0.1% |
| 184 | | 10 | 0.0% |
| 185 | | 21 | 0.1% |
| 186 | | 16 | 0.1% |
| 187 | | 16 | 0.1% |
| 188 | | 21 | 0.1% |
| 189 | | 12 | 0.0% |
| 190 | | 7 | 0.0% |
| 191 | | 12 | 0.0% |
| 192 | | 11 | 0.0% |
| 193 | | 10 | 0.0% |
| 194 | | 14 | 0.1% |
| 195 | | 9 | 0.0% |
| 196 | | 15 | 0.1% |
| 197 | | 15 | 0.1% |
| 198 | | 9 | 0.0% |
| 199 | | 7 | 0.0% |
| 200 | | 6 | 0.0% |
| 201 | | 12 | 0.0% |
| 202 | | 9 | 0.0% |
| 203 | | 8 | 0.0% |
| 204 | | 12 | 0.0% |
| 205 | | 9 | 0.0% |
| 206 | | 8 | 0.0% |
| 207 | | 10 | 0.0% |
| 208 | | 6 | 0.0% |
| 209 | | 3 | 0.0% |
| 210 | | 6 | 0.0% |
| 211 | | 8 | 0.0% |
| 212 | | 8 | 0.0% |
| 213 | | 1 | 0.0% |
| 214 | | 7 | 0.0% |
| 215 | | 4 | 0.0% |
| 216 | | 2 | 0.0% |
| 217 | | 4 | 0.0% |
| 218 | | 4 | 0.0% |
| 219 | | 2 | 0.0% |
| 220 | | 4 | 0.0% |

File : RD05-07 ACDIS HIV 2010

BPSecondSystolic: BP Second Systolic

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 221 | | 2 | 0.0% |
| 222 | | 3 | 0.0% |
| 223 | | 4 | 0.0% |
| 226 | | 2 | 0.0% |
| 230 | | 2 | 0.0% |
| 233 | | 1 | 0.0% |
| 235 | | 1 | 0.0% |
| 236 | | 1 | 0.0% |
| 241 | | 1 | 0.0% |
| 990 | SpecialQuery | 0 | |
| 991 | Deprecated | 0 | |
| 992 | Deprecated | 0 | |
| 993 | Refused | 0 | |
| 994 | Query | 0 | |
| 995 | Default | 0 | |
| 996 | Other | 0 | |
| 997 | Not Applicable | 15990 | 57.5% |
| 998 | Don't know | 0 | |
| 999 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPSecondDiastolic: BP Second Diastolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 31 | | 1 | 0.0% |
| 34 | | 1 | 0.0% |
| 37 | | 2 | 0.0% |
| 41 | | 1 | 0.0% |
| 42 | | 4 | 0.0% |
| 44 | | 2 | 0.0% |
| 45 | | 5 | 0.0% |
| 46 | | 2 | 0.0% |
| 47 | | 6 | 0.0% |
| 48 | | 4 | 0.0% |
| 49 | | 5 | 0.0% |
| 50 | | 12 | 0.0% |
| 51 | | 15 | 0.1% |
| 52 | | 12 | 0.0% |
| 53 | | 21 | 0.1% |
| 54 | | 26 | 0.1% |
| 55 | | 27 | 0.1% |
| 56 | | 36 | 0.1% |

File : RD05-07 ACDIS HIV 2010

BPSecondDiastolic: BP Second Diastolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 57 | | 73 | 0.3% |
| 58 | | 67 | 0.2% |
| 59 | | 73 | 0.3% |
| 60 | | 100 | 0.4% |
| 61 | | 119 | 0.4% |
| 62 | | 129 | 0.5% |
| 63 | | 166 | 0.6% |
| 64 | | 212 | 0.8% |
| 65 | | 216 | 0.8% |
| 66 | | 227 | 0.8% |
| 67 | | 257 | 0.9% |
| 68 | | 273 | 1.0% |
| 69 | | 325 | 1.2% |
| 70 | | 337 | 1.2% |
| 71 | | 317 | 1.1% |
| 72 | | 344 | 1.2% |
| 73 | | 337 | 1.2% |
| 74 | | 379 | 1.4% |
| 75 | | 396 | 1.4% |
| 76 | | 377 | 1.4% |
| 77 | | 389 | 1.4% |
| 78 | | 384 | 1.4% |
| 79 | | 356 | 1.3% |
| 80 | | 379 | 1.4% |
| 81 | | 359 | 1.3% |
| 82 | | 351 | 1.3% |
| 83 | | 303 | 1.1% |
| 84 | | 281 | 1.0% |
| 85 | | 254 | 0.9% |
| 86 | | 249 | 0.9% |
| 87 | | 279 | 1.0% |
| 88 | | 247 | 0.9% |
| 89 | | 249 | 0.9% |
| 90 | | 228 | 0.8% |
| 91 | | 178 | 0.6% |
| 92 | | 202 | 0.7% |
| 93 | | 155 | 0.6% |
| 94 | | 173 | 0.6% |
| 95 | | 155 | 0.6% |
| 96 | | 145 | 0.5% |
| 97 | | 116 | 0.4% |
| 98 | | 143 | 0.5% |
| 99 | | 115 | 0.4% |

File : RD05-07 ACDIS HIV 2010

BPSecondDiastolic: BP Second Diastolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 100 | | 99 | 0.4% |
| 101 | | 93 | 0.3% |
| 102 | | 87 | 0.3% |
| 103 | | 87 | 0.3% |
| 104 | | 63 | 0.2% |
| 105 | | 72 | 0.3% |
| 106 | | 61 | 0.2% |
| 107 | | 60 | 0.2% |
| 108 | | 51 | 0.2% |
| 109 | | 63 | 0.2% |
| 110 | | 47 | 0.2% |
| 111 | | 46 | 0.2% |
| 112 | | 43 | 0.2% |
| 113 | | 38 | 0.1% |
| 114 | | 30 | 0.1% |
| 115 | | 20 | 0.1% |
| 116 | | 21 | 0.1% |
| 117 | | 33 | 0.1% |
| 118 | | 15 | 0.1% |
| 119 | | 18 | 0.1% |
| 120 | | 21 | 0.1% |
| 121 | | 21 | 0.1% |
| 122 | | 17 | 0.1% |
| 123 | | 17 | 0.1% |
| 124 | | 12 | 0.0% |
| 125 | | 7 | 0.0% |
| 126 | | 8 | 0.0% |
| 127 | | 9 | 0.0% |
| 128 | | 6 | 0.0% |
| 129 | | 6 | 0.0% |
| 130 | | 4 | 0.0% |
| 131 | | 6 | 0.0% |
| 132 | | 1 | 0.0% |
| 133 | | 5 | 0.0% |
| 134 | | 1 | 0.0% |
| 135 | | 3 | 0.0% |
| 136 | | 2 | 0.0% |
| 137 | | 2 | 0.0% |
| 138 | | 1 | 0.0% |
| 139 | | 3 | 0.0% |
| 140 | | 2 | 0.0% |
| 141 | | 1 | 0.0% |
| 142 | | 2 | 0.0% |

File : RD05-07 ACDIS HIV 2010

BPSecondDiastolic: BP Second Diastolic

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 143 | | 1 | 0.0% |
| 144 | | 2 | 0.0% |
| 146 | | 1 | 0.0% |
| 147 | | 1 | 0.0% |
| 149 | | 1 | 0.0% |
| 151 | | 2 | 0.0% |
| 154 | | 2 | 0.0% |
| 155 | | 1 | 0.0% |
| 160 | | 1 | 0.0% |
| 161 | | 1 | 0.0% |
| 165 | | 1 | 0.0% |
| 168 | | 1 | 0.0% |
| 170 | | 1 | 0.0% |
| 174 | | 1 | 0.0% |
| 181 | | 1 | 0.0% |
| 194 | | 1 | 0.0% |
| 990 | SpecialQuery | 0 | |
| 991 | Deprecated | 0 | |
| 992 | Deprecated | 0 | |
| 993 | Refused | 0 | |
| 994 | Query | 0 | |
| 995 | Default | 0 | |
| 996 | Other | 0 | |
| 997 | Not Applicable | 15990 | 57.5% |
| 998 | Don't know | 0 | |
| 999 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SecondPulse: Second Pulse

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 30 | | 1 | 0.0% |
| 36 | | 1 | 0.0% |
| 40 | | 2 | 0.0% |
| 41 | | 2 | 0.0% |
| 42 | | 2 | 0.0% |
| 43 | | 3 | 0.0% |
| 44 | | 3 | 0.0% |
| 45 | | 10 | 0.0% |
| 46 | | 4 | 0.0% |
| 47 | | 13 | 0.0% |
| 48 | | 24 | 0.1% |

File : RD05-07 ACDIS HIV 2010

SecondPulse: Second Pulse

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 49 | | 35 | 0.1% |
| 50 | | 30 | 0.1% |
| 51 | | 38 | 0.1% |
| 52 | | 41 | 0.1% |
| 53 | | 55 | 0.2% |
| 54 | | 86 | 0.3% |
| 55 | | 69 | 0.2% |
| 56 | | 94 | 0.3% |
| 57 | | 118 | 0.4% |
| 58 | | 116 | 0.4% |
| 59 | | 166 | 0.6% |
| 60 | | 154 | 0.6% |
| 61 | | 168 | 0.6% |
| 62 | | 209 | 0.8% |
| 63 | | 235 | 0.8% |
| 64 | | 290 | 1.0% |
| 65 | | 276 | 1.0% |
| 66 | | 257 | 0.9% |
| 67 | | 286 | 1.0% |
| 68 | | 287 | 1.0% |
| 69 | | 358 | 1.3% |
| 70 | | 356 | 1.3% |
| 71 | | 361 | 1.3% |
| 72 | | 375 | 1.3% |
| 73 | | 317 | 1.1% |
| 74 | | 390 | 1.4% |
| 75 | | 334 | 1.2% |
| 76 | | 389 | 1.4% |
| 77 | | 353 | 1.3% |
| 78 | | 367 | 1.3% |
| 79 | | 399 | 1.4% |
| 80 | | 381 | 1.4% |
| 81 | | 373 | 1.3% |
| 82 | | 267 | 1.0% |
| 83 | | 317 | 1.1% |
| 84 | | 312 | 1.1% |
| 85 | | 264 | 0.9% |
| 86 | | 250 | 0.9% |
| 87 | | 271 | 1.0% |
| 88 | | 228 | 0.8% |
| 89 | | 219 | 0.8% |
| 90 | | 201 | 0.7% |
| 91 | | 179 | 0.6% |

File : RD05-07 ACDIS HIV 2010

SecondPulse: Second Pulse

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 92 | | 149 | 0.5% |
| 93 | | 151 | 0.5% |
| 94 | | 103 | 0.4% |
| 95 | | 112 | 0.4% |
| 96 | | 115 | 0.4% |
| 97 | | 73 | 0.3% |
| 98 | | 115 | 0.4% |
| 99 | | 85 | 0.3% |
| 100 | | 75 | 0.3% |
| 101 | | 72 | 0.3% |
| 102 | | 49 | 0.2% |
| 103 | | 59 | 0.2% |
| 104 | | 33 | 0.1% |
| 105 | | 51 | 0.2% |
| 106 | | 33 | 0.1% |
| 107 | | 37 | 0.1% |
| 108 | | 14 | 0.1% |
| 109 | | 33 | 0.1% |
| 110 | | 12 | 0.0% |
| 111 | | 11 | 0.0% |
| 112 | | 11 | 0.0% |
| 113 | | 10 | 0.0% |
| 114 | | 6 | 0.0% |
| 115 | | 11 | 0.0% |
| 116 | | 8 | 0.0% |
| 117 | | 5 | 0.0% |
| 118 | | 4 | 0.0% |
| 119 | | 4 | 0.0% |
| 120 | | 3 | 0.0% |
| 121 | | 7 | 0.0% |
| 122 | | 3 | 0.0% |
| 123 | | 4 | 0.0% |
| 124 | | 4 | 0.0% |
| 125 | | 2 | 0.0% |
| 127 | | 2 | 0.0% |
| 128 | | 1 | 0.0% |
| 130 | | 4 | 0.0% |
| 132 | | 1 | 0.0% |
| 134 | | 2 | 0.0% |
| 135 | | 1 | 0.0% |
| 142 | | 1 | 0.0% |
| 143 | | 1 | 0.0% |
| 144 | | 1 | 0.0% |

File : RD05-07 ACDIS HIV 2010

SecondPulse: Second Pulse

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 152 | | 1 | 0.0% |
| 161 | | 1 | 0.0% |
| 171 | | 1 | 0.0% |
| 181 | | 1 | 0.0% |
| 990 | SpecialQuery | 0 | |
| 991 | Deprecated | 0 | |
| 992 | Deprecated | 0 | |
| 993 | Refused | 0 | |
| 994 | Query | 0 | |
| 995 | Default | 0 | |
| 996 | Other | 0 | |
| 997 | Not Applicable | 15991 | 57.5% |
| 998 | Don't know | 0 | |
| 999 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPThirdSystolic: BP Third Systolic

Information [Type= discrete] [Format=numeric] [Range= 55-999] [Missing=*]

Statistics [NW/ W] [Valid=27809 /-] [Invalid=13105 /-]

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 55 | | 1 | 0.0% |
| 57 | | 2 | 0.0% |
| 62 | | 1 | 0.0% |
| 64 | | 1 | 0.0% |
| 65 | | 1 | 0.0% |
| 66 | | 1 | 0.0% |
| 67 | | 1 | 0.0% |
| 72 | | 1 | 0.0% |
| 73 | | 1 | 0.0% |
| 75 | | 3 | 0.0% |
| 77 | | 4 | 0.0% |
| 78 | | 2 | 0.0% |
| 79 | | 5 | 0.0% |
| 80 | | 6 | 0.0% |
| 81 | | 4 | 0.0% |
| 82 | | 2 | 0.0% |
| 83 | | 13 | 0.0% |
| 84 | | 11 | 0.0% |
| 85 | | 13 | 0.0% |
| 86 | | 16 | 0.1% |
| 87 | | 21 | 0.1% |
| 88 | | 24 | 0.1% |
| 89 | | 32 | 0.1% |

File : RD05-07 ACDIS HIV 2010

BPThirdSystolic: BP Third Systolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 90 | | 44 | 0.2% |
| 91 | | 44 | 0.2% |
| 92 | | 61 | 0.2% |
| 93 | | 74 | 0.3% |
| 94 | | 94 | 0.3% |
| 95 | | 113 | 0.4% |
| 96 | | 113 | 0.4% |
| 97 | | 103 | 0.4% |
| 98 | | 142 | 0.5% |
| 99 | | 155 | 0.6% |
| 100 | | 195 | 0.7% |
| 101 | | 204 | 0.7% |
| 102 | | 201 | 0.7% |
| 103 | | 220 | 0.8% |
| 104 | | 247 | 0.9% |
| 105 | | 277 | 1.0% |
| 106 | | 266 | 1.0% |
| 107 | | 276 | 1.0% |
| 108 | | 278 | 1.0% |
| 109 | | 273 | 1.0% |
| 110 | | 283 | 1.0% |
| 111 | | 294 | 1.1% |
| 112 | | 320 | 1.2% |
| 113 | | 259 | 0.9% |
| 114 | | 278 | 1.0% |
| 115 | | 300 | 1.1% |
| 116 | | 300 | 1.1% |
| 117 | | 270 | 1.0% |
| 118 | | 245 | 0.9% |
| 119 | | 263 | 0.9% |
| 120 | | 253 | 0.9% |
| 121 | | 249 | 0.9% |
| 122 | | 240 | 0.9% |
| 123 | | 211 | 0.8% |
| 124 | | 203 | 0.7% |
| 125 | | 216 | 0.8% |
| 126 | | 177 | 0.6% |
| 127 | | 189 | 0.7% |
| 128 | | 159 | 0.6% |
| 129 | | 146 | 0.5% |
| 130 | | 168 | 0.6% |
| 131 | | 150 | 0.5% |
| 132 | | 154 | 0.6% |

File : RD05-07 ACDIS HIV 2010

BPThirdSystolic: BP Third Systolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 133 | | 117 | 0.4% |
| 134 | | 131 | 0.5% |
| 135 | | 132 | 0.5% |
| 136 | | 115 | 0.4% |
| 137 | | 100 | 0.4% |
| 138 | | 89 | 0.3% |
| 139 | | 90 | 0.3% |
| 140 | | 99 | 0.4% |
| 141 | | 88 | 0.3% |
| 142 | | 75 | 0.3% |
| 143 | | 90 | 0.3% |
| 144 | | 73 | 0.3% |
| 145 | | 72 | 0.3% |
| 146 | | 64 | 0.2% |
| 147 | | 75 | 0.3% |
| 148 | | 65 | 0.2% |
| 149 | | 54 | 0.2% |
| 150 | | 71 | 0.3% |
| 151 | | 46 | 0.2% |
| 152 | | 61 | 0.2% |
| 153 | | 46 | 0.2% |
| 154 | | 52 | 0.2% |
| 155 | | 45 | 0.2% |
| 156 | | 46 | 0.2% |
| 157 | | 44 | 0.2% |
| 158 | | 38 | 0.1% |
| 159 | | 35 | 0.1% |
| 160 | | 39 | 0.1% |
| 161 | | 33 | 0.1% |
| 162 | | 37 | 0.1% |
| 163 | | 38 | 0.1% |
| 164 | | 34 | 0.1% |
| 165 | | 18 | 0.1% |
| 166 | | 30 | 0.1% |
| 167 | | 34 | 0.1% |
| 168 | | 25 | 0.1% |
| 169 | | 29 | 0.1% |
| 170 | | 44 | 0.2% |
| 171 | | 20 | 0.1% |
| 172 | | 22 | 0.1% |
| 173 | | 13 | 0.0% |
| 174 | | 24 | 0.1% |
| 175 | | 20 | 0.1% |

File : RD05-07 ACDIS HIV 2010

BPThirdSystolic: BP Third Systolic

| Value | Label | Cases | Percentage |
|--------------|--------------|--------------|-------------------|
| 176 | | 23 | 0.1% |
| 177 | | 23 | 0.1% |
| 178 | | 15 | 0.1% |
| 179 | | 22 | 0.1% |
| 180 | | 20 | 0.1% |
| 181 | | 18 | 0.1% |
| 182 | | 19 | 0.1% |
| 183 | | 11 | 0.0% |
| 184 | | 15 | 0.1% |
| 185 | | 11 | 0.0% |
| 186 | | 15 | 0.1% |
| 187 | | 11 | 0.0% |
| 188 | | 12 | 0.0% |
| 189 | | 16 | 0.1% |
| 190 | | 15 | 0.1% |
| 191 | | 12 | 0.0% |
| 192 | | 17 | 0.1% |
| 193 | | 11 | 0.0% |
| 194 | | 15 | 0.1% |
| 195 | | 5 | 0.0% |
| 196 | | 5 | 0.0% |
| 197 | | 12 | 0.0% |
| 198 | | 10 | 0.0% |
| 199 | | 9 | 0.0% |
| 200 | | 8 | 0.0% |
| 201 | | 9 | 0.0% |
| 202 | | 3 | 0.0% |
| 203 | | 9 | 0.0% |
| 204 | | 6 | 0.0% |
| 205 | | 8 | 0.0% |
| 206 | | 5 | 0.0% |
| 207 | | 2 | 0.0% |
| 208 | | 6 | 0.0% |
| 209 | | 4 | 0.0% |
| 210 | | 4 | 0.0% |
| 211 | | 1 | 0.0% |
| 212 | | 1 | 0.0% |
| 213 | | 6 | 0.0% |
| 214 | | 4 | 0.0% |
| 215 | | 2 | 0.0% |
| 216 | | 6 | 0.0% |
| 217 | | 3 | 0.0% |
| 218 | | 2 | 0.0% |

File : RD05-07 ACDIS HIV 2010

BPTthirdSystolic: BP Third Systolic

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 219 | | 3 | 0.0% |
| 220 | | 3 | 0.0% |
| 221 | | 2 | 0.0% |
| 222 | | 1 | 0.0% |
| 223 | | 2 | 0.0% |
| 224 | | 1 | 0.0% |
| 226 | | 1 | 0.0% |
| 228 | | 1 | 0.0% |
| 230 | | 1 | 0.0% |
| 233 | | 1 | 0.0% |
| 235 | | 1 | 0.0% |
| 238 | | 1 | 0.0% |
| 990 | SpecialQuery | 0 | |
| 991 | Deprecated | 0 | |
| 992 | Deprecated | 0 | |
| 993 | Refused | 0 | |
| 994 | Query | 0 | |
| 995 | Default | 0 | |
| 996 | Other | 0 | |
| 997 | Not Applicable | 16014 | 57.6% |
| 998 | Don't know | 0 | |
| 999 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BPTthirdDiastolic: BP Third Diastolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 39 | | 2 | 0.0% |
| 40 | | 2 | 0.0% |
| 41 | | 2 | 0.0% |
| 42 | | 5 | 0.0% |
| 43 | | 3 | 0.0% |
| 44 | | 2 | 0.0% |
| 45 | | 4 | 0.0% |
| 46 | | 4 | 0.0% |
| 47 | | 10 | 0.0% |
| 48 | | 10 | 0.0% |
| 49 | | 12 | 0.0% |
| 50 | | 13 | 0.0% |
| 51 | | 11 | 0.0% |
| 52 | | 24 | 0.1% |
| 53 | | 24 | 0.1% |

File : RD05-07 ACDIS HIV 2010

BPThirdDiastolic: BP Third Diastolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 54 | | 32 | 0.1% |
| 55 | | 42 | 0.2% |
| 56 | | 59 | 0.2% |
| 57 | | 49 | 0.2% |
| 58 | | 79 | 0.3% |
| 59 | | 83 | 0.3% |
| 60 | | 122 | 0.4% |
| 61 | | 123 | 0.4% |
| 62 | | 158 | 0.6% |
| 63 | | 188 | 0.7% |
| 64 | | 218 | 0.8% |
| 65 | | 254 | 0.9% |
| 66 | | 260 | 0.9% |
| 67 | | 244 | 0.9% |
| 68 | | 312 | 1.1% |
| 69 | | 311 | 1.1% |
| 70 | | 344 | 1.2% |
| 71 | | 357 | 1.3% |
| 72 | | 321 | 1.2% |
| 73 | | 354 | 1.3% |
| 74 | | 353 | 1.3% |
| 75 | | 364 | 1.3% |
| 76 | | 393 | 1.4% |
| 77 | | 381 | 1.4% |
| 78 | | 415 | 1.5% |
| 79 | | 337 | 1.2% |
| 80 | | 406 | 1.5% |
| 81 | | 310 | 1.1% |
| 82 | | 317 | 1.1% |
| 83 | | 309 | 1.1% |
| 84 | | 269 | 1.0% |
| 85 | | 278 | 1.0% |
| 86 | | 267 | 1.0% |
| 87 | | 237 | 0.9% |
| 88 | | 257 | 0.9% |
| 89 | | 221 | 0.8% |
| 90 | | 221 | 0.8% |
| 91 | | 186 | 0.7% |
| 92 | | 176 | 0.6% |
| 93 | | 165 | 0.6% |
| 94 | | 170 | 0.6% |
| 95 | | 148 | 0.5% |
| 96 | | 127 | 0.5% |

File : RD05-07 ACDIS HIV 2010

BPThirdDiastolic: BP Third Diastolic

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 97 | | 124 | 0.4% |
| 98 | | 115 | 0.4% |
| 99 | | 96 | 0.3% |
| 100 | | 114 | 0.4% |
| 101 | | 93 | 0.3% |
| 102 | | 84 | 0.3% |
| 103 | | 61 | 0.2% |
| 104 | | 63 | 0.2% |
| 105 | | 73 | 0.3% |
| 106 | | 51 | 0.2% |
| 107 | | 48 | 0.2% |
| 108 | | 56 | 0.2% |
| 109 | | 42 | 0.2% |
| 110 | | 48 | 0.2% |
| 111 | | 30 | 0.1% |
| 112 | | 29 | 0.1% |
| 113 | | 35 | 0.1% |
| 114 | | 26 | 0.1% |
| 115 | | 24 | 0.1% |
| 116 | | 31 | 0.1% |
| 117 | | 22 | 0.1% |
| 118 | | 18 | 0.1% |
| 119 | | 11 | 0.0% |
| 120 | | 25 | 0.1% |
| 121 | | 16 | 0.1% |
| 122 | | 14 | 0.1% |
| 123 | | 5 | 0.0% |
| 124 | | 9 | 0.0% |
| 125 | | 7 | 0.0% |
| 126 | | 6 | 0.0% |
| 127 | | 8 | 0.0% |
| 128 | | 10 | 0.0% |
| 129 | | 9 | 0.0% |
| 130 | | 6 | 0.0% |
| 131 | | 2 | 0.0% |
| 132 | | 3 | 0.0% |
| 133 | | 5 | 0.0% |
| 134 | | 3 | 0.0% |
| 135 | | 4 | 0.0% |
| 136 | | 1 | 0.0% |
| 138 | | 1 | 0.0% |
| 139 | | 1 | 0.0% |
| 140 | | 1 | 0.0% |

File : RD05-07 ACDIS HIV 2010

BPTthirdDiastolic: BP Third Diastolic

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 141 | | 1 | 0.0% |
| 144 | | 2 | 0.0% |
| 145 | | 2 | 0.0% |
| 146 | | 4 | 0.0% |
| 147 | | 1 | 0.0% |
| 149 | | 1 | 0.0% |
| 151 | | 2 | 0.0% |
| 152 | | 1 | 0.0% |
| 158 | | 1 | 0.0% |
| 159 | | 1 | 0.0% |
| 161 | | 1 | 0.0% |
| 164 | | 2 | 0.0% |
| 181 | | 1 | 0.0% |
| 990 | SpecialQuery | 0 | |
| 991 | Deprecated | 0 | |
| 992 | Deprecated | 0 | |
| 993 | Refused | 0 | |
| 994 | Query | 0 | |
| 995 | Default | 0 | |
| 996 | Other | 0 | |
| 997 | Not Applicable | 16014 | 57.6% |
| 998 | Don't know | 0 | |
| 999 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ThirdPulse: Third Pulse

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 32 | | 1 | 0.0% |
| 36 | | 1 | 0.0% |
| 37 | | 1 | 0.0% |
| 40 | | 1 | 0.0% |
| 41 | | 1 | 0.0% |
| 42 | | 4 | 0.0% |
| 43 | | 4 | 0.0% |
| 44 | | 4 | 0.0% |
| 45 | | 5 | 0.0% |
| 46 | | 5 | 0.0% |
| 47 | | 15 | 0.1% |
| 48 | | 9 | 0.0% |
| 49 | | 23 | 0.1% |
| 50 | | 36 | 0.1% |

File : RD05-07 ACDIS HIV 2010

ThirdPulse: Third Pulse

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 51 | | 29 | 0.1% |
| 52 | | 39 | 0.1% |
| 53 | | 58 | 0.2% |
| 54 | | 71 | 0.3% |
| 55 | | 65 | 0.2% |
| 56 | | 105 | 0.4% |
| 57 | | 104 | 0.4% |
| 58 | | 111 | 0.4% |
| 59 | | 137 | 0.5% |
| 60 | | 142 | 0.5% |
| 61 | | 170 | 0.6% |
| 62 | | 234 | 0.8% |
| 63 | | 221 | 0.8% |
| 64 | | 240 | 0.9% |
| 65 | | 279 | 1.0% |
| 66 | | 260 | 0.9% |
| 67 | | 290 | 1.0% |
| 68 | | 286 | 1.0% |
| 69 | | 367 | 1.3% |
| 70 | | 341 | 1.2% |
| 71 | | 335 | 1.2% |
| 72 | | 334 | 1.2% |
| 73 | | 354 | 1.3% |
| 74 | | 390 | 1.4% |
| 75 | | 339 | 1.2% |
| 76 | | 338 | 1.2% |
| 77 | | 344 | 1.2% |
| 78 | | 394 | 1.4% |
| 79 | | 375 | 1.3% |
| 80 | | 350 | 1.3% |
| 81 | | 395 | 1.4% |
| 82 | | 309 | 1.1% |
| 83 | | 325 | 1.2% |
| 84 | | 323 | 1.2% |
| 85 | | 285 | 1.0% |
| 86 | | 251 | 0.9% |
| 87 | | 280 | 1.0% |
| 88 | | 232 | 0.8% |
| 89 | | 227 | 0.8% |
| 90 | | 186 | 0.7% |
| 91 | | 189 | 0.7% |
| 92 | | 185 | 0.7% |
| 93 | | 134 | 0.5% |

File : RD05-07 ACDIS HIV 2010

ThirdPulse: Third Pulse

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 94 | | 137 | 0.5% |
| 95 | | 131 | 0.5% |
| 96 | | 111 | 0.4% |
| 97 | | 85 | 0.3% |
| 98 | | 133 | 0.5% |
| 99 | | 73 | 0.3% |
| 100 | | 87 | 0.3% |
| 101 | | 71 | 0.3% |
| 102 | | 36 | 0.1% |
| 103 | | 59 | 0.2% |
| 104 | | 53 | 0.2% |
| 105 | | 31 | 0.1% |
| 106 | | 32 | 0.1% |
| 107 | | 33 | 0.1% |
| 108 | | 19 | 0.1% |
| 109 | | 29 | 0.1% |
| 110 | | 17 | 0.1% |
| 111 | | 14 | 0.1% |
| 112 | | 11 | 0.0% |
| 113 | | 6 | 0.0% |
| 114 | | 14 | 0.1% |
| 115 | | 12 | 0.0% |
| 116 | | 4 | 0.0% |
| 117 | | 12 | 0.0% |
| 118 | | 5 | 0.0% |
| 119 | | 2 | 0.0% |
| 120 | | 3 | 0.0% |
| 121 | | 3 | 0.0% |
| 122 | | 5 | 0.0% |
| 123 | | 3 | 0.0% |
| 124 | | 2 | 0.0% |
| 125 | | 3 | 0.0% |
| 126 | | 3 | 0.0% |
| 127 | | 1 | 0.0% |
| 128 | | 1 | 0.0% |
| 130 | | 3 | 0.0% |
| 132 | | 2 | 0.0% |
| 133 | | 1 | 0.0% |
| 135 | | 1 | 0.0% |
| 137 | | 1 | 0.0% |
| 139 | | 1 | 0.0% |
| 142 | | 1 | 0.0% |
| 147 | | 1 | 0.0% |

File : RD05-07 ACDIS HIV 2010

ThirdPulse: Third Pulse

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 171 | | 1 | 0.0% |
| 181 | | 3 | 0.0% |
| 188 | | 1 | 0.0% |
| 990 | SpecialQuery | 0 | |
| 991 | Deprecated | 0 | |
| 992 | Deprecated | 0 | |
| 993 | Refused | 0 | |
| 994 | Query | 0 | |
| 995 | Default | 0 | |
| 996 | Other | 0 | |
| 997 | Not Applicable | 16019 | 57.6% |
| 998 | Don't know | 0 | |
| 999 | Missing | 0 | |
| Sysmiss | | 13105 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

PreferredPlaceToTest: Preferred Place ToTest

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=15361 /-] [Invalid=25553 /-] |

| Value | Label | Cases | Percentage |
|---------|----------------------------|-------|------------|
| 1 | At Counselling Centre | 182 | 1.2% |
| 2 | At Clinic | 6646 | 43.3% |
| 3 | Deprecated (i.e. Pre-2009) | 0 | |
| 4 | Don't know | 244 | 1.6% |
| 5 | At home | 6504 | 42.3% |
| 6 | At Hospital | 195 | 1.3% |
| 7 | At Mobile Testing Unit | 129 | 0.8% |
| 8 | At Private Doctor | 599 | 3.9% |
| 93 | Refused | 718 | 4.7% |
| 96 | Other | 126 | 0.8% |
| 99 | Missing | 18 | 0.1% |
| Sysmiss | | 25553 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

KnowsHIVStatus: Knows HIV Status

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=15361 /-] [Invalid=25553 /-] |

| Value | Label | Cases | Percentage |
|-------|--------------|-------|------------|
| 1 | Yes | 9097 | 59.2% |
| 2 | No | 5667 | 36.9% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused | 597 | 3.9% |
| 94 | Query | 0 | |

File : RD05-07 ACDIS HIV 2010

KnowsHIVStatus: Knows HIV Status

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 0 | |
| 98 | Don?t know | 0 | |
| 99 | Missing | 0 | |
| Sysmiss | | 25553 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WhenLastTested: When Last Tested

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=15361 /-] [Invalid=25553 /-] |

| Value | Label | Cases | Percentage |
|---------|--------------------------------|-------|------------|
| 1 | 6 months to 1 year ago | 3662 | 23.8% |
| 2 | In last 6 months | 3919 | 25.5% |
| 3 | More than a year ago | 1497 | 9.7% |
| 93 | Refused | 618 | 4.0% |
| 97 | Not Applicable (i.e. pre-2010) | 0 | |
| 99 | Missing | 5665 | 36.9% |
| Sysmiss | | 25553 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WhereLastTested: Where Last Tested

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=15361 /-] [Invalid=25553 /-] |

| Value | Label | Cases | Percentage |
|---------|---------------------------|-------|------------|
| 1 | At Counselling Centre | 167 | 1.1% |
| 2 | At Clinic | 5110 | 33.3% |
| 3 | At home | 2507 | 16.3% |
| 4 | At hospital | 277 | 1.8% |
| 5 | At Mobile Testing Unit | 309 | 2.0% |
| 6 | Not applicable (pre-2010) | 0 | |
| 7 | At Private Doctor | 333 | 2.2% |
| 8 | At Ubumbano Lwentsha game | 9 | 0.1% |
| 93 | Refused | 581 | 3.8% |
| 96 | Other | 378 | 2.5% |
| 98 | Don't know | 6 | 0.0% |
| 99 | Missing | 5684 | 37.0% |
| Sysmiss | | 25553 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HeardOfUbumbanoLwentsha: Heard Of Ubumbano Lwentsha

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=15361 /-] [Invalid=25553 /-] |

File : RD05-07 ACDIS HIV 2010

HeardOfUbumbanoLwentsha: Heard Of Ubumbano Lwentsha

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 1 | Yes | 4277 | 27.8% |
| 2 | No | 10846 | 70.6% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 20 | 0.1% |
| 93 | Refused | 0 | |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 0 | |
| 98 | Don?t know | 0 | |
| 99 | Missing | 218 | 1.4% |
| Sysmiss | | 25553 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AttendedUbumbanoLwentsha: Attended Ubumbano Lwentsha

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=15361 /-] [Invalid=25553 /-] |

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 1 | Yes | 1726 | 11.2% |
| 2 | No | 13384 | 87.1% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 22 | 0.1% |
| 93 | Refused | 0 | |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 0 | |
| 98 | Don?t know | 0 | |
| 99 | Missing | 229 | 1.5% |
| Sysmiss | | 25553 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HeardAboutART: Heard About ART

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=15361 /-] [Invalid=25553 /-] |

| Value | Label | Cases | Percentage |
|-------|--------------|-------|------------|
| 1 | Yes | 12281 | 79.9% |
| 2 | No | 2410 | 15.7% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused | 670 | 4.4% |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |

File : RD05-07 ACDIS HIV 2010

HeardAboutART: Heard About ART

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 97 | Not Applicable | 0 | |
| 98 | Don?t know | 0 | |
| 99 | Missing | 0 | |
| Sysmiss | | 25553 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BelievesARTImprovesHealth: Believes ART Improves Health

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=15361 /-] [Invalid=25553 /-] |

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 1 | Yes | 11290 | 73.5% |
| 2 | No | 175 | 1.1% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused | 21 | 0.1% |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 673 | 4.4% |
| 98 | Don?t know | 768 | 5.0% |
| 99 | Missing | 2434 | 15.8% |
| Sysmiss | | 25553 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

KnowsWhereToObtainART: Knows Where To ObtainART

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=15361 /-] [Invalid=25553 /-] |

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 1 | Yes | 11317 | 73.7% |
| 2 | No | 896 | 5.8% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused | 25 | 0.2% |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 3087 | 20.1% |
| 98 | Don?t know | 0 | |
| 99 | Missing | 36 | 0.2% |
| Sysmiss | | 25553 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BelievesARTMakesTalkEasier: Believes ART Makes Talk Easier

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=15361 /-] [Invalid=25553 /-] |

File : RD05-07 ACDIS HIV 2010

BelievesARTMakesTalkEasier: Believes ART Makes Talk Easier

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 1 | Yes | 11210 | 73.0% |
| 2 | No | 642 | 4.2% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused | 411 | 2.7% |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 672 | 4.4% |
| 98 | Don?t know | 0 | |
| 99 | Missing | 2426 | 15.8% |
| Sysmiss | | 25553 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TestMoreIfARTImmediately: Test More If ART Immediately

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=15361 /-] [Invalid=25553 /-] |

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 1 | Yes | 11188 | 72.8% |
| 2 | No | 600 | 3.9% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused | 0 | |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 0 | |
| 98 | Don?t know | 0 | |
| 99 | Missing | 3573 | 23.3% |
| Sysmiss | | 25553 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TestEasierIfARTImmediately: Test Easier If ART Immediately

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=15361 /-] [Invalid=25553 /-] |

| Value | Label | Cases | Percentage |
|-------|--------------|-------|------------|
| 1 | Yes | 11131 | 72.5% |
| 2 | No | 603 | 3.9% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused | 0 | |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |

File : RD05-07 ACDIS HIV 2010

TestEasierIfARTImmediately: Test Easier If ART Immediately

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 97 | Not Applicable | 0 | |
| 98 | Don?t know | 0 | |
| 99 | Missing | 3627 | 23.6% |
| Sysmiss | | 25553 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FoodVoucherRecipient: Food Voucher Recipient

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] |
| Statistics [NW/ W] | [Valid=23225 /-] [Invalid=17689 /-] |

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 1 | Yes | 1944 | 8.4% |
| 2 | No | 2954 | 12.7% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused | 0 | |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 18327 | 78.9% |
| 98 | Don?t know | 0 | |
| 99 | Missing | 0 | |
| Sysmiss | | 17689 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FwkAttempt1FieldWorker: First Attempt FieldWorker

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=16755 /-] [Invalid=0 /-] |

FwkAttempt1Date: First Attempt Date

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=16755 /-] |

FwkAttempt2FieldWorker: Second Attempt FieldWorker

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=7653 /-] [Invalid=0 /-] |

FwkAttempt2Date: Second Attempt Date

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=7653 /-]

FwkAttempt3FieldWorker: Third Attempt FieldWorker

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=5057 /-] [Invalid=0 /-]

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| AMB | | 1 | 0.0% |
| ANT | | 1 | 0.0% |
| BDU | | 201 | 4.0% |
| BGW | | 1 | 0.0% |
| BMK | | 97 | 1.9% |
| BSM | | 32 | 0.6% |
| CHL | | 120 | 2.4% |
| CMT | | 138 | 2.7% |
| DBU | | 3 | 0.1% |
| DKU | | 163 | 3.2% |
| EGU | | 248 | 4.9% |
| ERA | | 2 | 0.0% |
| FMK | | 44 | 0.9% |
| GGU | | 175 | 3.5% |
| GMK | | 1 | 0.0% |
| HMT | | 1 | 0.0% |
| JMK | | 113 | 2.2% |
| JMN | | 3 | 0.1% |
| JMT | | 148 | 2.9% |
| KMA | | 116 | 2.3% |
| KMP | | 93 | 1.8% |
| KXO | | 70 | 1.4% |
| LMT | | 128 | 2.5% |
| MJO | | 44 | 0.9% |
| MLM | | 43 | 0.9% |
| MMD | | 232 | 4.6% |
| MMT | | 79 | 1.6% |
| MNT | | 123 | 2.4% |
| MPU | | 83 | 1.6% |
| NBT | | 175 | 3.5% |
| NDI | | 115 | 2.3% |
| NDL | | 4 | 0.1% |
| NJI | | 1 | 0.0% |
| NJM | | 72 | 1.4% |
| NNV | | 65 | 1.3% |
| NPH | | 154 | 3.0% |
| NPM | | 56 | 1.1% |
| PCH | | 1 | 0.0% |
| PKA | | 125 | 2.5% |

FwkAttempt3FieldWorker: Third Attempt FieldWorker

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| PKH | | 33 | 0.7% |
| PMN | | 89 | 1.8% |
| PPG | | 88 | 1.7% |
| PZM | | 46 | 0.9% |
| RMA | | 83 | 1.6% |
| SBM | | 88 | 1.7% |
| SDL | | 140 | 2.8% |
| SJI | | 144 | 2.8% |
| SKA | | 1 | 0.0% |
| SMB | | 2 | 0.0% |
| SML | | 4 | 0.1% |
| SMM | | 31 | 0.6% |
| SMN | | 1 | 0.0% |
| SNS | | 71 | 1.4% |
| SNU | | 184 | 3.6% |
| SNY | | 3 | 0.1% |
| SSK | | 15 | 0.3% |
| SSM | | 35 | 0.7% |
| STM | | 81 | 1.6% |
| THS | | 2 | 0.0% |
| TRZ | | 14 | 0.3% |
| TZU | | 110 | 2.2% |
| VSI | | 206 | 4.1% |
| WMS | | 149 | 2.9% |
| WZI | | 166 | 3.3% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FwkAttempt3Date: Third Attempt Date

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=5057 /-] |

FwkAttempt4FieldWorker: Fourth Attempt FieldWorker

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=2741 /-] [Invalid=0 /-] |

FwkAttempt4Date: Fourth Attempt Date

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=2741 /-] |

TrkAttempt1FieldWorker: First Attempt Tracker

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=4856 /-] [Invalid=0 /-] |

TrkAttempt1Date: Tracker First Attempt Date

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=4856 /-] |

| # TrkAttempt2FieldWorker: Second Attempt Tracker | | | |
|---|--|--------------|-------------------|
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=3573 /-] [Invalid=0 /-] | | |
| # TrkAttempt2Date: Tracker Second Attempt Date | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=3573 /-] | | |
| # TrkAttempt3FieldWorker: Third Attempt Tracker | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=3204 /-] [Invalid=0 /-] | | |
| # TrkAttempt3Date: Tracker Third Attempt Date | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=3204 /-] | | |
| # TrkAttempt4FieldWorker: Fourth Attempt Tracker | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=2759 /-] [Invalid=0 /-] | | |
| # TrkAttempt4Date: Tracker Fourth Attempt Date | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=2759 /-] | | |
| # HIVFieldWorker: HIV FieldWorker | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=27809 /-] [Invalid=0 /-] | | |
| # WeekBlock: Week Block | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=40914 /-] [Invalid=0 /-] | | |
| # Isigodi: Isigodi | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=40914 /-] [Invalid=0 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Banzaneni | 0 | |
| 2 | Deprecated | 0 | |
| 3 | Dukumbane | 0 | |
| 4 | Dukuduku | 0 | |
| 5 | Ebaswazini | 2398 | 5.9% |
| 6 | Egula (Hlabisa) | 0 | |
| 7 | Egula (Mdletshe) | 0 | |
| 8 | Ekuphisweni | 0 | |
| 9 | Empembeni | 0 | |
| 10 | Esiyembeni | 894 | 2.2% |
| 11 | Gunjaneni | 1198 | 2.9% |
| 12 | Hlabisa Mission | 0 | |
| 13 | Hlambanyathi | 0 | |
| 14 | Inhlawathi | 0 | |

Isigodi: Isigodi

| Value | Label | Cases | Percentage |
|-------|------------------------|-------|------------|
| 15 | Khalokazi | 0 | |
| 16 | KwaMsane (Isigodi) | 5757 | 14.1% |
| 17 | KwaMsane (Township) | 2205 | 5.4% |
| 18 | KwaMseme | 0 | |
| 19 | Kwahoho | 690 | 1.7% |
| 20 | Mabudeni | 0 | |
| 21 | Mabhokweni | 0 | |
| 22 | Machibini | 2397 | 5.9% |
| 23 | Macekeni | 0 | |
| 24 | Macambini | 724 | 1.8% |
| 25 | Madondo | 0 | |
| 26 | Mfekayi | 0 | |
| 27 | Mgangatho | 0 | |
| 28 | Mahunjini | 417 | 1.0% |
| 29 | Makhambane | 78 | 0.2% |
| 30 | Makopini | 0 | |
| 31 | Mapheleni | 1870 | 4.6% |
| 32 | Mshaya | 1239 | 3.0% |
| 33 | Mthwadhana | 0 | |
| 34 | Matshamnyama-East | 0 | |
| 35 | Matshamhlophe | 0 | |
| 36 | Matshamnyama-West | 0 | |
| 37 | Mathunzi | 0 | |
| 38 | Mvutshini | 129 | 0.3% |
| 39 | Madwaleni | 0 | |
| 40 | Myeki | 3034 | 7.4% |
| 41 | Ncwabakazi | 0 | |
| 42 | Ndlovu Village | 1384 | 3.4% |
| 43 | Ngondini | 0 | |
| 44 | Nkundusi | 0 | |
| 45 | Nkolokotho | 2833 | 6.9% |
| 46 | Nkombose | 4351 | 10.6% |
| 47 | Makhowe | 0 | |
| 48 | Nomathiya | 1240 | 3.0% |
| 49 | Nompondo | 0 | |
| 50 | Nqopheni | 1979 | 4.8% |
| 51 | Nsolweni | 1842 | 4.5% |
| 52 | Mthekwini | 0 | |
| 53 | Ogengele | 2795 | 6.8% |
| 54 | Ophondweni | 504 | 1.2% |
| 55 | Ophaphasi (Mdletshe) | 0 | |
| 56 | Ophaphasi (Mpukunyoni) | 956 | 2.3% |
| 57 | Qakwini | 0 | |
| 58 | Qunwane | 0 | |
| 59 | Shikishela | 0 | |

Isigodi: Isigodi

| Value | Label | Cases | Percentage |
|-------|----------------|-------|------------|
| 60 | Stezi | 0 | |
| 61 | Sovane | 0 | |
| 994 | Query | 0 | |
| 995 | Default | 0 | |
| 996 | Other | 0 | |
| 997 | Not Applicable | 0 | |
| 998 | Don't know | 0 | |
| 999 | Missing | 0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LocalArea: LocalArea

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-9999] [Missing=*] |
| Statistics [NW/ W] | [Valid=40914 /-] [Invalid=0 /-] |

| Value | Label | Cases | Percentage |
|-------|--------------------------------|-------|------------|
| 1 | African | 59 | 0.1% |
| 2 | Bhoboza | 560 | 1.4% |
| 3 | Bhedangaye | 382 | 0.9% |
| 4 | Bhekuzulu | 156 | 0.4% |
| 5 | Buya | 391 | 1.0% |
| 6 | Cakula | 62 | 0.2% |
| 7 | Dubelenkunzi | 1586 | 3.9% |
| 8 | Dukingane | 67 | 0.2% |
| 9 | Dlokodlweni | 184 | 0.4% |
| 10 | Ebhekani | 51 | 0.1% |
| 11 | Ebaswazini | 894 | 2.2% |
| 12 | Edutch | 625 | 1.5% |
| 13 | Embotsheni | 246 | 0.6% |
| 14 | Emambeni | 56 | 0.1% |
| 15 | Emathuneni | 260 | 0.6% |
| 16 | Esiyembeni | 0 | |
| 17 | Etsheni | 359 | 0.9% |
| 18 | Ezinqaweni | 314 | 0.8% |
| 19 | Ezimpehlweni | 140 | 0.3% |
| 20 | Fukula | 48 | 0.1% |
| 21 | Gagwini | 137 | 0.3% |
| 22 | Gwabalanda | 148 | 0.4% |
| 23 | Gugulethu | 454 | 1.1% |
| 24 | Gunjaneni | 1495 | 3.7% |
| 25 | Gwebu | 67 | 0.2% |
| 26 | Igwedla | 39 | 0.1% |
| 27 | Indlovu | 0 | |
| 28 | Kwamsane Reserve | 3292 | 8.0% |
| 29 | Kwamsane Township | 0 | |
| 30 | KwaMsane Township Central (W3) | 624 | 1.5% |
| 31 | KwaMsane Township North (W2) | 802 | 2.0% |

LocalArea: LocalArea

| Value | Label | Cases | Percentage |
|-------|------------------------------|-------|------------|
| 32 | KwaMsane Township South (W4) | 779 | 1.9% |
| 33 | Kwahoho | 405 | 1.0% |
| 34 | Kwayoung | 340 | 0.8% |
| 35 | Kwiliza | 567 | 1.4% |
| 36 | Mashaya | 203 | 0.5% |
| 37 | Mbomeni | 279 | 0.7% |
| 38 | Machibini | 306 | 0.7% |
| 39 | Macambini | 384 | 0.9% |
| 40 | Mchachazo | 102 | 0.2% |
| 41 | Mdlambila | 224 | 0.5% |
| 42 | Mdolomba | 970 | 2.4% |
| 43 | Mfolozi | 244 | 0.6% |
| 44 | Magodi | 64 | 0.2% |
| 45 | Magqayiza | 55 | 0.1% |
| 46 | Mgeza | 40 | 0.1% |
| 47 | Mahlabathini | 59 | 0.1% |
| 48 | Mahunjini | 156 | 0.4% |
| 49 | Majonijoni | 94 | 0.2% |
| 50 | Makhandeni | 110 | 0.3% |
| 51 | Mkhathazi | 93 | 0.2% |
| 52 | Mcakwaneni | 191 | 0.5% |
| 53 | Majamisa | 142 | 0.3% |
| 54 | Manandi | 305 | 0.7% |
| 55 | Mnyakaja | 154 | 0.4% |
| 56 | Mnyaba | 145 | 0.4% |
| 57 | Mapheleni | 405 | 1.0% |
| 58 | Mpukunyoni | 752 | 1.8% |
| 59 | Mshaya | 707 | 1.7% |
| 60 | Mtshongweni | 90 | 0.2% |
| 61 | Mtholo | 260 | 0.6% |
| 62 | Machwetshana | 315 | 0.8% |
| 63 | Myeki | 152 | 0.4% |
| 64 | Mvananda | 91 | 0.2% |
| 65 | Nondubela | 236 | 0.6% |
| 66 | Ngodane | 89 | 0.2% |
| 67 | Ninela | 148 | 0.4% |
| 68 | Njojo | 375 | 0.9% |
| 69 | Nkhobo | 617 | 1.5% |
| 70 | Nkangala | 182 | 0.4% |
| 71 | Nkolokotho | 107 | 0.3% |
| 72 | Nkombose | 2219 | 5.4% |
| 73 | Nkodibe | 1526 | 3.7% |
| 74 | Nkatha | 482 | 1.2% |
| 75 | Nkumbane | 258 | 0.6% |
| 76 | Nkwalini | 166 | 0.4% |

LocalArea: LocalArea

| Value | Label | Cases | Percentage |
|-------|-----------------|-------|------------|
| 77 | Nkayeni | 115 | 0.3% |
| 78 | Nomathiya | 453 | 1.1% |
| 79 | Nqaweni North | 81 | 0.2% |
| 80 | Nqaweni South | 80 | 0.2% |
| 81 | Nqumbo | 40 | 0.1% |
| 82 | Nsane | 1873 | 4.6% |
| 83 | Nsolweni | 432 | 1.1% |
| 84 | Ntandabantu | 455 | 1.1% |
| 85 | Ntungwana | 82 | 0.2% |
| 86 | Ntweni | 495 | 1.2% |
| 87 | Nyalazi | 107 | 0.3% |
| 88 | Ogengele | 454 | 1.1% |
| 89 | Okhalanja | 171 | 0.4% |
| 90 | Paradise | 122 | 0.3% |
| 91 | Qubuka | 972 | 2.4% |
| 92 | Sibomvu | 33 | 0.1% |
| 93 | Sgqogqogqweni | 221 | 0.5% |
| 94 | Somkhele | 1267 | 3.1% |
| 95 | Sunjwaneni | 377 | 0.9% |
| 96 | Sobayeka | 70 | 0.2% |
| 97 | Sogceke | 78 | 0.2% |
| 98 | Swalihle | 42 | 0.1% |
| 99 | Shayamoya | 63 | 0.2% |
| 100 | Tamu | 309 | 0.8% |
| 101 | Thandanani | 756 | 1.8% |
| 102 | Vezunyawo | 127 | 0.3% |
| 103 | Zibomvini | 81 | 0.2% |
| 104 | Zululiyaduma | 95 | 0.2% |
| 105 | Zimambeni | 157 | 0.4% |
| 106 | Zinkonjane | 799 | 2.0% |
| 107 | Zwelethu | 37 | 0.1% |
| 108 | Indlovu Village | 1384 | 3.4% |
| 9993 | Refused | 0 | |
| 9994 | Query | 0 | |
| 9995 | Default | 0 | |
| 9996 | Other | 0 | |
| 9997 | Not Applicable | 0 | |
| 9998 | Don't know | 0 | |
| 9999 | Missing | 0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

icRapidHIVTest: Rapid HIV Test Consent

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=21232 /-] [Invalid=0 /-] |

| # icConventionalHIVTest: Conventional HIV Test Consent | | | |
|--|---|--------------|-------------------|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=21232 /-] [Invalid=19682 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Consented | 11255 | 53.0% |
| 2 | Did not consent | 9367 | 44.1% |
| 99 | Missing | 610 | 2.9% |
| Sysmiss | | 19682 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | |
| # icHomeDelivery: Home Delivery Consent | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=21232 /-] [Invalid=0 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Consented | 11244 | 53.0% |
| 2 | Did not consent | 9382 | 44.2% |
| 99 | Missing | 606 | 2.9% |
| Sysmiss | | 19682 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | |
| # icStored: Storage Consent | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=21232 /-] [Invalid=19682 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Consented | 11244 | 53.0% |
| 2 | Did not consent | 9382 | 44.2% |
| 99 | Missing | 606 | 2.9% |
| Sysmiss | | 19682 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | |
| # icTesting: Testing Consent | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=21232 /-] [Invalid=0 /-] | | |
| # icRecontactSample: Recontact Sample Consent | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=21232 /-] [Invalid=19682 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Consented | 11249 | 53.0% |
| 2 | Did not consent | 9370 | 44.1% |
| 99 | Missing | 613 | 2.9% |
| Sysmiss | | 19682 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | |
| # icHealth: General Health Consent | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=21232 /-] [Invalid=19682 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Consented | 14426 | 67.9% |
| 2 | Did not consent | 6198 | 29.2% |
| 99 | Missing | 608 | 2.9% |
| Sysmiss | | 19682 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | |

| # icSexualBehaviour: Sexual Behaviour Consent | | | |
|--|---|--------------|-------------------|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=21232 /-] [Invalid=19682 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Consented | 8819 | 41.5% |
| 2 | Did not consent | 11811 | 55.6% |
| 99 | Missing | 602 | 2.8% |
| Sysmiss | | 19682 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | |
| # icRecontactQA: Recontact for QA Consent | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=21232 /-] [Invalid=19682 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Consented | 1181 | 5.6% |
| 2 | Did not consent | 19432 | 91.5% |
| 99 | Missing | 619 | 2.9% |
| Sysmiss | | 19682 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | |
| # icRecontactOtherInfo: Recontact Other Info Consent | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=21232 /-] [Invalid=19682 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Consented | 12356 | 58.2% |
| 2 | Did not consent | 7397 | 34.8% |
| 99 | Missing | 1479 | 7.0% |
| Sysmiss | | 19682 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | |
| # icLivingArrangements: Living Arrangements Consent | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=21232 /-] [Invalid=0 /-] | | |
| # icBiomeasures: Biomeasures | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=21232 /-] [Invalid=19682 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Consented | 10311 | 48.6% |
| 2 | Did not consent | 9454 | 44.5% |
| 99 | Missing | 1467 | 6.9% |
| Sysmiss | | 19682 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | |
| # icFieldworker: Fieldworker inform consent | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=21232 /-] [Invalid=0 /-] | | |

| # FormRefused: FormRefused | | | |
|--|--|--------------|-------------------|
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=27809 /-] [Invalid=13105 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Yes | 12039 | 43.3% |
| 2 | No | 15769 | 56.7% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused | 0 | |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 1 | 0.0% |
| 98 | Don?t know | 0 | |
| 99 | Missing | 0 | |
| Sysmiss | | 13105 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | |
| # WasRefusal: Refusal | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=40914 /-] [Invalid=0 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Yes | 1029 | 2.5% |
| 2 | No | 39885 | 97.5% |
| 90 | SpecialQuery | 0 | |
| 92 | Deprecated | 0 | |
| 93 | Refused | 0 | |
| 94 | Query | 0 | |
| 95 | Default | 0 | |
| 96 | Other | 0 | |
| 97 | Not Applicable | 0 | |
| 98 | Don?t know | 0 | |
| 99 | Missing | 0 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | |
| # RNFDocumentId: RNF Documen tId | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 44688305-45263482] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=1029 /-] [Invalid=39885 /-] [Mean=45073557.558 /-] [StdDev=138022.048 /-] | | |
| # RefusalIIntId: Refusal IIntId | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 145-150338] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=939 /-] [Invalid=39975 /-] [Mean=57770.555 /-] [StdDev=38482.664 /-] | | |
| # RefusalHHIntId: Refusal HH IntId | | | |
| Information | [Type= continuous] [Format=numeric] [Range= 399-16929] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=44 /-] [Invalid=40870 /-] [Mean=5449.091 /-] [StdDev=4359.409 /-] | | |
| # RefusalWholeBS: Refusal Whole BS | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*] | | |

| | |
|---|----------------------------------|
| # RefusalWholeBS: Refusal Whole BS | |
| Statistics [NW/ W] | [Valid=55 /-] [Invalid=40859 /-] |