

South Africa

**Natsayi Chimbindi, Africa Health Research Institute
Maryam Shahmanesh, Africa Health Research Institute**

**AHRI. Developing and pretesting a sexual reproductive health
and rights (SRHR) school health promotion intervention.**

Study Documentation

February 6, 2026

Metadata Production

Metadata Producer(s)	Africa Health Research Institute (AHRI)
Identification	DDI.AHRI.SaferChoices.Pre.Followup

Table of Contents

Overview	4
Scope & Coverage	4
Producers & Sponsors	4
Sampling	4
Data Collection	4
Accessibility	5
Files Description	6
AHRI.SaferChoicesPreLearnerSurvey.2025.v1	6
AHRI.SaferChoicesFollowUp.2025.v1	6
Variables List	7
AHRI.SaferChoicesPreLearnerSurvey.2025.v1	7
AHRI.SaferChoicesFollowUp.2025.v1	32
Variables Description	55
AHRI.SaferChoicesPreLearnerSurvey.2025.v1	56
AHRI.SaferChoicesFollowUp.2025.v1	187

AHRI.Developing and pretesting a sexual reproductive health and rights (SRHR) school health promotion intervention.

Overview	
Identification	AHRI.SaferChoices.Pre.Followup
Version	v1.0.0
Abstract Purpose for documentation – These are Safer Choices study informed consent forms and questionnaire for the pre and post learners survey	
Kind of Data	Informed consent form and questionnaire for the survey data pre-post intervention
Unit of Analysis	Individual

Scope & Coverage	
Keywords	Adolescents, school learners, whole-school, HIV, sexually transmitted infections, Safer Choices, intervention
Topics	Adolescents, school learners, whole-school, HIV, sexually transmitted infections, Safer Choices, intervention
Countries	South Africa
Geographic Coverage Data from learners from Six schools in PIPSA area including NPIPSA.	
Universe Data from learners from Six schools in PIPSA area including NPIPSA, aged 15-19 years, both male and female	

Producers & Sponsors	
Primary Investigator(s)	Natsayi Chimbindi, Africa Health Research Institute Maryam Shahmanesh, Africa Health Research Institute
Other Producer(s)	Africa Health Research Institute (AHRI)
Funding Agency/ies	Wellcome Trust (WT)
Other Acknowledgment(s)	Faith Magut , Statistician , AHRI Sweetness Dube , Data manager , AHRI

Sampling	
Sampling Procedure Random sampling	

Data Collection	
Data Collection Dates	single 2024-07-10

Accessibility

Access Conditions

Access to the data requires accurate completion of the online data access application form accessible on the AHRI Data repository(<<https://data.ahri.org/>>). Data users are required to abide by the data use conditions stipulated on the application for access to the data. Failure to do so may result in their data access privileges being revoked by the Data Custodian. In order to recognise the effort and intellectual contributions of AHRI investigators in producing and curating the data, users of AHRI data must acknowledge the source of the data and abide by the terms and conditions under which the data is accessed and must cite the dataset in publication using the citation provided as part of this documentation. All analytical datasets published on the AHRI Data Repository are assigned digital object identifier (DOIs) and the DOIs can be found on the Data Repository under Study Description tab - Access policy. AHRI data users are required to always cite the dataset using the relevant DOI.

Citation Requirements

Chimbindi, N., & Shahmanesh, M. (2026). AHRI.Developing and pretesting a sexual reproductive health and rights (SRHR) school health promotion intervention. [Data set]. Africa Health Research Institute.
DOI:<https://doi.org/10.23664/AHRI.SAFERCHOICES.PRE.FOLLOWUP>

Files Description

Dataset contains 2 file(s)

AHRI.SaferChoicesPreLearnerSurvey.2025.v1	
# Cases	557
# Variable(s)	489

AHRI.SaferChoicesFollowUp.2025.v1	
# Cases	361
# Variable(s)	542

Variables List

Dataset contains 1031 variable(s)

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	record_id	Record ID	continuous	numeric-12.0	557	0	-
2	ca_attmp..	Conducting Contact Attempt	discrete	numeric-12.0	423	134	-
3	ca_attmp..	Attempt Date and Time	discrete	character-11	419	-	-
4	ca_attmp..	Were you able to speak to the participant?	discrete	numeric-12.0	423	134	-
5	ca_attmp..	Outcome of Contact Attempt - spoken to	discrete	numeric-12.0	369	188	-
6	ca_attmp..	Outcome of Contact Attempt - spoken over the phone	discrete	numeric-12.0	0	557	-
7	ca_attmp..	Outcome of Contact Attempt - not spoken	discrete	numeric-12.0	54	503	-
8	ca_attmp..	Reschedule next visit date	discrete	character-11	18	-	-
9	ca_attmp..	Conducting Contact Attempt	discrete	numeric-12.0	20	537	-
10	ca_attmp..	Attempt Date and Time	discrete	character-11	0	-	-
11	ca_attmp..	Were you able to speak to the participant?	discrete	numeric-12.0	0	557	-
12	ca_attmp..	Outcome of Contact Attempt - spoken to	discrete	numeric-12.0	0	557	-
13	ca_attmp..	Outcome of Contact Attempt - spoken over the phone	discrete	numeric-12.0	0	557	-
14	ca_attmp..	Outcome of Contact Attempt - not spoken to	discrete	numeric-12.0	0	557	-
15	ca_attmp..	Reschedule next visit date	discrete	character-11	0	-	-
16	ca_attmp..	Conducting Contact Attempt	discrete	numeric-12.0	0	557	-
17	ca_attmp..	Attempt Date and Time	discrete	character-11	0	-	-
18	ca_attmp..	Were you able to speak to the participant?	discrete	numeric-12.0	0	557	-
19	ca_attmp..	Outcome of Contact Attempt - spoken to	discrete	numeric-12.0	0	557	-
20	ca_attmp..	Outcome of Contact Attempt - spoken over the phone	discrete	numeric-12.0	0	557	-
21	ca_attmp..	Outcome of Contact Attempt - not spoken to	discrete	numeric-12.0	0	557	-
22	ca_refus..	Who refuse participation?	discrete	numeric-12.0	0	557	-
23	ca_proj..	Request handover of Non-Contact to Project Coordinator?	discrete	numeric-12.0	33	524	-
24	ca_proj..	Select reason for non-contact in field	discrete	numeric-12.0	21	536	-
25	ca_coord..	FOR PROJECT COORDINATOR TO COMPLETE:Was this	discrete	numeric-12.0	0	557	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
		request for a Non-Contact approved?					
26	ca_visit..	Visit Date	discrete	character-11	369	-	-
27	pd_sex	Sex	discrete	numeric-12.0	557	0	-
28	pd_dob	Participant's Date of Birth	discrete	character-11	557	-	-
29	bio_leader	Are you a Safer Choices peer team/group leader?	discrete	numeric-12.0	367	190	-
30	school_g..	Grade	discrete	numeric-12.0	557	0	-
31	ac_date	Capacity assessment date by Field Team	discrete	character-11	361	-	-
32	ac_asses..	HAPPY with Step 1?	discrete	numeric-12.0	361	196	-
33	ac_asses..	HAPPY with Step 2?	discrete	numeric-12.0	0	557	-
34	ac_asses..	HAPPY with Step 3?	discrete	numeric-12.0	0	557	-
35	ac_asses..	Is this individual capable to participate?	discrete	numeric-12.0	361	196	-
36	ac_infor..	Please confirm that you have given the participant a copy of the Information Shee	discrete	numeric-12.0	361	196	-
37	consent_..	Will the consent be obtained in Zulu or English?	discrete	numeric-12.0	361	196	-
38	ic_adole..	Start time	discrete	character-11	361	-	-
39	ic_indiv..	Have you received enough information about the study? You confirm that I have rea	discrete	numeric-12.0	361	196	-
40	ic_indiv..	Have you been given an opportunity to ask questions about the study and been give	discrete	numeric-12.0	361	196	-
41	ic_indiv..	Do you understand that your participation is voluntary and that you are free to w	discrete	numeric-12.0	361	196	-
42	ic_indiv..	Do you agree to take part in this study?	discrete	numeric-12.0	361	196	-
43	ic_indiv..	Do you agree for your data to be linked to the population intervention platform P	discrete	numeric-12.0	361	196	-
44	ic_indiv..	Do you agree to be contacted by phone in order to make appointments for follow up	discrete	numeric-12.0	361	196	-
45	ic_adole..	Stop time	discrete	character-11	361	-	-
46	school_g..	In which grade are you?	discrete	numeric-12.0	362	195	-
47	school_d..	Have you ever been absent from school?	discrete	numeric-12.0	362	195	-
48	school_d..	How many days were you absent from school in the last term?	discrete	numeric-12.0	219	338	-
49	school_a..	What were the main reasons why you were absent? - Health/sickness: Went to the do	discrete	numeric-12.0	104	453	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
50	school_a..	What were the main reasons why you were absent? - Weather/ floods/ extreme heat.	discrete	numeric-12.0	18	539	-
51	school_a..	What were the main reasons why you were absent? - Taking care of family: Visiting	discrete	numeric-12.0	13	544	-
52	school_a..	What were the main reasons why you were absent? - Institution/ bullying at school	discrete	character-244	0	-	-
53	school_a..	What were the main reasons why you were absent? - Financial state/ school fees: m	discrete	numeric-12.0	6	551	-
54	school_a..	What were the main reasons why you were absent? - Taking transport and arriving b	discrete	numeric-12.0	10	547	-
55	school_a..	What were the main reasons why you were absent? - A child/ young people were arri	discrete	numeric-12.0	13	544	-
56	school_a..	What were the main reasons why you were absent? - Being old: feeling very old/ to	discrete	character-244	0	-	-
57	school_a..	What were the main reasons why you were absent? - Learning with disability/ diffi	discrete	character-244	0	-	-
58	school_a..	What were the main reasons why you were absent? - Pregnancy.	discrete	character-244	0	-	-
59	school_a..	What were the main reasons why you were absent? - Not being accepted/ registratio	discrete	character-244	0	-	-
60	school_a..	What were the main reasons why you were absent? - Being bored at school/ subjects	discrete	numeric-12.0	5	552	-
61	school_a..	What were the main reasons why you were absent? - Violence at school/ Bullying/ D	discrete	numeric-12.0	2	555	-
62	school_a..	What were the main reasons why you were absent? - Other, specify	discrete	numeric-12.0	58	499	-
63	school_r..	Have you ever repeated a grade	discrete	numeric-12.0	362	195	-
64	school_g..	What were the main reasons you repeated a grade? - Your health: you suffered chr	discrete	numeric-12.0	11	546	-
65	school_g..	What were the main reasons you repeated a grade? - Family care: a family member r	discrete	numeric-12.0	2	555	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
66	school_g..	What were the main reasons you repeated a grade? - Financial issues: cannot afford	discrete	numeric-12.0	1	556	-
67	school_g..	What were the main reasons you repeated a grade? -	discrete	numeric-12.0	1	556	-
68	school_g..	What were the main reasons you repeated a grade? - Learning difficulty: school ha	discrete	numeric-12.0	105	452	-
69	school_g..	What were the main reasons you repeated a grade? - Social reasons: students or te	discrete	numeric-12.0	3	554	-
70	school_g..	What were the main reasons you repeated a grade? - Pregnancy	discrete	numeric-12.0	5	552	-
71	school_g..	What were the main reasons you repeated a grade? - Violence: bullying, unsafe to	discrete	numeric-12.0	2	555	-
72	school_g..	What were the main reasons you repeated a grade? - Changing schools: school is fa	discrete	numeric-12.0	7	550	-
73	school_g..	What were the main reasons you repeated a grade? - Other, specify	discrete	numeric-12.0	56	501	-
74	school_l..	Have you ever had to leave school for a period of time and come back at the same	discrete	numeric-12.0	361	196	-
75	school_l..	What were the main reasons you left school? - Your health: you suffered chronic i	discrete	numeric-12.0	5	552	-
76	school_l..	What were the main reasons you left school? - Family care: a family member requir	discrete	numeric-12.0	5	552	-
77	school_l..	What were the main reasons you left school? - Financial issues: cannot afford sch	discrete	numeric-12.0	1	556	-
78	school_l..	What were the main reasons you left school? - Learning difficulty: school has bec	discrete	numeric-12.0	1	556	-
79	school_l..	What were the main reasons you left school? - Social reasons: students or teacher	discrete	numeric-12.0	6	551	-
80	school_l..	What were the main reasons you left school? - Pregnancy	discrete	numeric-12.0	3	554	-
81	school_l..	What were the main reasons you left school? - Age: you feel too old for school	discrete	character-244	0	-	-
82	school_l..	What were the main reasons you left school? - Violence: bullying, unsafe to trav	discrete	numeric-12.0	1	556	-
83	school_l..	What were the main reasons you left school? - Changing schools: school is far/ to	discrete	numeric-12.0	6	551	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
84	school_l..	What were the main reasons you left school? - Other, Please specify the other rea	discrete	numeric-12.0	13	544	-
85	school_f..	Does your school have a feeding scheme program?	discrete	numeric-12.0	362	195	-
86	school_f..	If yes, Do you receive meals from the school feeding program?	discrete	numeric-12.0	355	202	-
87	school_f..	How often do you receive meals from the school feeding scheme?	discrete	numeric-12.0	228	329	-
88	school_f..	In the last 12 months did you or any other individuals in your household ever cut	discrete	numeric-12.0	362	195	-
89	school_p..	Have you participated in the following service/program?	discrete	numeric-12.0	362	195	-
90	school_p..	If no, have you heard of it/are you aware of it?	discrete	numeric-12.0	61	496	-
91	school_l..	Are there any organisations/ individuals who have been to your school to educate y	discrete	numeric-12.0	362	195	-
92	school_l..	If yes, where were they from?	discrete	numeric-12.0	226	331	-
93	school_h..	Are you aware of the school health screening programme done by nurses from DOH in	discrete	numeric-12.0	362	195	-
94	school_h..	If yes what services did you receive? - Sexual and reproductive health	discrete	numeric-12.0	105	452	-
95	school_h..	If yes what services did you receive? - Health education and referral	discrete	numeric-12.0	66	491	-
96	school_h..	If yes what services did you receive? - Health education on how to lead a healthy	discrete	numeric-12.0	78	479	-
97	school_h..	If yes what services did you receive? - Health education on drug and substance ab	discrete	numeric-12.0	37	520	-
98	school_h..	If yes what services did you receive? - Deworming, HPV immunization	discrete	numeric-12.0	56	501	-
99	school_h..	If yes what services did you receive? - Other, specify	discrete	numeric-12.0	34	523	-
100	program_..	If yes, where were they from? - Africa Centre / AHRI	discrete	numeric-12.0	4	553	-
101	program_..	If yes, where were they from? - PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mob	discrete	numeric-12.0	2	555	-
102	program_..	If yes, where were they from? - DoH	discrete	numeric-12.0	85	472	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
103	program ..	If yes, where were they from? - Thetha Nami / Peer Navigator	discrete	numeric-12.0	2	555	-
104	program ..	If yes, where were they from? - Safer Choices Programs at School	discrete	character-244	0	-	-
105	program ..	If yes, where were they from? - Don't know	discrete	numeric-12.0	1	556	-
106	program ..	If yes, where were they from? - Other	discrete	numeric-12.0	12	545	-
107	program ..	Please specify other	discrete	character-244	12	-	-
108	program ..	If no, have you heard of it/are you aware of it?	discrete	numeric-12.0	253	304	-
109	sti_scre ..	Have you participated in the following service/program?	discrete	numeric-12.0	362	195	-
110	which_or ..	Where / from which organization was it provided?	discrete	character-244	0	-	-
111	which_or ..	Where / from which organization was it provided? - Africa Centre / AHRI	discrete	numeric-12.0	21	536	-
112	which_or ..	Where / from which organization was it provided? - PrEP / Isisekelo Clinic (Mtuba	discrete	numeric-12.0	4	553	-
113	which_or ..	Where / from which organization was it provided? - DoH	discrete	numeric-12.0	22	535	-
114	which_or ..	Where / from which organization was it provided? - Thetha Nami	discrete	numeric-12.0	1	556	-
115	which_or ..	Where / from which organization was it provided? - Peer Navigator	discrete	character-244	0	-	-
116	which_or ..	Where / from which organization was it provided? - Safer Choices program at school	discrete	character-244	0	-	-
117	which_or ..	Where / from which organization was it provided? - Other	discrete	numeric-12.0	13	544	-
118	which_or ..	Where / from which organization was it provided? - Don't know	discrete	numeric-12.0	6	551	-
119	which_or ..	Please specify other	discrete	character-244	13	-	-
120	ifno_he ..	If no, have you heard of it/are you aware of it?	discrete	numeric-12.0	296	261	-
121	pep_part ..	Have you participated in the following service/program?	discrete	numeric-12.0	362	195	-
122	ifno_he ..	If no, have you heard of it/are you aware of it?	discrete	numeric-12.0	271	286	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
123	emergenc..	Have you participated in the following service/program? Emergency contraception?	discrete	numeric-12.0	361	196	-
124	ifno hea..	If no, have you heard of it/are you aware of it?	discrete	numeric-12.0	296	261	-
125	thetha n..	Have you participated in the following service/program? Thetha Nami / Peer Naviga	discrete	numeric-12.0	362	195	-
126	thetha n..	If No, have you heard of it/ are you aware of it?	discrete	numeric-12.0	252	305	-
127	sexual r..	Have you received info on sexual reproductive health (SRH) (eg on contraception,	discrete	numeric-12.0	362	195	-
128	if yes k..	If yes, what kind of info have you received? - HIV prevention (condoms, safe sex,	discrete	numeric-12.0	169	388	-
129	if yes k..	If yes, what kind of info have you received? - HIV testing	discrete	numeric-12.0	87	470	-
130	if yes k..	If yes, what kind of info have you received? - Circumcision	discrete	numeric-12.0	85	472	-
131	if yes k..	If yes, what kind of info have you received? - Family planning	discrete	numeric-12.0	7	550	-
132	if yes k..	If yes, what kind of info have you received? - Abortion	discrete	numeric-12.0	28	529	-
133	if yes k..	If yes, what kind of info have you received? - Antenatal care	discrete	numeric-12.0	24	533	-
134	if yes w..	If yes, please tell me where you got this info from? - Clinic	discrete	numeric-12.0	71	486	-
135	if yes w..	If yes, please tell me where you got this info from? - Family	discrete	numeric-12.0	31	526	-
136	if yes w..	If yes, please tell me where you got this info from? - Friends	discrete	numeric-12.0	8	549	-
137	if yes w..	If yes, please tell me where you got this info from? - TV/ radio	discrete	numeric-12.0	12	545	-
138	if yes w..	If yes, please tell me where you got this info from? - Social media	discrete	numeric-12.0	4	553	-
139	if yes w..	If yes, please tell me where you got this info from? - Peer navigators	discrete	numeric-12.0	35	522	-
140	if yes w..	If yes, please tell me where you got this info from? - School - Life Orientation	discrete	numeric-12.0	101	456	-
141	if yes w..	If yes, please tell me where you got this info from? - School - Safer Choices pr	discrete	numeric-12.0	45	512	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
142	if_yes_w..	If yes, please tell me where you got this info from? - Teacher	discrete	numeric-12.0	9	548	-
143	if_yes_w..	If yes, please tell me where you got this info from? - NGO	discrete	numeric-12.0	70	487	-
144	if_yes_w..	If yes, please tell me where you got this info from? - AHRI	discrete	numeric-12.0	8	549	-
145	starforl..	If No, have you heard of it/ are you aware of it?	discrete	numeric-12.0	110	447	-
146	confide..	There is someone in your community you could confide in about violence in the hom	discrete	numeric-12.0	362	195	-
147	place_of..	Do you have a safe place to stay if you have a problem or emergency?	discrete	numeric-12.0	362	195	-
148	risky_ar..	I know where are the risky areas in my community	discrete	numeric-12.0	362	195	-
149	move_awa..	have you moved away from home?	discrete	numeric-12.0	362	195	-
150	travelli..	What were the reasons for traveling to [name]? - Looking for work	discrete	character-244	0	-	-
151	travelli..	What were the reasons for traveling to [name]? - To visit/live with partner	discrete	numeric-12.0	4	553	-
152	travelli..	What were the reasons for traveling to [name]? - To study / boarding school	discrete	numeric-12.0	6	551	-
153	travelli..	What were the reasons for traveling to [name]? - To visit/live with family	discrete	numeric-12.0	117	440	-
154	travelli..	What were the reasons for traveling to [name]? - Illness related - to seek for me	discrete	character-244	0	-	-
155	travelli..	What were the reasons for traveling to [name]? - Holiday	discrete	numeric-12.0	56	501	-
156	travelli..	What were the reasons for traveling to [name]? - To care for family members	discrete	numeric-12.0	2	555	-
157	travelli..	What were the reasons for traveling to [name]? - I was in jail	discrete	character-244	0	-	-
158	travelli..	What were the reasons for traveling to [name]? - Other, specify	discrete	numeric-12.0	6	551	-
159	if_yes_l..	If yes, with whom were you living with during this time? - Alone	discrete	character-244	0	-	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
160	if_yes_1..	If yes, with whom were you living with during this time? - Your family	discrete	numeric-12.0	186	371	-
161	if_yes_1..	If yes, with whom were you living with during this time? - In-laws	discrete	character-244	0	-	-
162	if_yes_1..	If yes, with whom were you living with during this time? - Same-aged friends	discrete	numeric-12.0	1	556	-
163	if_yes_1..	If yes, with whom were you living with during this time? - Other friends	discrete	numeric-12.0	3	554	-
164	if_yes_1..	If yes, with whom were you living with during this time? - Neighbors	discrete	character-244	0	-	-
165	if_yes_1..	If yes, with whom were you living with during this time? - Partner	discrete	character-244	0	-	-
166	if_yes_1..	If yes, with whom were you living with during this time? - Others	discrete	character-244	0	-	-
167	if_yes_1..	If yes, with whom were you living with during this time? - Changing school: the s	discrete	character-244	0	-	-
168	if_yes_1..	If yes, with whom were you living with during this time? - Other, specify	discrete	numeric-12.0	2	555	-
169	interest..	Little interest or pleasure in doing things	discrete	numeric-12.0	362	195	-
170	down_dep..	Feeling down, depressed, or hopeless	discrete	numeric-12.0	362	195	-
171	sleeping ..	Trouble falling or staying asleep, or sleeping too much	discrete	numeric-12.0	362	195	-
172	tired_or..	Tired or having little energy	discrete	numeric-12.0	362	195	-
173	poor_app..	Poor appetite or overeating	discrete	numeric-12.0	362	195	-
174	concentr ..	Trouble concentrating on things, such as reading the newspaper or watching televi	discrete	numeric-12.0	362	195	-
175	moving_o..	Moving or speaking so slowly that other people could have noticed?	discrete	numeric-12.0	362	195	-
176	dead_or_..	thoughts that you would be better off dead or of hurting yourself in some way	discrete	numeric-12.0	362	195	-
177	condom_u..	Will you be able to use a condom every time when have sexual intercourse	discrete	numeric-12.0	362	195	-
178	cond_usage	I am able to ask my partner to use a condom every time we have sexual intercourse	discrete	numeric-12.0	362	195	-
179	cond_usa..	I am able to refuse sex if [my partner] will not use a condom	discrete	numeric-12.0	362	195	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
180	cond_usa..	I can ask a new partner to use a condom	discrete	numeric-12.0	362	195	-
181	cond_usa..	I can refuse sex when I don't have a condom available	discrete	numeric-12.0	362	195	-
182	able_avo..	I am able to avoid sex any time I don't want to	discrete	numeric-12.0	361	196	-
183	hiv_test	I feel confident that I could visit a health facility or testing center to get an	discrete	numeric-12.0	362	195	-
184	health_c..	I am confident that I would be able to go to a health clinic for any reason if I	discrete	numeric-12.0	362	195	-
185	contrace..	Using modern contraceptives to prevent unintended pregnancies is important?	discrete	numeric-12.0	362	195	-
186	bleeding..	Changes to normal menstrual bleeding patterns which is caused by some contracepti	discrete	numeric-12.0	362	195	-
187	srh_serv..	I feel able to obtain SRH services and products if I need them?	discrete	numeric-12.0	362	195	-
188	srh_serv..	I feel able to use SRH services even if my partner/ boyfriend/husband doesn't want	discrete	numeric-12.0	362	195	-
189	srh_serv..	I feel able to use SRH services even if my parents/ guardians/relatives do not wan	discrete	numeric-12.0	362	195	-
190	hiv	Would you be able to get a HIV test if you wanted one?	discrete	numeric-12.0	362	195	-
191	hiv_status	Do you think that it is important for people to know their status?	discrete	numeric-12.0	362	195	-
192	hiv_test..	Why is it important to be HIV tested? - To protect/To take care of yourself	discrete	numeric-12.0	271	286	-
193	hiv_test..	Why is it important to be HIV tested? - To protect your partner	discrete	numeric-12.0	144	413	-
194	hiv_test..	Why is it important to be HIV tested? - To protect unborn baby	discrete	numeric-12.0	47	510	-
195	hiv_test..	Why is it important to be HIV tested? - To prepare for the future	discrete	numeric-12.0	119	438	-
196	hiv_test..	Why is it important to be HIV tested? - Other, specify	discrete	numeric-12.0	20	537	-
197	hiv_test..	Have you ever received a test result for HIV?	discrete	numeric-12.0	362	195	-
198	hiv_test..	If No, why have you not tested? - I don't think I have HIV	discrete	numeric-12.0	127	430	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
199	hiv_test_..	If No, why have you not tested? - I don't want to know my HIV status	discrete	numeric-12.0	12	545	-
200	hiv_test_..	If No, why have you not tested? - I don't know where to go for HIV testing	discrete	numeric-12.0	13	544	-
201	hiv_test_..	If No, why have you not tested? - I am worried someone will see me at the clinic	discrete	numeric-12.0	1	556	-
202	hiv_test_..	If No, why have you not tested? - I am worried that health workers might reveal m	discrete	character-244	0	-	-
203	hiv_test_..	If No, why have you not tested? - The clinic where HIV testing is available is fa	discrete	numeric-12.0	2	555	-
204	hiv_test_..	If No, why have you not tested? - Other, specify	discrete	numeric-12.0	29	528	-
205	hiv_test_..	If No, why have you not tested? - I don't know	discrete	numeric-12.0	54	503	-
206	hiv_test_..	If No, why have you not tested? - Choose not to answer	discrete	character-244	0	-	-
207	last_hiv_..	Where did your last HIV test take place?	discrete	numeric-12.0	137	420	-
208	positive_..	Have you ever had a positive HIV test result?	discrete	numeric-12.0	137	420	-
209	first_po_..	When was your first positive test result?	discrete	numeric-12.0	7	550	-
210	neg_test_..	When was your last negative test result?	discrete	numeric-12.0	136	421	-
211	referred_..	Were you referred to HIV treatment services?	discrete	numeric-12.0	7	550	-
212	taken_art	Have you ever taken ART for your own health?	discrete	numeric-12.0	6	551	-
213	art_star_..	When did you first start ART?	discrete	numeric-12.0	6	551	-
214	receiv_a_..	Are you currently receiving ART?	discrete	numeric-12.0	6	551	-
215	stop_art	If you are HIV positive: Have you ever had to stop ART?	discrete	numeric-12.0	6	551	-
216	heard_of_..	If HIV negative or status not known: Have you ever heard of ART?	discrete	numeric-12.0	0	557	-
217	art_impr_..	Do you think that ART improves health?	discrete	numeric-12.0	362	195	-
218	places_t_..	Do you know places where to get ART?	discrete	numeric-12.0	362	195	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
219	pep_hear..	Have you ever heard of drugs that can be taken to prevent HIV infection after pot	discrete	numeric-12.0	362	195	-
220	pep_offe..	Do you know where such services are offered?	discrete	numeric-12.0	108	449	-
221	ever_tak..	Have you ever taken PEP?	discrete	numeric-12.0	108	449	-
222	last_tak..	How long ago did you last take PEP?	discrete	character-244	1	-	-
223	last_tak..	How long ago did you last take PEP?	discrete	numeric-12.0	1	556	-
224	receive..	Where did you receive PEP from?	discrete	numeric-12.0	1	556	-
225	prep_hear..	Have you ever heard of PrEP?	discrete	numeric-12.0	362	195	-
226	prep_yes_1	Where did you hear about PrEP? - Clinic	discrete	numeric-12.0	35	522	-
227	prep_yes_2	Where did you hear about PrEP? - Family	discrete	numeric-12.0	19	538	-
228	prep_yes_3	Where did you hear about PrEP? - Friends	discrete	numeric-12.0	15	542	-
229	prep_yes_4	Where did you hear about PrEP? - TV/radio	discrete	numeric-12.0	23	534	-
230	prep_yes_5	Where did you hear about PrEP? - Social media	discrete	numeric-12.0	1	556	-
231	prep_yes_6	Where did you hear about PrEP? - Peer navigators	discrete	numeric-12.0	31	526	-
232	prep_yes_7	Where did you hear about PrEP? - School - Life Orientation class	discrete	numeric-12.0	35	522	-
233	prep_yes_8	Where did you hear about PrEP? - School - Safer Choices program	discrete	numeric-12.0	7	550	-
234	prep_yes_9	Where did you hear about PrEP? - Teacher	discrete	numeric-12.0	20	537	-
235	prep_yes..	Where did you hear about PrEP? - NGO	discrete	numeric-12.0	15	542	-
236	prep_yes..	Where did you hear about PrEP? - AHRI	discrete	numeric-12.0	87	470	-
237	prep_yes..	Where did you hear about PrEP? - other specify	discrete	numeric-12.0	15	542	-
238	prep_yes..	Please specify other	discrete	character-244	15	-	-
239	offered..	Have you ever been offered PrEP?	discrete	numeric-12.0	209	348	-
240	ever_tak..	Have you ever taken PrEP?	discrete	numeric-12.0	7	550	-
241	not_take..	Why did you decide not to take PrEP?	discrete	numeric-12.0	0	557	-
242	prep_cli..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	numeric-12.0	4	553	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
243	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	character-244	0	-	-
244	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	character-244	0	-	-
245	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	character-244	0	-	-
246	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	character-244	0	-	-
247	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	character-244	0	-	-
248	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	character-244	0	-	-
249	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	character-244	0	-	-
250	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	numeric-12.0	1	556	-
251	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	character-244	0	-	-
252	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	character-244	0	-	-
253	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	character-244	0	-	-
254	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	character-244	0	-	-
255	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	character-244	0	-	-
256	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	character-244	0	-	-
257	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	numeric-12.0	1	556	-
258	prep_cli ..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	numeric-12.0	1	556	-
259	prep_eve ..	Do you take PrEP every day?	discrete	numeric-12.0	7	550	-
260	prep_tak ..	When you take your PrEP do you usually take it at the same time?	discrete	numeric-12.0	7	550	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
261	prep_in ..	In general, are you the type of person who would rather	discrete	numeric-12.0	362	195	-
262	tobacco ..	In your whole life up to now, have you ever smoked a cigarette?	discrete	numeric-12.0	362	195	-
263	tobacco ..	How old were you when you smoked your first cigarette?	discrete	numeric-12.0	14	543	-
264	tobacco ..	How many days have you smoked at least one cigarette in the past month? [number o	continuous	numeric-12.0	14	543	-
265	tobacco ..	Have you used smokeless tobacco products such as snuff or chewing tobacco in the	discrete	numeric-12.0	362	195	-
266	alcohol ..	In your whole life up to now, have you ever drunk one "drink" of alcohol (e.g. a	discrete	numeric-12.0	362	195	-
267	first_dr ..	How old were you when you drank your first drink? If you can't remember, please g	discrete	numeric-12.0	128	429	-
268	days_dru ..	How many days have you drunk at least one drink in the past month? [number of day	discrete	numeric-12.0	128	429	-
269	drunk_5 ..	How many days have you drunk 5 or more drinks (in succession) on one or more days	discrete	numeric-12.0	82	475	-
270	used_can ..	In your whole life up to now, have you ever used cannabis (dagga)?	discrete	numeric-12.0	362	195	-
271	used_can ..	How old were you when you used cannabis (dagga)?	discrete	numeric-12.0	9	548	-
272	used_can ..	How many days have you used cannabis in the past month? [number of days]	continuous	numeric-12.0	9	548	-
273	used_dru ..	Have you ever used other drugs such as (Tick all that apply) - No	discrete	numeric-12.0	355	202	-
274	used_dru ..	Have you ever used other drugs such as (Tick all that apply) - Glue, Thynas, Benz	discrete	numeric-12.0	5	552	-
275	used_dru ..	Have you ever used other drugs such as (Tick all that apply) - Mandrax	discrete	character-244	0	-	-
276	used_dru ..	Have you ever used other drugs such as (Tick all that apply) - Cocaine	discrete	character-244	0	-	-
277	used_dru ..	Have you ever used other drugs such as (Tick all that apply) - Heroin Club drugs	discrete	numeric-12.0	1	556	-
278	used_dru ..	Have you ever used other drugs such as (Tick all that apply) - Other	discrete	numeric-12.0	3	554	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
279	used_dru..	Have you ever used other drugs such as (Tick all that apply)	discrete	character-244	0	-	-
280	used_dru..	Please specify other	discrete	character-244	3	-	-
281	favourit..	What is your favourite colour?	discrete	numeric-12.0	361	196	-
282	brothers..	How many brothers do you have?	continuous	numeric-12.0	342	215	-
283	daysofth..	Which are your favourite days of the week? Please provide more than one day - Mon	discrete	numeric-12.0	77	480	-
284	daysofth..	Which are your favourite days of the week? Please provide more than one day - Tue	discrete	numeric-12.0	50	507	-
285	daysofth..	Which are your favourite days of the week? Please provide more than one day - Wed	discrete	numeric-12.0	79	478	-
286	daysofth..	Which are your favourite days of the week? Please provide more than one day - Thu	discrete	numeric-12.0	63	494	-
287	daysofth..	Which are your favourite days of the week? Please provide more than one day - Fri	discrete	numeric-12.0	211	346	-
288	daysofth..	Which are your favourite days of the week? Please provide more than one day - Sat	discrete	numeric-12.0	107	450	-
289	daysofth..	Which are your favourite days of the week? Please provide more than one day - Sun	discrete	numeric-12.0	79	478	-
290	partic_c..	Is the participant comfortable to complete the self-interview by themselves?	discrete	numeric-12.0	358	199	-
291	ever_had..	Have you ever had sex?	discrete	numeric-12.0	362	195	-
292	firsttim..	Are you willing to share how old were you the first time you had sex, even if it	discrete	numeric-12.0	80	477	-
293	ever_had..	If you ever had sex (even if it was not your choice) how old were you the first t	discrete	numeric-12.0	51	506	-
294	firsttim..	What was/were the reason(s) you had sex the first time? - Showing love to my part	discrete	numeric-12.0	36	521	-
295	firsttim..	What was/were the reason(s) you had sex the first time? - I suggest getting somet	discrete	numeric-12.0	3	554	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
296	firsttim ..	What was/were the reason(s) you had sex the first time? - I want to/it's about ma	discrete	numeric-12.0	17	540	-
297	firsttim ..	What was/were the reason(s) you had sex the first time? - I was forced by my part	discrete	numeric-12.0	7	550	-
298	firsttim ..	What was/were the reason(s) you had sex the first time? - I felt obliged to have	discrete	numeric-12.0	6	551	-
299	firsttim ..	What was/were the reason(s) you had sex the first time? - He lured me with money	discrete	numeric-12.0	2	555	-
300	firsttim ..	What was/were the reason(s) you had sex the first time? - He lured me with food	discrete	character-244	0	-	-
301	firsttim ..	What was/were the reason(s) you had sex the first time? - He lured me with gifts	discrete	numeric-12.0	3	554	-
302	firsttim ..	What was/were the reason(s) you had sex the first time? - Transactional sex - exc	discrete	numeric-12.0	3	554	-
303	firsttim ..	What was/were the reason(s) you had sex the first time? - Pressure from friends/p	discrete	numeric-12.0	6	551	-
304	firsttim ..	What was/were the reason(s) you had sex the first time? - Pressure from parents/f	discrete	character-244	0	-	-
305	firsttim ..	What was/were the reason(s) you had sex the first time? - My partner	discrete	numeric-12.0	1	556	-
306	firsttim ..	What was/were the reason(s) you had sex the first time? - I was forced to have se	discrete	character-244	0	-	-
307	firsttim ..	What was/were the reason(s) you had sex the first time? - It just happened	discrete	numeric-12.0	23	534	-
308	firsttim ..	When you had sex for the first time, even if it was not your choice, with whom di	discrete	numeric-12.0	80	477	-
309	firsttim ..	The first time you had sex, were you given gifts or money by your sexual partner?	discrete	numeric-12.0	80	477	-
310	protecti ..	When you first had sex, did you or your partner do anything to protect you agains	discrete	numeric-12.0	80	477	-
311	first_pa ..	Did you know the HIV status of your first partner at the time when you first had	discrete	numeric-12.0	80	477	-
312	first_se ..	What was the HIV status of your first partner at the time when you first had sex?	discrete	numeric-12.0	25	532	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
313	first_se..	Did you know if your first partner was taking ART when you were having sex for th	discrete	numeric-12.0	24	533	-
314	number_d..	Have you ever been had sex with different people (including your husband/ wife)?	discrete	numeric-12.0	80	477	-
315	number_d..	How many different people have you had sex within your lifetime (including your h	discrete	numeric-12.0	34	523	-
316	diff_ppl..	Are you willing to share the number of different people have you had sex with in	discrete	numeric-12.0	34	523	-
317	ppl_had_..	How many people have you had sex with in the past 12 months (including your husba	discrete	numeric-12.0	9	548	-
318	number_s..	Are you willing to share the number of sexual relationships you are in at the mom	discrete	numeric-12.0	80	477	-
319	sexual_rel	How many sexual relationships are you in at the moment (if you do not know, pleas	discrete	numeric-12.0	26	531	-
320	had_sex_..	have you ever had sex with anyone	discrete	numeric-12.0	80	477	-
321	sex_for_..	Some people have sex with other people for a living; would you consider yourself	discrete	numeric-12.0	80	477	-
322	use_cond..	Did you use a condom the LAST time you had sex (whether it was forced or agreed)?	discrete	numeric-12.0	80	477	-
323	sex_with..	Have you had any sex without a condom in the last month?	discrete	numeric-12.0	80	477	-
324	sex_with..	Have you had any sex without a condom in the last 12 months?	discrete	numeric-12.0	80	477	-
325	person_age	Are you willing to share the age of this person?	discrete	numeric-12.0	81	476	-
326	person_a..	How old is this person (if you do not know, please make your best guess)? [in yea	continuous	numeric-12.0	29	528	-
327	partner_..	Have you used a condom with this person?	discrete	numeric-12.0	40	517	-
328	if_no_co..	If no, why did you or [name]use a condom? - I don't like condoms/they interfere w	discrete	numeric-12.0	9	548	-
329	if_no_co..	If no, why did you or [name]use a condom? - My	discrete	numeric-12.0	1	556	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
		partner doesn't like condoms/ it in					
330	if_no_co..	If no, why did you or [name]use a condom? - We didn't have a condom/ couldn't find	discrete	numeric-12.0	6	551	-
331	if_no_co..	If no, why did you or [name]use a condom? - I am powerless to use a condom/I was	discrete	numeric-12.0	1	556	-
332	if_no_co..	If no, why did you or [name]use a condom? - I trust my partner	discrete	numeric-12.0	4	553	-
333	if_no_co..	If no, why did you or [name]use a condom? - I know my partner does not have HIV	discrete	numeric-12.0	2	555	-
334	if_no_co..	If no, why did you or [name]use a condom? - I was drinking too much/My partner wa	discrete	numeric-12.0	1	556	-
335	if_no_co..	If no, why did you or [name]use a condom? - It is because I am circumcised	discrete	numeric-12.0	3	554	-
336	if_no_co..	If no, why did you or [name]use a condom? - My partner/I are trying to have a bab	discrete	character-244	0	-	-
337	if_no_co..	If no, why did you or [name]use a condom? - Because my partner/I are using ART	discrete	character-244	0	-	-
338	if_no_co..	If no, why did you or [name]use a condom? - For religious reasons	discrete	character-244	0	-	-
339	if_no_co..	If no, why did you or [name]use a condom? - I don't know	discrete	numeric-12.0	5	552	-
340	if_no_co..	If no, why did you or [name]use a condom? - I choose not to respond	discrete	character-244	0	-	-
341	often_co..	How often have you and [name] used male or female condoms?	discrete	numeric-12.0	81	476	-
342	drink_al..	Did you drink alcohol before the last time you had sex with [name]?	discrete	numeric-12.0	81	476	-
343	sex_gift	The last time you had sex with [name], did you give or were you given a gift in o	discrete	numeric-12.0	81	476	-
344	sex_money	The last time you had sex with [name], did you give or were you given money in or	discrete	numeric-12.0	81	476	-
345	status_hiv	Do you know the HIV status of [name]?	discrete	numeric-12.0	81	476	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
346	status_h ..	What is the HIV status of [name]?	discrete	numeric-12.0	22	535	-
347	find_sta ..	How did you find out their HIV status?	discrete	numeric-12.0	1	556	-
348	take_pre ..	During your relationship with [name] in the past year, did you take PrEP to preve	discrete	numeric-12.0	81	476	-
349	no_prep ..	Why did you decide not to take PrEP? - I have no knowledge about it	discrete	numeric-12.0	41	516	-
350	no_prep ..	Why did you decide not to take PrEP? - I don't see that I need it	discrete	numeric-12.0	13	544	-
351	no_prep ..	Why did you decide not to take PrEP? - I am concerned about its side effects or i	discrete	numeric-12.0	2	555	-
352	no_prep ..	Why did you decide not to take PrEP? - It bothers me to do this procedure in the	discrete	numeric-12.0	2	555	-
353	no_prep ..	Why did you decide not to take PrEP? - Other, WRITE IT DOWN	discrete	numeric-12.0	1	556	-
354	no_prep ..	Why did you decide not to take PrEP? - I choose not to respond	discrete	numeric-12.0	3	554	-
355	females ..	Has any male ever done any of the following things to you - Has ever said or done	discrete	numeric-12.0	23	534	-
356	females ..	Has any male ever done any of the following things to you - Has ever threatened t	discrete	numeric-12.0	7	550	-
357	females ..	Has any male ever done any of the following things to you - Has ever insulted you	discrete	numeric-12.0	26	531	-
358	females ..	Has any male ever done any of the following things to you - Someone who pushed yo	discrete	numeric-12.0	13	544	-
359	females ..	Has any male ever done any of the following things to you - Someone who once slap	discrete	numeric-12.0	27	530	-
360	females ..	Has any male ever done any of the following things to you - Has ever twisted your	discrete	numeric-12.0	9	548	-
361	females ..	Has any male ever done any of the following things to you - Has ever hit you with	discrete	numeric-12.0	7	550	-
362	females ..	Has any male ever done any of the following things to you - Someone who has kicke	discrete	numeric-12.0	7	550	-
363	females ..	Has any male ever done any of the following things to you - Has ever tried to str	discrete	numeric-12.0	3	554	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
364	females_..	Has any male ever done any of the following things to you - Someone who has threa	discrete	numeric-12.0	5	552	-
365	females_..	Has any male ever done any of the following things to you - Someone who attacked	discrete	numeric-12.0	4	553	-
366	females_..	Has any male ever done any of the following things to you - Has ever touched you	discrete	numeric-12.0	8	549	-
367	females_..	Has any male ever done any of the following things to you - Someone who tried to	discrete	numeric-12.0	7	550	-
368	females_..	Has any male ever done any of the following things to you - Someone who forced yo	discrete	numeric-12.0	2	555	-
369	females_..	Has any male ever done any of the following things to you - Someone who forced yo	discrete	numeric-12.0	3	554	-
370	females_..	Has any male ever done any of the following things to you - No	discrete	numeric-12.0	110	447	-
371	males_on_..	Has anyone done any of the following things to you in the last 12 months - Has ev	discrete	numeric-12.0	43	514	-
372	males_on_..	Has anyone done any of the following things to you in the last 12 months - Has ev	discrete	numeric-12.0	20	537	-
373	males_on_..	Has anyone done any of the following things to you in the last 12 months - Has ev	discrete	numeric-12.0	42	515	-
374	males_on_..	Has anyone done any of the following things to you in the last 12 months - Someon	discrete	numeric-12.0	18	539	-
375	males_on_..	Has anyone done any of the following things to you in the last 12 months - Someon	discrete	numeric-12.0	45	512	-
376	males_on_..	Has anyone done any of the following things to you in the last 12 months - Has ev	discrete	numeric-12.0	16	541	-
377	males_on_..	Has anyone done any of the following things to you in the last 12 months - Has ev	discrete	numeric-12.0	18	539	-
378	males_on_..	Has anyone done any of the following things to you in the last 12 months - Someon	discrete	numeric-12.0	20	537	-
379	males_on_..	Has anyone done any of the following things to you in the last 12 months - Has ev	discrete	numeric-12.0	6	551	-
380	males_on_..	Has anyone done any of the following things to you in the last 12 months - Someon	discrete	numeric-12.0	8	549	-
381	males_on_..	Has anyone done any of the following things to you in the last 12 months - Someon	discrete	numeric-12.0	10	547	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
382	males_on_..	Has anyone done any of the following things to you in the last 12 months - Has ev	discrete	numeric-12.0	5	552	-
383	males_on_..	Has anyone done any of the following things to you in the last 12 months - Someone	discrete	numeric-12.0	7	550	-
384	males_on_..	Has anyone done any of the following things to you in the last 12 months - Someone	discrete	numeric-12.0	3	554	-
385	males_on_..	Has anyone done any of the following things to you in the last 12 months - Someone	discrete	numeric-12.0	3	554	-
386	males_on_..	Has anyone done any of the following things to you in the last 12 months - No	discrete	numeric-12.0	136	421	-
387	hiv_tran_..	Can the risk of HIV transmission be reduced by having sex with only one uninfected	discrete	numeric-12.0	362	195	-
388	reduce_r_..	Can a person reduce the risk of getting HIV by using a condom every time they have	discrete	numeric-12.0	362	195	-
389	healthy_..	Can a healthy-looking person have HIV?	discrete	numeric-12.0	362	195	-
390	mosquito_..	Can a person get HIV from mosquito bites?	discrete	numeric-12.0	362	195	-
391	sharing_..	Can a person get HIV by sharing food with someone who is infected?	discrete	numeric-12.0	362	195	-
392	srs_sv_e_..	Have you ever experienced any sexual related abuse?	discrete	numeric-12.0	361	196	-
393	srs_sv_t_..	how you would like us to contact you?	discrete	numeric-12.0	5	552	-
394	srs_sv_c_..	Please tell us how you would like us to contact you	discrete	numeric-12.0	5	552	-
395	srs_sv_p_..	Please indicate when is best to call	discrete	character-244	4	-	-
396	srs_sv_v_..	Please indicate which time of day is best	discrete	character-244	1	-	-
397	any_chil_..	Have you ever fathered any children?	discrete	numeric-12.0	57	500	-
398	first_ti_..	Are you willing to share how old were you the first time you made someone pregnant	discrete	numeric-12.0	2	555	-
399	first_ti_..	How old were you the first time you made someone pregnant? [age in years]	discrete	numeric-12.0	2	555	-
400	been_cir_..	Have you ever been circumcised where your whole foreskin was removed?	discrete	numeric-12.0	190	367	-
401	when_cir_..	When were you circumcised	discrete	numeric-12.0	137	420	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
402	where_ci..	Where were you circumcised?	discrete	numeric-12.0	137	420	-
403	currentl..	Are you currently pregnant?	discrete	numeric-12.0	23	534	-
404	ever_bee..	Have you ever been pregnant?	discrete	numeric-12.0	23	534	-
405	preg_las..	Have you been pregnant in the last 12 months?	discrete	numeric-12.0	9	548	-
406	firsttim ..	Are you willing to share how old were you the first time you got pregnant?	discrete	numeric-12.0	9	548	-
407	firsttim ..	How old were you the first time you got pregnant?	discrete	numeric-12.0	9	548	-
408	times_preg	How many times have you been pregnant?	discrete	numeric-12.0	0	557	-
409	contrace ..	In the last 3 months, did you need contraceptives and could not access them?	discrete	numeric-12.0	23	534	-
410	curr_met..	Are you currently using any contraceptive methods to prevent pregnancy?	discrete	numeric-12.0	2	555	-
411	no_contr ..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
412	no_contr ..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
413	no_contr ..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
414	no_contr ..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
415	no_contr ..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
416	no_contr ..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
417	no_contr ..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
418	no_contr ..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
419	no_contr ..	If no, What is the main reason why you are not using a method of contraception to	discrete	numeric-12.0	1	556	-
420	no_contr ..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
421	no_contr ..	If no, What is the main reason why you are not using a method of contraception to	discrete	numeric-12.0	1	556	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
422	no_contr_..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
423	no_contr_..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
424	no_contr_..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
425	no_contr_..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
426	no_contr_..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
427	no_contr_..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
428	no_contr_..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
429	no_contr_..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
430	no_contr_..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
431	no_contr_..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
432	no_contr_..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
433	no_contr_..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
434	no_contr_..	If no, What is the main reason why you are not using a method of contraception to	discrete	character-244	0	-	-
435	first_st_..	Which methods were you using?	discrete	character-244	0	-	-
436	avoid_pr_..	In the past 12 months, have you used any method to avoid getting pregnant?	discrete	numeric-12.0	23	534	-
437	methods_..	Which methods were you using? - Male condom	discrete	character-244	0	-	-
438	methods_..	Which methods were you using? - Female condom	discrete	character-244	0	-	-
439	methods_..	Which methods were you using? - Female sterilization	discrete	character-244	0	-	-
440	methods_..	Which methods were you using? - Vasectomy	discrete	character-244	0	-	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
441	methods ..	Which methods were you using? - IUD	discrete	character-244	0	-	-
442	methods ..	Which methods were you using? - Injectables	discrete	numeric-12.0	9	548	-
443	methods ..	Which methods were you using? - Implant	discrete	numeric-12.0	3	554	-
444	methods ..	Which methods were you using? - Pills	discrete	character-244	0	-	-
445	methods ..	Which methods were you using? - Withdrawa/Thigh sex	discrete	character-244	0	-	-
446	methods ..	Which methods were you using? - Traditional methods	discrete	character-244	0	-	-
447	methods ..	Which methods were you using? - Other	discrete	character-244	0	-	-
448	methods ..	Which methods were you using? - Choose not to answer	discrete	character-244	0	-	-
449	untreate ..	Some untreated STDs can cause infertility	discrete	numeric-12.0	362	195	-
450	latex_co ..	It is safe to use oils with latex condoms	discrete	numeric-12.0	362	195	-
451	some_std	Some STIs are curable, and some are not	discrete	numeric-12.0	362	195	-
452	std_infe ..	A person with an STI who looks and feels healthy cannot give the infection to oth	discrete	numeric-12.0	362	195	-
453	std_high ..	Some STIs put a person at higher risk of getting infected with HIV	discrete	numeric-12.0	362	195	-
454	std_pain	A sign of having an STI can be pain or burning when urinating (peeing).	discrete	numeric-12.0	362	195	-
455	std_reason	One reason that STIs are so common is because infected persons often do not have	discrete	numeric-12.0	362	195	-
456	condom_use	The best way to use a condom is to leave some space at the tip for the sperm	discrete	numeric-12.0	362	195	-
457	condom_u ..	A condom should be completely unrolled before it is placed on the penis	discrete	numeric-12.0	362	195	-
458	get_cond ..	Teens must be 18 years old or older to get condoms at a store or clinic	discrete	numeric-12.0	362	195	-
459	tattooin ..	Sharing needles for tattooing or piercing	discrete	numeric-12.0	362	195	-
460	sex_with ..	Having sex without a condom	discrete	numeric-12.0	362	195	-
461	blood_do ..	Donating blood	discrete	numeric-12.0	362	195	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
462	condom_u..	Using the same condom twice	discrete	numeric-12.0	362	195	-
463	hugging	Hugging	discrete	numeric-12.0	362	195	-
464	treated_..	Once a person is treated for an STI, that person cannot get the same STI again	discrete	numeric-12.0	362	195	-
465	start_se..	It is safe to start sex without a condom as long as the condom is put on before t	discrete	numeric-12.0	362	195	-
466	condom_b..	Condoms exposed to heat and sunlight may break more easily	discrete	numeric-12.0	362	195	-
467	treating_..	Most health clinics must have the permission of parents to test and treat people	discrete	numeric-12.0	362	195	-
468	abstaina..	Choosing not to have sex (abstinence)	discrete	numeric-12.0	362	195	-
469	hormone_..	Using hormone-based birth control (e.g., the pill, Depo-Provera shot, patch, vagi	discrete	numeric-12.0	362	195	-
470	latex_co..	Using latex condoms	discrete	numeric-12.0	362	195	-
471	withdrawal	Using withdrawal	discrete	numeric-12.0	362	195	-
472	douching	Douching (washing out the vagina)	discrete	numeric-12.0	362	195	-
473	ii_airti..	Would the participant like to receive the R50 airtime incentive?	discrete	numeric-12.0	362	195	-
474	ii_airti..	Can the participant please verify if the Network provider of Primary Contact numb	discrete	numeric-12.0	0	557	-
475	ii_airti..	Who is the mobile phone network service provider?	discrete	numeric-12.0	358	199	-
476	ii_recha..	Airtime Recharge Status	discrete	character-244	357	-	-
477	cp_sendt..	Have all questions been completed and can the Survey proceed to be quality contro	discrete	numeric-12.0	395	162	-
478	cp_surve..	End of Survey time	discrete	character-11	395	-	-
479	cp_qc_pe..	Was the Internal QC Step completed?	discrete	numeric-12.0	394	163	-
480	cp_qc_date	Date of QC	discrete	character-11	393	-	-
481	cp_qc_is..	Was there any issues identified during the QC?	discrete	numeric-12.0	393	164	-
482	cp_qc_re..	Were all issues corrected?	discrete	numeric-12.0	19	538	-
483	cp_qc_re..	Were all issues raised re-reviewed and corrected?	discrete	numeric-12.0	15	542	-
484	cp_send_..	Are all quality processes completed and can the survey be send to the Staging Pro	discrete	numeric-12.0	388	169	-

File AHRI.SaferChoicesPreLearnerSurvey.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
485	ar_conta..	Was the participant contacted?	discrete	numeric-12.0	5	552	-
486	ar_supp..	Was support provided?	discrete	numeric-12.0	5	552	-
487	ar_follo..	Is follow up needed?	discrete	numeric-12.0	5	552	-
488	ar_follo..	Date of follow up	discrete	character-11	5	-	-
489	ar_resol..	Was it resolved?	discrete	numeric-12.0	5	552	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	record_id	Record ID	continuous	numeric-12.0	361	0	-
2	ca_attmp..	Conducting Contact Attempt	discrete	numeric-12.0	358	3	-
3	ca_attmp..	Attempt Date and Time	discrete	character-11	355	-	-
4	ca_attmp..	Were you able to speak to the participant?	discrete	numeric-12.0	358	3	-
5	ca_attmp..	Outcome of Contact Attempt - spoken to	discrete	numeric-12.0	325	36	-
6	ca_attmp..	Outcome of Contact Attempt - spoken over the phone	discrete	numeric-12.0	0	361	-
7	ca_attmp..	Outcome of Contact Attempt - not spoken to	discrete	numeric-12.0	34	327	-
8	ca_attmp..	Reschedule next visit date	discrete	character-11	6	-	-
9	ca_attmp..	Conducting Contact Attempt	discrete	numeric-12.0	6	355	-
10	ca_attmp..	Attempt Date and Time	discrete	character-11	4	-	-
11	ca_attmp..	Were you able to speak to the participant?	discrete	numeric-12.0	4	357	-
12	ca_attmp..	Outcome of Contact Attempt - spoken to	discrete	numeric-12.0	3	358	-
13	ca_attmp..	Outcome of Contact Attempt - spoken over the phone	discrete	numeric-12.0	0	361	-
14	ca_attmp..	Outcome of Contact Attempt - not spoken to	discrete	numeric-12.0	1	360	-
15	ca_attmp..	Reschedule next visit date	discrete	character-11	3	-	-
16	ca_attmp..	Conducting Contact Attempt	discrete	numeric-12.0	4	357	-
17	ca_attmp..	Attempt Date and Time	discrete	character-11	0	-	-
18	ca_attmp..	Were you able to speak to the participant?	discrete	numeric-12.0	0	361	-
19	ca_attmp..	Outcome of Contact Attempt - spoken to	discrete	numeric-12.0	0	361	-
20	ca_attmp..	Outcome of Contact Attempt - spoken over the phone	discrete	numeric-12.0	0	361	-
21	ca_attmp..	Outcome of Contact Attempt - not spoken to	discrete	numeric-12.0	0	361	-
22	ca_proj..	Fieldworker: Request handover of Non-Contact to Project Coordinator?	discrete	numeric-12.0	28	333	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
23	ca_coord..	FOR PROJECT COORDINATOR TO COMPLETE:Was this request for a Non-Contact approved?	discrete	numeric-12.0	0	361	-
24	ca_visit..	Visit Date	discrete	character-11	328	-	-
25	pd_sex	Sex	discrete	numeric-12.0	361	0	-
26	pd_dob	Participant's Date of Birth	discrete	character-11	361	-	-
27	pd_parti..	Participant's Age	discrete	numeric-12.0	323	38	-
28	pd_prim..	Network provider for the primary contact number (mobile)	discrete	numeric-12.0	361	0	-
29	bio_leader	Are you a Safer Choices peer team/group leader?	discrete	numeric-12.0	328	33	-
30	school_n..	School Name	discrete	numeric-12.0	361	0	-
31	school_g..	Grade	discrete	numeric-12.0	361	0	-
32	ahri_lin..	Were you able to look up the DSID from the AHRI link lite App?	discrete	numeric-12.0	328	33	-
33	ahri_lin..	If yes, please provide the DSID	discrete	numeric-12.0	0	361	-
34	ac_date	Capacity assessment date by Field Team	discrete	character-11	327	-	-
35	ac_asses..	HAPPY with Step 1?	discrete	numeric-12.0	328	33	-
36	ac_asses..	HAPPY with Step 2?	discrete	numeric-12.0	1	360	-
37	ac_asses..	HAPPY with Step 3?	discrete	numeric-12.0	0	361	-
38	ac_asses..	Is this individual capable to participate?	discrete	numeric-12.0	328	33	-
39	ac_infor..	Please confirm that you have given the participant a copy of the Information Shee	discrete	numeric-12.0	328	33	-
40	consent..	Will the consent be obtained in Zulu or English? Å	discrete	numeric-12.0	328	33	-
41	ic_adole..	Informed consent for adolescents - Start time	discrete	character-11	327	-	-
42	ic_indiv..	Have you received enough information about the study? You confirm that I have rea	discrete	numeric-12.0	328	33	-
43	ic_indiv..	Have you been given an opportunity to ask questions about the study and been give	discrete	numeric-12.0	328	33	-
44	ic_indiv..	Do you understand that your participation is voluntary and that you are free to w	discrete	numeric-12.0	328	33	-
45	ic_indiv..	Do you agree to take part in this study?	discrete	numeric-12.0	328	33	-
46	ic_indiv..	Do you agree for your data to be linked to the population intervention platform P	discrete	numeric-12.0	328	33	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
47	ic_indiv_..	Do you agree to be contacted by phone in order to make appointments for follow up	discrete	numeric-12.0	328	33	-
48	ic_indiv_..	Relationship with the owner of the alternative number	discrete	character-244	106	-	-
49	ic_indiv_..	Signature/Thumbprint of volunteer	discrete	character-244	303	-	-
50	ic_indiv_..	Volunteer Signature (ic_indiv_volunteersign1) Upload if available form Data Dump	discrete	character-244	0	-	-
51	ic_adole_..	Informed consent for adolescents - Stop time	discrete	character-11	328	-	-
52	school_n_..	What is the name of your school	discrete	numeric-12.0	328	33	-
53	school_g_..	In which grade are you? (Grade 9 - 10)	discrete	numeric-12.0	328	33	-
54	school_d_..	Since the last time we met for an interview with you, have you ever been absent f	discrete	numeric-12.0	328	33	-
55	school_a_..	What were the main reasons why you were absent?	discrete	numeric-12.0	0	361	-
56	school_a_..	Health/sickness: Went to the doctor/disease or injury.	discrete	numeric-12.0	42	319	-
57	school_a_..	Weather/ floods/ extreme heat.	discrete	numeric-12.0	10	351	-
58	school_a_..	Taking care of family: Visiting a relative, out of town/funeral/ death of a relat	discrete	numeric-12.0	2	359	-
59	school_a_..	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ b	discrete	numeric-12.0	1	360	-
60	school_a_..	Financial state/ school fees: money problems/ not paid school fees/ no transport	discrete	numeric-12.0	2	359	-
61	school_a_..	Taking transport and arriving by myself: no transportation/ school is distanced.	discrete	numeric-12.0	0	361	-
62	school_a_..	A child/ young people were arriving late at school/ scared of corporal punishment	discrete	numeric-12.0	2	359	-
63	school_a_..	Being old: feeling very old/ too young to go to school.	discrete	numeric-12.0	1	360	-
64	school_a_..	Learning with disability/ difficulty in learning/ difficulties with learning high	discrete	numeric-12.0	0	361	-
65	school_a_..	Pregnancy	discrete	numeric-12.0	0	361	-
66	school_a_..	Not being accepted/ registration.	discrete	numeric-12.0	1	360	-
67	school_a_..	Being bored at school/ subjects.	discrete	numeric-12.0	1	360	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
68	school_a..	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot	discrete	numeric-12.0	0	361	-
69	school_a..	Other, specify	discrete	numeric-12.0	16	345	-
70	school_d..	How many days were you absent from school in the last term?. If wasn't absent ent	discrete	numeric-12.0	78	283	-
71	school_r..	Have you ever repeated a grade	discrete	numeric-12.0	328	33	-
72	school_g..	What were the main reasons you repeated a grade?	discrete	numeric-12.0	0	361	-
73	school_g..	Your health: you suffered chronic ill-health.	discrete	numeric-12.0	13	348	-
74	school_g..	Family care: a family member required you to care for them.	discrete	numeric-12.0	2	359	-
75	school_g..	Financial issues: cannot afford school / family requires you to work for money	discrete	numeric-12.0	1	360	-
76	school_g..	Learning difficulty: school has become too hard.	discrete	numeric-12.0	0	361	-
77	school_g..	Social reasons: students or teachers are unkind/friends left school.	discrete	numeric-12.0	90	271	-
78	school_g..	Pregnancy	discrete	numeric-12.0	9	352	-
79	school_g..	Violence: bullying, unsafe to travel to school.	discrete	numeric-12.0	4	357	-
80	school_g..	Changing schools: school is far/ too expensive.	discrete	numeric-12.0	1	360	-
81	school_g..	Other, specify	discrete	numeric-12.0	28	333	-
82	school_l..	Have you ever had to leave school for a period of time and come back at the same	discrete	numeric-12.0	328	33	-
83	school_l..	What were the main reasons you left school?	discrete	numeric-12.0	0	361	-
84	school_l..	Your health: you suffered chronic ill-health.	discrete	numeric-12.0	0	361	-
85	school_l..	Family care: a family member required you to care for them.	discrete	numeric-12.0	3	358	-
86	school_l..	Financial issues: cannot afford school / family requires you to work for money	discrete	numeric-12.0	1	360	-
87	school_l..	Learning difficulty: school has become too hard.	discrete	numeric-12.0	3	358	-
88	school_l..	Social reasons: students or teachers are unkind/friends left school.	discrete	numeric-12.0	2	359	-
89	school_l..	Pregnancy	discrete	numeric-12.0	2	359	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
90	school_1..	Age: you feel too old for school.	discrete	numeric-12.0	2	359	-
91	school_1..	Violence: bullying, unsafe to travel to school.	discrete	numeric-12.0	2	359	-
92	school_1..	Changing schools: school is far/ too expensive.	discrete	numeric-12.0	8	353	-
93	school_1..	Other, Please specify the other reasons for leaving school	discrete	numeric-12.0	5	356	-
94	school_f..	How often do you receive meals from the school feeding scheme?	discrete	numeric-12.0	327	34	-
95	school_f..	Other, specify	discrete	numeric-12.0	322	39	-
96	school_f..	In the last 12 months did you or any other individuals in your household ever cut	discrete	numeric-12.0	263	98	-
97	school_f..	HIV education noma ngamakhono empilo esikoleni? Life skills based Have you partic	discrete	character-244	4	-	-
98	school_f..	If no, have you heard of it/are you aware of it?	discrete	numeric-12.0	328	33	-
99	school_p..	Are there any organisations/ individuals who have been to your school to educate y	discrete	numeric-12.0	328	33	-
100	school_p..	If yes, where were they from?	discrete	numeric-12.0	40	321	-
101	school_1..	Please specify the other reasons life skills	discrete	numeric-12.0	328	33	-
102	school_1..	Are you aware of the school health screening programme done by nurses from DOH in	discrete	numeric-12.0	244	117	-
103	school_h..	Are you aware of the school health screening programme done by nurses from DOH in	discrete	numeric-12.0	328	33	-
104	school_h..	If yes what services did you receive?	discrete	numeric-12.0	0	361	-
105	school_h..	Sexual and reproductive health.	discrete	numeric-12.0	137	224	-
106	school_h..	Health education and referral.	discrete	numeric-12.0	69	292	-
107	school_h..	Health education on how to lead a healthy lifestyle.	discrete	numeric-12.0	71	290	-
108	school_h..	Health education on drug and substance abuse awareness, health screening (such as	discrete	numeric-12.0	55	306	-
109	school_h..	Deworming, HPV immunization.	discrete	numeric-12.0	58	303	-
110	school_h..	Other, specify	discrete	numeric-12.0	9	352	-
111	program_..	Have you participated in the following service/program? OTHERS? (e.g., adolescent	discrete	numeric-12.0	328	33	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
112	program ..	If yes, where were they from?	discrete	numeric-12.0	0	361	-
113	program ..	Africa Centre / AHRI	discrete	numeric-12.0	25	336	-
114	program ..	PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinic)	discrete	numeric-12.0	1	360	-
115	program ..	DoH	discrete	numeric-12.0	81	280	-
116	program ..	Thetha Nami / Peer Navigator	discrete	numeric-12.0	5	356	-
117	program ..	Safer Choices Programs at School	discrete	numeric-12.0	28	333	-
118	program ..	Don't know	discrete	numeric-12.0	3	358	-
119	program ..	Other	discrete	numeric-12.0	5	356	-
120	program ..	Have you participated in the following service/program? Ukuhlolwa nokwelashwa	discrete	character-244	5	-	-
121	program ..	(For each Intervention above - if participated; Ask) Lwahlinzekwa kuphi/ lwahlinze	discrete	numeric-12.0	225	136	-
122	sti_scre ..	(For each Intervention above - if participated; Ask) Lwahlinzekwa kuphi/ lwahlinze	discrete	numeric-12.0	328	33	-
123	which_or ..	Where / from which organization was it provided?	discrete	numeric-12.0	0	361	-
124	which_or ..	Africa Centre / AHRI	discrete	numeric-12.0	41	320	-
125	which_or ..	PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinics)	discrete	numeric-12.0	10	351	-
126	which_or ..	DoH	discrete	numeric-12.0	18	343	-
127	which_or ..	Thetha Nami	discrete	numeric-12.0	0	361	-
128	which_or ..	Peer Navigator	discrete	numeric-12.0	2	359	-
129	which_or ..	Safer Choices program at school	discrete	numeric-12.0	31	330	-
130	which_or ..	Other	discrete	numeric-12.0	0	361	-
131	which_or ..	Don't know	discrete	numeric-12.0	2	359	-
132	ifno_he ..	If no, have you heard of it/are you aware of it?	discrete	numeric-12.0	261	100	-
133	pep_part ..	Emergency contraception, eg. morning after pill or after having unprotected sex.	discrete	numeric-12.0	328	33	-
134	ifno_he ..	If no, have you heard of it/are you aware of it?	discrete	numeric-12.0	241	120	-
135	emergenc ..	Have you participated in the following service/program? Thetha Nami / Peer Naviga	discrete	numeric-12.0	327	34	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
136	ifno_hear..	If No, have you heard of it/ are you aware of it?	discrete	numeric-12.0	257	104	-
137	thetha_n..	Have you participated in the following service/program? Thetha Nami / Peer Naviga	discrete	numeric-12.0	328	33	-
138	thetha_n..	If No, have you heard of it/ are you aware of it?	discrete	numeric-12.0	164	197	-
139	sexual_r..	Have you received info on sexual reproductive health (SRH) (eg on contraception,	discrete	numeric-12.0	328	33	-
140	if_yes_k..	If yes, what kind of info have you received?	discrete	numeric-12.0	0	361	-
141	if_yes_k..	HIV prevention (condoms, safe sex, partnership).	discrete	numeric-12.0	178	183	-
142	if_yes_k..	HIV testing	discrete	numeric-12.0	135	226	-
143	if_yes_k..	Circumcision	discrete	numeric-12.0	115	246	-
144	if_yes_k..	Family planning	discrete	numeric-12.0	19	342	-
145	if_yes_k..	Abortion	discrete	numeric-12.0	49	312	-
146	if_yes_k..	Antenatal care	discrete	numeric-12.0	39	322	-
147	if_yes_k..	Menstrual hygiene	discrete	numeric-12.0	0	361	-
148	if_yes_w..	If yes, please tell me where you got this info from?	discrete	numeric-12.0	0	361	-
149	if_yes_w..	Clinic	discrete	numeric-12.0	94	267	-
150	if_yes_w..	Family	discrete	numeric-12.0	44	317	-
151	if_yes_w..	Friends	discrete	numeric-12.0	24	337	-
152	if_yes_w..	TV/radio	discrete	numeric-12.0	15	346	-
153	if_yes_w..	Social media	discrete	numeric-12.0	12	349	-
154	if_yes_w..	Peer navigators	discrete	numeric-12.0	71	290	-
155	if_yes_w..	School - Life Orientation class	discrete	numeric-12.0	131	230	-
156	if_yes_w..	School - Safer Choices program	discrete	numeric-12.0	85	276	-
157	if_yes_w..	Teacher	discrete	numeric-12.0	11	350	-
158	if_yes_w..	NGO	discrete	numeric-12.0	165	196	-
159	if_yes_w..	AHRI	discrete	numeric-12.0	7	354	-
160	if_yes_w..	other specify	discrete	numeric-12.0	0	361	-
161	starforl..	There is someone in your community you could confide in about violence in the hom	discrete	numeric-12.0	48	313	-
162	specify	Do you have a safe place to stay if you have a problem or emergency?	discrete	character-244	7	-	-
163	confide..	I know where are the risky areas in my community	discrete	numeric-12.0	328	33	-
164	place_of..	In the past year, have you moved away from home,	discrete	numeric-12.0	328	33	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
		either temporarily with the inte					
165	risky_ar..	What were the reasons for traveling to [name]?	discrete	numeric-12.0	328	33	-
166	move_awa..	What were the reasons for traveling to [name]?	discrete	numeric-12.0	328	33	-
167	travelli..	What were the reasons for traveling to [name]?	discrete	numeric-12.0	0	361	-
168	travelli..	Looking for work.	discrete	numeric-12.0	0	361	-
169	travelli..	To visit/live with partner.	discrete	numeric-12.0	17	344	-
170	travelli..	To study / boarding school.	discrete	numeric-12.0	1	360	-
171	travelli..	To visit/live with family.	discrete	numeric-12.0	119	242	-
172	travelli..	Illness related - to seek for medical care.	discrete	numeric-12.0	1	360	-
173	travelli..	Holiday	discrete	numeric-12.0	34	327	-
174	travelli..	To care for family members.	discrete	numeric-12.0	1	360	-
175	travelli..	I was in jail.	discrete	numeric-12.0	0	361	-
176	travelli..	Other, specify	discrete	numeric-12.0	2	359	-
177	if_yes_1..	If yes, with whom were you living with during this time?	discrete	numeric-12.0	0	361	-
178	if_yes_1..	Alone	discrete	numeric-12.0	0	361	-
179	if_yes_1..	Your family.	discrete	numeric-12.0	168	193	-
180	if_yes_1..	In-laws.	discrete	numeric-12.0	1	360	-
181	if_yes_1..	Same-aged friends.	discrete	numeric-12.0	5	356	-
182	if_yes_1..	Other friends	discrete	numeric-12.0	0	361	-
183	if_yes_1..	Neighbors	discrete	numeric-12.0	0	361	-
184	if_yes_1..	Partner	discrete	numeric-12.0	0	361	-
185	if_yes_1..	Others	discrete	numeric-12.0	3	358	-
186	if_yes_1..	Changing school: the school was too far / too expensive.	discrete	numeric-12.0	0	361	-
187	if_yes_1..	Other, specify	discrete	numeric-12.0	0	361	-
188	interest..	Trouble falling or staying asleep, or sleeping too much	discrete	numeric-12.0	328	33	-
189	down_dep..	Tired or having little energy	discrete	numeric-12.0	328	33	-
190	sleeping..	Poor appetite or overeating	discrete	numeric-12.0	328	33	-
191	tired_or..	Trouble concentrating on things, such as reading the newspaper or watching televi	discrete	numeric-12.0	328	33	-
192	poor_app..	Moving or speaking so slowly that other people could have noticed? Or the opposit	discrete	numeric-12.0	328	33	-
193	concentr..	Thoughts that you would be better off dead or of hurting yourself in some way	discrete	numeric-12.0	328	33	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
194	moving_o..	Will you be able to use a condom every time when have sexual intercourse	discrete	numeric-12.0	328	33	-
195	dead_or_..	I am able to ask my partner to use a condom every time we have sexual intercourse	discrete	numeric-12.0	328	33	-
196	condom_u..	I am able to refuse sex if [my partner] will not use a condom	discrete	numeric-12.0	328	33	-
197	cond_usage	I can ask a new partner to use a condom	discrete	numeric-12.0	328	33	-
198	cond_usa..	I can refuse sex when I don't have a condom available	discrete	numeric-12.0	328	33	-
199	cond_usa..	I am able to avoid sex any time I don't want to	discrete	numeric-12.0	328	33	-
200	cond_usa..	I feel confident that I could visit a health facility or testing center to get an	discrete	numeric-12.0	328	33	-
201	able_avo..	I am confident that I would be able to go to a health clinic for any reason if I	discrete	numeric-12.0	326	35	-
202	hiv_test	Using modern contraceptives to prevent unintended pregnancies is important?	discrete	numeric-12.0	328	33	-
203	health_c..	Changes to normal menstrual bleeding patterns which is caused by some contracepti	discrete	numeric-12.0	328	33	-
204	contrace..	I feel able to obtain SRH services and products if I need them?	discrete	numeric-12.0	328	33	-
205	bleeding..	I feel able to use SRH services even if my partner/ boyfriend/husband doesn't want	discrete	numeric-12.0	328	33	-
206	srh_serv..	I feel able to use SRH services even if my parents/ guardians/relatives do not wan	discrete	numeric-12.0	328	33	-
207	srh_serv..	I feel able to use SRH services even if my partner/ boyfriend/husband doesn't want	discrete	numeric-12.0	328	33	-
208	srh_serv..	I feel able to use SRH services even if my parents/ guardians/relatives do not wan	discrete	numeric-12.0	328	33	-
209	hiv	Would you be able to get a HIV test if you wanted one?	discrete	numeric-12.0	328	33	-
210	hiv_status	Do you think that it is important for people to know their status?	discrete	numeric-12.0	328	33	-
211	hiv_test..	Why is it important to be HIV tested?	discrete	numeric-12.0	0	361	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
212	hiv_test_..	Have you ever received a test result for HIV?	discrete	numeric-12.0	328	33	-
213	hiv_test_..	If No, why have you not tested?	discrete	numeric-12.0	0	361	-
214	hiv_test_..	I don't think I have HIV.	discrete	numeric-12.0	128	233	-
215	hiv_test_..	I don't want to know my HIV status.	discrete	numeric-12.0	13	348	-
216	hiv_test_..	I don't know where to go for HIV testing	discrete	numeric-12.0	3	358	-
217	hiv_test_..	I am worried someone will see me at the clinic and think I am HIV+.	discrete	numeric-12.0	0	361	-
218	hiv_test_..	I am worried that health workers might reveal my test results to others.	discrete	numeric-12.0	2	359	-
219	hiv_test_..	The clinic where HIV testing is available is far from my house.	discrete	numeric-12.0	3	358	-
220	hiv_test_..	Other, specify.	discrete	numeric-12.0	14	347	-
221	hiv_test_..	I don't know.	discrete	numeric-12.0	28	333	-
222	hiv_test_..	Choose not to answer.	discrete	numeric-12.0	2	359	-
223	last_hiv_..	Where did your last HIV test take place?	discrete	numeric-12.0	147	214	-
224	positive_..	Have you ever had a positive HIV test result?	discrete	numeric-12.0	147	214	-
225	first_po_..	Were you referred to HIV treatment services?	discrete	numeric-12.0	4	357	-
226	neg_test_..	When was your last negative test result?	discrete	numeric-12.0	147	214	-
227	referred_..	When did you first start ART?	discrete	numeric-12.0	4	357	-
228	taken_art	Are you currently receiving ART?	discrete	numeric-12.0	4	357	-
229	art_star_..	If you are HIV positive: Have you ever had to stop ART?	discrete	numeric-12.0	4	357	-
230	receiv_a_..	Please provide the reason for stopping ART	discrete	numeric-12.0	4	357	-
231	stop_art	If HIV negative or status not known: Have you ever heard of ART?	discrete	numeric-12.0	4	357	-
232	stop_art_..	Do you think that ART improves health?	discrete	character-244	1	-	-
233	heard_of_..	Do you know places where to get ART?	discrete	numeric-12.0	0	361	-
234	art_impr_..	Have you ever heard of drugs that can be taken to prevent HIV infection after pot	discrete	numeric-12.0	328	33	-
235	places_t_..	Do you know where such services are offered?	discrete	numeric-12.0	328	33	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
236	pep_hear..	Have you ever taken PEP?	discrete	numeric-12.0	328	33	-
237	pep_offe..	How long ago did you last take PEP?	discrete	numeric-12.0	215	146	-
238	ever_tak..	How long ago did you last take PEP?	discrete	numeric-12.0	215	146	-
239	last_tak..	Why did you take PEP?	discrete	numeric-12.0	2	359	-
240	last_tak..	Where did you receive PEP from?	discrete	numeric-12.0	2	359	-
241	receive..	Where did you receive PEP from?	discrete	numeric-12.0	2	359	-
242	prep_he..	Have you ever heard of PrEP? (These are tablets that people who do not have HIV c	discrete	numeric-12.0	328	33	-
243	prep_yes	Where did you hear about PrEP?	discrete	numeric-12.0	0	361	-
244	prep_yes_1	Clinic	discrete	numeric-12.0	65	296	-
245	prep_yes_2	Family	discrete	numeric-12.0	31	330	-
246	prep_yes_3	Friends	discrete	numeric-12.0	27	334	-
247	prep_yes_4	TV/radio	discrete	numeric-12.0	22	339	-
248	prep_yes_5	Social media	discrete	numeric-12.0	11	350	-
249	prep_yes_6	Peer navigators	discrete	numeric-12.0	46	315	-
250	prep_yes_7	School - Life Orientation class	discrete	numeric-12.0	74	287	-
251	prep_yes_8	School - Safer Choices program	discrete	numeric-12.0	142	219	-
252	prep_yes_9	Teacher	discrete	numeric-12.0	56	305	-
253	prep_yes..	NGO	discrete	numeric-12.0	1	360	-
254	prep_yes..	AHRI	discrete	numeric-12.0	161	200	-
255	prep_yes..	other specify	discrete	numeric-12.0	6	355	-
256	offered..	Have you ever been offered PrEP?	discrete	numeric-12.0	285	76	-
257	ever_tak..	Have you ever taken PrEP?	discrete	numeric-12.0	10	351	-
258	not_take..	Why did you decide not to take PrEP?	discrete	character-244	3	-	-
259	prep_cli..	Where are you receiving PrEP? Please tell us the name of the clinic/organization	discrete	numeric-12.0	0	361	-
260	prep_cli..	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/ umahamba nendlwane.	discrete	numeric-12.0	4	357	-
261	prep_cli..	Esiyembeni	discrete	numeric-12.0	0	361	-
262	prep_cli..	Gunjaneni	discrete	numeric-12.0	0	361	-
263	prep_cli..	Kwamsane	discrete	numeric-12.0	0	361	-
264	prep_cli..	Machibini	discrete	numeric-12.0	0	361	-
265	prep_cli..	Machibini	discrete	numeric-12.0	0	361	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
266	prep_cli ..	Mpukunyoni	discrete	numeric-12.0	0	361	-
267	prep_cli ..	Mtubatuba	discrete	numeric-12.0	0	361	-
268	prep_cli ..	Nkundusi	discrete	numeric-12.0	0	361	-
269	prep_cli ..	Ntondweni	discrete	numeric-12.0	0	361	-
270	prep_cli ..	Somkhele	discrete	numeric-12.0	0	361	-
271	prep_cli ..	Another place within the research area.	discrete	numeric-12.0	0	361	-
272	prep_cli ..	Outside the research area	discrete	numeric-12.0	0	361	-
273	prep_cli ..	Doctor	discrete	numeric-12.0	0	361	-
274	prep_cli ..	Chemistry	discrete	numeric-12.0	0	361	-
275	prep_cli ..	Africa Centre / AHRI	discrete	numeric-12.0	2	359	-
276	prep_cli ..	Other, specify	discrete	numeric-12.0	1	360	-
277	prep_eve ..	Please specify details of the place you receive PrEP inside the surveillance area	discrete	numeric-12.0	285	76	-
278	prep_tak ..	When you take your PrEP do you usually take it at the same time?	discrete	numeric-12.0	7	354	-
279	prep_in ..	In general, are you the type of person who would rather	discrete	numeric-12.0	328	33	-
280	tobacco ..	In your whole life up to now, have you ever smoked a cigarette?	discrete	numeric-12.0	328	33	-
281	tobacco ..	How old were you when you smoked your first cigarette? If you can't remember, ple	discrete	numeric-12.0	11	350	-
282	tobacco ..	How many days have you smoked at least one cigarette in the past month? [number o	continuous	numeric-12.0	11	350	-
283	tobacco ..	Have you used smokeless tobacco products such as snuff or chewing tobacco in the	discrete	numeric-12.0	328	33	-
284	alcohol ..	In your whole life up to now, have you ever drunk one "drink" of alcohol (e.g. a	discrete	numeric-12.0	328	33	-
285	first_dr ..	How old were you when you drank your first drink? If you can't remember, please g	discrete	numeric-12.0	121	240	-
286	days_dru ..	How many days have you drunk at least one drink in the past month? [number of day	continuous	numeric-12.0	120	241	-
287	drunk_5 ..	How many days have you drunk 5 or more drinks (in succession) on one or more days	discrete	numeric-12.0	67	294	-
288	used_can ..	In your whole life up to now, have you ever used cannabis (dagga)?	discrete	numeric-12.0	328	33	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
289	used_can..	How old were you when you used cannabis (dagga)? If you can't remember, please gi	discrete	numeric-12.0	11	350	-
290	used_can..	How many days have you used cannabis in the past month? [number of days]	continuous	numeric-12.0	11	350	-
291	used_drugs	Have you ever used other drugs such as (Tick all that apply)	discrete	numeric-12.0	0	361	-
292	used_dru..	No	discrete	numeric-12.0	0	361	-
293	used_dru..	Glue, Thynas, Benzine, or Petrol	discrete	numeric-12.0	0	361	-
294	used_dru..	Mandrax	discrete	numeric-12.0	0	361	-
295	used_dru..	Cocaine	discrete	numeric-12.0	0	361	-
296	used_dru..	Heroin Club drugs	discrete	numeric-12.0	0	361	-
297	used_dru..	Other	discrete	numeric-12.0	0	361	-
298	used_dru..	Choose not to answer	discrete	numeric-12.0	0	361	-
299	favourit..	What is your favourite colour?	discrete	numeric-12.0	328	33	-
300	brothers..	How many brothers do you have?	continuous	numeric-12.0	308	53	-
301	daysofth..	Which are your favourite days of the week? Please provide more than one day	discrete	numeric-12.0	0	361	-
302	daysofth..	Monday	discrete	numeric-12.0	67	294	-
303	daysofth..	Tuesday	discrete	numeric-12.0	32	329	-
304	daysofth..	Wednesday	discrete	numeric-12.0	69	292	-
305	daysofth..	Thursday	discrete	numeric-12.0	52	309	-
306	daysofth..	Friday	discrete	numeric-12.0	188	173	-
307	daysofth..	Saturday	discrete	numeric-12.0	76	285	-
308	daysofth..	Sunday	discrete	numeric-12.0	66	295	-
309	partic_c..	Is the participant comfortable to complete the self-interview by themselves?	discrete	numeric-12.0	323	38	-
310	ever_had..	Since the last time we met for an interview with you, have you had sex?	discrete	numeric-12.0	327	34	-
311	firsttim..	Are you willing to share how old were you the first time you had sex, even if it	discrete	numeric-12.0	56	305	-
312	ever_had..	If you ever had sex (even if it was not your choice) how old were you the first t	discrete	numeric-12.0	27	334	-
313	firsttim..	What was/were the reason(s) you had sex the first time? [Circle all the relevant	discrete	numeric-12.0	0	361	-
314	firsttim..	Showing love to my partner	discrete	numeric-12.0	35	326	-
315	firsttim..	Pressure from friends/peer	discrete	numeric-12.0	3	358	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
316	firsttim ..	Pressure from parents/family	discrete	numeric-12.0	0	361	-
317	firsttim ..	My partner	discrete	numeric-12.0	1	360	-
318	firsttim ..	I was forced to have sex	discrete	numeric-12.0	0	361	-
319	firsttim ..	It just happened	discrete	numeric-12.0	11	350	-
320	firsttim ..	Other	discrete	numeric-12.0	2	359	-
321	firsttim ..	I suggest getting something/ check something	discrete	numeric-12.0	3	358	-
322	firsttim ..	I want to/it's about making myself happy	discrete	numeric-12.0	7	354	-
323	firsttim ..	I was forced by my partner with sweet words	discrete	numeric-12.0	3	358	-
324	firsttim ..	I felt obliged to have sex	discrete	numeric-12.0	3	358	-
325	firsttim ..	He lured me with money	discrete	numeric-12.0	2	359	-
326	firsttim ..	He lured me with food	discrete	numeric-12.0	0	361	-
327	firsttim ..	He lured me with gifts	discrete	numeric-12.0	1	360	-
328	firsttim ..	Transactional sex - exchanging sex for money, things or services	discrete	numeric-12.0	2	359	-
329	firsttim ..	When you had sex for the first time, even if it was not your choice, with whom di	discrete	numeric-12.0	57	304	-
330	firsttim ..	The first time you had sex, were you given gifts or money by your sexual partner?	discrete	numeric-12.0	57	304	-
331	protecti ..	When you first had sex, did you or your partner do anything to protect you agains	discrete	numeric-12.0	57	304	-
332	first pa ..	Did you know the HIV status of your first partner at the time when you first had	discrete	numeric-12.0	57	304	-
333	first se ..	What was the HIV status of your first partner at the time when you first had sex?	discrete	numeric-12.0	20	341	-
334	first se ..	Did you know if your first partner was taking ART when you were having sex for th	discrete	numeric-12.0	20	341	-
335	number d ..	Have you ever been had sex with different people (including your husband/ wife)?	discrete	numeric-12.0	57	304	-
336	number d ..	How many different people have you had sex within your lifetime (including your h	discrete	numeric-12.0	27	334	-
337	diff ppl ..	Are you willing to share the number of different people have you had sex with in	discrete	numeric-12.0	28	333	-
338	ppl had ...	How many people have you had sex with in the past	discrete	numeric-12.0	9	352	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
		12 months (including your husba					
339	number_s..	Sometimes people have more than one sexual relationship at the same time. Are you	discrete	numeric-12.0	57	304	-
340	sexual_rel	How many sexual relationships are you in at the moment (if you do not know, pleas	discrete	numeric-12.0	20	341	-
341	had_sex_..	In the past 12 months, have you ever had sex with anyone (for a short period of t	discrete	numeric-12.0	57	304	-
342	sex_for_..	Some people have sex with other people for a living; would you consider yourself	discrete	numeric-12.0	57	304	-
343	use_cond..	Did you use a condom the LAST time you had sex (whether it was forced or agreed)?	discrete	numeric-12.0	57	304	-
344	sex_with..	Have you had any sex without a condom in the last month? (condom less sex)?	discrete	numeric-12.0	57	304	-
345	sex_with..	Have you had any sex without a condom in the last 12 months? (condom less sex)?	discrete	numeric-12.0	57	304	-
346	person_age	Are you willing to share the age of this person?	discrete	numeric-12.0	57	304	-
347	person_a..	How old is this person (if you do not know, please make your best guess)? [in yea	discrete	numeric-12.0	23	338	-
348	partner_..	Have you used a condom with this person?	discrete	numeric-12.0	26	335	-
349	if_no_co..	If no, why did you or [name]use a condom? (last sex)	discrete	numeric-12.0	0	361	-
350	if_no_co..	I don't like condoms/they interfere with pleasure	discrete	numeric-12.0	6	355	-
351	if_no_co..	It is because me/my partner use ART	discrete	numeric-12.0	0	361	-
352	if_no_co..	For religious reasons	discrete	numeric-12.0	0	361	-
353	if_no_co..	I don't know	discrete	numeric-12.0	2	359	-
354	if_no_co..	I choose not to respond	discrete	numeric-12.0	0	361	-
355	if_no_co..	My partner doesn't like condoms/it interferes with pleasure	discrete	numeric-12.0	0	361	-
356	if_no_co..	We didn't have a condom/ couldn't find a condom/we didn't have money	discrete	numeric-12.0	3	358	-
357	if_no_co..	I am powerless to use a condom/I was afraid of violence if I suggested the use o	discrete	numeric-12.0	0	361	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
358	if_no_co..	I trust my partner	discrete	numeric-12.0	3	358	-
359	if_no_co..	I know my partner does not have HIV	discrete	numeric-12.0	0	361	-
360	if_no_co..	I was drinking too much/ My partner was drinking too much	discrete	numeric-12.0	0	361	-
361	if_no_co..	It is because I am circumcised	discrete	numeric-12.0	1	360	-
362	if_no_co..	My partner/I are trying to have a baby because my partner/I are using ART	discrete	numeric-12.0	0	361	-
363	often_co..	How often have you and [name] used male or female condoms?	discrete	numeric-12.0	58	303	-
364	drink_al..	Did you drink alcohol before the last time you had sex with [name]?	discrete	numeric-12.0	58	303	-
365	sex_gift	The last time you had sex with [name], did you give or were you given a gift in o	discrete	numeric-12.0	58	303	-
366	sex_money	The last time you had sex with [name], did you give or were you given money in or	discrete	numeric-12.0	58	303	-
367	status_hiv	Do you know the HIV status of [name]?	discrete	numeric-12.0	58	303	-
368	status_h..	What is the HIV status of [name]?	discrete	numeric-12.0	25	336	-
369	find_sta..	How did you find out their HIV status?	discrete	numeric-12.0	0	361	-
370	find_sta..	Please specify details on other way you find out about the person's HIV status?	discrete	numeric-12.0	0	361	-
371	take_pre..	During your relationship with [name] in the past year, did you take PrEP to preve	discrete	numeric-12.0	57	304	-
372	no_prep_..	Why did you decide not to take PrEP?	discrete	numeric-12.0	0	361	-
373	no_prep_..	I have no knowledge about it	discrete	numeric-12.0	12	349	-
374	no_prep_..	I don't see that I need it	discrete	numeric-12.0	14	347	-
375	no_prep_..	I am concerned about its side effects or its safety	discrete	numeric-12.0	1	360	-
376	no_prep_..	It bothers me to do this procedure in the clinic	discrete	numeric-12.0	1	360	-
377	no_prep_..	Other, WRITE IT DOWN	discrete	numeric-12.0	1	360	-
378	no_prep_..	I choose not to respond	discrete	numeric-12.0	6	355	-
379	females_..	Since the last time we met for an interview with you, has any male ever done any	discrete	numeric-12.0	0	361	-
380	females_..	Has ever said or done something to lower your reputation among people?	discrete	numeric-12.0	13	348	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
381	females ..	Someone who has threatened to stab you with a knife or other weapon	discrete	numeric-12.0	1	360	-
382	females ..	Someone who attacked you with a weapon	discrete	numeric-12.0	0	361	-
383	females ..	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or p	discrete	numeric-12.0	4	357	-
384	females ..	Someone who tried to have sex with you when you didn't like it but never succeeded	discrete	numeric-12.0	8	353	-
385	females ..	Someone who forced you to have sex against your will	discrete	numeric-12.0	2	359	-
386	females ..	Someone who forced you to have sex with him against your will	discrete	numeric-12.0	0	361	-
387	females ..	No	discrete	numeric-12.0	123	238	-
388	females ..	Has ever threatened to hurt or hurt someone close to you?	discrete	numeric-12.0	2	359	-
389	females ..	Has ever insulted you or made you self-conscious?	discrete	numeric-12.0	9	352	-
390	females ..	Someone who pushed you, shook you, or threw something at you	discrete	numeric-12.0	9	352	-
391	females ..	Someone who once slapped you	discrete	numeric-12.0	13	348	-
392	females ..	Has ever twisted your arm or pulled your hair	discrete	numeric-12.0	4	357	-
393	females ..	Has ever hit you with a fist or something that could hurt you	discrete	numeric-12.0	0	361	-
394	females ..	Someone who has kicked, pulled, or hit you	discrete	numeric-12.0	3	358	-
395	females ..	Has ever tried to strangle you or burn you on purpose	discrete	numeric-12.0	0	361	-
396	males on ..	Since the last time we met for an interview with you, has anyone done any of the	discrete	numeric-12.0	0	361	-
397	males on ..	Has ever said or done something to lower your reputation among people?	discrete	numeric-12.0	45	316	-
398	males on ..	Someone who has threatened to stab you with a knife or other weapon	discrete	numeric-12.0	10	351	-
399	males on ..	Someone who attacked you with a weapon	discrete	numeric-12.0	7	354	-
400	males on ..	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or p	discrete	numeric-12.0	3	358	-
401	males on ..	Someone who tried to have sex with you when you didn't like it but never succeeded	discrete	numeric-12.0	8	353	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
402	males_on_..	Someone who forced you to have sex against your will	discrete	numeric-12.0	6	355	-
403	males_on_..	Someone who forced you to have sex with him against your will	discrete	numeric-12.0	2	359	-
404	males_on_..	No	discrete	numeric-12.0	114	247	-
405	males_on_..	Has ever threatened to hurt or hurt someone close to you?	discrete	numeric-12.0	16	345	-
406	males_on_..	Has ever insulted you or made you self-conscious?	discrete	numeric-12.0	28	333	-
407	males_on_..	Someone who pushed you, shook you, or threw something at you	discrete	numeric-12.0	10	351	-
408	males_on_..	Someone who once slapped you	discrete	numeric-12.0	26	335	-
409	males_on_..	Has ever twisted your arm or pulled your hair	discrete	numeric-12.0	6	355	-
410	males_on_..	Has ever hit you with a fist or something that could hurt you	discrete	numeric-12.0	6	355	-
411	males_on_..	Someone who has kicked, pulled, or hit you	discrete	numeric-12.0	7	354	-
412	males_on_..	Has ever tried to strangle you or burn you on purpose	discrete	numeric-12.0	6	355	-
413	hiv_tran_..	Can the risk of HIV transmission be reduced by having sex with only one uninfected	discrete	numeric-12.0	328	33	-
414	reduce_r_..	Can a person reduce the risk of getting HIV by using a condom every time they have	discrete	numeric-12.0	328	33	-
415	healthy_..	Can a healthy-looking person have HIV?	discrete	numeric-12.0	328	33	-
416	mosquito_..	Can a person get HIV from mosquito bites?	discrete	numeric-12.0	328	33	-
417	sharing_..	Can a person get HIV by sharing food with someone who is infected?	discrete	numeric-12.0	328	33	-
418	srs_sv_e_..	Have you ever experienced any sexual related abuse?	discrete	numeric-12.0	328	33	-
419	srs_sv_t_..	If it is safe for you to wait up to 3 days for help, then click HERE to give us i	discrete	numeric-12.0	8	353	-
420	srs_sv_c_..	Please tell us how you would like us to contact you	discrete	numeric-12.0	3	358	-
421	srs_sv_p_..	Please indicate when is best to call	discrete	character-244	2	-	-
422	srs_sv_v_..	Please indicate which time of day is best	discrete	character-244	1	-	-
423	any_chil_..	Have you ever fathered any children?	discrete	numeric-12.0	43	318	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
424	first ti ..	Are you willing to share how old were you the first time you made someone pregnan	discrete	numeric-12.0	1	360	-
425	first ti ..	How old were you the first time you made someone pregnant? [age in years]	discrete	numeric-12.0	1	360	-
426	been cir ..	Have you ever been circumcised where your whole foreskin was removed?	discrete	numeric-12.0	171	190	-
427	when cir ..	When were you circumcised (if you do not know, please make your best guess)?	discrete	numeric-12.0	124	237	-
428	where ci ..	Where were you circumcised?	discrete	numeric-12.0	124	237	-
429	currentl ..	Are you currently pregnant?	discrete	numeric-12.0	14	347	-
430	ever bee ..	Have you ever been pregnant?	discrete	numeric-12.0	14	347	-
431	preg las ..	Have you been pregnant in the last 12 months?	discrete	numeric-12.0	7	354	-
432	firsttim ..	Are you willing to share how old were you the first time you got pregnant?	discrete	numeric-12.0	7	354	-
433	firsttim ..	How old were you the first time you got pregnant? [age in years]	discrete	numeric-12.0	7	354	-
434	times_preg	How many times have you been pregnant? (including pregnancies that did not go to	discrete	numeric-12.0	0	361	-
435	contrace ..	In the last 3 months, did you need contraceptives and could not access them?	discrete	numeric-12.0	14	347	-
436	curr_met ..	Which methods were you using?	discrete	numeric-12.0	0	361	-
437	no_contr ..	If no, What is the main reason why you are not using a method of contraception to	discrete	numeric-12.0	0	361	-
438	no_contr ..	Not married	discrete	numeric-12.0	0	361	-
439	no_contr ..	I oppose	discrete	numeric-12.0	0	361	-
440	no_contr ..	Opposed by male/husband	discrete	numeric-12.0	0	361	-
441	no_contr ..	Other oppositions	discrete	numeric-12.0	0	361	-
442	no_contr ..	Religion disapproves	discrete	numeric-12.0	0	361	-
443	no_contr ..	Don't know any way	discrete	numeric-12.0	0	361	-
444	no_contr ..	Don't know any source	discrete	numeric-12.0	0	361	-
445	no_contr ..	Health concerns	discrete	numeric-12.0	0	361	-
446	no_contr ..	Scared of adverse effects	discrete	numeric-12.0	0	361	-
447	no_contr ..	Not being able to access/ being far	discrete	numeric-12.0	0	361	-
448	no_contr ..	Too expensive	discrete	numeric-12.0	0	361	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
449	no_contr..	Want to get married	discrete	numeric-12.0	0	361	-
450	no_contr..	Using it is disturbing	discrete	numeric-12.0	0	361	-
451	no_contr..	Interferes with the normal functioning of the body	discrete	numeric-12.0	0	361	-
452	no_contr..	Method failure	discrete	numeric-12.0	0	361	-
453	no_contr..	Other, specify	discrete	numeric-12.0	0	361	-
454	no_contr..	Don't know	discrete	numeric-12.0	0	361	-
455	no_contr..	Don't want to get married	discrete	numeric-12.0	0	361	-
456	no_contr..	Not having sex	discrete	numeric-12.0	0	361	-
457	no_contr..	Don't have sex as often	discrete	numeric-12.0	0	361	-
458	no_contr..	Not menstruating/ Hysterectomy	discrete	numeric-12.0	0	361	-
459	no_contr..	Spotting/Breastfeeding	discrete	numeric-12.0	0	361	-
460	no_contr..	Want more children	discrete	numeric-12.0	0	361	-
461	no_contr..	Pregnancy	discrete	numeric-12.0	0	361	-
462	first_st..	Which methods were you using?	discrete	numeric-12.0	0	361	-
463	first_st..	Male condom	discrete	numeric-12.0	0	361	-
464	first_st..	Traditional methods	discrete	numeric-12.0	0	361	-
465	first_st..	Other	discrete	numeric-12.0	0	361	-
466	first_st..	Choose not to answer	discrete	numeric-12.0	0	361	-
467	first_st..	Female condom	discrete	numeric-12.0	0	361	-
468	first_st..	Female sterilization	discrete	numeric-12.0	0	361	-
469	first_st..	Vasectomy	discrete	numeric-12.0	0	361	-
470	first_st..	IUD	discrete	numeric-12.0	0	361	-
471	first_st..	Injectables	discrete	numeric-12.0	0	361	-
472	first_st..	Implant	discrete	numeric-12.0	0	361	-
473	first_st..	Pills	discrete	numeric-12.0	0	361	-
474	first_st..	Withdrawa/Thigh sex	discrete	numeric-12.0	0	361	-
475	avoid_pr..	In the past 12 months, have you used any method to avoid getting pregnant?	discrete	numeric-12.0	14	347	-
476	methods_..	Which methods were you using?	discrete	numeric-12.0	0	361	-
477	methods_..	Male condom	discrete	numeric-12.0	1	360	-
478	methods_..	Female condom	discrete	numeric-12.0	0	361	-
479	methods_..	Female sterilization	discrete	numeric-12.0	0	361	-
480	methods_..	Vasectomy	discrete	numeric-12.0	0	361	-
481	methods_..	IUD	discrete	numeric-12.0	0	361	-
482	methods_..	Injectables	discrete	numeric-12.0	2	359	-
483	methods_..	Implant	discrete	numeric-12.0	1	360	-
484	methods_..	Pills	discrete	numeric-12.0	0	361	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
485	methods_..	Withdrawa/Thigh sex	discrete	numeric-12.0	0	361	-
486	methods_..	Traditional methods	discrete	numeric-12.0	0	361	-
487	methods_..	Other	discrete	numeric-12.0	0	361	-
488	methods_..	Choose not to answer	discrete	numeric-12.0	0	361	-
489	untreat_..	Some untreated STDs can cause infertility	discrete	numeric-12.0	328	33	-
490	latex_co_..	It is safe to use oils with latex condoms	discrete	numeric-12.0	328	33	-
491	some_std	Some STIs are curable, and some are not	discrete	numeric-12.0	328	33	-
492	std_infe_..	A person with an STI who looks and feels healthy cannot give the infection to oth	discrete	numeric-12.0	328	33	-
493	std_high_..	Some STIs put a person at higher risk of getting infected with HIV	discrete	numeric-12.0	328	33	-
494	std_pain	A sign of having an STI can be pain or burning when urinating (peeing).	discrete	numeric-12.0	328	33	-
495	std_reason	One reason that STIs are so common is because infected persons often do not have	discrete	numeric-12.0	328	33	-
496	condom_use	The best way to use a condom is to leave some space at the tip for the sperm	discrete	numeric-12.0	328	33	-
497	condom_u_..	A condom should be completely unrolled before it is placed on the penis	discrete	numeric-12.0	328	33	-
498	get_cond_..	Teens must be 18 years old or older to get condoms at a store or clinic	discrete	numeric-12.0	328	33	-
499	tattooin_..	Sharing needles for tattooing or piercing	discrete	numeric-12.0	328	33	-
500	sex_with_..	Having sex without a condom	discrete	numeric-12.0	328	33	-
501	blood_do_..	Donating blood	discrete	numeric-12.0	328	33	-
502	condom_u_..	Using the same condom twice	discrete	numeric-12.0	328	33	-
503	hugging	Hugging	discrete	numeric-12.0	328	33	-
504	treated_..	Once a person is treated for an STI, that person cannot get the same STI again	discrete	numeric-12.0	328	33	-
505	start_se_..	It is safe to start sex without a condom as long as the condom is put on before t	discrete	numeric-12.0	328	33	-
506	condom_b_..	Condoms exposed to heat and sunlight may break more easily	discrete	numeric-12.0	328	33	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
507	treating ..	Most health clinics must have the permission of parents to test and treat people	discrete	numeric-12.0	327	34	-
508	abstaina ..	Choosing not to have sex (abstinence)	discrete	numeric-12.0	327	34	-
509	hormone ..	Using hormone-based birth control (e.g., the pill, Depo-Provera shot, patch, vagi	discrete	numeric-12.0	327	34	-
510	latex_co ..	Using latex condoms	discrete	numeric-12.0	327	34	-
511	withdrawal	Using withdrawal (Ejaculating outside the body)	discrete	numeric-12.0	326	35	-
512	douching	Douching (washing out the vagina)	discrete	numeric-12.0	327	34	-
513	support ..	How would you rate the quality of support and health services you were offered th	discrete	numeric-12.0	328	33	-
514	info_exp ..	Did you get the kind of information and health services you wanted or expected?	discrete	numeric-12.0	328	33	-
515	safer_ch ..	How likely would you be to recommend Safer Choices program to your friends and re	discrete	numeric-12.0	328	33	-
516	study_st ..	How satisfied are you with information and support you received from the study st	discrete	numeric-12.0	328	33	-
517	rate	How would you rate our Theta nami youth-friendly clinics (mobile or fixed)?	discrete	numeric-12.0	328	33	-
518	satisfac ..	How satisfied are you with your Safer Choices peer team support (other learners f	discrete	numeric-12.0	328	33	-
519	school_c ..	How satisfied are you with your Safer Choices school council School council suppo	discrete	numeric-12.0	328	33	-
520	curr_les ..	How satisfied are you with your Safer Choices curriculum Safer choices curriculum	discrete	numeric-12.0	328	33	-
521	received ..	How satisfied are you with your Safer Choices parental support (eg quizzes, homew	discrete	numeric-12.0	328	33	-
522	linkages	How satisfied are you with your Safer Choices linkages to care via peer navigator	discrete	numeric-12.0	328	33	-
523	particip ..	Would you consider participating in any component of Safer Choices again?	discrete	numeric-12.0	328	33	-
524	ii_airti ..	Would the participant like to receive the R50 airtime incentive?	discrete	numeric-12.0	328	33	-

File AHRI.SaferChoicesFollowUp.2025.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
525	ii_airti_..	Can the participant please verify if the Primary Contact number of: [pd_prim_cntn	discrete	numeric-12.0	326	35	-
526	ii_airti_..	Can the participant please verify if the Network provider of Primary Contact numb	discrete	numeric-12.0	326	35	-
527	ii_airti_..	Can the participant please verify if the updated Primary Contact number of: [pd_p	discrete	numeric-12.0	326	35	-
528	ii_airti_..	Who is the mobile phone network service provider?	discrete	numeric-12.0	327	34	-
529	ii_recha_..	Airtime Recharge Status	discrete	character-244	316	-	-
530	cp_sendt_..	Have all questions been completed and can the Survey proceed to be quality contro	discrete	numeric-12.0	349	12	-
531	cp_surve_..	End of Survey time	discrete	character-11	348	-	-
532	cp_qc_pe_..	Was the Internal QC Step completed?	discrete	numeric-12.0	348	13	-
533	cp_qc_date	Date of QC	discrete	character-11	345	-	-
534	cp_qc_is_..	Was there any issues identified during the QC?	discrete	numeric-12.0	348	13	-
535	cp_qc_re_..	Were all issues corrected?	discrete	numeric-12.0	31	330	-
536	cp_qc_re_..	Were all issues raised re-reviewed and corrected?	discrete	numeric-12.0	0	361	-
537	cp_send_..	Are all quality processes completed and can the survey be send to the Staging Pro	discrete	numeric-12.0	317	44	-
538	ar_conta_..	Was the participant contacted?	discrete	numeric-12.0	3	358	-
539	ar_supp_..	Was support provided?	discrete	numeric-12.0	3	358	-
540	ar_follo_..	Is follow up needed?	discrete	numeric-12.0	3	358	-
541	ar_follo_..	Date of follow up	discrete	character-11	3	-	-
542	ar_resol_..	Was it resolved?	discrete	numeric-12.0	3	358	-

Variables Description

Dataset contains 1031 variable(s)

File : AHRI.SaferChoicesPreLearnerSurvey.2025.v1

record_id: Record ID

Information [Type= continuous] [Format=numeric] [Range= 7-1665] [Missing=*]

Statistics [NW/ W] [Valid=557 /-] [Invalid=0 /-] [Mean=939.142 /-] [StdDev=521.821 /-]

ca_attmp1_contact: Conducting Contact Attempt

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=423 /-] [Invalid=134 /-]

Value	Label	Cases	Percentage
1	Yes	423	100.0%
2	No	0	
Sysmiss		134	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp1_datetime: Attempt Date and Time

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=419 /-]

ca_attmp1_spoke_partic: Were you able to speak to the participant?

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=423 /-] [Invalid=134 /-]

Value	Label	Cases	Percentage
1	Yes, face-to-face	369	87.2%
2	No	54	12.8%
3	Yes, over the telephone	0	
Sysmiss		134	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp1_cntct_outcome: Outcome of Contact Attempt - spoken to

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=369 /-] [Invalid=188 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	369	100.0%
2	Corporal punishment, economic conditions, family responsibilities - Not available	0	
3	Off sick	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
96	Other	0	
Sysmiss		188	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp1_cntct_outcome_tel: Outcome of Contact Attempt - spoken over the phone

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

File : AHRI.SaferChoicesPreLearnerSurvey.2025.v1

ca_attmp1_cntct_outcome_tel: Outcome of Contact Attempt - spoken over the phone

Statistics [NW/ W] [Valid=0 /-] [Invalid=557 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	0	
2	Corporal punishment, economic conditions, family responsibilities - Not available	0	
3	Off sick	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
96	Other	0	
Sysmiss		557	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp1_no_cntct_outcome: Outcome of Contact Attempt - not spoken

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=54 /-] [Invalid=503 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	0	
2	Corporal punishment, economic conditions, family responsibilities - Not available	21	38.9%
3	Off sick	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
96	Other	33	61.1%
Sysmiss		503	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp1_resch_vsdate: Reschedule next visit date

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=18 /-]

ca_attmp2_contact: Conducting Contact Attempt

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=537 /-]

Value	Label	Cases	Percentage
1	Yes	0	
2	No	20	100.0%
Sysmiss		537	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : AHRI.SaferChoicesPreLearnerSurvey.2025.v1

ca_attmp2_datetime: Attempt Date and Time

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=0 /-]

ca_attmp2_spoke_partic: Were you able to speak to the participant?

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=557 /-]

Value	Label	Cases	Percentage
1	Yes, face-to-face	0	
2	No	0	
3	Yes, over the telephone	0	
Sysmiss		557	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp2_cntct_outcome: Outcome of Contact Attempt - spoken to

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=557 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	0	
2	Corporal punishment, economic conditions, family responsibilities - Not available	0	
3	Off sick	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
96	Other	0	
Sysmiss		557	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp2_cntct_outcome_tel: Outcome of Contact Attempt - spoken over the phone

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=557 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	0	
2	Corporal punishment, economic conditions, family responsibilities - Not available	0	
3	Off sick	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
96	Other	0	

File : AHRI.SaferChoicesPreLearnerSurvey.2025.v1

ca_attmp2_cntct_outcome_tel: Outcome of Contact Attempt - spoken over the phone

Value	Label	Cases	Percentage
Sysmiss		557	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp2_no_cntct_outcome: Outcome of Contact Attempt - not spoken to

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=557 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	0	
2	Corporal punishment, economic conditions, family responsibilities - Not available	0	
3	Off sick	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
96	Other	0	
Sysmiss		557	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp2_resch_vsdate: Reschedule next visit date

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]

ca_attmp3_contact: Conducting Contact Attempt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=557 /-]

Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
Sysmiss		557	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp3_datetime: Attempt Date and Time

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]

ca_attmp3_spoke_partic: Were you able to speak to the participant?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=557 /-]

Value	Label	Cases	Percentage
1	Yes, face-to-face	0	
2	No	0	
3	Yes, over the telephone	0	

File : AHRI.SaferChoicesPreLearnerSurvey.2025.v1

ca_attmp3_spoke_partic: Were you able to speak to the participant?

Value	Label	Cases	Percentage
Sysmiss		557	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp3_cntct_outcome: Outcome of Contact Attempt - spoken to

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=557 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	0	
2	Corporal punishment, economic conditions, family responsibilities - Not available	0	
3	Off sick	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
96	Other	0	
Sysmiss		557	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp3_cntct_outcome_tel: Outcome of Contact Attempt - spoken over the phone

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=557 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	0	
2	Corporal punishment, economic conditions, family responsibilities - Not available	0	
3	Off sick	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
96	Other	0	
Sysmiss		557	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp3_no_cntct_outcome: Outcome of Contact Attempt - not spoken to

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=557 /-]

ca_refused_by: Who refuse participation?

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=557 /-]

File : AHRI.SaferChoicesPreLearnerSurvey.2025.v1

ca_proj_handover_request: Request handover of Non-Contact to Project Coordinator?

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=33 /-] [Invalid=524 /-]

Value	Label	Cases	Percentage
1	Yes	22	66.7%
2	No	11	33.3%
Sysmiss		524	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_proj_noncontact_reas: Select reason for non-contact in field

Information [Type= discrete] [Format=numeric] [Range= 12-96] [Missing=*]

Statistics [NW/ W] [Valid=21 /-] [Invalid=536 /-]

Value	Label	Cases	Percentage
12	Not found after required number attempts	0	
13	Contacted, but unable to conduct survey after required number contact attempts	0	
15	Reported to be involved in gang activities	0	
96	Other	21	100.0%
Sysmiss		536	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_coordin_approval: FOR PROJECT COORDINATOR TO COMPLETE: Was this request for a Non-Contact approved?

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=557 /-]

ca_visitdate: Visit Date

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=369 /-]

pd_sex: Sex

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=557 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Male	293	52.6%
2	Female	264	47.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

pd_dob: Participant's Date of Birth

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=557 /-]

bio_leader: Are you a Safer Choices peer team/group leader?

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=367 /-] [Invalid=190 /-]

Value	Label	Cases	Percentage
1	Yes	24	6.5%

File : AHRI.SaferChoicesPreLearnerSurvey.2025.v1

bio_leader: Are you a Safer Choices peer team/group leader?

Value	Label	Cases	Percentage
2	No	343	93.5%
Sysmiss		190	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade1: Grade

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=557 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Grade 9	159	28.5%
2	Grade 10	398	71.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ac_date: Capacity assessment date by Field Team

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=361 /-]

ac_assess_step1: HAPPY with Step 1?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=361 /-] [Invalid=196 /-]

Value	Label	Cases	Percentage
1	Yes, seek signature	361	100.0%
2	No, not happy	0	
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ac_assess_step2: HAPPY with Step 2?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=557 /-]

Value	Label	Cases	Percentage
1	Yes, seek signature	0	
2	No, not happy	0	
Sysmiss		557	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ac_assess_step3: HAPPY with Step 3?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=557 /-]

Value	Label	Cases	Percentage
1	Yes, seek signature	0	
2	No, not happy	0	
Sysmiss		557	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ac_assess_result_fw: Is this individual capable to participate?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=361 /-] [Invalid=196 /-]

File : AHRI.SaferChoicesPreLearnerSurvey.2025.v1

ac_assess_result_fw: Is this individual capable to participate?

Value	Label	Cases	Percentage
1	Yes	361	100.0%
2	No	0	
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ac_inform_sheet_given: Please confirm that you have given the participant a copy of the Information Shee

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=361 /-] [Invalid=196 /-]

Value	Label	Cases	Percentage
1	Confirmed	254	70.4%
2	No, did not give the Information sheet	107	29.6%
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

consent_language: Will the consent be obtained in Zulu or English?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=361 /-] [Invalid=196 /-]

Value	Label	Cases	Percentage
1	Zulu	353	97.8%
2	English	8	2.2%
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ic_adolescent_starttime: Start time

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=361 /-]

ic_indiv_study_info: Have you received enough information about the study? You confirm that I have rea

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=361 /-] [Invalid=196 /-]

Value	Label	Cases	Percentage
1	Yes	361	100.0%
2	No	0	
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ic_indiv_study_questions: Have you been given an opportunity to ask questions about the study and been give

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=361 /-] [Invalid=196 /-]

Value	Label	Cases	Percentage
1	Yes	361	100.0%
2	No	0	
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : AHRI.SaferChoicesPreLearnerSurvey.2025.v1

ic_indiv_study_voluntary: Do you understand that your participation is voluntary and that you are free to w

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=361 /-] [Invalid=196 /-]

Value	Label	Cases	Percentage
1	Yes	361	100.0%
2	No	0	
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ic_indiv_study_take_part: Do you agree to take part in this study?

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=361 /-] [Invalid=196 /-]

Value	Label	Cases	Percentage
1	Yes	361	100.0%
2	No	0	
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ic_indiv_link_data: Do you agree for your data to be linked to the population intervention platform P

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=361 /-] [Invalid=196 /-]

Value	Label	Cases	Percentage
1	Yes	361	100.0%
2	No	0	
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ic_indiv_study_phone_app: Do you agree to be contacted by phone in order to make appointments for follow up

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=361 /-] [Invalid=196 /-]

Value	Label	Cases	Percentage
1	Yes	358	99.2%
2	No	3	0.8%
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ic_adolescent_stoptime: Stop time

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=361 /-]

school_grade: In which grade are you?

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=362 /-] [Invalid=195 /-]

Value	Label	Cases	Percentage
1	Grade 9	107	29.6%
2	Grade 10	255	70.4%

File : AHRI.SaferChoicesPreLearnerSurvey.2025.v1

school_grade: In which grade are you?

Value	Label	Cases	Percentage
Sysmiss		195	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_days_absent: Have you ever been absent from school?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]

Value	Label	Cases	Percentage
1	Yes	219	60.5%
2	No	143	39.5%
Sysmiss		195	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_days_absent2: How many days were you absent from school in the last term?

Information	[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]
Statistics [NW/ W]	[Valid=219 /-] [Invalid=338 /-]

school_absent_reas_1: What were the main reasons why you were absent? - Health/sickness: Went to the do

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=104 /-] [Invalid=453 /-]

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury	104	100.0%
2	Weather/ floods/ extreme heat	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment	0	
8	Being old: feeling very old/ too young to go to school	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades	0	
10	Pregnancy	0	
11	What were the main reasons why you were absent?-Not being accepted/ registration	0	
12	Being bored at school/ subjects	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school	0	
96	Other, specify	0	
Sysmiss		453	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : AHRI.SaferChoicesPreLearnerSurvey.2025.v1

school_absent_reas_2: What were the main reasons why you were absent? - Weather/ floods/ extreme heat.

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=18 /-] [Invalid=539 /-]

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury	0	
2	Weather/ floods/ extreme heat	18	100.0%
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment	0	
8	Being old: feeling very old/ too young to go to school	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades	0	
10	Pregnancy	0	
11	What were the main reasons why you were absent?-Not being accepted/ registration	0	
12	Being bored at school/ subjects	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school	0	
96	Other, specify	0	
Sysmiss		539	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_absent_reas_3: What were the main reasons why you were absent? - Taking care of family: Visiting

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=544 /-]

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury	0	
2	Weather/ floods/ extreme heat	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant	13	100.0%
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment	0	
8	Being old: feeling very old/ too young to go to school	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades	0	
10	Pregnancy	0	
11	What were the main reasons why you were absent?-Not being accepted/ registration	0	
12	Being bored at school/ subjects	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school	0	
96	Other, specify	0	
Systemmiss		544	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_absent_reas_4: What were the main reasons why you were absent? - Institution/ bullying at school

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]

school_absent_reas_5: What were the main reasons why you were absent? - Financial state/ school fees: m

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=551 /-]

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury	0	
2	Weather/ floods/ extreme heat	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school	6	100.0%

school_absent_reas_5: What were the main reasons why you were absent? - Financial state/ school fees: m

Value	Label	Cases	Percentage
6	Taking transport and arriving by myself: no transportation/ school is distanced	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment	0	
8	Being old: feeling very old/ too young to go to school	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades	0	
10	Pregnancy	0	
11	What were the main reasons why you were absent?-Not being accepted/ registration	0	
12	Being bored at school/ subjects	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school	0	
96	Other, specify	0	
Sysmiss		551	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_absent_reas_6: What were the main reasons why you were absent? - Taking transport and arriving b

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=547 /-]

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury	0	
2	Weather/ floods/ extreme heat	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced	10	100.0%
7	A child/ young people were arriving late at school/ scared of corporal punishment	0	
8	Being old: feeling very old/ too young to go to school	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades	0	
10	Pregnancy	0	
11	What were the main reasons why you were absent?-Not being accepted/ registration	0	
12	Being bored at school/ subjects	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school	0	
96	Other, specify	0	
Sysmiss		547	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_absent_reas_7: What were the main reasons why you were absent? - A child/ young people were arri

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

# school_absent_reas_7: What were the main reasons why you were absent? - A child/ young people were arri			
Statistics [NW/ W]		[Valid=13 /-] [Invalid=544 /-]	
Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury	0	
2	Weather/ floods/ extreme heat	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment	13	100.0%
8	Being old: feeling very old/ too young to go to school	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades	0	
10	Pregnancy	0	
11	What were the main reasons why you were absent?-Not being accepted/ registration	0	
12	Being bored at school/ subjects	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school	0	
96	Other, specify	0	
Sysmiss		544	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_absent_reas_8: What were the main reasons why you were absent? - Being old: feeling very old/ to			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-]	
# school_absent_reas_9: What were the main reasons why you were absent? - Learning with disability/ diffi			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-]	
# school_absent_reas_10: What were the main reasons why you were absent? - Pregnancy.			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-]	
# school_absent_reas_11: What were the main reasons why you were absent? - Not being accepted/ registrati			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-]	
# school_absent_reas_12: What were the main reasons why you were absent? - Being bored at school/ subjects			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=5 /-] [Invalid=552 /-]	

school_absent_reas_12: What were the main reasons why you were absent? - Being bored at school/ subjects

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury	0	
2	Weather/ floods/ extreme heat	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment	0	
8	Being old: feeling very old/ too young to go to school	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades	0	
10	Pregnancy	0	
11	What were the main reasons why you were absent?-Not being accepted/ registration	0	
12	Being bored at school/ subjects	5	100.0%
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school	0	
96	Other, specify	0	
Sysmiss		552	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_absent_reas_13: What were the main reasons why you were absent? - Violence at school/ Bullying/ D

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=555 /-]		
Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury	0	
2	Weather/ floods/ extreme heat	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment	0	
8	Being old: feeling very old/ too young to go to school	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades	0	

# school_absent_reas_13: What were the main reasons why you were absent? - Violence at school/ Bullying/ D			
Value	Label	Cases	Percentage
10	Pregnancy	0	
11	What were the main reasons why you were absent? -Not being accepted/ registration	0	
12	Being bored at school/ subjects	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school	2	100.0%
96	Other, specify	0	
Sysmiss		555	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_absent_reas_96: What were the main reasons why you were absent? - Other, specify			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=58 /-] [Invalid=499 /-]		
Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury	0	
2	Weather/ floods/ extreme heat	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment	0	
8	Being old: feeling very old/ too young to go to school	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades	0	
10	Pregnancy	0	
11	What were the main reasons why you were absent? -Not being accepted/ registration	0	
12	Being bored at school/ subjects	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school	0	
96	Other, specify	58	100.0%
Sysmiss		499	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_repeated_grade: Have you ever repeated a grade			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	187	51.7%
2	No	175	48.3%
Sysmiss		195	

# school_repeated_grade: Have you ever repeated a grade			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_grade_repeat_reason_1: What were the main reasons you repeated a grade? - Your health: you suffered chr			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=11 /-] [Invalid=546 /-]	
Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	11	100.0%
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school	0	
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school	0	
8	Changing schools: school is far/ too expensive	0	
96	Other, specify	0	
Sysmiss		546	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_grade_repeat_reason_2: What were the main reasons you repeated a grade? - Family care: a family member			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=555 /-]	
Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	2	100.0%
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school	0	
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school	0	
8	Changing schools: school is far/ too expensive	0	
96	Other, specify	0	
Sysmiss		555	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_grade_repeat_reason_3: What were the main reasons you repeated a grade? - Financial issues: cannot affor			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=556 /-]	
Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	1	100.0%
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school	0	
6	Pregnancy	0	

school_grade_repeat_reason_3: What were the main reasons you repeated a grade? - Financial issues: cannot afford

Value	Label	Cases	Percentage
7	Violence: bullying, unsafe to travel to school	0	
8	Changing schools: school is far/ too expensive	0	
96	Other, specify	0	
Sysmiss		556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade_repeat_reason_4: What were the main reasons you repeated a grade? -

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	1	100.0%
5	Social reasons: students or teachers are unkind/friends left school	0	
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school	0	
8	Changing schools: school is far/ too expensive	0	
96	Other, specify	0	
Sysmiss		556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade_repeat_reason_5: What were the main reasons you repeated a grade? - Learning difficulty: school ha

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=105 /-] [Invalid=452 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school	105	100.0%
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school	0	
8	Changing schools: school is far/ too expensive	0	
96	Other, specify	0	
Sysmiss		452	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade_repeat_reason_6: What were the main reasons you repeated a grade? - Social reasons: students or te

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=554 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	

school_grade_repeat_reason_6: What were the main reasons you repeated a grade? - Social reasons: students or te

Value	Label	Cases	Percentage
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school	0	
6	Pregnancy	3	100.0%
7	Violence: bullying, unsafe to travel to school	0	
8	Changing schools: school is far/ too expensive	0	
96	Other, specify	0	
Sysmiss		554	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade_repeat_reason_7: What were the main reasons you repeated a grade? - Pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=552 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school	0	
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school	5	100.0%
8	Changing schools: school is far/ too expensive	0	
96	Other, specify	0	
Sysmiss		552	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade_repeat_reason_8: What were the main reasons you repeated a grade? - Violence: bullying, unsafe to

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=555 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school	0	
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school	0	
8	Changing schools: school is far/ too expensive	2	100.0%
96	Other, specify	0	
Sysmiss		555	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade_repeat_reason_9: What were the main reasons you repeated a grade? - Changing schools: school is fa

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

school_grade_repeat_reason_9: What were the main reasons you repeated a grade? - Changing schools: school is fa

Statistics [NW/ W]	[Valid=7 /-] [Invalid=550 /-]		
Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school	0	
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school	0	
8	Changing schools: school is far/ too expensive	0	
9		7	100.0%
96	Other, specify	0	
Sysmiss		550	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade_repeat_reason_96: What were the main reasons you repeated a grade? - Other, specify

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=56 /-] [Invalid=501 /-]		
Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school	0	
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school	0	
8	Changing schools: school is far/ too expensive	0	
96	Other, specify	56	100.0%
Sysmiss		501	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving: Have you ever had to leave school for a period of time and come back at the same

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=361 /-] [Invalid=196 /-]		
Value	Label	Cases	Percentage
1	Yes	41	11.4%
2	No	320	88.6%
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving_reasons_1: What were the main reasons you left school? - Your health: you suffered chronic i

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=552 /-]		
Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	5	100.0%

school_leaving_reasons_1: What were the main reasons you left school? - Your health: you suffered chronic i

Value	Label	Cases	Percentage
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Age: you feel too old for school	0	
8	Violence: bullying, unsafe to travel to school	0	
9	Changing schools: school is far/ too expensive	0	
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		552	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving_reasons_2: What were the main reasons you left school? - Family care: a family member requir

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=552 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	5	100.0%
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Age: you feel too old for school	0	
8	Violence: bullying, unsafe to travel to school	0	
9	Changing schools: school is far/ too expensive	0	
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		552	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving_reasons_3: What were the main reasons you left school? - Financial issues: cannot afford sch

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	1	100.0%
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Age: you feel too old for school	0	
8	Violence: bullying, unsafe to travel to school	0	
9	Changing schools: school is far/ too expensive	0	
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		556	

school_leaving_reasons_3: What were the main reasons you left school? - Financial issues: cannot afford sch

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving_reasons_4: What were the main reasons you left school? - Learning difficulty: school has bec

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=556 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	1	100.0%
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Age: you feel too old for school	0	
8	Violence: bullying, unsafe to travel to school	0	
9	Changing schools: school is far/ too expensive	0	
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving_reasons_5: What were the main reasons you left school? - Social reasons: students or teacher

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=551 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school.	6	100.0%
6	Pregnancy	0	
7	Age: you feel too old for school	0	
8	Violence: bullying, unsafe to travel to school	0	
9	Changing schools: school is far/ too expensive	0	
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		551	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving_reasons_6: What were the main reasons you left school? - Pregnancy

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=554 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	

# school_leaving_reasons_6: What were the main reasons you left school? - Pregnancy			
Value	Label	Cases	Percentage
6	Pregnancy	3	100.0%
7	Age: you feel too old for school	0	
8	Violence: bullying, unsafe to travel to school	0	
9	Changing schools: school is far/ too expensive	0	
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		554	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_leaving_reasons_7: What were the main reasons you left school? - Age: you feel too old for school			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# school_leaving_reasons_8: What were the main reasons you left school? - Violence: bullying, unsafe to trav			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]		
Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Age: you feel too old for school	0	
8	Violence: bullying, unsafe to travel to school	1	100.0%
9	Changing schools: school is far/ too expensive	0	
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		556	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_leaving_reasons_9: What were the main reasons you left school? - Changing schools: school is far/ to			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=551 /-]		
Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Age: you feel too old for school	0	
8	Violence: bullying, unsafe to travel to school	0	
9	Changing schools: school is far/ too expensive	6	100.0%
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		551	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

school_leaving_reasons_96: What were the main reasons you left school? - Other, Please specify the other rea

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=13 /-] [Invalid=544 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health	0	
2	Family care: a family member required you to care for them	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Age: you feel too old for school	0	
8	Violence: bullying, unsafe to travel to school	0	
9	Changing schools: school is far/ too expensive	0	
96	Other, Please specify the other reasons for leaving school	13	100.0%
Sysmiss		544	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_food_security: Does your school have a feeding scheme program?

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=362 /-] [Invalid=195 /-]

Value	Label	Cases	Percentage
1	Yes	356	98.3%
2	No	6	1.7%
Sysmiss		195	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_food_security_1: If yes, Do you receive meals from the school feeding program?

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=355 /-] [Invalid=202 /-]

Value	Label	Cases	Percentage
1	Yes	279	78.6%
2	No	76	21.4%
Sysmiss		202	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_feeding_scheme: How often do you receive meals from the school feeding scheme?

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=228 /-] [Invalid=329 /-]

Value	Label	Cases	Percentage
1	Everyday	186	81.6%
2	Weekly	24	10.5%
3	Every 2 weeks	5	2.2%
4	Monthly	1	0.4%
96	Other, specify	12	5.3%
Sysmiss		329	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# school_foodmoney_shortage: In the last 12 months did you or any other individuals in your household ever cut			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	90	24.9%
2	No	268	74.0%
3	Choose not to answer	4	1.1%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_programs: Have you participated in the following service/program?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	302	83.4%
2	No	60	16.6%
3	Don't want to answer	0	
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_programs_if_no: If no, have you heard of it/are you aware of it?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=61 /-] [Invalid=496 /-]		
Value	Label	Cases	Percentage
1	Yes	56	91.8%
2	No	5	8.2%
3	Don't know	0	
4	Don't want to answer	0	
Sysmiss		496	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_life_skills1: Are there any organisations/individuals who have been to your school to educate y			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	226	62.4%
2	No	127	35.1%
3	Don't know	9	2.5%
4	Choose not to answer	0	
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_life_skills2: If yes, where were they from?			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=226 /-] [Invalid=331 /-]		
Value	Label	Cases	Percentage
1	SAPS	52	23.0%
2	Prison services	0	

# school_life_skills2: If yes, where were they from?			
Value	Label	Cases	Percentage
3	Nurses	19	8.4%
4	NGO's	79	35.0%
96	Other, specify	76	33.6%
Sysmiss		331	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_health_screen_prog1: Are you aware of the school health screening programme done by nurses from DOH in			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	196	54.1%
2	No	157	43.4%
3	Don't know	8	2.2%
4	Choose not to answer	1	0.3%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_health_screen_prog2_1: If yes what services did you receive? - Sexual and reproductive health			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=105 /-] [Invalid=452 /-]		
Value	Label	Cases	Percentage
1	Sexual and reproductive health	105	100.0%
2	Health education and referral	0	
3	Health education on how to lead a healthy lifestyle	0	
4	Health education on drug and substance abuse awareness, health screening (such as screening for vision, hearing, oral health and TB)	0	
5	Deworming, HPV immunization	0	
96	Other, specify	0	
Sysmiss		452	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_health_screen_prog2_2: If yes what services did you receive? - Health education and referral			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=66 /-] [Invalid=491 /-]		
Value	Label	Cases	Percentage
1	Sexual and reproductive health	0	
2	Health education and referral	66	100.0%
3	Health education on how to lead a healthy lifestyle	0	
4	Health education on drug and substance abuse awareness, health screening (such as screening for vision, hearing, oral health and TB)	0	
5	Deworming, HPV immunization	0	
96	Other, specify	0	
Sysmiss		491	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_health_screen_prog2_3: If yes what services did you receive? - Health education on how to lead a healthy			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		

# school_health_screen_prog2_3: If yes what services did you receive? - Health education on how to lead a healthy			
Statistics [NW/ W]		[Valid=78 /-] [Invalid=479 /-]	
Value	Label	Cases	Percentage
1	Sexual and reproductive health	0	
2	Health education and referral	0	
3	Health education on how to lead a healthy lifestyle	78	100.0%
4	Health education on drug and substance abuse awareness, health screening (such as screening for vision, hearing, oral health and TB)	0	
5	Deworming, HPV immunization	0	
96	Other, specify	0	
Sysmiss		479	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_health_screen_prog2_4: If yes what services did you receive? - Health education on drug and substance ab			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=37 /-] [Invalid=520 /-]	
Value	Label	Cases	Percentage
1	Sexual and reproductive health	0	
2	Health education and referral	0	
3	Health education on how to lead a healthy lifestyle	0	
4	Health education on drug and substance abuse awareness, health screening (such as screening for vision, hearing, oral health and TB)	37	100.0%
5	Deworming, HPV immunization	0	
96	Other, specify	0	
Sysmiss		520	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_health_screen_prog2_5: If yes what services did you receive? - Deworming, HPV immunization			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=56 /-] [Invalid=501 /-]	
Value	Label	Cases	Percentage
1	Sexual and reproductive health	0	
2	Health education and referral	0	
3	Health education on how to lead a healthy lifestyle	0	
4	Health education on drug and substance abuse awareness, health screening (such as screening for vision, hearing, oral health and TB)	0	
5	Deworming, HPV immunization	56	100.0%
96	Other, specify	0	
Sysmiss		501	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_health_screen_prog2_96: If yes what services did you receive? - Other, specify			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=34 /-] [Invalid=523 /-]	
Value	Label	Cases	Percentage
1	Sexual and reproductive health	0	
2	Health education and referral	0	
3	Health education on how to lead a healthy lifestyle	0	

# school_health_screen_prog2_96: If yes what services did you receive? - Other, specify			
Value	Label	Cases	Percentage
4	Health education on drug and substance abuse awareness, health screening (such as screening for vision, hearing, oral health and TB)	0	
5	Deworming, HPV immunization	0	
96	Other, specify	34	100.0%
Sysmiss		523	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# program_participation_2_1: If yes, where were they from? - Africa Centre / AHRI	
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=553 /-]

Value	Label	Cases	Percentage
1	Africa Centre / AHRI	4	100.0%
2	PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinic)	0	
3	DoH	0	
4	Thetha Nami / Peer Navigator	0	
5	Safer Choices Programs at School	0	
6	Don't know	0	
96	Other	0	
Sysmiss		553	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# program_participation_2_2: If yes, where were they from? - PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mob			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=555 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinic)	2	100.0%
3	DoH	0	
4	Thetha Nami / Peer Navigator	0	
5	Safer Choices Programs at School	0	
6	Don't know	0	
96	Other	0	
Sysmiss		555	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# program_participation_2_3: If yes, where were they from? - DoH			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=85 /-] [Invalid=472 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinic)	0	
3	DoH	85	100.0%
4	Thetha Nami / Peer Navigator	0	
5	Safer Choices Programs at School	0	
6	Don't know	0	
96	Other	0	
Sysmiss		472	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# program_participation_2_4: If yes, where were they from? - Thetha Nami / Peer Navigator			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=555 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinic)	0	
3	DoH	0	
4	Thetha Nami / Peer Navigator	2	100.0%
5	Safer Choices Programs at School	0	
6	Don't know	0	
96	Other	0	
Sysmiss		555	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# program_participation_2_5: If yes, where were they from? - Safer Choices Programs at School			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# program_participation_2_6: If yes, where were they from? - Don't know			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		

# program_participation_2_6: If yes, where were they from? - Don't know			
Statistics [NW/ W]		[Valid=1 /-] [Invalid=556 /-]	
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinic)	0	
3	DoH	0	
4	Thetha Nami / Peer Navigator	0	
5	Safer Choices Programs at School	0	
6	Don't know	1	100.0%
96	Other	0	
Sysmiss		556	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# program_participation_2_96: If yes, where were they from? - Other			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=12 /-] [Invalid=545 /-]	
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinic)	0	
3	DoH	0	
4	Thetha Nami / Peer Navigator	0	
5	Safer Choices Programs at School	0	
6	Don't know	0	
96	Other	12	100.0%
Sysmiss		545	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# program_participation_3: Please specify other			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=12 /-]	
# program_participation_4: If no, have you heard of it/are you aware of it?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=253 /-] [Invalid=304 /-]	
Value	Label	Cases	Percentage
1	Yes	129	51.0%
2	No	114	45.1%
3	Don't know	10	4.0%
4	Don't want to answer	0	
Sysmiss		304	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sti_screening_and_treatm: Have you participated in the following service/program?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	Yes	64	17.7%
2	No	298	82.3%

# sti_screening_and_treatm: Have you participated in the following service/program?			
Value	Label	Cases	Percentage
3	Don't want to answer	0	
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# which_organization: Where / from which organization was it provided?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# which_organization_1: Where / from which organization was it provided? - Africa Centre / AHRI			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=21 /-] [Invalid=536 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	21	100.0%
2	PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinics)	0	
3	DoH	0	
4	Thetha Nami	0	
5	Peer Navigator	0	
6	Safer Choices program at school	0	
7	Other	0	
8	Don't know	0	
Sysmiss		536	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# which_organization_2: Where / from which organization was it provided? - PrEP / Isisekelo Clinic (Mtuba			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=553 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinics)	4	100.0%
3	DoH	0	
4	Thetha Nami	0	
5	Peer Navigator	0	
6	Safer Choices program at school	0	
7	Other	0	
8	Don't know	0	
Sysmiss		553	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# which_organization_3: Where / from which organization was it provided? - DoH			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=535 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinics)	0	
3	DoH	22	100.0%
4	Thetha Nami	0	

which_organization_3: Where / from which organization was it provided? - DoH

Value	Label	Cases	Percentage
5	Peer Navigator	0	
6	Safer Choices program at school	0	
7	Other	0	
8	Don't know	0	
Sysmiss		535	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

which_organization_4: Where / from which organization was it provided? - Thetha Nami

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]

Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinics)	0	
3	DoH	0	
4	Thetha Nami	1	100.0%
5	Peer Navigator	0	
6	Safer Choices program at school	0	
7	Other	0	
8	Don't know	0	
Sysmiss		556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

which_organization_5: Where / from which organization was it provided? - Peer Navigator

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]

which_organization_6: Where / from which organization was it provided? - Safer Choices program at schoo

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]

which_organization_7: Where / from which organization was it provided? - Other

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=544 /-]

Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinics)	0	
3	DoH	0	
4	Thetha Nami	0	
5	Peer Navigator	0	
6	Safer Choices program at school	0	
7	Other	13	100.0%
8	Don't know	0	
Sysmiss		544	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

which_organization_8: Where / from which organization was it provided? - Don't know

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
--------------------	--

# which_organization_8: Where / from which organization was it provided? - Don't know			
Statistics [NW/ W]		[Valid=6 /-] [Invalid=551 /-]	
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinics)	0	
3	DoH	0	
4	Thetha Nami	0	
5	Peer Navigator	0	
6	Safer Choices program at school	0	
7	Other	0	
8	Don't know	6	100.0%
Sysmiss		551	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# which_organization_oth: Please specify other			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=13 /-]	
# ifno_heardofit_awareofit: If no, have you heard of it/are you aware of it?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=296 /-] [Invalid=261 /-]	
Value	Label	Cases	Percentage
1	Yes	217	73.3%
2	No	71	24.0%
3	Don't know	8	2.7%
4	Choose not to answer	0	
Sysmiss		261	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# pep_participation: Have you participated in the following service/program?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	Yes	90	24.9%
2	No	272	75.1%
3	Don't want to answer	0	
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ifno_heard_aware_of_it: If no, have you heard of it/are you aware of it?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=271 /-] [Invalid=286 /-]	
Value	Label	Cases	Percentage
1	Yes	68	25.1%
2	No	189	69.7%
3	Don't know	14	5.2%
4	Don't want to answer	0	
Sysmiss		286	

# ifno_heard_aware_of_it: If no, have you heard of it/are you aware of it?			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# emergency_contraception: Have you participated in the following service/program? Emergency contraception?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=361 /-] [Invalid=196 /-]		
Value	Label	Cases	Percentage
1	Yes	64	17.7%
2	No	296	82.0%
3	Choose not to answer	1	0.3%
Sysmiss		196	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ifno_heard_or_aware: If no, have you heard of it/are you aware of it?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=296 /-] [Invalid=261 /-]		
Value	Label	Cases	Percentage
1	Yes	83	28.0%
2	No	196	66.2%
3	Don't know	16	5.4%
4	Don't want to answer	1	0.3%
Sysmiss		261	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# thetha_nami_peer_nav_act: Have you participated in the following service/program? Thetha Nami / Peer Naviga			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	110	30.4%
2	No	252	69.6%
3	Don't want to answer	0	
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# thetha_nami_peer_nav_act_2: If No, have you heard of it/are you aware of it?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=252 /-] [Invalid=305 /-]		
Value	Label	Cases	Percentage
1	Yes	111	44.0%
2	No	141	56.0%
3	Don't want to answer	0	
Sysmiss		305	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sexual_repr_health_info: Have you received info on sexual reproductive health (SRH) (eg on contraception,			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	252	69.6%

sexual_repr_health_info: Have you received info on sexual reproductive health (SRH) (eg on contraception,

Value	Label	Cases	Percentage
2	No	110	30.4%
Sysmiss		195	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_yes_kind_of_info_1: If yes, what kind of info have you received? - HIV prevention (condoms, safe sex,

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=169 /-] [Invalid=388 /-]

Value	Label	Cases	Percentage
1	HIV prevention (condoms, safe sex, partnership)	169	100.0%
2	HIV testing	0	
3	Circumcision	0	
4	Family planning	0	
5	Abortion	0	
6	Antenatal care	0	
7	Menstrual hygiene	0	
Sysmiss		388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_yes_kind_of_info_2: If yes, what kind of info have you received? - HIV testing

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=87 /-] [Invalid=470 /-]

Value	Label	Cases	Percentage
1	HIV prevention (condoms, safe sex, partnership)	0	
2	HIV testing	87	100.0%
3	Circumcision	0	
4	Family planning	0	
5	Abortion	0	
6	Antenatal care	0	
7	Menstrual hygiene	0	
Sysmiss		470	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_yes_kind_of_info_3: If yes, what kind of info have you received? - Circumcision

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=85 /-] [Invalid=472 /-]

Value	Label	Cases	Percentage
1	HIV prevention (condoms, safe sex, partnership)	0	
2	HIV testing	0	
3	Circumcision	85	100.0%
4	Family planning	0	
5	Abortion	0	
6	Antenatal care	0	
7	Menstrual hygiene	0	
Sysmiss		472	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# if_yes_kind_of_info_4: If yes, what kind of info have you received? - Family planning			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=550 /-]		
Value	Label	Cases	Percentage
1	HIV prevention (condoms, safe sex, partnership)	0	
2	HIV testing	0	
3	Circumcision	0	
4	Family planning	7	100.0%
5	Abortion	0	
6	Antenatal care	0	
7	Menstrual hygiene	0	
Sysmiss		550	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_kind_of_info_5: If yes, what kind of info have you received? - Abortion			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=529 /-]		
Value	Label	Cases	Percentage
1	HIV prevention (condoms, safe sex, partnership)	0	
2	HIV testing	0	
3	Circumcision	0	
4	Family planning	0	
5	Abortion	28	100.0%
6	Antenatal care	0	
7	Menstrual hygiene	0	
Sysmiss		529	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_kind_of_info_6: If yes, what kind of info have you received? - Antenatal care			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=533 /-]		
Value	Label	Cases	Percentage
1	HIV prevention (condoms, safe sex, partnership)	0	
2	HIV testing	0	
3	Circumcision	0	
4	Family planning	0	
5	Abortion	0	
6	Antenatal care	24	100.0%
7	Menstrual hygiene	0	
Sysmiss		533	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_where_you_got_info_1: If yes, please tell me where you got this info from? - Clinic			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=486 /-]		
Value	Label	Cases	Percentage
1	Clinic	71	100.0%

if yes where you got info_1: If yes, please tell me where you got this info from? - Clinic

Value	Label	Cases	Percentage
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Systemmiss		486	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if yes where you got info_2: If yes, please tell me where you got this info from? - Family

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=31 /-] [Invalid=526 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	31	100.0%
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Systemmiss		526	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if yes where you got info_3: If yes, please tell me where you got this info from? - Friends

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=549 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	8	100.0%
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	

# if_yes_where_you_got_info_3: If yes, please tell me where you got this info from? - Friends			
Value	Label	Cases	Percentage
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		549	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_where_you_got_info_4: If yes, please tell me where you got this info from? - TV/radio			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=12 /-] [Invalid=545 /-]	
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	12	100.0%
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		545	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_where_you_got_info_5: If yes, please tell me where you got this info from? - Social media			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=4 /-] [Invalid=553 /-]	
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	4	100.0%
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		553	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_where_you_got_info_6: If yes, please tell me where you got this info from? - Peer navigators			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	

if_yes_where_you_got_info_6: If yes, please tell me where you got this info from? - Peer navigators

Statistics [NW/ W] [Valid=35 /-] [Invalid=522 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	35	100.0%
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		522	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_yes_where_you_got_info_7: If yes, please tell me where you got this info from? - School - Life Orientation

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=101 /-] [Invalid=456 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	101	100.0%
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		456	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_yes_where_you_got_info_8: If yes, please tell me where you got this info from? - School - Safer Choices pr

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=45 /-] [Invalid=512 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	

if_yes_where_you_got_info_8: If yes, please tell me where you got this info from? - School - Safer Choices pr

Value	Label	Cases	Percentage
7	School - Life Orientation class	0	
8	School - Safer Choices program	45	100.0%
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		512	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_yes_where_you_got_info_9: If yes, please tell me where you got this info from? - Teacher

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=548 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	9	100.0%
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		548	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_yes_where_you_got_info_10: If yes, please tell me where you got this info from? - NGO

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=70 /-] [Invalid=487 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	70	100.0%
11	AHRI	0	
12	other specify	0	
Sysmiss		487	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_yes_where_you_got_info_11: If yes, please tell me where you got this info from? - AHRI

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=8 /-] [Invalid=549 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	8	100.0%
12	other specify	0	
Sysmiss		549	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

starforlife_program_if_no_2: If No, have you heard of it/are you aware of it?

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=110 /-] [Invalid=447 /-]

Value	Label	Cases	Percentage
1	Yes	65	59.1%
2	No	42	38.2%
3	Don't want to answer	3	2.7%
Sysmiss		447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

confide_violence: There is someone in your community you could confide in about violence in the hom

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=362 /-] [Invalid=195 /-]

Value	Label	Cases	Percentage
1	Yes	240	66.3%
2	No	121	33.4%
3	Choose not to answer	1	0.3%
Sysmiss		195	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

place_of_safety_or_emerg: Do you have a safe place to stay if you have a problem or emergency?

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=362 /-] [Invalid=195 /-]

Value	Label	Cases	Percentage
1	Yes	265	73.2%
2	No	96	26.5%
3	Choose not to answer	1	0.3%
Sysmiss		195	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# risky_areas: I know where are the risky areas in my community			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Agree	231	63.8%
2	Disagree	130	35.9%
3	Don't know	1	0.3%
Systemmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# move_away_from_home: have you moved away from home?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	189	52.2%
2	No	172	47.5%
3	I recently moved in	1	0.3%
Systemmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# travelling_reasons_1: What were the reasons for traveling to [name]? - Looking for work			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		

# travelling_reasons_2: What were the reasons for traveling to [name]? - To visit/live with partner			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=4 /-] [Invalid=553 /-]	
Value	Label	Cases	Percentage
1	Looking for work	0	
2	To visit/live with partner	4	100.0%
3	To study / boarding school	0	
4	To visit/live with family	0	
5	Illness related - to seek for medical care	0	
6	Holiday	0	
7	To care for family members	0	
8	I was in jail	0	
96	Other, specify	0	
Sysmiss		553	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# travelling_reasons_3: What were the reasons for traveling to [name]? - To study / boarding school			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=6 /-] [Invalid=551 /-]	
Value	Label	Cases	Percentage
1	Looking for work	0	
2	To visit/live with partner	0	
3	To study / boarding school	6	100.0%
4	To visit/live with family	0	
5	Illness related - to seek for medical care	0	
6	Holiday	0	
7	To care for family members	0	
8	I was in jail	0	
96	Other, specify	0	
Sysmiss		551	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# travelling_reasons_4: What were the reasons for traveling to [name]? - To visit/live with family			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=117 /-] [Invalid=440 /-]	
Value	Label	Cases	Percentage
1	Looking for work	0	
2	To visit/live with partner	0	
3	To study / boarding school	0	
4	To visit/live with family	117	100.0%
5	Illness related - to seek for medical care	0	
6	Holiday	0	
7	To care for family members	0	
8	I was in jail	0	
96	Other, specify	0	
Sysmiss		440	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# travelling_reasons_5: What were the reasons for traveling to [name]? - Illness related - to seek for me			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# travelling_reasons_6: What were the reasons for traveling to [name]? - Holiday			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=56 /-] [Invalid=501 /-]		
Value	Label	Cases	Percentage
1	Looking for work	0	
2	To visit/live with partner	0	
3	To study / boarding school	0	
4	To visit/live with family	0	
5	Illness related - to seek for medical care	0	
6	Holiday	56	100.0%
7	To care for family members	0	
8	I was in jail	0	
96	Other, specify	0	
Sysmiss		501	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# travelling_reasons_7: What were the reasons for traveling to [name]? - To care for family members			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=555 /-]		
Value	Label	Cases	Percentage
1	Looking for work	0	
2	To visit/live with partner	0	
3	To study / boarding school	0	
4	To visit/live with family	0	
5	Illness related - to seek for medical care	0	
6	Holiday	0	
7	To care for family members	2	100.0%
8	I was in jail	0	
96	Other, specify	0	
Sysmiss		555	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# travelling_reasons_8: What were the reasons for traveling to [name]? - I was in jail			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# travelling_reasons_96: What were the reasons for traveling to [name]? - Other, specify			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=551 /-]		
Value	Label	Cases	Percentage
1	Looking for work	0	
2	To visit/live with partner	0	
3	To study / boarding school	0	
4	To visit/live with family	0	

# travelling_reasons_96: What were the reasons for traveling to [name]? - Other, specify			
Value	Label	Cases	Percentage
5	Illness related - to seek for medical care	0	
6	Holiday	0	
7	To care for family members	0	
8	I was in jail	0	
96	Other, specify	6	100.0%
Systemmiss		551	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_living_with_who_1: If yes, with whom were you living with during this time? - Alone			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# if_yes_living_with_who_2: If yes, with whom were you living with during this time? - Your family			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=186 /-] [Invalid=371 /-]		
Value	Label	Cases	Percentage
1	Alone	0	
2	Your family	186	100.0%
3	In-laws	0	
4	Same-aged friends	0	
5	Other friends	0	
6	Neighbors	0	
7	Partner	0	
96	Other, specify	0	
Systemmiss		371	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_living_with_who_3: If yes, with whom were you living with during this time? - In-laws			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# if_yes_living_with_who_4: If yes, with whom were you living with during this time? - Same-aged friends			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]		
Value	Label	Cases	Percentage
1	Alone	0	
2	Your family	0	
3	In-laws	0	
4	Same-aged friends	1	100.0%
5	Other friends	0	
6	Neighbors	0	
7	Partner	0	
96	Other, specify	0	
Systemmiss		556	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# if_yes_living_with_who_5: If yes, with whom were you living with during this time? - Other friends			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=554 /-]		
Value	Label	Cases	Percentage
1	Alone	0	
2	Your family	0	
3	In-laws	0	
4	Same-aged friends	0	
5	Other friends	3	100.0%
6	Neighbors	0	
7	Partner	0	
96	Other, specify	0	
Sysmiss		554	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_living_with_who_6: If yes, with whom were you living with during this time? - Neighbors			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# if_yes_living_with_who_7: If yes, with whom were you living with during this time? - Partner			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# if_yes_living_with_who_8: If yes, with whom were you living with during this time? - Others			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# if_yes_living_with_who_9: If yes, with whom were you living with during this time? - Changing school: the s			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# if_yes_living_with_who_96: If yes, with whom were you living with during this time? - Other, specify			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=555 /-]		
Value	Label	Cases	Percentage
1	Alone	0	
2	Your family	0	
3	In-laws	0	
4	Same-aged friends	0	
5	Other friends	0	
6	Neighbors	0	
7	Partner	0	
96	Other, specify	2	100.0%
Sysmiss		555	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# interest_or_pleasure: Little interest or pleasure in doing things			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		

# interest_or_pleasure: Little interest or pleasure in doing things			
Value	Label	Cases	Percentage
1	Not at all	240	 66.3%
2	Several days	60	 16.6%
3	More than half the days	36	 9.9%
4	Nearly every day	26	 7.2%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# down_depressed_hopeless: Feeling down, depressed, or hopeless			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Not at all	236	 65.2%
2	Several days	67	 18.5%
3	More than half the days	48	 13.3%
4	Nearly every day	11	 3.0%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sleeping_problems: Trouble falling or staying asleep, or sleeping too much			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Not at all	246	 68.0%
2	Several days	70	 19.3%
3	More than half the days	33	 9.1%
4	Nearly every day	13	 3.6%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# tired_or_energy: Tired or having little energy			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Not at all	240	 66.3%
2	Several days	74	 20.4%
3	More than half the days	43	 11.9%
4	Nearly every day	5	 1.4%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# poor_appetite_or_overreact: Poor appetite or overeating			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Not at all	234	 64.6%
2	Several days	67	 18.5%

# poor_appetite_or_overreact: Poor appetite or overeating			
Value	Label	Cases	Percentage
3	More than half the days	36	9.9%
4	Nearly every day	25	6.9%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# concentrating_troubles: Trouble concentrating on things, such as reading the newspaper or watching televi			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Not at all	232	64.1%
2	Several days	69	19.1%
3	More than half the days	39	10.8%
4	Nearly every day	22	6.1%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# moving_or_speaking: Moving or speaking so slowly that other people could have noticed?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Not at all	314	86.7%
2	Several days	27	7.5%
3	More than half the days	16	4.4%
4	Nearly every day	5	1.4%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# dead_or_hurting_thoughts: houghts that you would be better off dead or of hurting yourself in some way			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Not at all	317	87.6%
2	Several days	25	6.9%
3	More than half the days	19	5.2%
4	Nearly every day	1	0.3%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# condom_usage: Will you be able to use a condom every time when have sexual intercourse			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Not true at all	44	12.2%
2	Somewhat true	82	22.7%
3	Very true	236	65.2%
Sysmiss		195	

# condom_usage: Will you be able to use a condom every time when have sexual intercourse			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cond_usage: I am able to ask my partner to use a condom every time we have sexual intercourse			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	Not true at all	199	55.0%
2	Somewhat true	59	16.3%
3	Very true	104	28.7%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cond_usage_refuse: I am able to refuse sex if [my partner] will not use a condom			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	Not true at all	75	20.7%
2	Somewhat true	67	18.5%
3	Very true	220	60.8%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cond_usage_new_partner: I can ask a new partner to use a condom			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	Not true at all	40	11.0%
2	Somewhat true	75	20.7%
3	Very true	247	68.2%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cond_usage_refuse_sex: I can refuse sex when I don't have a condom available			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	Not true at all	51	14.1%
2	Somewhat true	69	19.1%
3	Very true	242	66.9%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# able_avoid_sex: I am able to avoid sex any time I don't want to			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=361 /-] [Invalid=196 /-]	
Value	Label	Cases	Percentage
1	Not true at all	18	5.0%
2	Somewhat true	68	18.8%

# able_avoid_sex: I am able to avoid sex any time I don't want to			
Value	Label	Cases	Percentage
3	Very true	275	76.2%
Sysmiss		196	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test: I feel confident that I could visit a health facility or testing center to get an			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Not true at all	25	6.9%
2	Somewhat true	57	15.7%
3	Very true	280	77.3%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# health_clinic: I am confident that I would be able to go to a health clinic for any reason if I			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Not true at all	14	3.9%
2	Somewhat true	63	17.4%
3	Very true	285	78.7%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# contraceptives_usage: Using modern contraceptives to prevent unintended pregnancies is important?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Agree	294	81.2%
2	Disagree	33	9.1%
3	Don't know	35	9.7%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# bleeding_patterns: Changes to normal menstrual bleeding patterns which is caused by some contracepti			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Agree	109	30.1%
2	Disagree	76	21.0%
3	Don't know	177	48.9%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srh_services_and_products: I feel able to obtain SRH services and products if I need them?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		

# srh_services_and_products: I feel able to obtain SRH services and products if I need them?			
Value	Label	Cases	Percentage
1	Agree	306	84.5%
2	Disagree	15	4.1%
3	Don't know	41	11.3%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srh_services_and_products_2: I feel able to use SRH services even if my partner/boyfriend/husband doesn't want			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Agree	215	59.4%
2	Disagree	95	26.2%
3	Don't know	52	14.4%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srh_services_and_products_3: I feel able to use SRH services even if my parents/guardians/relatives do not want			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Agree	228	63.0%
2	Disagree	97	26.8%
3	Don't know	37	10.2%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv: Would you be able to get a HIV test if you wanted one?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	335	92.5%
2	No	16	4.4%
3	Choose not to answer	0	
4	Don't know	11	3.0%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_status: Do you think that it is important for people to know their status?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	335	92.5%
2	No	18	5.0%
3	Choose not to answer	0	
4	Don't know	9	2.5%
Sysmiss		195	

# hiv_status: Do you think that it is important for people to know their status?			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_importance_1: Why is it important to be HIV tested? - To protect/To take care of yourself			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=271 /-] [Invalid=286 /-]	
Value	Label	Cases	Percentage
1	To protect/To take care of yourself	271	100.0%
2	To protect your partner	0	
3	To protect unborn baby	0	
4	To prepare for the future	0	
5	Other, specify	0	
Sysmiss		286	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_importance_2: Why is it important to be HIV tested? - To protect your partner			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=144 /-] [Invalid=413 /-]	
Value	Label	Cases	Percentage
1	To protect/To take care of yourself	0	
2	To protect your partner	144	100.0%
3	To protect unborn baby	0	
4	To prepare for the future	0	
5	Other, specify	0	
Sysmiss		413	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_importance_3: Why is it important to be HIV tested? - To protect unborn baby			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=47 /-] [Invalid=510 /-]	
Value	Label	Cases	Percentage
1	To protect/To take care of yourself	0	
2	To protect your partner	0	
3	To protect unborn baby	47	100.0%
4	To prepare for the future	0	
5	Other, specify	0	
Sysmiss		510	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_importance_4: Why is it important to be HIV tested? - To prepare for the future			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=119 /-] [Invalid=438 /-]	
Value	Label	Cases	Percentage
1	To protect/To take care of yourself	0	
2	To protect your partner	0	
3	To protect unborn baby	0	
4	To prepare for the future	119	100.0%
5	Other, specify	0	

# hiv_test_importance_4: Why is it important to be HIV tested? - To prepare for the future			
Value	Label	Cases	Percentage
Sysmiss		438	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_importance_5: Why is it important to be HIV tested? - Other, specify			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=20 /-] [Invalid=537 /-]		
Value	Label	Cases	Percentage
1	To protect/To take care of yourself	0	
2	To protect your partner	0	
3	To protect unborn baby	0	
4	To prepare for the future	0	
5	Other, specify	20	100.0%
Sysmiss		537	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_result: Have you ever received a test result for HIV?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	137	37.8%
2	No	225	62.2%
3	Choose not to answer	0	
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_result_no_1: If No, why have you not tested? - I don't think I have HIV			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=127 /-] [Invalid=430 /-]		
Value	Label	Cases	Percentage
1	I don't think I have HIV	127	100.0%
2	I don't want to know my HIV status	0	
3	I don't know where to go for HIV testing	0	
4	I am worried someone will see me at the clinic and think I am HIV+	0	
5	I am worried that health workers might reveal my test results to others	0	
6	The clinic where HIV testing is available is far from my house	0	
7	Other, specify	0	
8	I don't know	0	
9	Choose not to answer	0	
Sysmiss		430	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_result_no_2: If No, why have you not tested? - I don't want to know my HIV status			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=545 /-]		
Value	Label	Cases	Percentage
1	I don't think I have HIV	0	

hiv_test_result_no_2: If No, why have you not tested? - I don't want to know my HIV status

Value	Label	Cases	Percentage
2	I don't want to know my HIV status	12	100.0%
3	I don't know where to go for HIV testing	0	
4	I am worried someone will see me at the clinic and think I am HIV+	0	
5	I am worried that health workers might reveal my test results to others	0	
6	The clinic where HIV testing is available is far from my house	0	
7	Other, specify	0	
8	I don't know	0	
9	Choose not to answer	0	
Sysmiss		545	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hiv_test_result_no_3: If No, why have you not tested? - I don't know where to go for HIV testing

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=544 /-]

Value	Label	Cases	Percentage
1	I don't think I have HIV	0	
2	I don't want to know my HIV status	0	
3	I don't know where to go for HIV testing	13	100.0%
4	I am worried someone will see me at the clinic and think I am HIV+	0	
5	I am worried that health workers might reveal my test results to others	0	
6	The clinic where HIV testing is available is far from my house	0	
7	Other, specify	0	
8	I don't know	0	
9	Choose not to answer	0	
Sysmiss		544	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# hiv_test_result_no_4: If No, why have you not tested? - I am worried someone will see me at the clinic			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]		
Value	Label	Cases	Percentage
1	I don't think I have HIV	0	
2	I don't want to know my HIV status	0	
3	I don't know where to go for HIV testing	0	
4	I am worried someone will see me at the clinic and think I am HIV+	1	100.0%
5	I am worried that health workers might reveal my test results to others	0	
6	The clinic where HIV testing is available is far from my house	0	
7	Other, specify	0	
8	I don't know	0	
9	Choose not to answer	0	
Sysmiss		556	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_result_no_5: If No, why have you not tested? - I am worried that health workers might reveal m			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# hiv_test_result_no_6: If No, why have you not tested? - The clinic where HIV testing is available is fa			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=555 /-]		
Value	Label	Cases	Percentage
1	I don't think I have HIV	0	
2	I don't want to know my HIV status	0	
3	I don't know where to go for HIV testing	0	
4	I am worried someone will see me at the clinic and think I am HIV+	0	
5	I am worried that health workers might reveal my test results to others	0	
6	The clinic where HIV testing is available is far from my house	2	100.0%
7	Other, specify	0	
8	I don't know	0	
9	Choose not to answer	0	
Sysmiss		555	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_result_no_7: If No, why have you not tested? - Other, specify			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=29 /-] [Invalid=528 /-]		
Value	Label	Cases	Percentage
1	I don't think I have HIV	0	
2	I don't want to know my HIV status	0	
3	I don't know where to go for HIV testing	0	
4	I am worried someone will see me at the clinic and think I am HIV+	0	
5	I am worried that health workers might reveal my test results to others	0	

# hiv_test_result_no_7: If No, why have you not tested? - Other, specify			
Value	Label	Cases	Percentage
6	The clinic where HIV testing is available is far from my house	0	
7	Other, specify	29	100.0%
8	I don't know	0	
9	Choose not to answer	0	
Sysmiss		528	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_result_no_8: If No, why have you not tested? - I don't know			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=54 /-] [Invalid=503 /-]		
Value	Label	Cases	Percentage
1	I don't think I have HIV	0	
2	I don't want to know my HIV status	0	
3	I don't know where to go for HIV testing	0	
4	I am worried someone will see me at the clinic and think I am HIV+	0	
5	I am worried that health workers might reveal my test results to others	0	
6	The clinic where HIV testing is available is far from my house	0	
7	Other, specify	0	
8	I don't know	54	100.0%
9	Choose not to answer	0	
Sysmiss		503	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_result_no_9: If No, why have you not tested? - Choose not to answer			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# last_hiv_test: Where did your last HIV test take place?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=137 /-] [Invalid=420 /-]		
Value	Label	Cases	Percentage
1	Stationery health facility	91	66.4%
2	Mobile health facility	21	15.3%
3	Home	20	14.6%
4	Other, specify	5	3.6%
Sysmiss		420	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# positive_hiv_result: Have you ever had a positive HIV test result?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=137 /-] [Invalid=420 /-]		
Value	Label	Cases	Percentage
1	Yes	7	5.1%
2	No	129	94.2%
3	Choose not to answer	1	0.7%
Sysmiss		420	

# positive_hiv_result: Have you ever had a positive HIV test result?			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_pos_result: When was your first positive test result?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=7 /-] [Invalid=550 /-]	
Value	Label	Cases	Percentage
1	Over one year	7	100.0%
2	Under one year	0	
3	Choose not to answer	0	
System		550	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# neg_test_result: When was your last negative test result?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=136 /-] [Invalid=421 /-]	
Value	Label	Cases	Percentage
1	Over one year	78	57.4%
2	Under one year	55	40.4%
3	I've never received negative results	2	1.5%
4	Choose not to answer	1	0.7%
System		421	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# referred_hiv_treat_serv: Were you referred to HIV treatment services?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=7 /-] [Invalid=550 /-]	
Value	Label	Cases	Percentage
1	Yes	6	85.7%
2	No	1	14.3%
3	Choose not to answer	0	
System		550	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# taken_art: Have you ever taken ART for your own health?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=6 /-] [Invalid=551 /-]	
Value	Label	Cases	Percentage
1	Yes	6	100.0%
2	No	0	
3	Choose not to answer	0	
System		551	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# art_start_date: When did you first start ART?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=6 /-] [Invalid=551 /-]	
Value	Label	Cases	Percentage
1	Over one year	6	100.0%

# art_start_date: When did you first start ART?			
Value	Label	Cases	Percentage
2	Under one year	0	
Sysmiss		551	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# receiv_art_currently: Are you currently receiving ART?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=551 /-]		
Value	Label	Cases	Percentage
1	Yes	6	100.0%
2	No	0	
3	Choose not to answer	0	
Sysmiss		551	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# stop_art: If you are HIV positive: Have you ever had to stop ART?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=551 /-]		
Value	Label	Cases	Percentage
1	Yes	1	16.7%
2	No	5	83.3%
3	Choose not to answer	0	
Sysmiss		551	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# heard_of_art: If HIV negative or status not known: Have you ever heard of ART?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=557 /-]		
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
3	Don't know	0	
4	Choose not to answer	0	
Sysmiss		557	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# art_improves_health: Do you think that ART improves health?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	308	85.1%
2	No	23	6.4%
3	Don't know	31	8.6%
4	Choose not to answer	0	
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# places_to_get_art: Do you know places where to get ART?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	269	74.3%
2	No	64	17.7%
3	Don't know	29	8.0%
4	Choose not to answer	0	
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# pep_heard_of: Have you ever heard of drugs that can be taken to prevent HIV infection after pot			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	108	29.8%
2	No	254	70.2%
3	Refuse to answer	0	
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# pep_offered: Do you know where such services are offered?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=108 /-] [Invalid=449 /-]		
Value	Label	Cases	Percentage
1	Yes	89	82.4%
2	No	19	17.6%
3	Refuse to answer	0	
Sysmiss		449	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ever_taken_pep: Have you ever taken PEP?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=108 /-] [Invalid=449 /-]		
Value	Label	Cases	Percentage
1	Yes	1	0.9%
2	No	105	97.2%
3	Refuse to answer	2	1.9%
Sysmiss		449	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# last_taken_pep_2: How long ago did you last take PEP?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-]		
# last_taken_pep: How long ago did you last take PEP?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]		

# last_taken_pep: How long ago did you last take PEP?			
Value	Label	Cases	Percentage
1	Days	0	
2	Weeks	0	
3	Months	0	
4	Years	1	100.0%
Sysmiss		556	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# receive_pep: Where did you receive PEP from?			
Information		[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=556 /-]	
# prep_heard_of: Have you ever heard of PrEP?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	Yes	209	57.7%
2	No	153	42.3%
3	Choose not to answer	0	
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_yes_1: Where did you hear about PrEP? - Clinic			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=35 /-] [Invalid=522 /-]	
Value	Label	Cases	Percentage
1	Clinic	35	100.0%
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		522	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_yes_2: Where did you hear about PrEP? - Family			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=19 /-] [Invalid=538 /-]	
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	19	100.0%

prep_yes_2: Where did you hear about PrEP? - Family

Value	Label	Cases	Percentage
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		538	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_yes_3: Where did you hear about PrEP? - Friends

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=15 /-] [Invalid=542 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	15	100.0%
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		542	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_yes_4: Where did you hear about PrEP? - TV/radio

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=23 /-] [Invalid=534 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	23	100.0%
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	

prep_yes_4: Where did you hear about PrEP? - TV/radio

Value	Label	Cases	Percentage
11	AHRI	0	
12	other specify	0	
Sysmiss		534	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_yes_5: Where did you hear about PrEP? - Social media

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	1	100.0%
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_yes_6: Where did you hear about PrEP? - Peer navigators

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=31 /-] [Invalid=526 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	31	100.0%
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		526	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_yes_7: Where did you hear about PrEP? - School - Life Orientation class

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=35 /-] [Invalid=522 /-]

prep_yes_7: Where did you hear about PrEP? - School - Life Orientation class

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	35	100.0%
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		522	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_yes_8: Where did you hear about PrEP? - School - Safer Choices program

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=550 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	7	100.0%
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		550	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_yes_9: Where did you hear about PrEP? - Teacher

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=537 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	

# prep_yes_9: Where did you hear about PrEP? - Teacher			
Value	Label	Cases	Percentage
8	School - Safer Choices program	0	
9	Teacher	20	100.0%
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		537	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_yes_10: Where did you hear about PrEP? - NGO			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=15 /-] [Invalid=542 /-]		
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	15	100.0%
11	AHRI	0	
12	other specify	0	
Sysmiss		542	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_yes_11: Where did you hear about PrEP? - AHRI			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=87 /-] [Invalid=470 /-]		
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	87	100.0%
12	other specify	0	
Sysmiss		470	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# prep_yes_12: Where did you hear about PrEP? - other specify			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=15 /-] [Invalid=542 /-]		
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	15	100.0%
Sysmiss		542	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_yes_oth: Please specify other			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=15 /-]		
# offered_prep: Have you ever been offered PrEP?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=209 /-] [Invalid=348 /-]		
Value	Label	Cases	Percentage
1	Yes	7	3.3%
2	No	202	96.7%
3	Choose not to answer	0	
Sysmiss		348	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ever_taken_prep: Have you ever taken PrEP?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=550 /-]		
Value	Label	Cases	Percentage
1	Yes	7	100.0%
2	No	0	
3	Refuse to answer	0	
Sysmiss		550	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# not_take_prep_reas: Why did you decide not to take PrEP?			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=557 /-]		
Value	Label	Cases	Percentage
1	I don't see that I need it	0	

# not_take_prep_reas: Why did you decide not to take PrEP?			
Value	Label	Cases	Percentage
2	I am worried about its bad implications or safety	0	
3	It is difficult to do the process at the clinic	0	
5	Choose not to answer	0	
96	Other	0	
Sysmiss		557	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_clinic_or_org_1: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=553 /-]		
Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane	4	100.0%
2	Esiyembeni	0	
3	eGunjaneni	0	
4	Kwamsane	0	
5	eMachibini	0	
6	eMadwaleni	0	
7	KwaMpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Enye indawo ngaphakathi kwendawo yocwaningo	0	
13	Ngaphandle kwendawo yocwaningo	0	
14	Udokotela	0	
15	Ikhemisi	0	
16	Africa Centre / AHRI	0	
96	Other, specify	0	
Sysmiss		553	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_clinic_or_org_2: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# prep_clinic_or_org_3: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# prep_clinic_or_org_4: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# prep_clinic_or_org_5: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		

# prep_clinic_or_org_6: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# prep_clinic_or_org_7: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# prep_clinic_or_org_8: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# prep_clinic_or_org_9: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]		
Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane	0	
2	Esiyembeni	0	
3	eGunjaneni	0	
4	Kwamsane	0	
5	eMachibini	0	
6	eMadwaleni	0	
7	KwaMpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	1	100.0%
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Enye indawo ngaphakathi kwendawo yocwaningo	0	
13	Ngaphandle kwendawo yocwaningo	0	
14	Udokotela	0	
15	Ikhemisi	0	
16	Africa Centre / AHRI	0	
96	Other, specify	0	
Sysmiss		556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# prep_clinic_or_org_10: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# prep_clinic_or_org_11: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# prep_clinic_or_org_12: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# prep_clinic_or_org_13: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# prep_clinic_or_org_14: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# prep_clinic_or_org_15: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# prep_clinic_or_org_16: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]		
Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane	0	
2	Esiyembeni	0	
3	eGunjaneni	0	
4	Kwamsane	0	
5	eMachibini	0	
6	eMadwaleni	0	
7	KwaMpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Enye indawo ngaphakathi kwendawo yocwaningo	0	
13	Ngaphandle kwendawo yocwaningo	0	
14	Udokotela	0	
15	Ikhemisi	0	
16	Africa Centre / AHRI	1	100.0%
96	Other, specify	0	
Sysmiss		556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# prep_clinic_or_org_96: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]		
Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane	0	
2	Esiyembeni	0	
3	eGunjaneni	0	
4	Kwamsane	0	
5	eMachibini	0	
6	eMadwaleni	0	
7	KwaMpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Enye indawo ngaphakathi kwendawo yocwaningo	0	
13	Ngaphandle kwendawo yocwaningo	0	
14	Udokotela	0	
15	Ikhemisi	0	
16	Africa Centre / AHRI	0	
96	Other, specify	1	100.0%
Sysmiss		556	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_everyday: Do you take PrEP every day?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=550 /-]		
Value	Label	Cases	Percentage
1	Yes	4	57.1%
2	No	3	42.9%
3	Choose not to answer	0	
Sysmiss		550	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_taking_time_2: When you take your PrEP do you usually take it at the same time?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=550 /-]		
Value	Label	Cases	Percentage
1	Yes	4	57.1%
2	No	2	28.6%
3	Choose not to answer	1	14.3%
Sysmiss		550	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_in_general: In general, are you the type of person who would rather			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		

prep_in_general: In general, are you the type of person who would rather

Value	Label	Cases	Percentage
1	Take a pill every single day at home	135	37.3%
2	Take a pill 2-3 times per week at home	22	6.1%
3	Receive an injection every 2 months at a clinic	198	54.7%
4	Vaginal ring - Dapi ring	7	1.9%
Sysmiss		195	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

tobacco_consumption: In your whole life up to now, have you ever smoked a cigarette?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]

Value	Label	Cases	Percentage
1	Yes	14	3.9%
2	No	348	96.1%
3	Choose not to answer	0	
Sysmiss		195	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

tobacco_consumption_age: How old were you when you smoked your first cigarette?

Information	[Type= discrete] [Format=numeric] [Range= 12-18] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=543 /-]

tobacco_consumption_days: How many days have you smoked at least one cigarette in the past month? [number o

Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=543 /-] [Mean=3.786 /-] [StdDev=8.002 /-]

tobacco_consumption_snuff: Have you used smokeless tobacco products such as snuff or chewing tobacco in the

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]

Value	Label	Cases	Percentage
1	Yes	2	0.6%
2	No	360	99.4%
3	Choose not to answer	0	
Sysmiss		195	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

alcohol_everdrink: In your whole life up to now, have you ever drunk one "drink" of alcohol (e.g. a

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]

Value	Label	Cases	Percentage
1	Yes	127	35.1%
2	No	235	64.9%
3	Choose not to answer	0	
Sysmiss		195	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

first_drink: How old were you when you drank your first drink? If you can't remember, please g

Information	[Type= discrete] [Format=numeric] [Range= 11-18] [Missing=*]
--------------------	--

# first_drink: How old were you when you drank your first drink? If you can't remember, please g			
Statistics [NW/ W]		[Valid=128 /-] [Invalid=429 /-]	
# days_drunk_one_drink: How many days have you drunk at least one drink in the past month? [number of day			
Information		[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]	
Statistics [NW/ W]		[Valid=128 /-] [Invalid=429 /-]	
# drunk_5_or_more_drinks: How many days have you drunk 5 or more drinks (in succession) on one or more days			
Information		[Type= discrete] [Format=numeric] [Range= 0-17] [Missing=*]	
Statistics [NW/ W]		[Valid=82 /-] [Invalid=475 /-]	
# used_cannabis_dagga: In your whole life up to now, have you ever used cannabis (dagga)?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	Yes	9	2.5%
2	No	352	97.2%
3	Choose not to answer	1	0.3%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# used_cannabis_age: How old were you when you used cannabis (dagga)?			
Information		[Type= discrete] [Format=numeric] [Range= 12-18] [Missing=*]	
Statistics [NW/ W]		[Valid=9 /-] [Invalid=548 /-]	
# used_cannabis_days: How many days have you used cannabis in the past month? [number of days]			
Information		[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]	
Statistics [NW/ W]		[Valid=9 /-] [Invalid=548 /-] [Mean=7.111 /-] [StdDev=10.717 /-]	
# used_drugs_1: Have you ever used other drugs such as (Tick all that apply) - No			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=355 /-] [Invalid=202 /-]	
Value	Label	Cases	Percentage
1	No	355	100.0%
2	Glue, Thynas, Benzine, or Petrol	0	
3	Mandrax	0	
4	Cocaine	0	
5	Heroin Club drugs	0	
6	Other	0	
7	Choose not to answer	0	
Sysmiss		202	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# used_drugs_2: Have you ever used other drugs such as (Tick all that apply) - Glue, Thynas, Benz			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=5 /-] [Invalid=552 /-]	
Value	Label	Cases	Percentage
1	No	0	
2	Glue, Thynas, Benzine, or Petrol	5	100.0%

used_drugs_2: Have you ever used other drugs such as (Tick all that apply) - Glue, Thynas, Benz

Value	Label	Cases	Percentage
3	Mandrax	0	
4	Cocaine	0	
5	Heroin Club drugs	0	
6	Other	0	
7	Choose not to answer	0	
Sysmiss		552	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

used_drugs_3: Have you ever used other drugs such as (Tick all that apply) - Mandrax

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-]
---------------------------	--------------

used_drugs_4: Have you ever used other drugs such as (Tick all that apply) - Cocaine

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-]
---------------------------	--------------

used_drugs_5: Have you ever used other drugs such as (Tick all that apply) - Heroin Club drugs

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
--------------------	--

Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	No	0	
2	Glue, Thynas, Benzine, or Petrol	0	
3	Mandrax	0	
4	Cocaine	0	
5	Heroin Club drugs	1	100.0%
6	Other	0	
7	Choose not to answer	0	
Sysmiss		556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

used_drugs_6: Have you ever used other drugs such as (Tick all that apply) - Other

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
--------------------	--

Statistics [NW/ W]	[Valid=3 /-] [Invalid=554 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	No	0	
2	Glue, Thynas, Benzine, or Petrol	0	
3	Mandrax	0	
4	Cocaine	0	
5	Heroin Club drugs	0	
6	Other	3	100.0%
7	Choose not to answer	0	
Sysmiss		554	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

used_drugs_7: Have you ever used other drugs such as (Tick all that apply)

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-]
---------------------------	--------------

# used_drugs_oth: Please specify other			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-]		
# favouritecolour: What is your favourite colour?			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=361 /-] [Invalid=196 /-]		
Value	Label	Cases	Percentage
1	Sky blue	63	17.5%
2	Red	139	38.5%
3	Yellow	82	22.7%
4	Grass green	53	14.7%
5	Other	24	6.6%
Sysmiss		196	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# brothersandsisters: How many brothers do you have?			
Information	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]		
Statistics [NW/ W]	[Valid=342 /-] [Invalid=215 /-] [Mean=2.395 /-] [StdDev=2.202 /-]		
# daysoftheweek_1: Which are your favourite days of the week? Please provide more than one day - Mon			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=77 /-] [Invalid=480 /-]		
Value	Label	Cases	Percentage
1	Monday	77	100.0%
2	Tuesday	0	
3	Wednesday	0	
4	Thursday	0	
5	Friday	0	
6	Saturday	0	
7	Sunday	0	
Sysmiss		480	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# daysoftheweek_2: Which are your favourite days of the week? Please provide more than one day - Tue			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=50 /-] [Invalid=507 /-]		
Value	Label	Cases	Percentage
1	Monday	0	
2	Tuesday	50	100.0%
3	Wednesday	0	
4	Thursday	0	
5	Friday	0	
6	Saturday	0	
7	Sunday	0	
Sysmiss		507	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# daysoftheweek_3: Which are your favourite days of the week? Please provide more than one day - Wed			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=79 /-] [Invalid=478 /-]		
Value	Label	Cases	Percentage
1	Monday	0	
2	Tuesday	0	
3	Wednesday	79	100.0%
4	Thursday	0	
5	Friday	0	
6	Saturday	0	
7	Sunday	0	
Sysmiss		478	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# daysoftheweek_4: Which are your favourite days of the week? Please provide more than one day - Thu			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=63 /-] [Invalid=494 /-]		
Value	Label	Cases	Percentage
1	Monday	0	
2	Tuesday	0	
3	Wednesday	0	
4	Thursday	63	100.0%
5	Friday	0	
6	Saturday	0	
7	Sunday	0	
Sysmiss		494	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# daysoftheweek_5: Which are your favourite days of the week? Please provide more than one day - Fri			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=211 /-] [Invalid=346 /-]		
Value	Label	Cases	Percentage
1	Monday	0	
2	Tuesday	0	
3	Wednesday	0	
4	Thursday	0	
5	Friday	211	100.0%
6	Saturday	0	
7	Sunday	0	
Sysmiss		346	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# daysoftheweek_6: Which are your favourite days of the week? Please provide more than one day - Sat			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=107 /-] [Invalid=450 /-]		
Value	Label	Cases	Percentage
1	Monday	0	

daysoftheweek_6: Which are your favourite days of the week? Please provide more than one day - Sat

Value	Label	Cases	Percentage
2	Tuesday	0	
3	Wednesday	0	
4	Thursday	0	
5	Friday	0	
6	Saturday	107	100.0%
7	Sunday	0	
Sysmiss		450	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

daysoftheweek_7: Which are your favourite days of the week? Please provide more than one day - Sun

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=79 /-] [Invalid=478 /-]

Value	Label	Cases	Percentage
1	Monday	0	
2	Tuesday	0	
3	Wednesday	0	
4	Thursday	0	
5	Friday	0	
6	Saturday	0	
7	Sunday	79	100.0%
Sysmiss		478	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

partic_capable_self_int: Is the participant comfortable to complete the self-interview by themselves?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=358 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
1	Yes	334	93.3%
2	No - Fieldworker will administer the questionnaire	24	6.7%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ever_had_sex: Have you ever had sex?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]

Value	Label	Cases	Percentage
1	Yes	80	22.1%
2	No	276	76.2%
3	Choose not to answer	6	1.7%
Sysmiss		195	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_sex_age: Are you willing to share how old were you the first time you had sex, even if it

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=80 /-] [Invalid=477 /-]

firsttime_sex_age: Are you willing to share how old were you the first time you had sex, even if it

Value	Label	Cases	Percentage
1	Yes	51	63.7%
2	No	24	30.0%
3	Choose not to answer	5	6.2%
Sysmiss		477	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ever_had_sex_age: If you ever had sex (even if it was not your choice) how old were you the first t

Information	[Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]
Statistics [NW/ W]	[Valid=51 /-] [Invalid=506 /-]

firsttime_sex_reasons_1: What was/were the reason(s) you had sex the first time? - Showing love to my part

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=36 /-] [Invalid=521 /-]

Value	Label	Cases	Percentage
1	Showing love to my partner	36	100.0%
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		521	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_sex_reasons_2: What was/were the reason(s) you had sex the first time? - I suggest getting somet

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=554 /-]

Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	3	100.0%
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	

firsttime_sex_reasons_2: What was/were the reason(s) you had sex the first time? - I suggest getting somet

Value	Label	Cases	Percentage
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		554	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_sex_reasons_3: What was/were the reason(s) you had sex the first time? - I want to/it's about ma

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=17 /-] [Invalid=540 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	17	100.0%
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		540	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_sex_reasons_4: What was/were the reason(s) you had sex the first time? - I was forced by my part

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=7 /-] [Invalid=550 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	7	100.0%
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	

firsttime_sex_reasons_4: What was/were the reason(s) you had sex the first time? - I was forced by my part

Value	Label	Cases	Percentage
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		550	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_sex_reasons_5: What was/were the reason(s) you had sex the first time? - I felt obliged to have

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=551 /-]

Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	6	100.0%
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		551	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_sex_reasons_6: What was/were the reason(s) you had sex the first time? - He lured me with money

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=555 /-]

Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	2	100.0%
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	

firsttime_sex_reasons_6: What was/were the reason(s) you had sex the first time? - He lured me with money

Value	Label	Cases	Percentage
15	Other	0	
Sysmiss		555	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_sex_reasons_7: What was/were the reason(s) you had sex the first time? - He lured me with food

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]

# firsttime_sex_reasons_8: What was/were the reason(s) you had sex the first time? - He lured me with gifts			
Information		[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=554 /-]	
Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	3	100.0%
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		554	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_reasons_9: What was/were the reason(s) you had sex the first time? - Transactional sex - exc			
Information		[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=554 /-]	
Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	3	100.0%
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		554	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_reasons_10: What was/were the reason(s) you had sex the first time? - Pressure from friends/p			
Information		[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]	
Statistics [NW/ W]		[Valid=6 /-] [Invalid=551 /-]	

firsttime_sex_reasons_10: What was/were the reason(s) you had sex the first time? - Pressure from friends/p

Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	6	100.0%
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		551	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_sex_reasons_11: What was/were the reason(s) you had sex the first time? - Pressure from parents/f

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]

firsttime_sex_reasons_12: What was/were the reason(s) you had sex the first time? - My partner

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]

Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	1	100.0%
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_sex_reasons_13: What was/were the reason(s) you had sex the first time? - I was forced to have se

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

# firsttime_sex_reasons_13: What was/were the reason(s) you had sex the first time? - I was forced to have se			
Statistics [NW/ W]		[Valid=0 /-]	
# firsttime_sex_reasons_14: What was/were the reason(s) you had sex the first time? - It just happened			
Information		[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]	
Statistics [NW/ W]		[Valid=23 /-] [Invalid=534 /-]	
Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	23	100.0%
15	Other	0	
Sysmiss		534	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_choice: When you had sex for the first time, even if it was not your choice, with whom di			
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W]		[Valid=80 /-] [Invalid=477 /-]	
Value	Label	Cases	Percentage
1	Husband/Wife (even if you are cohabitating)	2	2.5%
2	Boyfriend/Girlfriend	47	58.8%
3	One night stand	2	2.5%
4	Stranger	7	8.8%
5	Teacher/My school officer	1	1.2%
6	Employer	3	3.8%
7	Relative	4	5.0%
8	Neighbor	7	8.8%
9	Raped by another person	0	
10	I don't remember	7	8.8%
Sysmiss		477	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_gifts: The first time you had sex, were you given gifts or money by your sexual partner?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=80 /-] [Invalid=477 /-]	
Value	Label	Cases	Percentage
1	Given gifts before and after having sex	10	12.5%
2	Given money before and after sex	4	5.0%

# firsttime_sex_gifts: The first time you had sex, were you given gifts or money by your sexual partner?			
Value	Label	Cases	Percentage
3	Given both gifts and money before or after sex	8	10.0%
4	Was not given any gifts or money	58	72.5%
Sysmiss		477	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# protection_hiv: When you first had sex, did you or your partner do anything to protect you agains			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=80 /-] [Invalid=477 /-]	
Value	Label	Cases	Percentage
1	No, we didn't do anything	44	55.0%
2	Used a condom	35	43.8%
3	Spermicide/ Vaginal foam	0	
4	Other, specify	1	1.2%
Sysmiss		477	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_partner_hiv_status: Did you know the HIV status of your first partner at the time when you first had			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=80 /-] [Invalid=477 /-]	
Value	Label	Cases	Percentage
1	Yes	25	31.2%
2	No	42	52.5%
3	Don't know	11	13.8%
4	Choose not to answer	2	2.5%
Sysmiss		477	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_sex_partner_hivstatus: What was the HIV status of your first partner at the time when you first had sex?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=25 /-] [Invalid=532 /-]	
Value	Label	Cases	Percentage
1	HIV positive	0	
2	HIV negative	21	84.0%
3	Choose not to answer	4	16.0%
Sysmiss		532	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_sex_partneronart: Did you know if your first partner was taking ART when you were having sex for th			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=24 /-] [Invalid=533 /-]	
Value	Label	Cases	Percentage
1	No, not using ART	13	54.2%
2	Yes, using ART	0	
3	I don't know	10	41.7%
4	Choose not to answer	1	4.2%
Sysmiss		533	

# first_sex_partneronart: Did you know if your first partner was taking ART when you were having sex for th			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# number_diff_ppl_had_sex: Have you ever been had sex with different people (including your husband/wife)?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=80 /-] [Invalid=477 /-]	
Value	Label	Cases	Percentage
1	Yes	34	42.5%
2	No	46	57.5%
Sysmiss		477	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# number_diff_ppl_had_sex_2: How many different people have you had sex within your lifetime (including your h			
Information		[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]	
Statistics [NW/ W]		[Valid=34 /-] [Invalid=523 /-]	
# diff_ppl_number_had_sex_with: Are you willing to share the number of different people have you had sex with in			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=34 /-] [Invalid=523 /-]	
Value	Label	Cases	Percentage
1	Yes	9	26.5%
2	No	17	50.0%
3	Nothing- I have not had sex in the past 12 months	4	11.8%
4	Choose not to answer	4	11.8%
Sysmiss		523	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ppl_had_sex_past_12_mnth: How many people have you had sex with in the past 12 months (including your husba			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=9 /-] [Invalid=548 /-]	
# number_sexual_rel: Are you willing to share the number of sexual relationships you are in at the mom			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=80 /-] [Invalid=477 /-]	
Value	Label	Cases	Percentage
1	Yes	26	32.5%
2	No	46	57.5%
3	Choose not to answer	8	10.0%
Sysmiss		477	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sexual_rel: How many sexual relationships are you in at the moment (if you do not know, pleas			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=26 /-] [Invalid=531 /-]	
# had_sex_past_12_mnth: have you ever had sex with anyone			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=80 /-] [Invalid=477 /-]	
Value	Label	Cases	Percentage
1	Yes	7	8.8%

# had_sex_past_12_mnth: have you ever had sex with anyone			
Value	Label	Cases	Percentage
2	No	68	85.0%
3	Choose not to answer	5	6.2%
Sysmiss		477	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sex_for_a_living: Some people have sex with other people for a living; would you consider yourself			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=80 /-] [Invalid=477 /-]		
Value	Label	Cases	Percentage
1	Yes	6	7.5%
2	No	70	87.5%
3	Choose not to answer	4	5.0%
Sysmiss		477	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# use_condom_lst_time: Did you use a condom the LAST time you had sex (whether it was forced or agreed)?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=80 /-] [Invalid=477 /-]		
Value	Label	Cases	Percentage
1	Yes	37	46.2%
2	No	39	48.8%
3	Choose not to answer	4	5.0%
Sysmiss		477	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sex_withoutcondom_lst_month: Have you had any sex without a condom in the last month?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=80 /-] [Invalid=477 /-]		
Value	Label	Cases	Percentage
1	Yes	27	33.8%
2	No	39	48.8%
3	Choose not to answer	1	1.2%
4	No, I haven't had sex last month without a condom	13	16.2%
Sysmiss		477	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sex_withoutcondom_lst_12mnts: Have you had any sex without a condom in the last 12 months?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=80 /-] [Invalid=477 /-]		
Value	Label	Cases	Percentage
1	Yes	24	30.0%
2	No	51	63.7%
3	Choose not to answer	5	6.2%
Sysmiss		477	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# person_age: Are you willing to share the age of this person?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=81 /-] [Invalid=476 /-]		
Value	Label	Cases	Percentage
1	Yes	30	37.0%
2	No	39	48.1%
3	Don't know	10	12.3%
4	Choose not to answer	2	2.5%
Sysmiss		476	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# person_age_in_years: How old is this person (if you do not know, please make your best guess)? [in yea			
Information	[Type= continuous] [Format=numeric] [Range= 12-33] [Missing=*]		
Statistics [NW/ W]	[Valid=29 /-] [Invalid=528 /-] [Mean=18 /-] [StdDev=3.827 /-]		
# partner_condom_use: Have you used a condom with this person?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=40 /-] [Invalid=517 /-]		
Value	Label	Cases	Percentage
1	Yes	19	47.5%
2	No	19	47.5%
3	Choose not to answer	2	5.0%
Sysmiss		517	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_no_condom_reason_1: If no, why did you or [name]use a condom? - I don't like condoms/they interfere w			
Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=548 /-]		
Value	Label	Cases	Percentage
1	I don't like condoms/they interfere with pleasure	9	100.0%
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	I am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby	0	
10	Because my partner/I are using ART	0	
11	For religious reasons	0	
12	I don't know	0	
13	I choose not to respond	0	
Sysmiss		548	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_no_condom_reason_2: If no, why did you or [name]use a condom? - My partner doesn't like condoms/it in			
Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]		

if_no_condom_reason_2: If no, why did you or [name]use a condom? - My partner doesn't like condoms/it in

Statistics [NW/ W] [Valid=1 /-] [Invalid=556 /-]

Value	Label	Cases	Percentage
1	I don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	1	100.0%
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	I am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby	0	
10	Because my partner/I are using ART	0	
11	For religious reasons	0	
12	I don't know	0	
13	I choose not to respond	0	
Sysmiss		556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_no_condom_reason_3: If no, why did you or [name]use a condom? - We didn't have a condom/couldn't find

Information [Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=551 /-]

Value	Label	Cases	Percentage
1	I don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	6	100.0%
4	I am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby	0	
10	Because my partner/I are using ART	0	
11	For religious reasons	0	
12	I don't know	0	
13	I choose not to respond	0	
Sysmiss		551	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_no_condom_reason_4: If no, why did you or [name]use a condom? - I am powerless to use a condom/I was

Information [Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=556 /-]

Value	Label	Cases	Percentage
1	I don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	

if_no_condom_reason_4: If no, why did you or [name]use a condom? - I am powerless to use a condom/I was

Value	Label	Cases	Percentage
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	I am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	1	100.0%
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby	0	
10	Because my partner/I are using ART	0	
11	For religious reasons	0	
12	I don't know	0	
13	I choose not to respond	0	
Sysmiss		556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_no_condom_reason_5: If no, why did you or [name]use a condom? - I trust my partner

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=553 /-]

Value	Label	Cases	Percentage
1	I don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	I am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	4	100.0%
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby	0	
10	Because my partner/I are using ART	0	
11	For religious reasons	0	
12	I don't know	0	
13	I choose not to respond	0	
Sysmiss		553	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_no_condom_reason_6: If no, why did you or [name]use a condom? - I know my partner does not have HIV

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=555 /-]

Value	Label	Cases	Percentage
1	I don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	I am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	

if_no_condom_reason_6: If no, why did you or [name]use a condom? - I know my partner does not have HIV

Value	Label	Cases	Percentage
5	I trust my partner	0	
6	I know my partner does not have HIV	2	100.0%
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby	0	
10	Because my partner/I are using ART	0	
11	For religious reasons	0	
12	I don't know	0	
13	I choose not to respond	0	
Sysmiss		555	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_no_condom_reason_7: If no, why did you or [name]use a condom? - I was drinking too much/My partner wa

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]

Value	Label	Cases	Percentage
1	I don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	I am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	1	100.0%
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby	0	
10	Because my partner/I are using ART	0	
11	For religious reasons	0	
12	I don't know	0	
13	I choose not to respond	0	
Sysmiss		556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_no_condom_reason_8: If no, why did you or [name]use a condom? - It is because I am circumcised

Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=554 /-]

Value	Label	Cases	Percentage
1	I don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	I am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	

# if_no_condom_reason_8: If no, why did you or [name]use a condom? - It is because I am circumcised			
Value	Label	Cases	Percentage
8	It is because I am circumcised	3	100.0%
9	My partner/I are trying to have a baby	0	
10	Because my partner/I are using ART	0	
11	For religious reasons	0	
12	I don't know	0	
13	I choose not to respond	0	
Sysmiss		554	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_no_condom_reason_9: If no, why did you or [name]use a condom? - My partner/I are trying to have a bab			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# if_no_condom_reason_10: If no, why did you or [name]use a condom? - Because my partner/I are using ART			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# if_no_condom_reason_11: If no, why did you or [name]use a condom? - For religious reasons			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# if_no_condom_reason_12: If no, why did you or [name]use a condom? - I don't know			
Information	[Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=552 /-]		
Value	Label	Cases	Percentage
1	I don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	I am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby	0	
10	Because my partner/I are using ART	0	
11	For religious reasons	0	
12	I don't know	5	100.0%
13	I choose not to respond	0	
Sysmiss		552	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_no_condom_reason_13: If no, why did you or [name]use a condom? - I choose not to respond			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		

# often_condom_usage: How often have you and [name] used male or female condoms?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=81 /-] [Invalid=476 /-]		
Value	Label	Cases	Percentage
1	Every time	19	23.5%
2	Sometimes	30	37.0%
3	It never happened	30	37.0%
4	I choose not to respond	2	2.5%
Sysmiss		476	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# drink_alcohol_bef_last_sex: Did you drink alcohol before the last time you had sex with [name]?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=81 /-] [Invalid=476 /-]		
Value	Label	Cases	Percentage
1	Every time	7	8.6%
2	Sometimes	9	11.1%
3	It never happened	62	76.5%
4	I choose not to respond	3	3.7%
Sysmiss		476	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sex_gift: The last time you had sex with [name], did you give or were you given a gift in o			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=81 /-] [Invalid=476 /-]		
Value	Label	Cases	Percentage
1	Yes, I got a gift	6	7.4%
2	Yes, I gave a gift	9	11.1%
3	No, I did not give or receive a gift	59	72.8%
4	I choose not to respond	7	8.6%
Sysmiss		476	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sex_money: The last time you had sex with [name], did you give or were you given money in or			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=81 /-] [Invalid=476 /-]		
Value	Label	Cases	Percentage
1	Yes, I got money	3	3.7%
2	Yes, I gave money	5	6.2%
3	No, I did not give or receive money	68	84.0%
4	I choose not to respond	5	6.2%
Sysmiss		476	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# status_hiv: Do you know the HIV status of [name]?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=81 /-] [Invalid=476 /-]		

# status_hiv: Do you know the HIV status of [name]?			
Value	Label	Cases	Percentage
1	Yes	22	27.2%
2	No	44	54.3%
3	Don't know	13	16.0%
4	Choose not to answer	2	2.5%
Sysmiss		476	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# status_hiv_2: What is the HIV status of [name]?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=535 /-]		
Value	Label	Cases	Percentage
1	He/she had HIV	1	4.5%
2	He/she did not have HIV	19	86.4%
3	I choose not to respond	2	9.1%
Sysmiss		535	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# find_status_hiv: How did you find out their HIV status?			
Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]		
# take_prep_past_year: During your relationship with [name] in the past year, did you take PrEP to preve			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=81 /-] [Invalid=476 /-]		
Value	Label	Cases	Percentage
1	Yes	8	9.9%
2	No	60	74.1%
3	Don't know	11	13.6%
4	Choose not to answer	2	2.5%
Sysmiss		476	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_prep_reason_1: Why did you decide not to take PrEP? - I have no knowledge about it			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=41 /-] [Invalid=516 /-]		
Value	Label	Cases	Percentage
1	I don't see that I need it	41	100.0%
2	I am worried about its bad implications or safety	0	
3	It is difficult to do the process at the clinic	0	
5	Choose not to answer	0	
96	Other	0	
Sysmiss		516	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_prep_reason_2: Why did you decide not to take PrEP? - I don't see that I need it			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=13 /-] [Invalid=544 /-]		

no_prep_reason_2: Why did you decide not to take PrEP? - I don't see that I need it

Value	Label	Cases	Percentage
1	I don't see that I need it	0	
2	I am worried about its bad implications or safety	13	100.0%
3	It is difficult to do the process at the clinic	0	
5	Choose not to answer	0	
96	Other	0	
Sysmiss		544	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# no_prep_reason_3: Why did you decide not to take PrEP? - I am concerned about its side effects or i			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=555 /-]		
Value	Label	Cases	Percentage
1	I don't see that I need it	0	
2	I am worried about its bad implications or safety	0	
3	It is difficult to do the process at the clinic	2	100.0%
5	Choose not to answer	0	
96	Other	0	
Sysmiss		555	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_prep_reason_4: Why did you decide not to take PrEP? - It bothers me to do this procedure in the			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=555 /-]		
Value	Label	Cases	Percentage
1	I don't see that I need it	0	
2	I am worried about its bad implications or safety	0	
3	It is difficult to do the process at the clinic	0	
4		2	100.0%
5	Choose not to answer	0	
96	Other	0	
Sysmiss		555	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_prep_reason_5: Why did you decide not to take PrEP? - Other, WRITE IT DOWN			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]		
Value	Label	Cases	Percentage
1	I don't see that I need it	0	
2	I am worried about its bad implications or safety	0	
3	It is difficult to do the process at the clinic	0	
5	Choose not to answer	1	100.0%
96	Other	0	
Sysmiss		556	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_prep_reason_6: Why did you decide not to take PrEP? - I choose not to respond			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=554 /-]		
Value	Label	Cases	Percentage
1	I don't see that I need it	0	
2	I am worried about its bad implications or safety	0	
3	It is difficult to do the process at the clinic	0	
5	Choose not to answer	0	
6		3	100.0%
96	Other	0	

# no_prep_reason_6: Why did you decide not to take PrEP? - I choose not to respond			
Value	Label	Cases	Percentage
Sysmiss		554	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# females_only_1: Has any male ever done any of the following things to you - Has ever said or done			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=534 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	23	100.0%
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		534	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# females_only_2: Has any male ever done any of the following things to you - Has ever threatened t			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=550 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	7	100.0%
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	

females_only_2: Has any male ever done any of the following things to you - Has ever threatened t

Value	Label	Cases	Percentage
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		550	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_3: Has any male ever done any of the following things to you - Has ever insulted you

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=531 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	26	100.0%
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		531	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_4: Has any male ever done any of the following things to you - Someone who pushed yo

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=544 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	13	100.0%
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	

# females_only_4: Has any male ever done any of the following things to you - Someone who pushed yo			
Value	Label	Cases	Percentage
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		544	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# females_only_5: Has any male ever done any of the following things to you - Someone who once slap			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=27 /-] [Invalid=530 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	27	100.0%
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		530	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# females_only_6: Has any male ever done any of the following things to you - Has ever twisted your			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=548 /-]		

females_only_6: Has any male ever done any of the following things to you - Has ever twisted your

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	9	100.0%
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		548	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_7: Has any male ever done any of the following things to you - Has ever hit you with

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=550 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	7	100.0%
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		550	

females_only_7: Has any male ever done any of the following things to you - Has ever hit you with

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_8: Has any male ever done any of the following things to you - Someone who has kicke

Information [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=550 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	7	100.0%
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Systemmiss		550	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_9: Has any male ever done any of the following things to you - Has ever tried to str

Information [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=554 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	3	100.0%
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	

females_only_9: Has any male ever done any of the following things to you - Has ever tried to str

Value	Label	Cases	Percentage
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		554	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_10: Has any male ever done any of the following things to you - Someone who has threa

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=552 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	5	100.0%
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		552	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_11: Has any male ever done any of the following things to you - Someone who attacked

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=553 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	

# females_only_11: Has any male ever done any of the following things to you - Someone who attacked			
Value	Label	Cases	Percentage
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	4	100.0%
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		553	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# females_only_12: Has any male ever done any of the following things to you - Has ever touched you			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=549 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	8	100.0%
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		549	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# females_only_13: Has any male ever done any of the following things to you - Someone who tried to			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=550 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	

# females_only_13: Has any male ever done any of the following things to you - Someone who tried to			
Value	Label	Cases	Percentage
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	7	100.0%
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		550	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# females_only_14: Has any male ever done any of the following things to you - Someone who forced yo	
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=555 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	2	100.0%
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		555	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# females_only_15: Has any male ever done any of the following things to you - Someone who forced yo			
Information		[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=554 /-]	
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	3	100.0%
16	No	0	
Sysmiss		554	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# females_only_16: Has any male ever done any of the following things to you - No			
Information		[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]	
Statistics [NW/ W]		[Valid=110 /-] [Invalid=447 /-]	
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	

females_only_16: Has any male ever done any of the following things to you - No

Value	Label	Cases	Percentage
15	Someone who forced you to have sex with him against your will	0	
16	No	110	100.0%
Sysmiss		447	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_1: Has anyone done any of the following things to you in the last 12 months - Has ev

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=43 /-] [Invalid=514 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	43	100.0%
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		514	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_2: Has anyone done any of the following things to you in the last 12 months - Has ev

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=537 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	20	100.0%
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	

males_only_last_12mnths_2: Has anyone done any of the following things to you in the last 12 months - Has ev

Value	Label	Cases	Percentage
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		537	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_3: Has anyone done any of the following things to you in the last 12 months - Has ev

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=42 /-] [Invalid=515 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	42	100.0%
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		515	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_4: Has anyone done any of the following things to you in the last 12 months - Someone

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=539 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	18	100.0%
5	Someone who once slapped you	0	

males_only_last_12mnths_4: Has anyone done any of the following things to you in the last 12 months - Someone

Value	Label	Cases	Percentage
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		539	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_5: Has anyone done any of the following things to you in the last 12 months - Someone

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=45 /-] [Invalid=512 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	45	100.0%
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		512	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_6: Has anyone done any of the following things to you in the last 12 months - Has ev

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=541 /-]

males_only_last_12mnths_6: Has anyone done any of the following things to you in the last 12 months - Has ev

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	16	100.0%
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		541	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_7: Has anyone done any of the following things to you in the last 12 months - Has ev

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=18 /-] [Invalid=539 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	18	100.0%
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		539	

males_only_last_12mnths_7: Has anyone done any of the following things to you in the last 12 months - Has ev

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_8: Has anyone done any of the following things to you in the last 12 months - Someone

Information [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=537 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	20	100.0%
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
System		537	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_9: Has anyone done any of the following things to you in the last 12 months - Has ev

Information [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=551 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	6	100.0%
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	

males_only_last_12mnths_9: Has anyone done any of the following things to you in the last 12 months - Has ev

Value	Label	Cases	Percentage
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		551	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_10: Has anyone done any of the following things to you in the last 12 months - Someone

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=549 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	8	100.0%
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		549	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_11: Has anyone done any of the following things to you in the last 12 months - Someone

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=547 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	

males_only_last_12mnths_11: Has anyone done any of the following things to you in the last 12 months - Someone

Value	Label	Cases	Percentage
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	10	100.0%
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		547	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_12: Has anyone done any of the following things to you in the last 12 months - Has ev

Information [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]

Statistics [NW/ W] [Valid=5 /-] [Invalid=552 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	5	100.0%
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		552	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_13: Has anyone done any of the following things to you in the last 12 months - Someone

Information [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=550 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	

males_only_last_12mnths_13: Has anyone done any of the following things to you in the last 12 months - Someone

Value	Label	Cases	Percentage
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	7	100.0%
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		550	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_14: Has anyone done any of the following things to you in the last 12 months - Someone

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=554 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	3	100.0%
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		554	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_15: Has anyone done any of the following things to you in the last 12 months - Someone

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=554 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	3	100.0%
16	No	0	
Systemmiss		554	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_16: Has anyone done any of the following things to you in the last 12 months - No

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=136 /-] [Invalid=421 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	

# males_only_last_12mnths_16: Has anyone done any of the following things to you in the last 12 months - No			
Value	Label	Cases	Percentage
15	Someone who forced you to have sex with him against your will	0	
16	No	136	100.0%
Sysmiss		421	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_transmission: Can the risk of HIV transmission be reduced by having sex with only one uninfected			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	Yes	199	55.0%
2	No	59	16.3%
3	Don't know	100	27.6%
4	Choose not to answer	4	1.1%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# reduce_risk_hiv: Can a person reduce the risk of getting HIV by using a condom every time they hav			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	Yes	242	66.9%
2	No	57	15.7%
3	Don't know	58	16.0%
4	Choose not to answer	5	1.4%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# healthy_pers_hiv: Can a healthy-looking person have HIV?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	Yes	209	57.7%
2	No	94	26.0%
3	Don't know	57	15.7%
4	Choose not to answer	2	0.6%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# mosquito_bites_hiv: Can a person get HIV from mosquito bites?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	Yes	150	41.4%
2	No	126	34.8%
3	Don't know	84	23.2%
4	Choose not to answer	2	0.6%

# mosquito_bites_hiv: Can a person get HIV from mosquito bites?			
Value	Label	Cases	Percentage
Systemmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sharing_food_hiv: Can a person get HIV by sharing food with someone who is infected?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	78	21.5%
2	No	221	61.0%
3	Don't know	62	17.1%
4	Choose not to answer	1	0.3%
Systemmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sv_experienced: Have you ever experienced any sexual related abuse?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=361 /-] [Invalid=196 /-]		
Value	Label	Cases	Percentage
1	Yes	5	1.4%
2	No	356	98.6%
Systemmiss		196	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sv_to_contact: how you would like us to contact you?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=552 /-]		
Value	Label	Cases	Percentage
1	Yes	5	100.0%
2	No	0	
93	I choose not to answer	0	
98	I don't know	0	
Systemmiss		552	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sv_contact_method: Please tell us how you would like us to contact you			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=552 /-]		
# srs_sv_phonetime: Please indicate when is best to call			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-]		
# srs_sv_visittime: Please indicate which time of day is best			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-]		
# any_children: Have you ever fathered any children?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		

# any_children: Have you ever fathered any children?			
Statistics [NW/ W]		[Valid=57 /-] [Invalid=500 /-]	
Value	Label	Cases	Percentage
1	Yes	2	3.5%
2	No	54	94.7%
3	Choose not to answer	1	1.8%
Sysmiss		500	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_time_child: Are you willing to share how old were you the first time you made someone pregnan			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=555 /-]	
Value	Label	Cases	Percentage
1	Yes	2	100.0%
2	No	0	
3	Choose not to answer	0	
Sysmiss		555	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_time_child_years: How old were you the first time you made someone pregnant? [age in years]			
Information		[Type= discrete] [Format=numeric] [Range= 10-17] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=555 /-]	
# been_circumcised_whole_foreskin: Have you ever been circumcised where your whole foreskin was removed?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=190 /-] [Invalid=367 /-]	
Value	Label	Cases	Percentage
1	Yes	137	72.1%
2	No	51	26.8%
3	Choose not to answer	2	1.1%
Sysmiss		367	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# when_circumcised: When were you circumcised			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=137 /-] [Invalid=420 /-]		
Value	Label	Cases	Percentage
1	Infant	1	0.7%
2	Toddler	120	87.6%
3	18 years/older	2	1.5%
4	Don't know/Don't remember	14	10.2%
5	Choose not to answer	0	
Sysmiss		420	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# where_circumcised: Where were you circumcised?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=137 /-] [Invalid=420 /-]		
Value	Label	Cases	Percentage
1	Health facility	133	97.1%
2	Mountain	1	0.7%
3	Church	0	
4	Other, specify	3	2.2%
Sysmiss		420	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# currently_preg: Are you currently pregnant?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=534 /-]		
Value	Label	Cases	Percentage
1	Yes	2	8.7%
2	No	20	87.0%
3	Don't know	1	4.3%
4	Choose not to answer	0	
Sysmiss		534	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ever_been_preg: Have you ever been pregnant?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=534 /-]		
Value	Label	Cases	Percentage
1	Yes	9	39.1%
2	No	14	60.9%
3	Choose not to answer	0	
Sysmiss		534	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# preg_last_12_mnth: Have you been pregnant in the last 12 months?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=548 /-]		

preg_last_12_mnths: Have you been pregnant in the last 12 months?

Value	Label	Cases	Percentage
1	Yes	3	33.3%
2	No	6	66.7%
3	Choose not to answer	0	
Sysmiss		548	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_preg_age: Are you willing to share how old were you the first time you got pregnant?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=548 /-]

Value	Label	Cases	Percentage
1	Yes	9	100.0%
2	No	0	
3	Choose not to answer	0	
Sysmiss		548	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_preg_years: How old were you the first time you got pregnant?

Information	[Type= discrete] [Format=numeric] [Range= 15-18] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=548 /-]

times_preg: How many times have you been pregnant?

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=557 /-]

contracep_access: In the last 3 months, did you need contraceptives and could not access them?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=534 /-]

Value	Label	Cases	Percentage
1	Yes	2	8.7%
2	No	20	87.0%
3	Choose not to answer	1	4.3%
Sysmiss		534	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

curr_meth_avoidpreg: Are you currently using any contraceptive methods to prevent pregnancy?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=555 /-]

Value	Label	Cases	Percentage
1	Yes	0	
2	No	2	100.0%
3	Choose not to answer	0	
Sysmiss		555	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

no_contracept_main_reason_1: If no, What is the main reason why you are not using a method of contraception to

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]

# no_contracept_main_reason_2: If no, What is the main reason why you are not using a method of contraception to			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# no_contracept_main_reason_3: If no, What is the main reason why you are not using a method of contraception to			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# no_contracept_main_reason_4: If no, What is the main reason why you are not using a method of contraception to			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# no_contracept_main_reason_5: If no, What is the main reason why you are not using a method of contraception to			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# no_contracept_main_reason_6: If no, What is the main reason why you are not using a method of contraception to			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# no_contracept_main_reason_7: If no, What is the main reason why you are not using a method of contraception to			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# no_contracept_main_reason_8: If no, What is the main reason why you are not using a method of contraception to			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# no_contracept_main_reason_9: If no, What is the main reason why you are not using a method of contraception to			
Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]		
Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	1	100.0%
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	

no_contracept_main_reason_9: If no, What is the main reason why you are not using a method of contraception to

Value	Label	Cases	Percentage
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

no_contracept_main_reason_10: If no, What is the main reason why you are not using a method of contraception to

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]

no_contracept_main_reason_11: If no, What is the main reason why you are not using a method of contraception to

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=556 /-]

Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	1	100.0%
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		556	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.






no_contracept_main_reason_12: If no, What is the main reason why you are not using a method of contraception to

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

# no_contracept_main_reason_12: If no, What is the main reason why you are not using a method of contraception to	
Statistics [NW/ W]	[Valid=0 /-]
# no_contracept_main_reason_13: If no, What is the main reason why you are not using a method of contraception to	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]
# no_contracept_main_reason_14: If no, What is the main reason why you are not using a method of contraception to	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]
# no_contracept_main_reason_15: If no, What is the main reason why you are not using a method of contraception to	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]
# no_contracept_main_reason_16: If no, What is the main reason why you are not using a method of contraception to	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]
# no_contracept_main_reason_17: If no, What is the main reason why you are not using a method of contraception to	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]
# no_contracept_main_reason_18: If no, What is the main reason why you are not using a method of contraception to	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]
# no_contracept_main_reason_19: If no, What is the main reason why you are not using a method of contraception to	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]
# no_contracept_main_reason_20: If no, What is the main reason why you are not using a method of contraception to	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]
# no_contracept_main_reason_21: If no, What is the main reason why you are not using a method of contraception to	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]
# no_contracept_main_reason_22: If no, What is the main reason why you are not using a method of contraception to	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]
# no_contracept_main_reason_23: If no, What is the main reason why you are not using a method of contraception to	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]
# no_contracept_main_reason_24: If no, What is the main reason why you are not using a method of contraception to	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]

# first_start_art: Which methods were you using?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# avoid_preg_12_mnth: In the past 12 months, have you used any method to avoid getting pregnant?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=534 /-]		
Value	Label	Cases	Percentage
1	Yes	12	52.2%
2	No	11	47.8%
3	Choose not to answer	0	
Sysmiss		534	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# methods_using_1: Which methods were you using? - Male condom			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# methods_using_2: Which methods were you using? - Female condom			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# methods_using_3: Which methods were you using? - Female sterilization			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# methods_using_4: Which methods were you using? - Vasectomy			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# methods_using_5: Which methods were you using? - IUD			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# methods_using_6: Which methods were you using? - Injectables			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=9 /-] [Invalid=548 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	9	100.0%
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	

# methods_using_6: Which methods were you using? - Injectables			
Value	Label	Cases	Percentage
12	Choose not to answer	0	
Sysmiss		548	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# methods_using_7: Which methods were you using? - Implant			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=554 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	3	100.0%
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		554	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# methods_using_8: Which methods were you using? - Pills			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# methods_using_9: Which methods were you using? - Withdrawa/Thigh sex			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# methods_using_10: Which methods were you using? - Traditional methods			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# methods_using_11: Which methods were you using? - Other			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# methods_using_12: Which methods were you using? - Choose not to answer			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-]		
# untreated_std: Some untreated STDs can cause infertility			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	TRUE	171	47.2%

# untreated_std: Some untreated STDs can cause infertility			
Value	Label	Cases	Percentage
2	FALSE	71	 19.6%
3	Not sure	120	 33.1%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# latex_condoms_usage: It is safe to use oils with latex condoms			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	TRUE	281	 77.6%
2	FALSE	20	 5.5%
3	Not sure	61	 16.9%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# some_std: Some STIs are curable, and some are not			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	TRUE	245	67.7%
2	FALSE	35	9.7%
3	Not sure	82	22.7%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# std_infection: A person with an STI who looks and feels healthy cannot give the infection to oth			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	TRUE	104	28.7%
2	FALSE	173	47.8%
3	Not sure	85	23.5%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# std_higher_risk: Some STIs put a person at higher risk of getting infected with HIV			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	TRUE	279	77.1%
2	FALSE	19	5.2%
3	Not sure	64	17.7%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# std_pain: A sign of having an STI can be pain or burning when urinating (peeing).			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	TRUE	201	55.5%
2	FALSE	21	5.8%
3	Not sure	140	38.7%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# std_reason: One reason that STIs are so common is because infected persons often do not have			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	TRUE	203	56.1%
2	FALSE	47	13.0%
3	Not sure	112	30.9%
Sysmiss		195	

# std_reason: One reason that STIs are so common is because infected persons often do not have			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# condom_use: The best way to use a condom is to leave some space at the tip for the sperm			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	TRUE	143	39.5%
2	FALSE	44	12.2%
3	Not sure	175	48.3%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# condom_use_2: A condom should be completely unrolled before it is placed on the penis			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	TRUE	199	55.0%
2	FALSE	38	10.5%
3	Not sure	125	34.5%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# get_condom_18years: Teens must be 18 years old or older to get condoms at a store or clinic			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	TRUE	182	50.3%
2	FALSE	127	35.1%
3	Not sure	53	14.6%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# tattooing_or_piercing: Sharing needles for tattooing or piercing			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	TRUE	266	73.5%
2	FALSE	32	8.8%
3	Not sure	64	17.7%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sex_without_condom: Having sex without a condom			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	TRUE	322	89.0%
2	FALSE	22	6.1%

# sex_without_condom: Having sex without a condom			
Value	Label	Cases	Percentage
3	Not sure	18	5.0%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# blood_donating: Donating blood			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	TRUE	213	58.8%
2	FALSE	87	24.0%
3	Not sure	62	17.1%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# condom_use_twice: Using the same condom twice			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	TRUE	233	64.4%
2	FALSE	45	12.4%
3	Not sure	84	23.2%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hugging: Hugging			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	TRUE	24	6.6%
2	FALSE	288	79.6%
3	Not sure	50	13.8%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# treated_std: Once a person is treated for an STI, that person cannot get the same STI again			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	TRUE	63	17.4%
2	FALSE	197	54.4%
3	Not sure	102	28.2%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# start_sex_without_condom: It is safe to start sex without a condom as long as the condom is put on before t			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		

# start_sex_without_condom: It is safe to start sex without a condom as long as the condom is put on before t			
Value	Label	Cases	Percentage
1	TRUE	54	14.9%
2	FALSE	190	52.5%
3	Not sure	118	32.6%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# condom_breakage: Condoms exposed to heat and sunlight may break more easily			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	TRUE	227	62.7%
2	FALSE	29	8.0%
3	Not sure	106	29.3%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# treating_18yrs_std: Most health clinics must have the permission of parents to test and treat people			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	TRUE	192	53.0%
2	FALSE	100	27.6%
3	Not sure	70	19.3%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# abstinence: Choosing not to have sex (abstinence)			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	Protects from Pregnancy & STD/HIV	44	12.2%
2	Protects from Pregnancy only	13	3.6%
3	Protects from Neither	305	84.3%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hormone_based_birth_control: Using hormone-based birth control (e.g., the pill, Depo-Provera shot, patch, vagi			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=362 /-] [Invalid=195 /-]	
Value	Label	Cases	Percentage
1	Protects from Pregnancy & STD/HIV	41	11.3%
2	Protects from Pregnancy only	177	48.9%
3	Protects from Neither	144	39.8%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# latex_condoms: Using latex condoms			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Protects from Pregnancy & STD/HIV	43	11.9%
2	Protects from Pregnancy only	22	6.1%
3	Protects from Neither	297	82.0%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# withdrawal: Using withdrawal			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Protects from Pregnancy & STI/HIV	41	11.3%
2	Protects from Pregnancy only	123	34.0%
3	Protects from Neither	198	54.7%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# douching: Douching (washing out the vagina)			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Protects from Pregnancy & STI/HIV	99	27.3%
2	Protects from Pregnancy only	31	8.6%
3	Protects from Neither	232	64.1%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ii_airtime_incentive: Would the participant like to receive the R50 airtime incentive?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=362 /-] [Invalid=195 /-]		
Value	Label	Cases	Percentage
1	Yes	358	98.9%
2	No	4	1.1%
Sysmiss		195	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ii_airtime_prim_network: Can the participant please verify if the Network provider of Primary Contact numb			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=557 /-]		
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
Sysmiss		557	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# ii_airtime_network: Who is the mobile phone network service provider?			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=358 /-] [Invalid=199 /-]		
Value	Label	Cases	Percentage
1	Vodacom	273	76.3%
2	MTN	75	20.9%
3	Cell C	5	1.4%
4	Telkom Mobile (former 8ta)	5	1.4%
5	Virgin Mobile	0	
Sysmiss		199	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ii_recharge_status: Airtime Recharge Status			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=357 /-]		
# cp_sendto_qualcontrol: Have all questions been completed and can the Survey proceed to be quality contro			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=162 /-]		
Value	Label	Cases	Percentage
1	Yes	395	100.0%
2	No	0	
Sysmiss		162	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cp_surveu_end_time: End of Survey time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-]		
# cp_qc_performed: Was the Internal QC Step completed?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=394 /-] [Invalid=163 /-]		
Value	Label	Cases	Percentage
1	Yes	394	100.0%
2	No	0	
Sysmiss		163	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cp_qc_date: Date of QC			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=393 /-]		
# cp_qc_issuesfound: Was there any issues identified during the QC?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=393 /-] [Invalid=164 /-]		
Value	Label	Cases	Percentage
1	Yes	19	4.8%
2	No	374	95.2%
Sysmiss		164	

# cp_qc_issuesfound: Was there any issues identified during the QC?			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cp_qc_return_corrections: Were all issues corrected?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=19 /-] [Invalid=538 /-]	
Value	Label	Cases	Percentage
1	Yes	17	89.5%
2	No	2	10.5%
Sysmiss		538	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cp_qc_return_reviewed: Were all issues raised re-reviewed and corrected?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=15 /-] [Invalid=542 /-]	
Value	Label	Cases	Percentage
1	Yes	15	100.0%
2	No	0	
Sysmiss		542	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cp_send_to_staging: Are all quality processes completed and can the survey be send to the Staging Pro			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=388 /-] [Invalid=169 /-]	
Value	Label	Cases	Percentage
1	Yes	384	99.0%
2	No	4	1.0%
Sysmiss		169	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ar_contacted: Was the participant contacted?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=5 /-] [Invalid=552 /-]	
Value	Label	Cases	Percentage
1	Yes	5	100.0%
2	No	0	
Sysmiss		552	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ar_supp_given: Was support provided?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=5 /-] [Invalid=552 /-]	
Value	Label	Cases	Percentage
1	Yes	1	20.0%
2	No	4	80.0%
Sysmiss		552	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

ar_follow_up_needed: Is follow up needed?

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=5 /-] [Invalid=552 /-]

Value	Label	Cases	Percentage
1	Yes	5	100.0%
2	No	0	
Sysmiss		552	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ar_follow_up_date: Date of follow up

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=5 /-]

ar_resolved: Was it resolved?

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=5 /-] [Invalid=552 /-]

Value	Label	Cases	Percentage
1	Yes	5	100.0%
2	No	0	
Sysmiss		552	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : AHRI.SaferChoicesFollowUp.2025.v1

record_id: Record ID

Information [Type= continuous] [Format=numeric] [Range= 10-1665] [Missing=*]

Statistics [NW/ W] [Valid=361 /-] [Invalid=0 /-] [Mean=1009.435 /-] [StdDev=551.441 /-]

ca_attmp1_contact: Conducting Contact Attempt

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=358 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	Yes	358	100.0%
2	No	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp1_datetime: Attempt Date and Time

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=355 /-]

ca_attmp1_spoke_partic: Were you able to speak to the participant?

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=358 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
1	Yes	325	90.8%
2	No	33	9.2%
3	Yes	0	
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp1_cntct_outcome: Outcome of Contact Attempt - spoken to

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=325 /-] [Invalid=36 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	325	100.0%
2	Corporal punishment	0	
3	Off sick	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
11	Avoided BSID	0	
96	Other	0	
Sysmiss		36	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp1_cntct_outcome_tel: Outcome of Contact Attempt - spoken over the phone

Information [Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]

File : AHRI.SaferChoicesFollowUp.2025.v1

ca_attmp1_cntct_outcome_tel: Outcome of Contact Attempt - spoken over the phone

Statistics [NW/ W] [Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
2	Corporal punishment	0	
3	Off sick	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
11	Avoided BSID	0	
96	Other	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp1_no_cntct_outcome: Outcome of Contact Attempt - not spoken to Â

Information [Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]

Statistics [NW/ W] [Valid=34 /-] [Invalid=327 /-]

Value	Label	Cases	Percentage
2	Corporal punishment	0	
3	Off sick	6	17.6%
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
11	Make another appointment	0	
96	Other	28	82.4%
Sysmiss		327	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp1_resch_vsdate: Reschedule next visit date

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=6 /-]

ca_attmp2_contact: Conducting Contact Attempt

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
1	Yes	4	66.7%
2	No	2	33.3%
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp2_datetime: Attempt Date and Time

Information [Type= discrete] [Format=character] [Missing=*]

File : AHRI.SaferChoicesFollowUp.2025.v1

ca_attmp2_datetime: Attempt Date and Time

Statistics [NW/ W] [Valid=4 /-]

ca_attmp2_spoke_partic: Were you able to speak to the participant?

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=4 /-] [Invalid=357 /-]

Value	Label	Cases	Percentage
1	Yes	3	75.0%
2	No	1	25.0%
3	Yes	0	
Systemss		357	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp2_cntct_outcome: Outcome of Contact Attempt - spoken to

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=358 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	3	100.0%
2	Corporal punishment	0	
3	Off sick	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
96	Other	0	
Systemss		358	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp2_cntct_outcome_tel: Outcome of Contact Attempt - spoken over the phone

Information [Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
2	Corporal punishment	0	
3	Off sick	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
96	Other	0	
Systemss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : AHRI.SaferChoicesFollowUp.2025.v1

ca_attmp2_no_cntct_outcome: Outcome of Contact Attempt - not spoken to

Information [Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=360 /-]

Value	Label	Cases	Percentage
2	Corporal punishment	0	
3	Off sick	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
11	Make another appointment	0	
96	Other	1	100.0%
Sysmiss		360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp2_resch_vsdate: Reschedule next visit date

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=3 /-]

ca_attmp3_contact: Conducting Contact Attempt

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=4 /-] [Invalid=357 /-]

Value	Label	Cases	Percentage
1	Yes	0	
2	No	4	100.0%
Sysmiss		357	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp3_datetime: Attempt Date and Time

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=0 /-]

ca_attmp3_spoke_partic: Were you able to speak to the participant?

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
3	Yes	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp3_cntct_outcome: Outcome of Contact Attempt - spoken to

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=361 /-]

File : AHRI.SaferChoicesFollowUp.2025.v1

ca_attmp3_cntct_outcome: Outcome of Contact Attempt - spoken to

Value	Label	Cases	Percentage
1	Available - Willing to participate	0	
2	Corporal punishment	0	
3	Off sick	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
96	Other	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp3_cntct_outcome_tel: Outcome of Contact Attempt - spoken over the phone

Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
2	Corporal punishment	0	
3	Off sick	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Death	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
96	Other	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp3_no_cntct_outcome: Outcome of Contact Attempt - not spoken to

Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
2	Corporal punishment	0	
3	No-One home	0	
4	Off-sick	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
8	Temporarily away for more than 2 months	0	
10	Out-migrated to unknown destination	0	
96	Other	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : AHRI.SaferChoicesFollowUp.2025.v1

ca_proj_handover_request: Fieldworker: Request handover of Non-Contact to Project Coordinator?

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=333 /-]

Value	Label	Cases	Percentage
1	Yes	27	96.4%
2	No	1	3.6%
Sysmiss		333	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_coordn_approval: FOR PROJECT COORDINATOR TO COMPLETE: Was this request for a Non-Contact approved?

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_visitdate: Visit Date

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=328 /-]

pd_sex: Sex

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=361 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Male	189	52.4%
2	Female	172	47.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

pd_dob: Participant's Date of Birth

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=361 /-]

pd_partic_age: Participant's Age

Information [Type= discrete] [Format=numeric] [Range= 15-19] [Missing=*]

Statistics [NW/ W] [Valid=323 /-] [Invalid=38 /-]

pd_prim_network: Network provider for the primary contact number (mobile)

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=361 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Vodacom	274	75.9%
2	MTN	78	21.6%
3	Cell C	3	0.8%
4	Telkom	6	1.7%

File : AHRI.SaferChoicesFollowUp.2025.v1

pd_prim_network: Network provider for the primary contact number (mobile)

Value	Label	Cases	Percentage
5	Virgin Mobile	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

bio_leader: Are you a Safer Choices peer team/group leader?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Yes	27	8.2%
2	No	301	91.8%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_name1: School Name

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=361 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Inkosi Mgwazeni High School	74	20.5%
2	Nkodibe High School	0	
3	Madwaleni High School	76	21.1%
4	Nkosana High School	82	22.7%
5	KwaGxaba High School	57	15.8%
6	Gilonki High School	72	19.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade1: Grade

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=361 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Grade 9	27	7.5%
2	Grade 10	150	41.6%
3	Grade 11	184	51.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ahri_linklite_dsid: Were you able to look up the DSID from the AHRI link lite App?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Yes	0	
2	No	328	100.0%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ahri_linklite_dsid_2: If yes, please provide the DSID

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

File : AHRI.SaferChoicesFollowUp.2025.v1

ac_date: Capacity assessment date by Field Team

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=327 /-]

ac_assess_step1: HAPPY with Step 1?

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Yes	327	99.7%
2	No	1	0.3%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ac_assess_step2: HAPPY with Step 2?

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=360 /-]

Value	Label	Cases	Percentage
1	Yes	1	100.0%
2	No	0	
Sysmiss		360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ac_assess_step3: HAPPY with Step 3?

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ac_assess_result_fw: Is this individual capable to participate?

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Yes	328	100.0%
2	No	0	
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ac_inform_sheet_given: Please confirm that you have given the participant a copy of the Information Shee

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Confirmed	301	91.8%
2	No, did not give the infotmation sheet	27	8.2%

File : AHRI.SaferChoicesFollowUp.2025.v1

ac_inform_sheet_given: Please confirm that you have given the participant a copy of the Information Shee

Value	Label	Cases	Percentage
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

consent_language: Will the consent be obtained in Zulu or English? Â

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Zulu	325	99.1%
2	English	3	0.9%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ic_adolescent_starttime: Informed consent for adolescents - Start time

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=327 /-]

ic_indiv_study_info: Have you received enough information about the study? You confirm that I have rea

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Yes	328	100.0%
2	No	0	
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ic_indiv_study_questions: Have you been given an opportunity to ask questions about the study and been give

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Yes	327	99.7%
2	No	1	0.3%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ic_indiv_study_voluntary: Do you understand that your participation is voluntary and that you are free to w

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Yes	327	99.7%
2	No	1	0.3%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ic_indiv_study_take_part: Do you agree to take part in this study?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

File : AHRI.SaferChoicesFollowUp.2025.v1

ic_indiv_study_take_part: Do you agree to take part in this study?

Value	Label	Cases	Percentage
1	Yes	328	100.0%
2	No	0	
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ic_indiv_link_data: Do you agree for your data to be linked to the population intervention platform P

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Yes	328	100.0%
2	No	0	
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ic_indiv_study_phone_app: Do you agree to be contacted by phone in order to make appointments for follow up

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Yes	295	89.9%
2	No	33	10.1%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ic_indiv_rel: Relationship with the owner of the alternative number

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=106 /-]

ic_indiv_volunteersign1: Signature/Thumbprint of volunteer

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=303 /-]

ic_indiv_volunteersign2: Volunteer Signature (ic_indiv_volunteersign1) Upload if available form Data Dump

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-]

# ic_adolescent_stoptime: Informed consent for adolescents - Stop time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-]		
# school_name: What is the name of your school			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Inkosi Mgwazeni High School	70	21.3%
2	Nkodibe High School	0	
3	Madwaleni High School	66	20.1%
4	Nkosana High School	78	23.8%
5	KwaGxaba High School	50	15.2%
6	Gilonki High School	64	19.5%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_grade: In which grade are you? (Grade 9 - 10)			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Grade 9	12	3.7%
2	Grade 10	316	96.3%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_days_absent: Since the last time we met for an interview with you, have you ever been absent f			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Yes	77	23.5%
2	No	251	76.5%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_absent_reas: What were the main reasons why you were absent?			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# school_absent_reas_1: Health/sickness: Went to the doctor/disease or injury.			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=42 /-] [Invalid=319 /-]		
Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury.	42	100.0%
2	Weather/ floods/ extreme heat.	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant.	0	

school_absent_reas_1: Health/sickness: Went to the doctor/disease or injury.

Value	Label	Cases	Percentage
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected.	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school.	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced.	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment.	0	
8	Being old: feeling very old/ too young to go to school.	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades.	0	
10	Pregnancy.	0	
11	Not being accepted/ registration.	0	
12	Being bored at school/ subjects.	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school.	0	
96	Other, specify	0	
Sysmiss		319	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_absent_reas_2: Weather/ floods/ extreme heat.

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=351 /-]

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury.	0	
2	Weather/ floods/ extreme heat.	10	100.0%
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant.	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected.	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school.	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced.	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment.	0	
8	Being old: feeling very old/ too young to go to school.	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades.	0	
10	Pregnancy.	0	
11	Not being accepted/ registration.	0	
12	Being bored at school/ subjects.	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school.	0	
96	Other, specify	0	

# school_absent_reas_2: Weather/ floods/ extreme heat.			
Value	Label	Cases	Percentage
Sysmiss		351	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_absent_reas_3: Taking care of family: Visiting a relative, out of town/funeral/ death of a relat			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]		
Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury.	0	
2	Weather/ floods/ extreme heat.	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant.	2	100.0%
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected.	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school.	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced.	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment.	0	
8	Being old: feeling very old/ too young to go to school.	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades.	0	
10	Pregnancy.	0	
11	Not being accepted/ registration.	0	
12	Being bored at school/ subjects.	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school.	0	
96	Other, specify	0	
Sysmiss		359	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_absent_reas_4: Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ b			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]		
Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury.	0	
2	Weather/ floods/ extreme heat.	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant.	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected.	1	100.0%
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school.	0	

school_absent_reas_4: Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ b

Value	Label	Cases	Percentage
6	Taking transport and arriving by myself: no transportation/ school is distanced.	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment.	0	
8	Being old: feeling very old/ too young to go to school.	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades.	0	
10	Pregnancy.	0	
11	Not being accepted/ registration.	0	
12	Being bored at school/ subjects.	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school.	0	
96	Other, specify	0	
Sysmiss		360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_absent_reas_5: Financial state/ school fees: money problems/ not paid school fees/ no transport

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury.	0	
2	Weather/ floods/ extreme heat.	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant.	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected.	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school.	2	100.0%
6	Taking transport and arriving by myself: no transportation/ school is distanced.	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment.	0	
8	Being old: feeling very old/ too young to go to school.	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades.	0	
10	Pregnancy.	0	
11	Not being accepted/ registration.	0	
12	Being bored at school/ subjects.	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school.	0	
96	Other, specify	0	
Sysmiss		359	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_absent_reas_6: Taking transport and arriving by myself: no transportation/ school is distanced.

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

school_absent_reas_6: Taking transport and arriving by myself: no transportation/ school is distanced.

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury.	0	
2	Weather/ floods/ extreme heat.	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant.	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected.	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school.	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced.	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment.	0	
8	Being old: feeling very old/ too young to go to school.	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades.	0	
10	Pregnancy.	0	
11	Not being accepted/ registration.	0	
12	Being bored at school/ subjects.	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school.	0	
96	Other, specify	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_absent_reas_7: A child/ young people were arriving late at school/ scared of corporal punishment

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]		
Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury.	0	
2	Weather/ floods/ extreme heat.	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant.	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected.	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school.	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced.	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment.	2	100.0%
8	Being old: feeling very old/ too young to go to school.	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades.	0	
10	Pregnancy.	0	

school_absent_reas_7: A child/ young people were arriving late at school/ scared of corporal punishment

Value	Label	Cases	Percentage
11	Not being accepted/ registration.	0	
12	Being bored at school/ subjects.	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school.	0	
96	Other, specify	0	
Sysmiss		359	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_absent_reas_8: Being old: feeling very old/ too young to go to school.

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury.	0	
2	Weather/ floods/ extreme heat.	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant.	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected.	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school.	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced.	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment.	0	
8	Being old: feeling very old/ too young to go to school.	1	100.0%
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades.	0	
10	Pregnancy.	0	
11	Not being accepted/ registration.	0	
12	Being bored at school/ subjects.	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school.	0	
96	Other, specify	0	
Sysmiss		360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_absent_reas_9: Learning with disability/ difficulty in learning/ difficulties with learning high

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury.	0	
2	Weather/ floods/ extreme heat.	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant.	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/	0	

school_absent_reas_9: Learning with disability/ difficulty in learning/ difficulties with learning high

Value	Label	Cases	Percentage
	exam time/ cooks were absent/ school re-opened earlier than expected.		
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school.	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced.	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment.	0	
8	Being old: feeling very old/ too young to go to school.	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades.	0	
10	Pregnancy.	0	
11	Not being accepted/ registration.	0	
12	Being bored at school/ subjects.	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school.	0	
96	Other, specify	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_absent_reas_10: Pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury.	0	
2	Weather/ floods/ extreme heat.	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant.	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected.	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school.	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced.	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment.	0	
8	Being old: feeling very old/ too young to go to school.	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades.	0	
10	Pregnancy.	0	
11	Not being accepted/ registration.	0	
12	Being bored at school/ subjects.	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school.	0	
96	Other, specify	0	
Sysmiss		361	

school_absent_reas_10: Pregnancy

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_absent_reas_11: Not being accepted/ registration.

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=360 /-]

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury.	0	
2	Weather/ floods/ extreme heat.	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant.	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected.	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school.	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced.	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment.	0	
8	Being old: feeling very old/ too young to go to school.	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades.	0	
10	Pregnancy.	0	
11	Not being accepted/ registration.	1	100.0%
12	Being bored at school/ subjects.	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school.	0	
96	Other, specify	0	
Sysmiss		360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_absent_reas_12: Being bored at school/ subjects.

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=360 /-]

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury.	0	
2	Weather/ floods/ extreme heat.	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant.	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected.	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school.	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced.	0	

# school_absent_reas_12: Being bored at school/ subjects.			
Value	Label	Cases	Percentage
7	A child/ young people were arriving late at school/ scared of corporal punishment.	0	
8	Being old: feeling very old/ too young to go to school.	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades.	0	
10	Pregnancy.	0	
11	Not being accepted/ registration.	0	
12	Being bored at school/ subjects.	1	100.0%
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school.	0	
96	Other, specify	0	
Sysmiss		360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# school_absent_reas_13: Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury.	0	
2	Weather/ floods/ extreme heat.	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant.	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected.	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school.	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced.	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment.	0	
8	Being old: feeling very old/ too young to go to school.	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades.	0	
10	Pregnancy.	0	
11	Not being accepted/ registration.	0	
12	Being bored at school/ subjects.	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school.	0	
96	Other, specify	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# school_absent_reas_96: Other, specify			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=16 /-] [Invalid=345 /-]		

school_absent_reas_96: Other, specify

Value	Label	Cases	Percentage
1	Health/sickness: Went to the doctor/disease or injury.	0	
2	Weather/ floods/ extreme heat.	0	
3	Taking care of family: Visiting a relative, out of town/funeral/ death of a relative/ taking care of a family member/ child looking after stock/ child was working/ getting government grant.	0	
4	Institution/ bullying at school: Teacher was absent/ teacher abusing a student/ being teased by a teacher/ teacher attending the lesson/ exam time/ cooks were absent/ school re-opened earlier than expected.	0	
5	Financial state/ school fees: money problems/ not paid school fees/ no transport money/ not going to a school trip/ child don't have full uniform/young people don't like going to school.	0	
6	Taking transport and arriving by myself: no transportation/ school is distanced.	0	
7	A child/ young people were arriving late at school/ scared of corporal punishment.	0	
8	Being old: feeling very old/ too young to go to school.	0	
9	Learning with disability/ difficulty in learning/ difficulties with learning high grades.	0	
10	Pregnancy.	0	
11	Not being accepted/ registration.	0	
12	Being bored at school/ subjects.	0	
13	Violence at school/ Bullying/ Doesn't feel safe travelling or travelling by foot to school.	0	
96	Other, specify	16	100.0%
Sysmiss		345	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_days_absent2: How many days were you absent from school in the last term?. If wasn't absent ent

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=283 /-]

school_repeated_grade: Have you ever repeated a grade

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Yes	149	45.4%
2	No	179	54.6%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade_repeat_reason: What were the main reasons you repeated a grade?

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

school_grade_repeat_reason_1: Your health: you suffered chronic ill-health.

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=348 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	13	100.0%

school_grade_repeat_reason_1: Your health: you suffered chronic ill-health.

Value	Label	Cases	Percentage
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school.	0	
8	Changing schools: school is far/ too expensive.	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		348	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade_repeat_reason_2: Family care: a family member required you to care for them.

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	2	100.0%
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school.	0	
8	Changing schools: school is far/ too expensive.	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		359	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade_repeat_reason_3: Financial issues: cannot afford school / family requires you to work for money

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	1	100.0%
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school.	0	
8	Changing schools: school is far/ too expensive.	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		360	

school_grade_repeat_reason_3: Financial issues: cannot afford school / family requires you to work for money

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade_repeat_reason_4: Learning difficulty: school has become too hard.

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school.	0	
8	Changing schools: school is far/ too expensive.	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade_repeat_reason_5: Social reasons: students or teachers are unkind/friends left school.

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=90 /-] [Invalid=271 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	90	100.0%
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school.	0	
8	Changing schools: school is far/ too expensive.	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		271	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_grade_repeat_reason_6: Pregnancy

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=9 /-] [Invalid=352 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	

# school_grade_repeat_reason_6: Pregnancy			
Value	Label	Cases	Percentage
6	Pregnancy	9	100.0%
7	Violence: bullying, unsafe to travel to school.	0	
8	Changing schools: school is far/ too expensive.	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		352	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_grade_repeat_reason_7: Violence: bullying, unsafe to travel to school.			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=357 /-]		
Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school.	4	100.0%
8	Changing schools: school is far/ too expensive.	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		357	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_grade_repeat_reason_8: Changing schools: school is far/ too expensive.			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]		
Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school.	0	
8	Changing schools: school is far/ too expensive.	1	100.0%
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		360	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_grade_repeat_reason_96: Other, specify			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=333 /-]		

school_grade_repeat_reason_96: Other, specify

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Violence: bullying, unsafe to travel to school.	0	
8	Changing schools: school is far/ too expensive.	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	28	100.0%
Sysmiss		333	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving: Have you ever had to leave school for a period of time and come back at the same

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Yes	28	8.5%
2	No	300	91.5%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving_reasons: What were the main reasons you left school?

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

school_leaving_reasons_1: Your health: you suffered chronic ill-health.

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Age: you feel too old for school.	0	
8	Violence: bullying, unsafe to travel to school.	0	
9	Changing schools: school is far/ too expensive.	0	
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving_reasons_2: Family care: a family member required you to care for them.

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

school_leaving_reasons_2: Family care: a family member required you to care for them.

Statistics [NW/ W] [Valid=3 /-] [Invalid=358 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	3	100.0%
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Age: you feel too old for school.	0	
8	Violence: bullying, unsafe to travel to school.	0	
9	Changing schools: school is far/ too expensive.	0	
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		358	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving_reasons_3: Financial issues: cannot afford school / family requires you to work for money

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=360 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	1	100.0%
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Age: you feel too old for school.	0	
8	Violence: bullying, unsafe to travel to school.	0	
9	Changing schools: school is far/ too expensive.	0	
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving_reasons_4: Learning difficulty: school has become too hard.

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=358 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	3	100.0%
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Age: you feel too old for school.	0	
8	Violence: bullying, unsafe to travel to school.	0	

school_leaving_reasons_4: Learning difficulty: school has become too hard.

Value	Label	Cases	Percentage
9	Changing schools: school is far/ too expensive.	0	
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		358	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving_reasons_5: Social reasons: students or teachers are unkind/friends left school.

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	2	100.0%
6	Pregnancy	0	
7	Age: you feel too old for school.	0	
8	Violence: bullying, unsafe to travel to school.	0	
9	Changing schools: school is far/ too expensive.	0	
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		359	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving_reasons_6: Pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	2	100.0%
7	Age: you feel too old for school.	0	
8	Violence: bullying, unsafe to travel to school.	0	
9	Changing schools: school is far/ too expensive.	0	
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		359	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_leaving_reasons_7: Age: you feel too old for school.

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]

Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	

# school_leaving_reasons_7: Age: you feel too old for school.			
Value	Label	Cases	Percentage
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Age: you feel too old for school.	2	100.0%
8	Violence: bullying, unsafe to travel to school.	0	
9	Changing schools: school is far/ too expensive.	0	
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		359	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_leaving_reasons_8: Violence: bullying, unsafe to travel to school.			
Information	[Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]		
# school_leaving_reasons_9: Changing schools: school is far/ too expensive.			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=353 /-]		
Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Age: you feel too old for school.	0	
8	Violence: bullying, unsafe to travel to school.	0	
9	Changing schools: school is far/ too expensive.	8	100.0%
96	Other, Please specify the other reasons for leaving school	0	
Sysmiss		353	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_leaving_reasons_96: Other, Please specify the other reasons for leaving school			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=356 /-]		
Value	Label	Cases	Percentage
1	Your health: you suffered chronic ill-health.	0	
2	Family care: a family member required you to care for them.	0	
3	Financial issues: cannot afford school / family requires you to work for money	0	
4	Learning difficulty: school has become too hard.	0	
5	Social reasons: students or teachers are unkind/friends left school.	0	
6	Pregnancy	0	
7	Age: you feel too old for school.	0	
8	Violence: bullying, unsafe to travel to school.	0	

# school_leaving_reasons_96: Other, Please specify the other reasons for leaving school			
Value	Label	Cases	Percentage
9	Changing schools: school is far/ too expensive.	0	
96	Other, Please specify the other reasons for leaving school	5	100.0%
Sysmiss		356	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_food_security: How often do you receive meals from the school feeding scheme?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=327 /-] [Invalid=34 /-]	
Value	Label	Cases	Percentage
1	Yes	322	98.5%
2	No	5	1.5%
Sysmiss		34	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_food_security_1: Other, specify			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=322 /-] [Invalid=39 /-]	
Value	Label	Cases	Percentage
1	Yes	263	81.7%
2	No	59	18.3%
Sysmiss		39	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_feeding_scheme: In the last 12 months did you or any other individuals in your household ever cut			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=263 /-] [Invalid=98 /-]	
Value	Label	Cases	Percentage
1	Everyday	234	89.0%
2	Weekly	20	7.6%
3	Every 2 weeks	5	1.9%
4	Monthly	0	
96	Other, specify	4	1.5%
Sysmiss		98	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_feeding_scheme_2: HIV education noma ngamakhono empilo esikoleni? Life skills based Have you partic			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=4 /-]	
# school_foodmoney_shortage: If no, have you heard of it/are you aware of it?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	63	19.2%
2	No	264	80.5%
3	Choose not to answer	1	0.3%
Sysmiss		33	

school_foodmoney_shortage: If no, have you heard of it/are you aware of it?

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_programs: Are there any organisations/individuals who have been to your school to educate y

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Yes	288	87.8%
2	No	40	12.2%
3	Don't want to answer	0	
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

school_programs_if_no: If yes, where were they from?

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=40 /-] [Invalid=321 /-]

Value	Label	Cases	Percentage
1	Yes	32	80.0%
2	No	8	20.0%
3	Don't know	0	
4	Don't want to answer	0	
Sysmiss		321	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# school_life_skills1: Please specify the other reasons life skills			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Yes	244	74.4%
2	No	78	23.8%
3	Don't know	6	1.8%
4	Choose not to answer	0	
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_life_skills2: Are you aware of the school health screening programme done by nurses from DOH in			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=244 /-] [Invalid=117 /-]		
Value	Label	Cases	Percentage
1	SAPS	58	23.8%
2	Prison services	2	0.8%
3	Nurses	9	3.7%
4	NGO's	137	56.1%
96	Other, specify	38	15.6%
Sysmiss		117	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_health_screen_prog1: Are you aware of the school health screening programme done by nurses from DOH in			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Yes	187	57.0%
2	No	129	39.3%
3	Don't know	11	3.4%
4	Choose not to answer	1	0.3%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_health_screen_prog2: If yes what services did you receive?			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# school_health_screen_prog2_1: Sexual and reproductive health.			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=137 /-] [Invalid=224 /-]		
Value	Label	Cases	Percentage
1	Sexual and reproductive health.	137	100.0%
2	Health education and referral.	0	
3	Health education on how to lead a healthy lifestyle.	0	
4	Health education on drug and substance abuse awareness, health screening (such as screening for vision, hearing, oral health and TB)	0	
5	Deworming, HPV immunization.	0	

# school_health_screen_prog2_1: Sexual and reproductive health.			
Value	Label	Cases	Percentage
96	Other, specify	0	
Sysmiss		224	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_health_screen_prog2_2: Health education and referral.			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=69 /-] [Invalid=292 /-]		
Value	Label	Cases	Percentage
1	Sexual and reproductive health.	0	
2	Health education and referral.	69	100.0%
3	Health education on how to lead a healthy lifestyle.	0	
4	Health education on drug and substance abuse awareness, health screening (such as screening for vision, hearing, oral health and TB)	0	
5	Deworming, HPV immunization.	0	
96	Other, specify	0	
Sysmiss		292	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_health_screen_prog2_3: Health education on how to lead a healthy lifestyle.			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=290 /-]		
Value	Label	Cases	Percentage
1	Sexual and reproductive health.	0	
2	Health education and referral.	0	
3	Health education on how to lead a healthy lifestyle.	71	100.0%
4	Health education on drug and substance abuse awareness, health screening (such as screening for vision, hearing, oral health and TB)	0	
5	Deworming, HPV immunization.	0	
96	Other, specify	0	
Sysmiss		290	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_health_screen_prog2_4: Health education on drug and substance abuse awareness, health screening (such as			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=55 /-] [Invalid=306 /-]		
Value	Label	Cases	Percentage
1	Sexual and reproductive health.	0	
2	Health education and referral.	0	
3	Health education on how to lead a healthy lifestyle.	0	
4	Health education on drug and substance abuse awareness, health screening (such as screening for vision, hearing, oral health and TB)	55	100.0%
5	Deworming, HPV immunization.	0	
96	Other, specify	0	
Sysmiss		306	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_health_screen_prog2_5: Deworming, HPV immunization.			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		

# school_health_screen_prog2_5: Deworming, HPV immunization.			
Statistics [NW/ W]		[Valid=58 /-] [Invalid=303 /-]	
Value	Label	Cases	Percentage
1	Sexual and reproductive health.	0	
2	Health education and referral.	0	
3	Health education on how to lead a healthy lifestyle.	0	
4	Health education on drug and substance abuse awareness, health screening (such as screening for vision, hearing, oral health and TB)	0	
5	Deworming, HPV immunization.	58	100.0%
96	Other, specify	0	
Sysmiss		303	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_health_screen_prog2_96: Other, specify			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=9 /-] [Invalid=352 /-]	
Value	Label	Cases	Percentage
1	Sexual and reproductive health.	0	
2	Health education and referral.	0	
3	Health education on how to lead a healthy lifestyle.	0	
4	Health education on drug and substance abuse awareness, health screening (such as screening for vision, hearing, oral health and TB)	0	
5	Deworming, HPV immunization.	0	
96	Other, specify	9	100.0%
Sysmiss		352	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# program_participation: Have you participated in the following service/program? OTHERS? (e.g., adolescent			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	101	30.8%
2	No	225	68.6%
3	Don't want to answer	2	0.6%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# program_participation_2: If yes, where were they from?			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
# program_participation_2_1: Africa Centre / AHRI			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=25 /-] [Invalid=336 /-]	
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	25	100.0%
2	PrEP / Isisekelo Clinic (Mtubatuba	0	
3	DoH	0	
4	Thetha Nami / Peer Navigator	0	

# program_participation_2_1: Africa Centre / AHRI			
Value	Label	Cases	Percentage
5	Safer Choices Programs at School	0	
6	Don't know	0	
96	Other	0	
Sysmiss		336	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# program_participation_2_2: PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinic)			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba	1	100.0%
3	DoH	0	
4	Thetha Nami / Peer Navigator	0	
5	Safer Choices Programs at School	0	
6	Don't know	0	
96	Other	0	
Sysmiss		360	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# program_participation_2_3: DoH			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=81 /-] [Invalid=280 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba	0	
3	DoH	81	100.0%
4	Thetha Nami / Peer Navigator	0	
5	Safer Choices Programs at School	0	
6	Don't know	0	
96	Other	0	
Sysmiss		280	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# program_participation_2_4: Thetha Nami / Peer Navigator			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=5 /-] [Invalid=356 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba	0	
3	DoH	0	
4	Thetha Nami / Peer Navigator	5	100.0%
5	Safer Choices Programs at School	0	
6	Don't know	0	
96	Other	0	
Sysmiss		356	

# program_participation_2_4: Thetha Nami / Peer Navigator			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# program_participation_2_5: Safer Choices Programs at School			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=28 /-] [Invalid=333 /-]	
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba	0	
3	DoH	0	
4	Thetha Nami / Peer Navigator	0	
5	Safer Choices Programs at School	28	100.0%
6	Don't know	0	
96	Other	0	
Sysmiss		333	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# program_participation_2_6: Don't know			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=358 /-]	
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba	0	
3	DoH	0	
4	Thetha Nami / Peer Navigator	0	
5	Safer Choices Programs at School	0	
6	Don't know	3	100.0%
96	Other	0	
Sysmiss		358	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# program_participation_2_96: Other			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=5 /-] [Invalid=356 /-]	
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba	0	
3	DoH	0	
4	Thetha Nami / Peer Navigator	0	
5	Safer Choices Programs at School	0	
6	Don't know	0	
96	Other	5	100.0%
Sysmiss		356	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# program_participation_3: Have you participated in the following service/program? Ukuhlolwa nokwelashwa			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=5 /-]	

# program_participation_4: (For each Intervention above - if participated; Ask) Lwahlinzekwa kuphi/lwahlinze			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=225 /-] [Invalid=136 /-]		
Value	Label	Cases	Percentage
1	Yes	141	62.7%
2	No	78	34.7%
3	Don't know	5	2.2%
4	Don't want to answer	1	0.4%
Sysmiss		136	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sti_screening_and_treatm: (For each Intervention above - if participated; Ask) Lwahlinzekwa kuphi/lwahlinze			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Yes	67	20.4%
2	No	261	79.6%
3	Don't want to answer	0	
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# which_organization: Where / from which organization was it provided?			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# which_organization_1: Africa Centre / AHRI			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=41 /-] [Invalid=320 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	41	100.0%
2	PrEP / Isisekelo Clinic (Mtubatuba	0	
3	DoH	0	
4	Thetha Nami	0	
5	Peer Navigator	0	
6	Safer Choices program at school	0	
7	Other	0	
8	Don't know	0	
Sysmiss		320	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# which_organization_2: PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinics)			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=351 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba	10	100.0%
3	DoH	0	
4	Thetha Nami	0	

# which_organization_2: PrEP / Isisekelo Clinic (Mtubatuba, KwaMsane, Mobile Clinics)			
Value	Label	Cases	Percentage
5	Peer Navigator	0	
6	Safer Choices program at school	0	
7	Other	0	
8	Don't know	0	
Sysmiss		351	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# which_organization_3: DoH			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=18 /-] [Invalid=343 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba	0	
3	DoH	18	100.0%
4	Thetha Nami	0	
5	Peer Navigator	0	
6	Safer Choices program at school	0	
7	Other	0	
8	Don't know	0	
Sysmiss		343	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# which_organization_4: Thetha Nami			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba	0	
3	DoH	0	
4	Thetha Nami	0	
5	Peer Navigator	0	
6	Safer Choices program at school	0	
7	Other	0	
8	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# which_organization_5: Peer Navigator			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba	0	
3	DoH	0	
4	Thetha Nami	0	
5	Peer Navigator	2	100.0%

# which_organization_5: Peer Navigator			
Value	Label	Cases	Percentage
6	Safer Choices program at school	0	
7	Other	0	
8	Don't know	0	
Sysmiss		359	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# which_organization_6: Safer Choices program at school			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=31 /-] [Invalid=330 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba	0	
3	DoH	0	
4	Thetha Nami	0	
5	Peer Navigator	0	
6	Safer Choices program at school	31	100.0%
7	Other	0	
8	Don't know	0	
Sysmiss		330	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# which_organization_7: Other			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba	0	
3	DoH	0	
4	Thetha Nami	0	
5	Peer Navigator	0	
6	Safer Choices program at school	0	
7	Other	0	
8	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# which_organization_8: Don't know			
Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]		
Value	Label	Cases	Percentage
1	Africa Centre / AHRI	0	
2	PrEP / Isisekelo Clinic (Mtubatuba	0	
3	DoH	0	
4	Thetha Nami	0	
5	Peer Navigator	0	
6	Safer Choices program at school	0	

# which_organization_8: Don't know			
Value	Label	Cases	Percentage
7	Other	0	
8	Don't know	2	100.0%
Sysmiss		359	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ifno_heardofit_awareofit: If no, have you heard of it/are you aware of it?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=261 /-] [Invalid=100 /-]	
Value	Label	Cases	Percentage
1	Yes	223	85.4%
2	No	34	13.0%
3	Don't know	4	1.5%
4	Don't want to answer	0	
Sysmiss		100	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# pep_participation: Emergency contraception, eg. morning after pill or after having unprotected sex.			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	86	26.2%
2	No	241	73.5%
3	Don't want to answer	1	0.3%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ifno_heard_aware_of_it: If no, have you heard of it/are you aware of it?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=241 /-] [Invalid=120 /-]	
Value	Label	Cases	Percentage
1	Yes	179	74.3%
2	No	61	25.3%
3	Don't know	1	0.4%
4	Don't want to answer	0	
Sysmiss		120	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# emergency_contraception: Have you participated in the following service/program? Thetha Nami / Peer Naviga			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=327 /-] [Invalid=34 /-]	
Value	Label	Cases	Percentage
1	Yes	68	20.8%
2	No	257	78.6%
3	Choose not to answer	2	0.6%
Sysmiss		34	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# ifno_heard_or_aware: If No, have you heard of it/are you aware of it?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=257 /-] [Invalid=104 /-]		
Value	Label	Cases	Percentage
1	Yes	121	47.1%
2	No	121	47.1%
3	Don't know	15	5.8%
4	Don't want to answer	0	
Sysmiss		104	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# thetha_nami_peer_nav_act: Have you participated in the following service/program? Thetha Nami / Peer Naviga			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Yes	162	49.4%
2	No	164	50.0%
3	Don't want to answer	2	0.6%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# thetha_nami_peer_nav_act_2: If No, have you heard of it/are you aware of it?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=164 /-] [Invalid=197 /-]		
Value	Label	Cases	Percentage
1	Yes	109	66.5%
2	No	55	33.5%
3	Don't want to answer	0	
Sysmiss		197	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sexual_repr_health_info: Have you received info on sexual reproductive health (SRH) (eg on contraception,			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Yes	280	85.4%
2	No	48	14.6%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_kind_of_info: If yes, what kind of info have you received?			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# if_yes_kind_of_info_1: HIV prevention (condoms, safe sex, partnership).			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=178 /-] [Invalid=183 /-]		

# if_yes_kind_of_info_1: HIV prevention (condoms, safe sex, partnership).			
Value	Label	Cases	Percentage
1	HIV prevention (condoms, safe sex, partnership).	178	100.0%
2	HIV testing	0	
3	Circumcision	0	
4	Family planning	0	
5	Abortion	0	
6	Antenatal care	0	
7	Menstrual hygiene	0	
Sysmiss		183	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_kind_of_info_2: HIV testing			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=135 /-] [Invalid=226 /-]		
Value	Label	Cases	Percentage
1	HIV prevention (condoms, safe sex, partnership).	0	
2	HIV testing	135	100.0%
3	Circumcision	0	
4	Family planning	0	
5	Abortion	0	
6	Antenatal care	0	
7	Menstrual hygiene	0	
Sysmiss		226	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_kind_of_info_3: Circumcision			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=115 /-] [Invalid=246 /-]		
Value	Label	Cases	Percentage
1	HIV prevention (condoms, safe sex, partnership).	0	
2	HIV testing	0	
3	Circumcision	115	100.0%
4	Family planning	0	
5	Abortion	0	
6	Antenatal care	0	
7	Menstrual hygiene	0	
Sysmiss		246	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_kind_of_info_4: Family planning			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=19 /-] [Invalid=342 /-]		
Value	Label	Cases	Percentage
1	HIV prevention (condoms, safe sex, partnership).	0	
2	HIV testing	0	
3	Circumcision	0	
4	Family planning	19	100.0%

# if_yes_kind_of_info_4: Family planning			
Value	Label	Cases	Percentage
5	Abortion	0	
6	Antenatal care	0	
7	Menstrual hygiene	0	
Sysmiss		342	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_kind_of_info_5: Abortion			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=49 /-] [Invalid=312 /-]	
Value	Label	Cases	Percentage
1	HIV prevention (condoms, safe sex, partnership).	0	
2	HIV testing	0	
3	Circumcision	0	
4	Family planning	0	
5	Abortion	49	100.0%
6	Antenatal care	0	
7	Menstrual hygiene	0	
Sysmiss		312	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_kind_of_info_6: Antenatal care			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=39 /-] [Invalid=322 /-]	
Value	Label	Cases	Percentage
1	HIV prevention (condoms, safe sex, partnership).	0	
2	HIV testing	0	
3	Circumcision	0	
4	Family planning	0	
5	Abortion	0	
6	Antenatal care	39	100.0%
7	Menstrual hygiene	0	
Sysmiss		322	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_kind_of_info_7: Menstrual hygiene			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
# if_yes_where_you_got_info: If yes, please tell me where you got this info from?			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
# if_yes_where_you_got_info_1: Clinic			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=94 /-] [Invalid=267 /-]	
Value	Label	Cases	Percentage
1	Clinic	94	100.0%

if_yes_where_you_got_info_1: Clinic

Value	Label	Cases	Percentage
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		267	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_yes_where_you_got_info_2: Family

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=317 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	44	100.0%
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		317	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# if_yes_where_you_got_info_3: Friends			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=24 /-] [Invalid=337 /-]	
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	24	100.0%
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		337	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_where_you_got_info_4: TV/radio			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=15 /-] [Invalid=346 /-]	
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	15	100.0%
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		346	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_where_you_got_info_5: Social media			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=12 /-] [Invalid=349 /-]	
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	12	100.0%

# if_yes_where_you_got_info_5: Social media			
Value	Label	Cases	Percentage
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		349	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_where_you_got_info_6: Peer navigators			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=290 /-]		
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	71	100.0%
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		290	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_where_you_got_info_7: School - Life Orientation class			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=131 /-] [Invalid=230 /-]		
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	131	100.0%
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		230	

# if_yes_where_you_got_info_7: School - Life Orientation class			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_where_you_got_info_8: School - Safer Choices program			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=85 /-] [Invalid=276 /-]	
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	85	100.0%
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		276	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_where_you_got_info_9: Teacher			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=11 /-] [Invalid=350 /-]	
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	11	100.0%
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		350	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_where_you_got_info_10: NGO			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=165 /-] [Invalid=196 /-]	
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	

if_yes_where_you_got_info_10: NGO

Value	Label	Cases	Percentage
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	165	100.0%
11	AHRI	0	
12	other specify	0	
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_yes_where_you_got_info_11: AHRI

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=354 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	7	100.0%
12	other specify	0	
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_yes_where_you_got_info_12: other specify

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

starforlife_program_if_no_2: There is someone in your community you could confide in about violence in the hom

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=48 /-] [Invalid=313 /-]

Value	Label	Cases	Percentage
1	Yes	37	77.1%
2	No	10	20.8%
3	Don't want to answer	1	2.1%
Sysmiss		313	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

specify: Do you have a safe place to stay if you have a problem or emergency?

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

# specify: Do you have a safe place to stay if you have a problem or emergency?			
Statistics [NW/ W]		[Valid=7 /-]	
# confide_violence: I know where are the risky areas in my community			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	223	68.0%
2	No	103	31.4%
3	Choose not to answer	2	0.6%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# place_of_safety_or_emerg: In the past year, have you moved away from home, either temporarily with the inte			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	258	78.7%
2	No	70	21.3%
3	Choose not to answer	0	
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# risky_areas: What were the reasons for traveling to [name]?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Agree	209	63.7%
2	Disagree	117	35.7%
3	Choose not to answer	2	0.6%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# move_away_from_home: What were the reasons for traveling to [name]?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	170	51.8%
2	No	157	47.9%
3	I recently moved in	1	0.3%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# travelling_reasons: What were the reasons for traveling to [name]?			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
# travelling_reasons_1: Looking for work.			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	

travelling_reasons_1: Looking for work.

Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Looking for work.	0	
2	To visit/live with partner.	0	
3	To study / boarding school.	0	
4	To visit/live with family.	0	
5	Illness related - to seek for medical care.	0	
6	Holiday.	0	
7	To care for family members.	0	
8	I was in jail.	0	
96	Other, specify	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

travelling_reasons_2: To visit/live with partner.

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=17 /-] [Invalid=344 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
1	Looking for work.	0	
2	To visit/live with partner.	17	100.0%
3	To study / boarding school.	0	
4	To visit/live with family.	0	
5	Illness related - to seek for medical care.	0	
6	Holiday.	0	
7	To care for family members.	0	
8	I was in jail.	0	
96	Other, specify	0	
Sysmiss		344	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

travelling_reasons_3: To study / boarding school.

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Looking for work.	0	
2	To visit/live with partner.	0	
3	To study / boarding school.	1	100.0%
4	To visit/live with family.	0	
5	Illness related - to seek for medical care.	0	
6	Holiday.	0	
7	To care for family members.	0	
8	I was in jail.	0	
96	Other, specify	0	
Sysmiss		360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# travelling_reasons_4: To visit/live with family.			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=119 /-] [Invalid=242 /-]	
Value	Label	Cases	Percentage
1	Looking for work.	0	
2	To visit/live with partner.	0	
3	To study / boarding school.	0	
4	To visit/live with family.	119	100.0%
5	Illness related - to seek for medical care.	0	
6	Holiday.	0	
7	To care for family members.	0	
8	I was in jail.	0	
96	Other, specify	0	
Sysmiss		242	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# travelling_reasons_5: Illness related - to seek for medical care.			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=360 /-]	
Value	Label	Cases	Percentage
1	Looking for work.	0	
2	To visit/live with partner.	0	
3	To study / boarding school.	0	
4	To visit/live with family.	0	
5	Illness related - to seek for medical care.	1	100.0%
6	Holiday.	0	
7	To care for family members.	0	
8	I was in jail.	0	
96	Other, specify	0	
Sysmiss		360	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# travelling_reasons_6: Holiday			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=34 /-] [Invalid=327 /-]	
Value	Label	Cases	Percentage
1	Looking for work.	0	
2	To visit/live with partner.	0	
3	To study / boarding school.	0	
4	To visit/live with family.	0	
5	Illness related - to seek for medical care.	0	
6	Holiday.	34	100.0%
7	To care for family members.	0	
8	I was in jail.	0	
96	Other, specify	0	
Sysmiss		327	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# travelling_reasons_7: To care for family members.			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=360 /-]	
Value	Label	Cases	Percentage
1	Looking for work.	0	
2	To visit/live with partner.	0	
3	To study / boarding school.	0	
4	To visit/live with family.	0	
5	Illness related - to seek for medical care.	0	
6	Holiday.	0	
7	To care for family members.	1	100.0%
8	I was in jail.	0	
96	Other, specify	0	
Sysmiss		360	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# travelling_reasons_8: I was in jail.			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	Looking for work.	0	
2	To visit/live with partner.	0	
3	To study / boarding school.	0	
4	To visit/live with family.	0	
5	Illness related - to seek for medical care.	0	
6	Holiday.	0	
7	To care for family members.	0	
8	I was in jail.	0	
96	Other, specify	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# travelling_reasons_96: Other, specify			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=359 /-]	
Value	Label	Cases	Percentage
1	Looking for work.	0	
2	To visit/live with partner.	0	
3	To study / boarding school.	0	
4	To visit/live with family.	0	
5	Illness related - to seek for medical care.	0	
6	Holiday.	0	
7	To care for family members.	0	
8	I was in jail.	0	
96	Other, specify	2	100.0%
Sysmiss		359	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# if_yes_living_with_who: If yes, with whom were you living with during this time?			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# if_yes_living_with_who_1: Alone			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Alone.	0	
2	Your family.	0	
3	In-laws.	0	
4	Same-aged friends.	0	
5	Other friends	0	
6	Neighbors	0	
7	Partner	0	
8	Others	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_living_with_who_2: Your family.			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=168 /-] [Invalid=193 /-]		
Value	Label	Cases	Percentage
1	Alone.	0	
2	Your family.	168	100.0%
3	In-laws.	0	
4	Same-aged friends.	0	
5	Other friends	0	
6	Neighbors	0	
7	Partner	0	
8	Others	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		193	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_living_with_who_3: In-laws.			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]		
Value	Label	Cases	Percentage
1	Alone.	0	
2	Your family.	0	
3	In-laws.	1	100.0%
4	Same-aged friends.	0	
5	Other friends	0	
6	Neighbors	0	

if_yes_living_with_who_3: In-laws.

Value	Label	Cases	Percentage
7	Partner	0	
8	Others	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_yes_living_with_who_4: Same-aged friends.

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=5 /-] [Invalid=356 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Alone.	0	
2	Your family.	0	
3	In-laws.	0	
4	Same-aged friends.	5	100.0%
5	Other friends	0	
6	Neighbors	0	
7	Partner	0	
8	Others	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		356	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_yes_living_with_who_5: Other friends

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Alone.	0	
2	Your family.	0	
3	In-laws.	0	
4	Same-aged friends.	0	
5	Other friends	0	
6	Neighbors	0	
7	Partner	0	
8	Others	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_yes_living_with_who_6: Neighbors



















Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Alone.	0	

# if_yes_living_with_who_6: Neighbors			
Value	Label	Cases	Percentage
2	Your family.	0	
3	In-laws.	0	
4	Same-aged friends.	0	
5	Other friends	0	
6	Neighbors	0	
7	Partner	0	
8	Others	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_living_with_who_7: Partner			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Alone.	0	
2	Your family.	0	
3	In-laws.	0	
4	Same-aged friends.	0	
5	Other friends	0	
6	Neighbors	0	
7	Partner	0	
8	Others	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_living_with_who_8: Others			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=358 /-]		
Value	Label	Cases	Percentage
1	Alone.	0	
2	Your family.	0	
3	In-laws.	0	
4	Same-aged friends.	0	
5	Other friends	0	
6	Neighbors	0	
7	Partner	0	
8	Others	3	100.0%
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		358	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# if_yes_living_with_who_9: Changing school: the school was too far / too expensive.			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Alone.	0	
2	Your family.	0	
3	In-laws.	0	
4	Same-aged friends.	0	
5	Other friends	0	
6	Neighbors	0	
7	Partner	0	
8	Others	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_yes_living_with_who_96: Other, specify			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Alone.	0	
2	Your family.	0	
3	In-laws.	0	
4	Same-aged friends.	0	
5	Other friends	0	
6	Neighbors	0	
7	Partner	0	
8	Others	0	
9	Changing school: the school was too far / too expensive.	0	
96	Other, specify	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# interest_or_pleasure: Trouble falling or staying asleep, or sleeping too much			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Not at all	203	61.9%
2	Several days	51	15.5%
3	More than half the days	55	16.8%
4	Nearly every day	19	5.8%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# down_depressed_hopeless: Tired or having little energy			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		

# down_depressed_hopeless: Tired or having little energy			
Value	Label	Cases	Percentage
1	Not at all	222	 67.7%
2	Several days	46	 14.0%
3	More than half the days	46	 14.0%
4	Nearly every day	14	 4.3%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sleeping_problems: Poor appetite or overeating			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Not at all	203	 61.9%
2	Several days	45	 13.7%
3	More than half the days	60	 18.3%
4	Nearly every day	20	 6.1%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# tired_or_energy: Trouble concentrating on things, such as reading the newspaper or watching televi			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Not at all	200	 61.0%
2	Several days	62	 18.9%
3	More than half the days	55	 16.8%
4	Nearly every day	11	 3.4%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# poor_appetite_or_overreact: Moving or speaking so slowly that other people could have noticed? Or the opposit			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Not at all	207	 63.1%
2	Several days	47	 14.3%
3	More than half the days	44	 13.4%
4	Nearly every day	30	 9.1%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# concentrating_troubles: Thoughts that you would be better off dead or of hurting yourself in some way			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Not at all	215	 65.5%
2	Several days	47	 14.3%

concentrating_troubles: Thoughts that you would be better off dead or of hurting yourself in some way

Value	Label	Cases	Percentage
3	More than half the days	47	14.3%
4	Nearly every day	19	5.8%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

moving_or_speaking: Will you be able to use a condom every time when have sexual intercourse

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Not at all	277	84.5%
2	Several days	18	5.5%
3	More than half the days	26	7.9%
4	Nearly every day	7	2.1%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dead_or_hurting_thoughts: I am able to ask my partner to use a condom every time we have sexual intercourse

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Not at all	287	87.5%
2	Several days	15	4.6%
3	More than half the days	21	6.4%
4	Nearly every day	5	1.5%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

condom_usage: I am able to refuse sex if [my partner] will not use a condom

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Not true at all	40	12.2%
2	Somewhat true	35	10.7%
3	Very true	253	77.1%
Sysmiss		33	










Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

cond_usage: I can ask a new partner to use a condom

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Not true at all	152	46.3%
2	Somewhat true	57	17.4%
3	Very true	119	36.3%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# cond_usage_refuse: I can refuse sex when I don't have a condom available			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Not true at all	41	 12.5%
2	Somewhat true	46	 14.0%
3	Very true	241	 73.5%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cond_usage_new_partner: I am able to avoid sex any time I don't want to			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Not true at all	15	 4.6%
2	Somewhat true	32	 9.8%
3	Very true	281	 85.7%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cond_usage_refuse_sex: I feel confident that I could visit a health facility or testing center to get an			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Not true at all	32	 9.8%
2	Somewhat true	38	 11.6%
3	Very true	258	 78.7%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# able_avoid_sex: I am confident that I would be able to go to a health clinic for any reason if I			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=326 /-] [Invalid=35 /-]		
Value	Label	Cases	Percentage
1	Not true at all	15	4.6%
2	Somewhat true	25	7.7%
3	Very true	286	87.7%
Sysmiss		35	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test: Using modern contraceptives to prevent unintended pregnancies is important?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Not true at all	14	4.3%
2	Somewhat true	30	9.1%
3	Very true	284	86.6%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# health_clinic: Changes to normal menstrual bleeding patterns which is caused by some contracepti			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Not true at all	15	4.6%
2	Somewhat true	29	8.8%
3	Very true	284	86.6%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# contraceptives_usage: I feel able to obtain SRH services and products if I need them?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Agree	263	80.2%
2	Disagree	26	7.9%
3	Don't know	39	11.9%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# bleeding_patterns: I feel able to use SRH services even if my partner/boyfriend/husband doesn't want			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Agree	80	24.4%
2	Disagree	85	25.9%
3	Don't know	163	49.7%
Sysmiss		33	

# bleeding_patterns: I feel able to use SRH services even if my partner/boyfriend/husband doesn't want			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srh_services_and_products: I feel able to use SRH services even if my parents/guardians/relatives do not wan			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Agree	271	82.6%
2	Disagree	17	5.2%
3	Don't know	40	12.2%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srh_services_and_products_2: I feel able to use SRH services even if my partner/boyfriend/husband doesn't want			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Agree	234	71.3%
2	Disagree	51	15.5%
3	Don't know	43	13.1%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srh_services_and_products_3: I feel able to use SRH services even if my parents/guardians/relatives do not wan			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Agree	212	64.6%
2	Disagree	74	22.6%
3	Don't know	42	12.8%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv: Would you be able to get a HIV test if you wanted one?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	305	93.0%
2	No	17	5.2%
3	Choose not to answer	1	0.3%
4	Don't know	5	1.5%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_status: Do you think that it is important for people to know their status?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	318	97.0%

# hiv_status: Do you think that it is important for people to know their status?			
Value	Label	Cases	Percentage
2	No	7	2.1%
3	Choose not to answer	0	
4	Don't know	3	0.9%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_importance: Why is it important to be HIV tested?			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# hiv_test_result: Have you ever received a test result for HIV?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Yes	147	44.8%
2	No	180	54.9%
3	Choose not to answer	1	0.3%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_result_no: If No, why have you not tested?			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# hiv_test_result_no_1: I don't think I have HIV.			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=128 /-] [Invalid=233 /-]		
Value	Label	Cases	Percentage
1	I don't think I have HIV.	128	100.0%
2	I don't want to know my HIV status.	0	
3	I don't know where to go for HIV testing	0	
4	I am worried someone will see me at the clinic and think I am HIV +.	0	
5	I am worried that health workers might reveal my test results to others.	0	
6	The clinic where HIV testing is available is far from my house.	0	
7	Other, specify.	0	
8	I don't know.	0	
9	Choose not to answer.	0	
Sysmiss		233	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_result_no_2: I don't want to know my HIV status.			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=13 /-] [Invalid=348 /-]		
Value	Label	Cases	Percentage
1	I don't think I have HIV.	0	

hiv_test_result_no_2: I don't want to know my HIV status.

Value	Label	Cases	Percentage
2	I don't want to know my HIV status.	13	100.0%
3	I don't know where to go for HIV testing	0	
4	I am worried someone will see me at the clinic and think I am HIV +.	0	
5	I am worried that health workers might reveal my test results to others.	0	
6	The clinic where HIV testing is available is far from my house.	0	
7	Other, specify.	0	
8	I don't know.	0	
9	Choose not to answer.	0	
Sysmiss		348	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hiv_test_result_no_3: I don't know where to go for HIV testing

Value	Label	Cases	Percentage
1	I don't think I have HIV.	0	
2	I don't want to know my HIV status.	0	
3	I don't know where to go for HIV testing	3	100.0%
4	I am worried someone will see me at the clinic and think I am HIV +.	0	
5	I am worried that health workers might reveal my test results to others.	0	
6	The clinic where HIV testing is available is far from my house.	0	
7	Other, specify.	0	
8	I don't know.	0	
9	Choose not to answer.	0	
Sysmiss		358	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hiv_test_result_no_4: I am worried someone will see me at the clinic and think I am HIV+.

Value	Label	Cases	Percentage
1	I don't think I have HIV.	0	
2	I don't want to know my HIV status.	0	
3	I don't know where to go for HIV testing	0	
4	I am worried someone will see me at the clinic and think I am HIV +.	0	
5	I am worried that health workers might reveal my test results to others.	0	
6	The clinic where HIV testing is available is far from my house.	0	
7	Other, specify.	0	
8	I don't know.	0	
9	Choose not to answer.	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# hiv_test_result_no_5: I am worried that health workers might reveal my test results to others.			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=359 /-]	
Value	Label	Cases	Percentage
1	I don't think I have HIV.	0	
2	I don't want to know my HIV status.	0	
3	I don't know where to go for HIV testing	0	
4	I am worried someone will see me at the clinic and think I am HIV +.	0	
5	I am worried that health workers might reveal my test results to others.	2	100.0%
6	The clinic where HIV testing is available is far from my house.	0	
7	Other, specify.	0	
8	I don't know.	0	
9	Choose not to answer.	0	
Sysmiss		359	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_result_no_6: The clinic where HIV testing is available is far from my house.			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=358 /-]	
Value	Label	Cases	Percentage
1	I don't think I have HIV.	0	
2	I don't want to know my HIV status.	0	
3	I don't know where to go for HIV testing	0	
4	I am worried someone will see me at the clinic and think I am HIV +.	0	
5	I am worried that health workers might reveal my test results to others.	0	
6	The clinic where HIV testing is available is far from my house.	3	100.0%
7	Other, specify.	0	
8	I don't know.	0	
9	Choose not to answer.	0	
Sysmiss		358	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_result_no_7: Other, specify.			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=14 /-] [Invalid=347 /-]	
Value	Label	Cases	Percentage
1	I don't think I have HIV.	0	
2	I don't want to know my HIV status.	0	
3	I don't know where to go for HIV testing	0	
4	I am worried someone will see me at the clinic and think I am HIV +.	0	
5	I am worried that health workers might reveal my test results to others.	0	
6	The clinic where HIV testing is available is far from my house.	0	
7	Other, specify.	14	100.0%

# hiv_test_result_no_7: Other, specify.			
Value	Label	Cases	Percentage
8	I don't know.	0	
9	Choose not to answer.	0	
Sysmiss		347	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_result_no_8: I don't know.			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=28 /-] [Invalid=333 /-]		
Value	Label	Cases	Percentage
1	I don't think I have HIV.	0	
2	I don't want to know my HIV status.	0	
3	I don't know where to go for HIV testing	0	
4	I am worried someone will see me at the clinic and think I am HIV +.	0	
5	I am worried that health workers might reveal my test results to others.	0	
6	The clinic where HIV testing is available is far from my house.	0	
7	Other, specify.	0	
8	I don't know.	28	100.0%
9	Choose not to answer.	0	
Sysmiss		333	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hiv_test_result_no_9: Choose not to answer.			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]		
Value	Label	Cases	Percentage
1	I don't think I have HIV.	0	
2	I don't want to know my HIV status.	0	
3	I don't know where to go for HIV testing	0	
4	I am worried someone will see me at the clinic and think I am HIV +.	0	
5	I am worried that health workers might reveal my test results to others.	0	
6	The clinic where HIV testing is available is far from my house.	0	
7	Other, specify.	0	
8	I don't know.	0	
9	Choose not to answer.	2	100.0%
Sysmiss		359	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# last_hiv_test: Where did your last HIV test take place?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=147 /-] [Invalid=214 /-]		
Value	Label	Cases	Percentage
1	Stationery health facility.	98	66.7%
2	Mobile health facility.	18	12.2%

# last_hiv_test: Where did your last HIV test take place?			
Value	Label	Cases	Percentage
3	Home.	27	18.4%
4	Other, specify.	4	2.7%
Sysmiss		214	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# positive_hiv_result: Have you ever had a positive HIV test result?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=147 /-] [Invalid=214 /-]	
Value	Label	Cases	Percentage
1	Yes	4	2.7%
2	No	142	96.6%
3	Choose not to answer	1	0.7%
Sysmiss		214	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_pos_result: Were you referred to HIV treatment services?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=4 /-] [Invalid=357 /-]	
Value	Label	Cases	Percentage
1	Over one year.	4	100.0%
2	Under one year.	0	
3	Choose not to answer.	0	
Sysmiss		357	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# neg_test_result: When was your last negative test result?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=147 /-] [Invalid=214 /-]	
Value	Label	Cases	Percentage
1	Over one year.	97	66.0%
2	Under one year.	47	32.0%
3	I've never received negative results.	3	2.0%
4	Choose not to answer.	0	
Sysmiss		214	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# referred_hiv_treat_serv: When did you first start ART?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=4 /-] [Invalid=357 /-]	
Value	Label	Cases	Percentage
1	Yes	4	100.0%
2	No	0	
3	Choose not to answer	0	
Sysmiss		357	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# taken_art: Are you currently receiving ART?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=357 /-]		
Value	Label	Cases	Percentage
1	Yes	4	100.0%
2	No	0	
3	Choose not to answer	0	
Sysmiss		357	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# art_start_date: If you are HIV positive: Have you ever had to stop ART?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=357 /-]		
Value	Label	Cases	Percentage
1	Over one year.	4	100.0%
2	Under one year.	0	
Sysmiss		357	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# receiv_art_currently: Please provide the reason for stopping ART			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=357 /-]		
Value	Label	Cases	Percentage
1	Yes	4	100.0%
2	No	0	
3	Choose not to answer	0	
Sysmiss		357	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# stop_art: If HIV negative or status not known: Have you ever heard of ART?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=357 /-]		
Value	Label	Cases	Percentage
1	Yes	1	25.0%
2	No	3	75.0%
3	Choose not to answer	0	
Sysmiss		357	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# stop_art_yes_reason: Do you think that ART improves health?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-]		
# heard_of_art: Do you know places where to get ART?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Yes	0	

# heard_of_art: Do you know places where to get ART?			
Value	Label	Cases	Percentage
2	No	0	
3	Don't know	0	
4	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# art_improves_health: Have you ever heard of drugs that can be taken to prevent HIV infection after pot			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	273	83.2%
2	No	13	4.0%
3	Don't know	40	12.2%
4	Choose not to answer	2	0.6%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# places_to_get_art: Do you know where such services are offered?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	259	79.0%
2	No	46	14.0%
3	Don't know	21	6.4%
4	Choose not to answer	2	0.6%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# pep_heard_of: Have you ever taken PEP?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	215	65.5%
2	No	110	33.5%
3	Refuse to answer	3	0.9%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# pep_offered: How long ago did you last take PEP?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=215 /-] [Invalid=146 /-]	
Value	Label	Cases	Percentage
1	Yes	186	86.5%
2	No	29	13.5%
3	Refuse to answer	0	
Sysmiss		146	

# pep_offered: How long ago did you last take PEP?			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ever_taken_pep: How long ago did you last take PEP?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=215 /-] [Invalid=146 /-]	
Value	Label	Cases	Percentage
1	Yes	2	0.9%
2	No	213	99.1%
3	Refuse to answer	0	
Sysmiss		146	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# last_taken_pep_2: Why did you take PEP?			
Information		[Type= discrete] [Format=numeric] [Range= 2021-2022] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=359 /-]	
# last_taken_pep: Where did you receive PEP from?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=359 /-]	
Value	Label	Cases	Percentage
1	Days	0	
2	Weeks	0	
3	Months	0	
4	Years	2	100.0%
Sysmiss		359	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# receive_pep: Where did you receive PEP from?			
Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=359 /-]	
Value	Label	Cases	Percentage
1	Clinic.	2	100.0%
2	Mobile clinic.	0	
3	Pharmacy.	0	
4	Private doctor.	0	
5	Private organization.	0	
6	Refuse to answer.	0	
Sysmiss		359	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_heard_of: Have you ever heard of PrEP? (These are tablets that people who do not have HIV c			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	285	86.9%
2	No	43	13.1%
3	Choose not to answer	0	
Sysmiss		33	

# prep_heard_of: Have you ever heard of PrEP? (These are tablets that people who do not have HIV c			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_yes: Where did you hear about PrEP?			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# prep_yes_1: Clinic			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=65 /-] [Invalid=296 /-]		
Value	Label	Cases	Percentage
1	Clinic	65	100.0%
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		296	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_yes_2: Family			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=31 /-] [Invalid=330 /-]		
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	31	100.0%
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		330	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_yes_3: Friends			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=27 /-] [Invalid=334 /-]		

# prep_yes_3: Friends			
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	27	100.0%
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		334	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_yes_4: TV/radio			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=339 /-]		
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	22	100.0%
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		339	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_yes_5: Social media			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=350 /-]		
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	11	100.0%
6	Peer navigators	0	
7	School - Life Orientation class	0	

prep_yes_5: Social media

Value	Label	Cases	Percentage
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		350	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_yes_6: Peer navigators

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=46 /-] [Invalid=315 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	46	100.0%
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		315	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_yes_7: School - Life Orientation class

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=74 /-] [Invalid=287 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	74	100.0%
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		287	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_yes_8: School - Safer Choices program**Information** [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]**Statistics [NW/ W]** [Valid=142 /-] [Invalid=219 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	142	100.0%
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		219	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# prep_yes_9: Teacher****Information** [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]**Statistics [NW/ W]** [Valid=56 /-] [Invalid=305 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	56	100.0%
10	NGO	0	
11	AHRI	0	
12	other specify	0	
Sysmiss		305	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# prep_yes_10: NGO****Information** [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]**Statistics [NW/ W]** [Valid=1 /-] [Invalid=360 /-]

Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	

# prep_yes_10: NGO			
Value	Label	Cases	Percentage
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	1	100.0%
11	AHRI	0	
12	other specify	0	
Sysmiss		360	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_yes_11: AHRI			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=161 /-] [Invalid=200 /-]		
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	161	100.0%
12	other specify	0	
Sysmiss		200	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_yes_12: other specify			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
1	Clinic	0	
2	Family	0	
3	Friends	0	
4	TV/radio	0	
5	Social media	0	
6	Peer navigators	0	
7	School - Life Orientation class	0	
8	School - Safer Choices program	0	
9	Teacher	0	
10	NGO	0	
11	AHRI	0	
12	other specify	6	100.0%
Sysmiss		355	

# prep_yes_12: other specify			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# offered_prep: Have you ever been offered PrEP?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=285 /-] [Invalid=76 /-]	
Value	Label	Cases	Percentage
1	Yes	10	3.5%
2	No	274	96.1%
3	Choose to answer	1	0.4%
Sysmiss		76	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ever_taken_prep: Have you ever taken PrEP?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=10 /-] [Invalid=351 /-]	
Value	Label	Cases	Percentage
1	Yes	7	70.0%
2	No	3	30.0%
3	Refuse to answer	0	
Sysmiss		351	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# not_take_prep_reas: Why did you decide not to take PrEP?			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-]	
# prep_clinic_or_org: Where are you receiving PrEP? Please tell us the name of the clinic/organization			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
# prep_clinic_or_org_1: Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=4 /-] [Invalid=357 /-]	
Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	4	100.0%
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	

prep_clinic_or_org_1: Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.

Value	Label	Cases	Percentage
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	
Sysmiss		357	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_clinic_or_org_2: Esiyembeni

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_clinic_or_org_3: Gunjaneni

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	

prep_clinic_or_org_3: Gunjaneni

Value	Label	Cases	Percentage
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_clinic_or_org_4: Kwamsane

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_clinic_or_org_5: Machibini

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	

# prep_clinic_or_org_5: Machibini			
Value	Label	Cases	Percentage
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_clinic_or_org_6: Machibini			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_clinic_or_org_7: Mpukunyoni			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	

# prep_clinic_or_org_7: Mpukunyoni			
Value	Label	Cases	Percentage
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_clinic_or_org_8: Mtubatuba			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_clinic_or_org_9: Nkundusi			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		

prep_clinic_or_org_9: Nkundusi

Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_clinic_or_org_10: Ntondweni

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# prep_clinic_or_org_11: Somkhele			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_clinic_or_org_12: Another place within the research area.			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	

# prep_clinic_or_org_12: Another place within the research area.			
Value	Label	Cases	Percentage
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_clinic_or_org_13: Outside the research area			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_clinic_or_org_14: Doctor			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	

prep_clinic_or_org_14: Doctor

Value	Label	Cases	Percentage
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_clinic_or_org_15: Chemistry

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_clinic_or_org_16: Africa Centre / AHRI

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	

prep_clinic_or_org_16: Africa Centre / AHRI

Value	Label	Cases	Percentage
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	2	100.0%
96	Other	0	
Sysmiss		359	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_clinic_or_org_96: Other, specify

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]

Value	Label	Cases	Percentage
1	Isisekelo Sempilo clinic -Mtubatuba/Kwamsane/umahamba nendlwane.	0	
2	Esiyembeni	0	
3	Gunjaneni	0	
4	Kwamsane	0	
5	Machibini	0	
6	Madwaleni	0	
7	Mpukunyoni	0	
8	Mtubatuba	0	
9	Nkundusi	0	
10	Ntondweni	0	
11	KwaSomkhele	0	
12	Another place inside the research area	0	
13	Outside the research area	0	
14	Doctor	0	
15	Chemist	0	
16	Africa Centre / AHRI	0	
96	Other	1	100.0%
Sysmiss		360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

prep_everyday: Please specify details of the place you receive PrEP inside the surveillance area

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=285 /-] [Invalid=76 /-]

Value	Label	Cases	Percentage
1	Yes	9	3.2%
2	No	206	72.3%
3	Choose not to answer	70	24.6%
Sysmiss		76	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# prep_taking_time_2: When you take your PrEP do you usually take it at the same time?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=354 /-]		
Value	Label	Cases	Percentage
1	Yes	5	71.4%
2	No	2	28.6%
3	Choose to answer	0	
Sysmiss		354	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# prep_in_general: In general, are you the type of person who would rather			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Take a pill every single day at home.	120	36.6%
2	Take a pill 2-3 times per week at home.	27	8.2%
3	Receive an injection every 2 months at a clinic.	180	54.9%
4	Vaginal ring - Dapi ring	1	0.3%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# tobacco_consumption: In your whole life up to now, have you ever smoked a cigarette?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Yes	11	3.4%
2	No	317	96.6%
3	Choose not to answer	0	
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# tobacco_consumption_age: How old were you when you smoked your first cigarette? If you can't remember, ple			
Information	[Type= discrete] [Format=numeric] [Range= 12-19] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=350 /-]		
# tobacco_consumption_days: How many days have you smoked at least one cigarette in the past month? [number o			
Information	[Type= continuous] [Format=numeric] [Range= 0-30] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=350 /-] [Mean=10.636 /-] [StdDev=13.677 /-]		
# tobacco_consumption_snuff: Have you used smokeless tobacco products such as snuff or chewing tobacco in the			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Yes	4	1.2%
2	No	324	98.8%
3	Choose not to answer	0	
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# alcohol_everdrink: In your whole life up to now, have you ever drunk one "drink" of alcohol (e.g. a			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Yes	121	36.9%
2	No	207	63.1%
3	Choose not to answer	0	
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_drink: How old were you when you drank your first drink? If you can't remember, please g			
Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]		
Statistics [NW/ W]	[Valid=121 /-] [Invalid=240 /-]		
# days_drunk_one_drink: How many days have you drunk at least one drink in the past month? [number of day			
Information	[Type= continuous] [Format=numeric] [Range= 0-25] [Missing=*]		
Statistics [NW/ W]	[Valid=120 /-] [Invalid=241 /-] [Mean=2.15 /-] [StdDev=3.446 /-]		
# drunk_5_or_more_drinks: How many days have you drunk 5 or more drinks (in succession) on one or more days			
Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=294 /-]		
# used_cannabis_dagga: In your whole life up to now, have you ever used cannabis (dagga)?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Yes	11	3.4%
2	No	314	95.7%
3	Choose not to answer	3	0.9%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# used_cannabis_age: How old were you when you used cannabis (dagga)? If you can't remember, please gi			
Information	[Type= discrete] [Format=numeric] [Range= 13-19] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=350 /-]		
# used_cannabis_days: How many days have you used cannabis in the past month? [number of days]			
Information	[Type= continuous] [Format=numeric] [Range= 0-27] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=350 /-] [Mean=6.182 /-] [StdDev=8.716 /-]		
# used_drugs: Have you ever used other drugs such as (Tick all that apply)			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# used_drugs_1: No			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	No	0	
2	Glue, Thynas, Benzine, or Petrol	0	

# used_drugs_1: No			
Value	Label	Cases	Percentage
3	Mandrax	0	
4	Cocaine	0	
5	Heroin Club drugs	0	
6	Other	0	
7	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# used_drugs_2: Glue, Thynas, Benzine, or Petrol			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	No	0	
2	Glue, Thynas, Benzine, or Petrol	0	
3	Mandrax	0	
4	Cocaine	0	
5	Heroin Club drugs	0	
6	Other	0	
7	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# used_drugs_3: Mandrax			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	No	0	
2	Glue, Thynas, Benzine, or Petrol	0	
3	Mandrax	0	
4	Cocaine	0	
5	Heroin Club drugs	0	
6	Other	0	
7	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# used_drugs_4: Cocaine			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	No	0	
2	Glue, Thynas, Benzine, or Petrol	0	
3	Mandrax	0	
4	Cocaine	0	
5	Heroin Club drugs	0	
6	Other	0	

used_drugs_4: Cocaine

Value	Label	Cases	Percentage
7	Choose not to answer	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

used_drugs_5: Heroin Club drugs

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	No	0	
2	Glue, Thynas, Benzine, or Petrol	0	
3	Mandrax	0	
4	Cocaine	0	
5	Heroin Club drugs	0	
6	Other	0	
7	Choose not to answer	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

used_drugs_6: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	No	0	
2	Glue, Thynas, Benzine, or Petrol	0	
3	Mandrax	0	
4	Cocaine	0	
5	Heroin Club drugs	0	
6	Other	0	
7	Choose not to answer	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.




used_drugs_7: Choose not to answer

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	No	0	
2	Glue, Thynas, Benzine, or Petrol	0	
3	Mandrax	0	
4	Cocaine	0	
5	Heroin Club drugs	0	
6	Other	0	
7	Choose not to answer	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# favouritecolour: What is your favourite colour?			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Blue as the sky	57	17.4%
2	Red	130	39.6%
3	Yellow	45	13.7%
4	Green as grass	57	17.4%
5	Other	39	11.9%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# brothersandsisters: How many brothers do you have?			
Information	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]		
Statistics [NW/ W]	[Valid=308 /-] [Invalid=53 /-] [Mean=2.422 /-] [StdDev=2.592 /-]		

# daysoftheweek: Which are your favourite days of the week? Please provide more than one day			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# daysoftheweek_1: Monday			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=294 /-]		
Value	Label	Cases	Percentage
1	Monday	67	 100.0%
2	Tuesday	0	
3	Wednesday	0	
4	Thursday	0	
5	Friday	0	
6	Saturday	0	
7	Sunday	0	
Sysmiss		294	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# daysoftheweek_2: Tuesday			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=32 /-] [Invalid=329 /-]		
Value	Label	Cases	Percentage
1	Monday	0	
2	Tuesday	32	 100.0%
3	Wednesday	0	
4	Thursday	0	
5	Friday	0	
6	Saturday	0	
7	Sunday	0	
Sysmiss		329	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# daysoftheweek_3: Wednesday			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=69 /-] [Invalid=292 /-]		
Value	Label	Cases	Percentage
1	Monday	0	
2	Tuesday	0	
3	Wednesday	69	 100.0%
4	Thursday	0	
5	Friday	0	
6	Saturday	0	
7	Sunday	0	
Sysmiss		292	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# daysoftheweek_4: Thursday			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		

# daysoftheweek_4: Thursday			
Statistics [NW/ W]		[Valid=52 /-] [Invalid=309 /-]	
Value	Label	Cases	Percentage
1	Monday	0	
2	Tuesday	0	
3	Wednesday	0	
4	Thursday	52	100.0%
5	Friday	0	
6	Saturday	0	
7	Sunday	0	
Sysmiss		309	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# daysoftheweek_5: Friday			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=188 /-] [Invalid=173 /-]	
Value	Label	Cases	Percentage
1	Monday	0	
2	Tuesday	0	
3	Wednesday	0	
4	Thursday	0	
5	Friday	188	100.0%
6	Saturday	0	
7	Sunday	0	
Sysmiss		173	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# daysoftheweek_6: Saturday			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=76 /-] [Invalid=285 /-]	
Value	Label	Cases	Percentage
1	Monday	0	
2	Tuesday	0	
3	Wednesday	0	
4	Thursday	0	
5	Friday	0	
6	Saturday	76	100.0%
7	Sunday	0	
Sysmiss		285	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# daysoftheweek_7: Sunday			
Information		[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]	
Statistics [NW/ W]		[Valid=66 /-] [Invalid=295 /-]	
# partic_capable_self_int: Is the participant comfortable to complete the self-interview by themselves?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=323 /-] [Invalid=38 /-]	

# partic_capable_self_int: Is the participant comfortable to complete the self-interview by themselves?			
Value	Label	Cases	Percentage
1	Yes	314	97.2%
2	No-Fieldworker will administer the questionnaire	9	2.8%
Sysmiss		38	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ever_had_sex: Since the last time we met for an interview with you, have you had sex?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=327 /-] [Invalid=34 /-]		
Value	Label	Cases	Percentage
1	Yes	57	17.4%
2	No	268	82.0%
3	Choose not to answer	2	0.6%
Sysmiss		34	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_age: Are you willing to share how old were you the first time you had sex, even if it			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=56 /-] [Invalid=305 /-]		
Value	Label	Cases	Percentage
1	Yes	28	50.0%
2	No	22	39.3%
3	Choose not to answer	6	10.7%
Sysmiss		305	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ever_had_sex_age: If you ever had sex (even if it was not your choice) how old were you the first t			
Information	[Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]		
Statistics [NW/ W]	[Valid=27 /-] [Invalid=334 /-]		
# firsttime_sex_reasons: What was/were the reason(s) you had sex the first time? [Circle all the relevant			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# firsttime_sex_reasons_1: Showing love to my partner			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=35 /-] [Invalid=326 /-]		
Value	Label	Cases	Percentage
1	Showing love to my partner	35	100.0%
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	

# firsttime_sex_reasons_1: Showing love to my partner			
Value	Label	Cases	Percentage
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		326	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_reasons_10: Pressure from friends/peer			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=358 /-]		
Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	3	100.0%
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		358	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_reasons_11: Pressure from parents/family			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	

# firsttime_sex_reasons_11: Pressure from parents/family			
Value	Label	Cases	Percentage
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_reasons_12: My partner			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]		
Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	1	100.0%
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		360	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_reasons_13: I was forced to have sex			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	

# firsttime_sex_reasons_13: I was forced to have sex			
Value	Label	Cases	Percentage
14	It just happened	0	
15	Other	0	
Systemmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_reasons_14: It just happened			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=350 /-]		
Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	11	100.0%
15	Other	0	
Systemmiss		350	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_reasons_15: Other			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]		
Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	2	100.0%

# firsttime_sex_reasons_15: Other			
Value	Label	Cases	Percentage
Sysmiss		359	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_reasons_2: I suggest getting something/check something			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=358 /-]		
Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	3	100.0%
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		358	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_reasons_3: I want to/it's about making myself happy			
Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=354 /-]		
Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	7	100.0%
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		354	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# firsttime_sex_reasons_4: I was forced by my partner with sweet words			
Information		[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=358 /-]	
Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	3	100.0%
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		358	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_reasons_5: I felt obliged to have sex			
Information		[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=358 /-]	
Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	3	100.0%
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		358	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_sex_reasons_6: He lured me with money			
Information		[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=359 /-]	

firsttime_sex_reasons_6: He lured me with money

Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	2	100.0%
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		359	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_sex_reasons_7: He lured me with food

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_sex_reasons_8: He lured me with gifts

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]

Value	Label	Cases	Percentage
1	Showing love to my partner	0	

firsttime_sex_reasons_8: He lured me with gifts

Value	Label	Cases	Percentage
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	1	100.0%
9	Transactional sex - exchanging sex for money, things or services	0	
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_sex_reasons_9: Transactional sex - exchanging sex for money, things or services

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]

Value	Label	Cases	Percentage
1	Showing love to my partner	0	
2	I suggest getting something/check something	0	
3	I want to/it's about making myself happy	0	
4	I was forced by my partner with sweet words	0	
5	I felt obliged to have sex	0	
6	He lured me with money	0	
7	He lured me with food	0	
8	He lured me with gifts	0	
9	Transactional sex - exchanging sex for money, things or services	2	100.0%
10	Pressure from friends/peer	0	
11	Pressure from parents/family	0	
12	My partner	0	
13	I was forced to have sex	0	
14	It just happened	0	
15	Other	0	
Sysmiss		359	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_sex_choice: When you had sex for the first time, even if it was not your choice, with whom di

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=57 /-] [Invalid=304 /-]

Value	Label	Cases	Percentage
1	Husband/Wife (even if you are cohabitating)	2	3.5%
2	Boyfriend/Girlfriend	41	71.9%
3	One night stand	1	1.8%

firsttime_sex_choice: When you had sex for the first time, even if it was not your choice, with whom di

Value	Label	Cases	Percentage
4	Stranger	5	8.8%
5	Teacher/My school officer	2	3.5%
6	Employer	0	
7	Relative	0	
8	Neighbor	2	3.5%
9	Raped by another person	0	
10	I don't remember	4	7.0%
Sysmiss		304	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

firsttime_sex_gifts: The first time you had sex, were you given gifts or money by your sexual partner?

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=57 /-] [Invalid=304 /-]

Value	Label	Cases	Percentage
1	Given gifts before and after having sex	7	12.3%
2	Given money before and after sex	5	8.8%
3	Given both gifts and money before or after sex	2	3.5%
4	Was not given any gifts or money	43	75.4%
Sysmiss		304	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

protection_hiv: When you first had sex, did you or your partner do anything to protect you agains

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=57 /-] [Invalid=304 /-]

Value	Label	Cases	Percentage
1	No, we didn't do anything	29	50.9%
2	Used a condom	28	49.1%
3	Spermicide/ Vaginal foam	0	
4	Other, specify	0	
Sysmiss		304	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

first_partner_hiv_status: Did you know the HIV status of your first partner at the time when you first had

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=57 /-] [Invalid=304 /-]

Value	Label	Cases	Percentage
1	Yes	20	35.1%
2	No	29	50.9%
3	I don't know	7	12.3%
4	Choose not to answer	1	1.8%
Sysmiss		304	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

first_sex_partner_hivstatus: What was the HIV status of your first partner at the time when you first had sex?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=341 /-]

first_sex_partner_hivstatus: What was the HIV status of your first partner at the time when you first had sex?

Value	Label	Cases	Percentage
1	HIV positive	0	
2	HIV negative	14	70.0%
3	Choose not to answer	6	30.0%
Sysmiss		341	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

first_sex_partneronart: Did you know if your first partner was taking ART when you were having sex for th

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=341 /-]

Value	Label	Cases	Percentage
1	No, not using ART	3	15.0%
2	Yes, using ART	3	15.0%
3	I don't know	12	60.0%
4	Choose not to answer	2	10.0%
Sysmiss		341	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

number_diff_ppl_had_sex: Have you ever been had sex with different people (including your husband/wife)?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=57 /-] [Invalid=304 /-]

Value	Label	Cases	Percentage
1	Yes	28	49.1%
2	No	29	50.9%
Sysmiss		304	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

number_diff_ppl_had_sex_2: How many different people have you had sex within your lifetime (including your h

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=334 /-]

diff_ppl_number_had_sex_with: Are you willing to share the number of different people have you had sex with in

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=333 /-]

Value	Label	Cases	Percentage
1	Yes	9	32.1%
2	No	13	46.4%
3	Nothing- I have not had sex in the past 12 months	3	10.7%
4	Choose not to answer	3	10.7%
Sysmiss		333	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ppl_had_sex_past_12_mnth: How many people have you had sex with in the past 12 months (including your husba

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=352 /-]

number_sexual_rel: Sometimes people have more than one sexual relationship at the same time. Are you

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
--------------------	--

number_sexual_rel: Sometimes people have more than one sexual relationship at the same time. Are you

Statistics [NW/ W] [Valid=57 /-] [Invalid=304 /-]

Value	Label	Cases	Percentage
1	Yes	21	36.8%
2	No	29	50.9%
3	Choose not to answer	7	12.3%
Sysmiss		304	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sexual_rel: How many sexual relationships are you in at the moment (if you do not know, pleas

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=341 /-]

had_sex_past_12_mnth: In the past 12 months, have you ever had sex with anyone (for a short period of t

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=57 /-] [Invalid=304 /-]

Value	Label	Cases	Percentage
1	Yes	11	19.3%
2	No	41	71.9%
3	Choose not to answer	5	8.8%
Sysmiss		304	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sex_for_a_living: Some people have sex with other people for a living; would you consider yourself

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=57 /-] [Invalid=304 /-]

Value	Label	Cases	Percentage
1	Yes	11	19.3%
2	No	44	77.2%
3	Choose not to answer	2	3.5%
Sysmiss		304	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

use_condom_lst_time: Did you use a condom the LAST time you had sex (whether it was forced or agreed)?

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=57 /-] [Invalid=304 /-]

Value	Label	Cases	Percentage
1	Yes	25	43.9%
2	No	25	43.9%
3	Choose not to answer	7	12.3%
Sysmiss		304	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sex_withoutcondom_lst_month: Have you had any sex without a condom in the last month? (condom less sex)?

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=57 /-] [Invalid=304 /-]

Value	Label	Cases	Percentage
1	Yes	22	38.6%

# sex_withoutcondom_lst_month: Have you had any sex without a condom in the last month? (condom less sex)?			
Value	Label	Cases	Percentage
2	No	24	42.1%
3	Choose not to answer	3	5.3%
4	No, I haven't had sex last month without a condom	8	14.0%
Sysmiss		304	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sex_withoutcondom_lst_12mnths: Have you had any sex without a condom in the last 12 months? (condom less sex)?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=57 /-] [Invalid=304 /-]	
Value	Label	Cases	Percentage
1	Yes	26	45.6%
2	No	27	47.4%
3	Choose not to answer	4	7.0%
Sysmiss		304	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# person_age: Are you willing to share the age of this person?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=57 /-] [Invalid=304 /-]	
Value	Label	Cases	Percentage
1	Yes	23	40.4%
2	No	26	45.6%
3	Don't know	5	8.8%
4	Choose not to answer	3	5.3%
Sysmiss		304	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# person_age_in_years: How old is this person (if you do not know, please make your best guess)? [in yea			
Information		[Type= discrete] [Format=numeric] [Range= 12-24] [Missing=*]	
Statistics [NW/ W]		[Valid=23 /-] [Invalid=338 /-]	
# partner_condom_use: Have you used a condom with this person?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=26 /-] [Invalid=335 /-]	
Value	Label	Cases	Percentage
1	Yes	13	50.0%
2	No	12	46.2%
3	Choose not to answer	1	3.8%
Sysmiss		335	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_no_condom_reason: If no, why did you or [name]use a condom? (last sex)			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
# if_no_condom_reason_1: I don't like condoms/they interfere with pleasure			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	

if_no_condom_reason_1: I don't like condoms/they interfere with pleasure

Statistics [NW/ W] [Valid=6 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
1	don't like condoms/they interfere with pleasure	6	100.0%
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby because my partner/I are using ART	0	
10	For religious reasons	0	
11	I don't know	0	
12	I choose not to respond	0	
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# if_no_condom_reason_10: It is because me/my partner use ART			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby because my partner/I are using ART	0	
10	For religious reasons	0	
11	I don't know	0	
12	I choose not to respond	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_no_condom_reason_11: For religious reasons			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby because my partner/I are using ART	0	
10	For religious reasons	0	
11	I don't know	0	
12	I choose not to respond	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_no_condom_reason_12: I don't know			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=359 /-]	
Value	Label	Cases	Percentage
1	don't like condoms/they interfere with pleasure	0	

# if_no_condom_reason_12: I don't know			
Value	Label	Cases	Percentage
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby because my partner/I are using ART	0	
10	For religious reasons	0	
11	I don't know	0	
12	I choose not to respond	2	100.0%
Sysmiss		359	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_no_condom_reason_13: I choose not to respond

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby because my partner/I are using ART	0	
10	For religious reasons	0	
11	I don't know	0	
12	I choose not to respond	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_no_condom_reason_2: My partner doesn't like condoms/it interferes with pleasure

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	

if_no_condom_reason_2: My partner doesn't like condoms/it interferes with pleasure

Value	Label	Cases	Percentage
4	am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby because my partner/I are using ART	0	
10	For religious reasons	0	
11	I don't know	0	
12	I choose not to respond	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_no_condom_reason_3: We didn't have a condom/couldn't find a condom/we didn't have money

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=358 /-]

Value	Label	Cases	Percentage
1	don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	3	100.0%
4	am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby because my partner/I are using ART	0	
10	For religious reasons	0	
11	I don't know	0	
12	I choose not to respond	0	
Sysmiss		358	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_no_condom_reason_4: I am powerless to use a condom/I was afraid of violence if I suggested the use o

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	

if_no_condom_reason_4: I am powerless to use a condom/I was afraid of violence if I suggested the use o

Value	Label	Cases	Percentage
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby because my partner/I are using ART	0	
10	For religious reasons	0	
11	I don't know	0	
12	I choose not to respond	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_no_condom_reason_5: I trust my partner

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=358 /-]

Value	Label	Cases	Percentage
1	don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	3	100.0%
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby because my partner/I are using ART	0	
10	For religious reasons	0	
11	I don't know	0	
12	I choose not to respond	0	
Sysmiss		358	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_no_condom_reason_6: I know my partner does not have HIV

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby because my partner/I are using ART	0	

if_no_condom_reason_6: I know my partner does not have HIV

Value	Label	Cases	Percentage
10	For religious reasons	0	
11	I don't know	0	
12	I choose not to respond	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_no_condom_reason_7: I was drinking too much/My partner was drinking too much

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby because my partner/I are using ART	0	
10	For religious reasons	0	
11	I don't know	0	
12	I choose not to respond	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

if_no_condom_reason_8: It is because I am circumcised

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]

Value	Label	Cases	Percentage
1	don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	1	100.0%
9	My partner/I are trying to have a baby because my partner/I are using ART	0	
10	For religious reasons	0	
11	I don't know	0	
12	I choose not to respond	0	
Sysmiss		360	

# if_no_condom_reason_8: It is because I am circumcised			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# if_no_condom_reason_9: My partner/I are trying to have a baby because my partner/I are using ART			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	don't like condoms/they interfere with pleasure	0	
2	My partner doesn't like condoms/it interferes with pleasure	0	
3	We didn't have a condom/couldn't find a condom/we didn't have money	0	
4	am powerless to use a condom/I was afraid of violence if I suggested the use of a condom	0	
5	I trust my partner	0	
6	I know my partner does not have HIV	0	
7	I was drinking too much/My partner was drinking too much	0	
8	It is because I am circumcised	0	
9	My partner/I are trying to have a baby because my partner/I are using ART	0	
10	For religious reasons	0	
11	I don't know	0	
12	I choose not to respond	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# often_condom_usage: How often have you and [name] used male or female condoms?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=58 /-] [Invalid=303 /-]	
Value	Label	Cases	Percentage
1	Every time	20	34.5%
2	Sometimes	18	31.0%
3	It never happened	15	25.9%
4	I choose not to respond	5	8.6%
Sysmiss		303	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# drink_alcohol_bef_last_sex: Did you drink alcohol before the last time you had sex with [name]?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=58 /-] [Invalid=303 /-]	
Value	Label	Cases	Percentage
1	Every time	6	10.3%
2	Sometimes	7	12.1%
3	It never happened	40	69.0%
4	I choose not to respond	5	8.6%
Sysmiss		303	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sex_gift: The last time you had sex with [name], did you give or were you given a gift in o			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=58 /-] [Invalid=303 /-]	

sex_gift: The last time you had sex with [name], did you give or were you given a gift in o

Value	Label	Cases	Percentage
1	Yes, I got a gift	6	10.3%
2	Yes, I gave a gift	4	6.9%
3	No, I did not give or receive a gift	40	69.0%
4	I choose not to respond	8	13.8%
Sysmiss		303	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sex_money: The last time you had sex with [name], did you give or were you given money in or

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=58 /-] [Invalid=303 /-]

Value	Label	Cases	Percentage
1	Yes, I got money	4	6.9%
2	Yes, I gave money	4	6.9%
3	No, I did not give or receive money	44	75.9%
4	I choose not to respond	6	10.3%
Sysmiss		303	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

status_hiv: Do you know the HIV status of [name]?

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=58 /-] [Invalid=303 /-]

Value	Label	Cases	Percentage
1	Yes	23	39.7%
2	No	27	46.6%
3	I don't know	7	12.1%
4	I choose not to respond	1	1.7%
Sysmiss		303	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

status_hiv_2: What is the HIV status of [name]?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=25 /-] [Invalid=336 /-]

Value	Label	Cases	Percentage
1	He/she had HIV	0	
2	He/she did not have HIV	21	84.0%
3	I choose not to respond	4	16.0%
Sysmiss		336	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

find_status_hiv: How did you find out their HIV status?

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	My partner told me	0	
2	We were both tested	0	
3	I saw/heard about the results in another way	0	

# find_status_hiv: How did you find out their HIV status?			
Value	Label	Cases	Percentage
5	I just know	0	
6	I choose not to respond	0	
96	Other	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# find_status_hiv_2: Please specify details on other way you find out about the person's HIV status?			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# take_prep_past_year: During your relationship with [name] in the past year, did you take PrEP to preve			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=57 /-] [Invalid=304 /-]		
Value	Label	Cases	Percentage
1	Yes	10	17.5%
2	No	35	61.4%
3	I don't know	11	19.3%
4	I choose not to respond	1	1.8%
Sysmiss		304	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_prep_reason: Why did you decide not to take PrEP?			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# no_prep_reason_1: I have no knowledge about it			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-] [Invalid=349 /-]		
Value	Label	Cases	Percentage
1	I have no knowledge about it	12	100.0%
2	I don't see that I need it	0	
3	I am concerned about its side effects or its safety	0	
4	It bothers me to do this procedure in the clinic	0	
5	Other, WRITE IT DOWN	0	
6	I choose not to respond	0	
Sysmiss		349	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_prep_reason_2: I don't see that I need it			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=14 /-] [Invalid=347 /-]		
Value	Label	Cases	Percentage
1	I have no knowledge about it	0	
2	I don't see that I need it	14	100.0%
3	I am concerned about its side effects or its safety	0	
4	It bothers me to do this procedure in the clinic	0	
5	Other, WRITE IT DOWN	0	

# no_prep_reason_2: I don't see that I need it			
Value	Label	Cases	Percentage
6	I choose not to respond	0	
Sysmiss		347	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_prep_reason_3: I am concerned about its side effects or its safety			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]		
Value	Label	Cases	Percentage
1	I have no knowledge about it	0	
2	I don't see that I need it	0	
3	I am concerned about its side effects or its safety	1	100.0%
4	It bothers me to do this procedure in the clinic	0	
5	Other, WRITE IT DOWN	0	
6	I choose not to respond	0	
Sysmiss		360	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_prep_reason_4: It bothers me to do this procedure in the clinic			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]		
Value	Label	Cases	Percentage
1	I have no knowledge about it	0	
2	I don't see that I need it	0	
3	I am concerned about its side effects or its safety	0	
4	It bothers me to do this procedure in the clinic	1	100.0%
5	Other, WRITE IT DOWN	0	
6	I choose not to respond	0	
Sysmiss		360	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_prep_reason_5: Other, WRITE IT DOWN			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]		
Value	Label	Cases	Percentage
1	I have no knowledge about it	0	
2	I don't see that I need it	0	
3	I am concerned about its side effects or its safety	0	
4	It bothers me to do this procedure in the clinic	0	
5	Other, WRITE IT DOWN	1	100.0%
6	I choose not to respond	0	
Sysmiss		360	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_prep_reason_6: I choose not to respond			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=355 /-]		

# no_prep_reason_6: I choose not to respond			
Value	Label	Cases	Percentage
1	I have no knowledge about it	0	
2	I don't see that I need it	0	
3	I am concerned about its side effects or its safety	0	
4	It bothers me to do this procedure in the clinic	0	
5	Other, WRITE IT DOWN	0	
6	I choose not to respond	6	100.0%
Sysmiss		355	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# females_only: Since the last time we met for an interview with you, has any male ever done any			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# females_only_1: Has ever said or done something to lower your reputation among people?			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=13 /-] [Invalid=348 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	13	100.0%
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		348	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# females_only_10: Someone who has threatened to stab you with a knife or other weapon			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	

females_only_10: Someone who has threatened to stab you with a knife or other weapon

Value	Label	Cases	Percentage
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	1	100.0%
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_11: Someone who attacked you with a weapon

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# females_only_12: Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or p			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=357 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	4	100.0%
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Systemmiss		357	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# females_only_13: Someone who tried to have sex with you when you didn't like it but never succede			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=353 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	8	100.0%
14	Someone who forced you to have sex against your will	0	

females_only_13: Someone who tried to have sex with you when you didn't like it but never succeeded

Value	Label	Cases	Percentage
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		353	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_14: Someone who forced you to have sex against your will

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	2	100.0%
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		359	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_15: Someone who forced you to have sex with him against your will

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	

females_only_15: Someone who forced you to have sex with him against your will

Value	Label	Cases	Percentage
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_16: No

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=123 /-] [Invalid=238 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	123	100.0%
Sysmiss		238	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_2: Has ever threatened to hurt or hurt someone close to you?

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	2	100.0%
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	

females_only_2: Has ever threatened to hurt or hurt someone close to you?

Value	Label	Cases	Percentage
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		359	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_3: Has ever insulted you or made you self-conscious?

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=352 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	9	100.0%
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		352	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_4: Someone who pushed you, shook you, or threw something at you

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=352 /-]

females_only_4: Someone who pushed you, shook you, or threw something at you

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	9	100.0%
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		352	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_5: Someone who once slapped you

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=13 /-] [Invalid=348 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	13	100.0%
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		348	

females_only_5: Someone who once slapped you

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_6: Has ever twisted your arm or pulled your hair

Information [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]

Statistics [NW/ W] [Valid=4 /-] [Invalid=357 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	4	100.0%
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		357	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_7: Has ever hit you with a fist or something that could hurt you

Information [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	

females_only_7: Has ever hit you with a fist or something that could hurt you

Value	Label	Cases	Percentage
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_8: Someone who has kicked, pulled, or hit you

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=3 /-] [Invalid=358 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	3	100.0%
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		358	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

females_only_9: Has ever tried to strangle you or burn you on purpose

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	

# females_only_9: Has ever tried to strangle you or burn you on purpose			
Value	Label	Cases	Percentage
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# males_only_last_12mnths: Since the last time we met for an interview with you, has anyone done any of the			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# males_only_last_12mnths_1: Has ever said or done something to lower your reputation among people?			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=45 /-] [Invalid=316 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	45	100.0%
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		316	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# males_only_last_12mnths_10: Someone who has threatened to stab you with a knife or other weapon			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=351 /-]		

males_only_last_12mnths_10: Someone who has threatened to stab you with a knife or other weapon

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	10	100.0%
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		351	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_11: Someone who attacked you with a weapon

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=354 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	7	100.0%
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		354	

males_only_last_12mnths_11: Someone who attacked you with a weapon

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_12: Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or p

Information [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=358 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	3	100.0%
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		358	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_13: Someone who tried to have sex with you when you didn't like it but never succeeded

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=353 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	8	100.0%
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Systemiss		353	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_14: Someone who forced you to have sex against your will

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	6	100.0%

# males_only_last_12mnths_14: Someone who forced you to have sex against your will			
Value	Label	Cases	Percentage
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		355	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# males_only_last_12mnths_15: Someone who forced you to have sex with him against your will			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	2	100.0%
16	No	0	
Sysmiss		359	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# males_only_last_12mnths_16: No			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=114 /-] [Invalid=247 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	

males_only_last_12mnths_16: No

Value	Label	Cases	Percentage
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	114	100.0%
Sysmiss		247	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_2: Has ever threatened to hurt or hurt someone close to you?

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=345 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	16	100.0%
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		345	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_3: Has ever insulted you or made you self-conscious?

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=333 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	28	100.0%
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	

# males_only_last_12mnths_3: Has ever insulted you or made you self-conscious?			
Value	Label	Cases	Percentage
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		333	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# males_only_last_12mnths_4: Someone who pushed you, shook you, or threw something at you			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=351 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	10	100.0%
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		351	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# males_only_last_12mnths_5: Someone who once slapped you			
Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=26 /-] [Invalid=335 /-]		

males_only_last_12mnths_5: Someone who once slapped you

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	26	100.0%
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		335	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_6: Has ever twisted your arm or pulled your hair

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=355 /-]		
Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	6	100.0%
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		355	

males_only_last_12mnths_6: Has ever twisted your arm or pulled your hair

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_7: Has ever hit you with a fist or something that could hurt you

Information [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	6	100.0%
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_8: Someone who has kicked, pulled, or hit you

Information [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=354 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	7	100.0%
9	Has ever tried to strangle you or burn you on purpose	0	
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	

males_only_last_12mnths_8: Someone who has kicked, pulled, or hit you

Value	Label	Cases	Percentage
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

males_only_last_12mnths_9: Has ever tried to strangle you or burn you on purpose

Information	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
1	Has ever said or done something to lower your reputation among people?	0	
2	Has ever threatened to hurt or hurt someone close to you?	0	
3	Has ever insulted you or made you self-conscious?	0	
4	Someone who pushed you, shook you, or threw something at you	0	
5	Someone who once slapped you	0	
6	Has ever twisted your arm or pulled your hair	0	
7	Has ever hit you with a fist or something that could hurt you	0	
8	Someone who has kicked, pulled, or hit you	0	
9	Has ever tried to strangle you or burn you on purpose	6	100.0%
10	Someone who has threatened to stab you with a knife or other weapon	0	
11	Someone who attacked you with a weapon	0	
12	Has ever touched you in a sexually suggestive manner (eg, kissing, touching, or petting you), when you don't like it	0	
13	Someone who tried to have sex with you when you didn't like it but never succeeded	0	
14	Someone who forced you to have sex against your will	0	
15	Someone who forced you to have sex with him against your will	0	
16	No	0	
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hiv_transmission: Can the risk of HIV transmission be reduced by having sex with only one uninfected

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Yes	163	49.7%
2	No	72	22.0%
3	Don't know	79	24.1%
4	Choose not to answer	14	4.3%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

reduce_risk_hiv: Can a person reduce the risk of getting HIV by using a condom every time they hav

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
--------------------	--

# reduce_risk_hiv: Can a person reduce the risk of getting HIV by using a condom every time they hav			
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	210	64.0%
2	No	51	15.5%
3	Don't know	60	18.3%
4	Choose not to answer	7	2.1%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# healthy_pers_hiv: Can a healthy-looking person have HIV?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	212	64.6%
2	No	61	18.6%
3	Don't know	50	15.2%
4	Choose not to answer	5	1.5%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# mosquito_bites_hiv: Can a person get HIV from mosquito bites?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	128	39.0%
2	No	136	41.5%
3	Don't know	61	18.6%
4	Choose not to answer	3	0.9%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sharing_food_hiv: Can a person get HIV by sharing food with someone who is infected?			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	67	20.4%
2	No	184	56.1%
3	Don't know	75	22.9%
4	Choose not to answer	2	0.6%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sv_experienced: Have you ever experienced any sexual related abuse?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	8	2.4%

# srs_sv_experienced: Have you ever experienced any sexual related abuse?			
Value	Label	Cases	Percentage
2	No	320	97.6%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sv_to_contact: If it is safe for you to wait up to 3 days for help, then click HERE to give us i			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=353 /-]		
Value	Label	Cases	Percentage
1	Yes	3	37.5%
2	No	5	62.5%
93	Choose not to answer	0	
98	Don't know	0	
Sysmiss		353	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sv_contact_method: Please tell us how you would like us to contact you			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=358 /-]		
Value	Label	Cases	Percentage
1	Telephone	2	66.7%
2	Social worker who visited home	1	33.3%
Sysmiss		358	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sv_phonetime: Please indicate when is best to call			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-]		
# srs_sv_visitime: Please indicate which time of day is best			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-]		
# any_children: Have you ever fathered any children?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=43 /-] [Invalid=318 /-]		
Value	Label	Cases	Percentage
1	Yes	1	2.3%
2	No	42	97.7%
3	Choose not to answer	0	
Sysmiss		318	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_time_child: Are you willing to share how old were you the first time you made someone pregnan			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]		
Value	Label	Cases	Percentage
1	Yes	1	100.0%

# first_time_child: Are you willing to share how old were you the first time you made someone pregnan			
Value	Label	Cases	Percentage
2	No	0	
3	Choose not to answer	0	
System		360	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_time_child_years: How old were you the first time you made someone pregnant? [age in years]			
Information	[Type= discrete] [Format=numeric] [Range= 18-18] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]		
# been_circumcised_whole_foreskin: Have you ever been circumcised where your whole foreskin was removed?			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=171 /-] [Invalid=190 /-]		
Value	Label	Cases	Percentage
1	Yes	124	72.5%
2	No	44	25.7%
3	Choose not to answer	3	1.8%
System		190	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# when_circumcised: When were you circumcised (if you do not know, please make your best guess)?			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=124 /-] [Invalid=237 /-]		
Value	Label	Cases	Percentage
1	Infant	1	0.8%
2	Toddler	106	85.5%
3	18 years/older	9	7.3%
4	Don't know/Don't remember	8	6.5%
5	Choose not to answer	0	
System		237	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# where_circumcised: Where were you circumcised?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=124 /-] [Invalid=237 /-]		
Value	Label	Cases	Percentage
1	Health facility	118	95.2%
2	Mountain	1	0.8%
3	Church	1	0.8%
4	Other, specify	4	3.2%
System		237	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# currently_preg: Are you currently pregnant?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=14 /-] [Invalid=347 /-]		
Value	Label	Cases	Percentage
1	Yes	0	

# currently_preg: Are you currently pregnant?			
Value	Label	Cases	Percentage
2	No	12	85.7%
3	Don't know	2	14.3%
4	Choose not to answer	0	
System		347	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ever_been_preg: Have you ever been pregnant?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=14 /-] [Invalid=347 /-]	
Value	Label	Cases	Percentage
1	Yes	7	50.0%
2	No	7	50.0%
3	Choose not to answer	0	
System		347	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# preg_last_12_mnth: Have you been pregnant in the last 12 months?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=7 /-] [Invalid=354 /-]	
Value	Label	Cases	Percentage
1	Yes	0	
2	No	7	100.0%
3	Choose not to answer	0	
System		354	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_preg_age: Are you willing to share how old were you the first time you got pregnant?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=7 /-] [Invalid=354 /-]	
Value	Label	Cases	Percentage
1	Yes	5	71.4%
2	No	2	28.6%
3	Choose not to answer	0	
System		354	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# firsttime_preg_years: How old were you the first time you got pregnant? [age in years]			
Information		[Type= discrete] [Format=numeric] [Range= 16-19] [Missing=*]	
Statistics [NW/ W]		[Valid=7 /-] [Invalid=354 /-]	
# times_preg: How many times have you been pregnant? (including pregnancies that did not go to			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
# contracep_access: In the last 3 months, did you need contraceptives and could not access them?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=14 /-] [Invalid=347 /-]	

contracep_access: In the last 3 months, did you need contraceptives and could not access them?

Value	Label	Cases	Percentage
1	Yes	0	
2	No	12	85.7%
3	Choose not to answer	2	14.3%
Sysmiss		347	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

curr_meth_avoidpreg: Which methods were you using?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
3	Choose not to answer	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

no_contracept_main_reason: If no, What is the main reason why you are not using a method of contraception to

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

no_contracept_main_reason_1: Not married

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	

# no_contracept_main_reason_1: Not married			
Value	Label	Cases	Percentage
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_contracept_main_reason_10: I oppose			
Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_contracept_main_reason_11: Opposed by male/husband			
Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	

no_contracept_main_reason_11: Opposed by male/husband

Value	Label	Cases	Percentage
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

no_contracept_main_reason_12: Other oppositions

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	

# no_contracept_main_reason_12: Other oppositions			
Value	Label	Cases	Percentage
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_contracept_main_reason_13: Religion disapproves			
Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_contracept_main_reason_14: Don't know any way			
Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	

no_contracept_main_reason_14: Don't know any way

Value	Label	Cases	Percentage
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

no_contracept_main_reason_15: Don't know any source

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	

no_contracept_main_reason_15: Don't know any source

Value	Label	Cases	Percentage
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

no_contracept_main_reason_16: Health concerns

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

no_contracept_main_reason_17: Scared of adverse effects

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	

# no_contracept_main_reason_17: Scared of adverse effects			
Value	Label	Cases	Percentage
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_contracept_main_reason_18: Not being able to access/being far			
Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	

no_contracept_main_reason_18: Not being able to access/being far

Value	Label	Cases	Percentage
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

no_contracept_main_reason_19: Too expensive

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

no_contracept_main_reason_2: Want to get married

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]
---------------------------	-------------------------------

no_contracept_main_reason_2: Want to get married

Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

no_contracept_main_reason_20: Using it is disturbing

Information [Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	

no_contracept_main_reason_20: Using it is disturbing

Value	Label	Cases	Percentage
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# no_contracept_main_reason_21: Interferes with the normal functioning of the body			
Information		[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_contracept_main_reason_22: Method failure			
Information		[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	

no_contracept_main_reason_22: Method failure

Value	Label	Cases	Percentage
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

no_contracept_main_reason_23: Other, specify

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# no_contracept_main_reason_24: Don't know			
Information		[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_contracept_main_reason_3: Don't want to get married			
Information		[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	

# no_contracept_main_reason_3: Don't want to get married			
Value	Label	Cases	Percentage
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_contracept_main_reason_4: Not having sex			
Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

no_contracept_main_reason_5: Don't have sex as often

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

no_contracept_main_reason_6: Not menstruating/Hysterectomy

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	

# no_contracept_main_reason_6: Not menstruating/Hysterectomy			
Value	Label	Cases	Percentage
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_contracept_main_reason_7: Spotting/Breastfeeding			
Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# no_contracept_main_reason_8: Want more children			
Information		[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# no_contracept_main_reason_9: Pregnancy			
Information		[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	Not married	0	
2	Want to get married	0	
3	Don't want to get married	0	
4	Not having sex	0	
5	Don't have sex as often	0	
6	Not menstruating/Hysterectomy	0	
7	Spotting/Breastfeeding	0	
8	Want more children	0	
9	Pregnancy	0	
10	I oppose	0	
11	Opposed by male/husband	0	
12	Other oppositions	0	

# no_contracept_main_reason_9: Pregnancy			
Value	Label	Cases	Percentage
13	Religion disapproves	0	
14	Don't know any way	0	
15	Don't know any source	0	
16	Health concerns	0	
17	Scared of adverse effects	0	
18	Not being able to access/being far	0	
19	Too expensive	0	
20	Using it is disturbing	0	
21	Interferes with the normal functioning of the body	0	
22	Method failure	0	
23	Other, specify	0	
24	Don't know	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_start_art: Which methods were you using?			
Information	[Type= discrete] [Format=numeric] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
# first_start_art_1: Male condom			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_start_art_10: Traditional methods			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	

first_start_art_10: Traditional methods

Value	Label	Cases	Percentage
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

first_start_art_11: Other

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

first_start_art_12: Choose not to answer

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	

# first_start_art_12: Choose not to answer			
Value	Label	Cases	Percentage
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_start_art_2: Female condom			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_start_art_3: Female sterilization			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_start_art_4: Vasectomy			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	

# first_start_art_4: Vasectomy			
Value	Label	Cases	Percentage
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_start_art_5: IUD			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# first_start_art_6: Injectables			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	

first_start_art_6: Injectables

Value	Label	Cases	Percentage
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

first_start_art_7: Implant

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

first_start_art_8: Pills

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

first_start_art_9: Withdrawa/Thigh sex

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
--------------------	---

# first_start_art_9: Withdrawa/Thigh sex			
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# avoid_preg_12_mnth: In the past 12 months, have you used any method to avoid getting pregnant?			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=14 /-] [Invalid=347 /-]	
Value	Label	Cases	Percentage
1	Yes	4	28.6%
2	No	9	64.3%
3	Choose not to answer	1	7.1%
Sysmiss		347	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# methods_using: Which methods were you using?			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
# methods_using_1: Male condom			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=360 /-]	
Value	Label	Cases	Percentage
1	Male condom	1	100.0%
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	

# methods_using_1: Male condom			
Value	Label	Cases	Percentage
Sysmiss		360	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# methods_using_2: Female condom			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# methods_using_3: Female sterilization			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# methods_using_4: Vasectomy			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	

methods_using_4: Vasectomy

Value	Label	Cases	Percentage
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Systemmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

methods_using_5: IUD

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Systemmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

methods_using_6: Injectables

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=359 /-]

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	2	100.0%
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	

# methods_using_6: Injectables			
Value	Label	Cases	Percentage
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		359	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# methods_using_7: Implant			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=360 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	1	100.0%
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		360	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# methods_using_8: Pills			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# methods_using_9: Withdrawa/Thigh sex			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		

# methods_using_9: Withdrawa/Thigh sex			
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# methods_using_10: Traditional methods			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# methods_using_11: Other			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	

# methods_using_11: Other			
Value	Label	Cases	Percentage
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# methods_using_12: Choose not to answer			
Information		[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=361 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization	0	
4	Vasectomy	0	
5	IUD	0	
6	Injectables	0	
7	Implant	0	
8	Pills	0	
9	Withdrawa/Thigh sex	0	
10	Traditional methods	0	
11	Other	0	
12	Choose not to answer	0	
Sysmiss		361	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# untreated_std: Some untreated STDs can cause infertility			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	True	160	48.8%
2	Falso	49	14.9%
3	Not sure	119	36.3%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# latex_condoms_usage: It is safe to use oils with latex condoms			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	True	213	64.9%
2	Falso	19	5.8%
3	Not sure	96	29.3%
Sysmiss		33	

# latex_condoms_usage: It is safe to use oils with latex condoms			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# some_std: Some STIs are curable, and some are not			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	True	229	69.8%
2	Falso	22	6.7%
3	Not sure	77	23.5%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# std_infection: A person with an STI who looks and feels healthy cannot give the infection to oth			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	True	96	29.3%
2	Falso	144	43.9%
3	Not sure	88	26.8%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# std_higher_risk: Some STIs put a person at higher risk of getting infected with HIV			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	True	251	76.5%
2	Falso	15	4.6%
3	Not sure	62	18.9%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# std_pain: A sign of having an STI can be pain or burning when urinating (peeing).			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	True	205	62.5%
2	Falso	19	5.8%
3	Not sure	104	31.7%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# std_reason: One reason that STIs are so common is because infected persons often do not have			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	True	183	55.8%
2	Falso	42	12.8%

std_reason: One reason that STIs are so common is because infected persons often do not have

Value	Label	Cases	Percentage
3	Not sure	103	31.4%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

condom_use: The best way to use a condom is to leave some space at the tip for the sperm

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	True	177	54.0%
2	Falso	43	13.1%
3	Not sure	108	32.9%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

condom_use_2: A condom should be completely unrolled before it is placed on the penis

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	True	215	65.5%
2	Falso	34	10.4%
3	Not sure	79	24.1%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

get_condom_18years: Teens must be 18 years old or older to get condoms at a store or clinic

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	True	151	46.0%
2	Falso	140	42.7%
3	Not sure	37	11.3%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

tattooing_or_piercing: Sharing needles for tattooing or piercing

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]




Value	Label	Cases	Percentage
1	True	225	68.6%
2	Falso	35	10.7%
3	Not sure	68	20.7%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sex_without_condom: Having sex without a condom

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

sex_without_condom: Having sex without a condom

Value	Label	Cases	Percentage
1	True	249	 75.9%
2	Falso	44	 13.4%
3	Not sure	35	 10.7%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# blood_donating: Donating blood			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	True	167	50.9%
2	Falso	88	26.8%
3	Not sure	73	22.3%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# condom_use_twice: Using the same condom twice			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	True	204	62.2%
2	Falso	72	22.0%
3	Not sure	52	15.9%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hugging: Hugging			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	True	50	15.2%
2	Falso	226	68.9%
3	Not sure	52	15.9%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# treated_std: Once a person is treated for an STI, that person cannot get the same STI again			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	True	57	17.4%
2	Falso	182	55.5%
3	Not sure	89	27.1%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# start_sex_without_condom: It is safe to start sex without a condom as long as the condom is put on before t			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	True	56	17.1%
2	Falso	182	55.5%
3	Not sure	90	27.4%
Sysmiss		33	

# start_sex_without_condom: It is safe to start sex without a condom as long as the condom is put on before t			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# condom_breakage: Condoms exposed to heat and sunlight may break more easily			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	True	226	68.9%
2	Falso	19	5.8%
3	Not sure	83	25.3%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# treating_18yrs_std: Most health clinics must have the permission of parents to test and treat people			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=327 /-] [Invalid=34 /-]		
Value	Label	Cases	Percentage
1	True	138	42.2%
2	Falso	110	33.6%
3	Not sure	79	24.2%
Sysmiss		34	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# abstinence: Choosing not to have sex (abstinence)			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=327 /-] [Invalid=34 /-]		
Value	Label	Cases	Percentage
1	Protects from Pregnancy & STD/HIV	197	60.2%
2	Protects from Pregnancy only	32	9.8%
3	Protects from Neither	98	30.0%
Sysmiss		34	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hormone_based_birth_control: Using hormone-based birth control (e.g., the pill, Depo-Provera shot, patch, vagi			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=327 /-] [Invalid=34 /-]		
Value	Label	Cases	Percentage
1	Protects from Pregnancy & STD/HIV	91	27.8%
2	Protects from Pregnancy only	157	48.0%
3	Protects from Neither	79	24.2%
Sysmiss		34	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# latex_condoms: Using latex condoms			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=327 /-] [Invalid=34 /-]		
Value	Label	Cases	Percentage
1	Protects from Pregnancy & STD/HIV	183	56.0%
2	Protects from Pregnancy only	46	14.1%

latex_condoms: Using latex condoms

Value	Label	Cases	Percentage
3	Protects from Neither	98	30.0%
Sysmiss		34	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

withdrawal: Using withdrawal (Ejaculating outside the body)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=326 /-] [Invalid=35 /-]

Value	Label	Cases	Percentage
1	Protects from Pregnancy & STD/HIV	52	16.0%
2	Protects from Pregnancy only	102	31.3%
3	Protects from Neither	172	52.8%
Sysmiss		35	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

douching: Douching (washing out the vagina)

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=327 /-] [Invalid=34 /-]

Value	Label	Cases	Percentage
1	Protects from Pregnancy & STD/HIV	88	26.9%
2	Protects from Pregnancy only	45	13.8%
3	Protects from Neither	194	59.3%
Sysmiss		34	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

support_quality: How would you rate the quality of support and health services you were offered th

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	Poor	15	4.6%
2	Fair	46	14.0%
3	Good	37	11.3%
4	Excellent	107	32.6%
5	Not applicable (I did not accept the intervention)	123	37.5%
Sysmiss		33	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

info_expected: Did you get the kind of information and health services you wanted or expected?

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]

Value	Label	Cases	Percentage
1	No, definitely	12	3.7%
2	No, not really	10	3.0%
3	Yes, generally	81	24.7%
4	Yes, definitely	138	42.1%
5	Not applicable (I did not accept the intervention)	87	26.5%
Sysmiss		33	

# info_expected: Did you get the kind of information and health services you wanted or expected?			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# safer_choices_recommendations: How likely would you be to recommend Safer Choices program to your friends and re			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	No, definitely not	22	6.7%
2	No, I don't think so	27	8.2%
3	Yes, I think so	74	22.6%
4	Yes, definitely	170	51.8%
5	Not applicable (I did not accept the intervention)	35	10.7%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# study_staff_support: How satisfied are you with information and support you received from the study st			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Quite dissatisfied	16	4.9%
2	Mostly dissatisfied	19	5.8%
3	Mostly satisfied	153	46.6%
4	Very satisfied	140	42.7%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# rate: How would you rate our Theta nami youth-friendly clinics (mobile or fixed)?			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Poor	10	3.0%
2	Fair	57	17.4%
3	Good	50	15.2%
4	Excellent	109	33.2%
5	Not applicable (I did not attend)	102	31.1%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# satisfaction: How satisfied are you with your Safer Choices peer team support (other learners f			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Quite dissatisfied	14	4.3%
2	Mostly dissatisfied	17	5.2%
3	Mostly satisfied	110	33.5%
4	Very satisfied	155	47.3%
5	Not applicable (I did not meet them)	32	9.8%

# satisfaction: How satisfied are you with your Safer Choices peer team support (other learners f			
Value	Label	Cases	Percentage
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# school_council_support: How satisfied are you with your Safer Choices school council School council suppo			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Quite dissatisfied	12	3.7%
2	Mostly dissatisfied	11	3.4%
3	Mostly satisfied	117	35.7%
4	Very satisfied	159	48.5%
5	Not applicable (I did not meet them)	29	8.8%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# curr_lessons_and_activities: How satisfied are you with your Safer Choices curriculum Safer choices curriculum			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Quite dissatisfied	8	2.4%
2	Mostly dissatisfied	11	3.4%
3	Mostly satisfied	112	34.1%
4	Very satisfied	172	52.4%
5	Not applicable (I did not meet them)	25	7.6%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# received_parental_support: How satisfied are you with your Safer Choices parental support (eg quizzes, homew			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Quite dissatisfied	9	2.7%
2	Mostly dissatisfied	20	6.1%
3	Mostly satisfied	116	35.4%
4	Very satisfied	153	46.6%
5	Not applicable (I did not meet them)	30	9.1%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# linkages: How satisfied are you with your Safer Choices linkages to care via peer navigator			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=328 /-] [Invalid=33 /-]		
Value	Label	Cases	Percentage
1	Quite dissatisfied	12	3.7%
2	Mostly dissatisfied	10	3.0%
3	Mostly satisfied	110	33.5%

# linkages: How satisfied are you with your Safer Choices linkages to care via peer navigator			
Value	Label	Cases	Percentage
4	Very satisfied	169	51.5%
5	Not applicable (I did not meet them)	27	8.2%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# participation: Would you consider participating in any component of Safer Choices again?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	307	93.6%
2	No	21	6.4%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ii_airtime_incentive: Would the participant like to receive the R50 airtime incentive?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=328 /-] [Invalid=33 /-]	
Value	Label	Cases	Percentage
1	Yes	327	99.7%
2	No	1	0.3%
Sysmiss		33	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ii_airtime_prim_cntnum: Can the participant please verify if the Primary Contact number of: [pd_prim_cntn			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=326 /-] [Invalid=35 /-]	
Value	Label	Cases	Percentage
1	Yes	319	97.9%
2	No	7	2.1%
Sysmiss		35	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ii_airtime_prim_network: Can the participant please verify if the Network provider of Primary Contact numb			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=326 /-] [Invalid=35 /-]	
Value	Label	Cases	Percentage
1	Yes	324	99.4%
2	No	2	0.6%
Sysmiss		35	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ii_airtime_use_prim_cntnum: Can the participant please verify if the updated Primary Contact number of: [pd_p			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=326 /-] [Invalid=35 /-]	
Value	Label	Cases	Percentage
1	Yes	319	97.9%

# ii_airtime_use_prim_cntnum: Can the participant please verify if the updated Primary Contact number of: [pd_p			
Value	Label	Cases	Percentage
2	No	7	2.1%
Sysmiss		35	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ii_airtime_network: Who is the mobile phone network service provider?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=327 /-] [Invalid=34 /-]		
Value	Label	Cases	Percentage
1	Vodacom	255	78.0%
2	MTN	64	19.6%
3	Cell C	2	0.6%
4	Telkom Mobile (former 8ta)	6	1.8%
Sysmiss		34	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ii_recharge_status: Airtime Recharge Status			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=316 /-]		
# cp_sendto_qualcontrol: Have all questions been completed and can the Survey proceed to be quality contro			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=349 /-] [Invalid=12 /-]		
Value	Label	Cases	Percentage
1	Yes	348	99.7%
2	No	1	0.3%
Sysmiss		12	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cp_surveu_end_time: End of Survey time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=348 /-]		
# cp_qc_performed: Was the Internal QC Step completed?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=348 /-] [Invalid=13 /-]		
Value	Label	Cases	Percentage
1	Yes	348	100.0%
2	No	0	
Sysmiss		13	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# cp_qc_date: Date of QC			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=345 /-]		
# cp_qc_issuesfound: Was there any issues identified during the QC?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=348 /-] [Invalid=13 /-]		

cp_qc_issuesfound: Was there any issues identified during the QC?

Value	Label	Cases	Percentage
1	Yes	30	8.6%
2	No	318	91.4%
Sysmiss		13	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

cp_qc_return_corrections: Were all issues corrected?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=31 /-] [Invalid=330 /-]

Value	Label	Cases	Percentage
1	Yes	0	
2	No	31	100.0%
Sysmiss		330	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

cp_qc_return_reviewed: Were all issues raised re-reviewed and corrected?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=361 /-]

Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
Sysmiss		361	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

cp_send_to_staging: Are all quality processes completed and can the survey be send to the Staging Pro

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=317 /-] [Invalid=44 /-]

Value	Label	Cases	Percentage
1	Yes	309	97.5%
2	No	8	2.5%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ar_contacted: Was the participant contacted?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=358 /-]

Value	Label	Cases	Percentage
1	Yes	3	100.0%
2	No	0	
Sysmiss		358	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ar_supp_given: Was support provided?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=358 /-]

Value	Label	Cases	Percentage
1	Yes	1	33.3%

# ar_supp_given: Was support provided?			
Value	Label	Cases	Percentage
2	No	2	66.7%
Sysmiss		358	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ar_follow_up_needed: Is follow up needed?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=358 /-]		
Value	Label	Cases	Percentage
1	Yes	3	100.0%
2	No	0	
Sysmiss		358	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ar_follow_up_date: Date of follow up			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-]		
# ar_resolved: Was it resolved?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=358 /-]		
Value	Label	Cases	Percentage
1	Yes	2	66.7%
2	No	1	33.3%
Sysmiss		358	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			