

South Africa

**Ariane Sessego, Africa Health Research Institute, French
Institute of Demographic Studies (INED), Ecole des Hautes
Etudes en Sciences Sociales (Centre Maurice Halbwachs)**

Siyabonga Nxumalo, Africa Health Research Institute

Dickman Gareta, Africa Health Research Institute

Dr. Alison Castle, Africa Health Research Institute

Dr. Guy Harling, Africa Health Research Institute

Prof. Mark Siedner, Africa Health Research Institute

Prof. Janet Seeley, Africa Health Research Institute

Prof. Collins Iwuji, Africa Health Research Institute

Prof. Willem Hanekom, Africa Health Research Institute

Dr. Kobus Herbst, Africa Health Research Institute

AHRI:Health and Demographic Surveillance System: Deaths and Causes of Death from Verbal Autopsies (2000-2024)

Study Documentation

April 1, 2026

Metadata Production

| | |
|-----------------------------|---|
| Metadata Producer(s) | Africa Health Research Institute (AHRI) |
| Identification | DDI.AHRI.VerbalAutopsy.Harmonisation |

Table of Contents

| | |
|---|----|
| Overview | 4 |
| Scope & Coverage | 6 |
| Producers & Sponsors | 6 |
| Sampling | 6 |
| Data Collection | 7 |
| Data Processing & Appraisal | 7 |
| Accessibility | 8 |
| Files Description | 9 |
| AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v1 | 9 |
| AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | 9 |
| Variables List | 10 |
| AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v1 | 10 |
| AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | 11 |
| Variables Description | 29 |
| AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v1 | 30 |
| AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | 35 |

AHRI:Health and Demographic Surveillance System: Deaths and Causes of Death from Verbal Autopsies (2000-2024)

Overview

| | |
|-----------------------|----------------------------------|
| Identification | AHRI.VerbalAutopsy.Harmonisation |
| Version | v1.0.0 |

Abstract

This dataset documents deaths and causes of deaths captured through verbal autopsies among participants of the Africa Health Research Institute's Health and Demographic Surveillance System from 2000 to 2024. Verbal autopsy (VA) is a standardized method of cause of death estimation and based on a structured post-mortem survey administered to the final caretaker of the deceased about medical history and symptoms preceding deaths (Chandramohan et al. 2021). A total of 27,431 deaths were recorded over this period, 26,290 (95.8%) of which have completed verbal autopsies.

The datasets includes demographic information (age, sex), probable causes of death, detailed verbal autopsy symptoms, and information on death setting and health services utilization prior to death. Probable causes of death were estimated using two automated algorithms, InterVA5 (Byass et al. 2019) and InSilicoVA (McCormick et al. 2016), which assign cause-of-death probabilities based on reported symptoms and demographic characteristics. Both algorithms are based on the same set of prior probabilities, however their method of estimation differ. InterVA5 uses a deterministic formula to estimate causes of death for each death, and selects up to three most probable causes (Byass et al. 2019). These probabilities can be summed to analyze cause specific mortality fractions at the population level. By contrast, InSilicoVA uses bayesian estimation methods to estimate causes of death at the individual level and at the population level with credible intervals (McCormick et al. 2016). For InSilicoVA, we include here the top causes of death at the individual level. To analyze cause-specific mortality trends at the population level with InSilicoVA, we advise users to run the algorithm using the detailed symptoms to obtain cause-specific mortality fractions and credible intervals at the level fitted to their analysis (for guidance see Li et al. 2023).

Compared to InterVA5, InSilicoVA does not have pre-defined rules to select the top causes of death (Byass et al. 2012). For this dataset, InSilicoVA's top causes of death were selected according to the following criteria (similar to InterVA's rules) : a cause is considered "Undetermined" if the most probable cause is associated with a mean posterior probability $\leq 40\%$, otherwise the most probable cause is selected as the first cause. A second and a third cause are selected, if their mean posterior probability is higher or equal to 20%. We included the 95% posterior credible interval (CI) for each selected cause. Note that a small minority of deaths might have a mean posterior probability outside of their CI due to skewed probability distributions.

There are two datasets:

- 1) AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v1 a dataset documenting all deaths registered in the HDSS during this period, with information on whether a verbal autopsy was completed and probable causes of death estimated through InterVA5 and InSilicoVA. Probable stillbirths are included among deaths, as they are subject to verbal autopsies and diagnosis may remain uncertain. Users might consider removing them for mortality analyses.
- 2) AHRI.HDSS.VA-detailed-input-data-2000-2024.v1, a dataset that includes detailed verbal autopsy symptoms and circumstances of death data (healthcare access, cost of care... - D'Ambruso et al. 2016, 2021) for deaths with completed verbal autopsies. It can be used to run the algorithms. It also includes five additional covid-related symptoms, which are not used for cause of death estimation. Its format corresponds to the input required to run the algorithms, so these variables are not labelled. The variable values are as follows 'y' = 'yes', 'n' = 'no' and '-' = 'I don't know or not applicable'.

Some question labels are too long to appear in full on this document. Please refer to the "Variables documentation" in the resource files for the full question corresponding to the variable.

These datasets encompass 25 years of data collection, during which the VA questionnaires evolved. The data have been harmonized across questionnaire versions to create a consistent dataset suitable for longitudinal analyses of mortality and

cause-specific mortality patterns. We evaluated the impact of questionnaire evolutions on cause of death estimation and highlight limited but noticeable cause-dependent discrepancies between 2000-2016 and 2017-2024, for more information see the harmonization report in the resource files (soon to be made available in the resource files).

Resource files include:

- VA Questionnaires: all versions of VA questionnaires (four main versions : 2000-2009, 2010-2016, 2017-2021, 2022-2024)
- Variable documentation: documents the availability of each variable depending on the VA questionnaire version
- Causetext_VA_causes_and_ICD10_equivalent.csv: a spreadsheet with the classification of causes of death used by InterVA and InSilicoVA and their ICD-10 equivalent.
- Mapping files: correspondence tables documenting which variables from the historical data are used to produced the harmonized dataset
- Harmonization report (that will be made available soon): describing the harmonization process and the consistency analysis carried out to assess comparability of cause-of-death estimation across questionnaire versions.

The code used to harmonize the data and estimate causes of death is also available on Github https://github.com/AHRIORG/VAConvert.jl/releases/tag/release_v.1

References

- Byass, Peter, Daniel Chandramohan, Samuel J. Clark, et al. 2012. 'Strengthening Standardised Interpretation of Verbal Autopsy Data: The New InterVA-4 Tool'. *Global Health Action* 5 (1): 19281. <https://doi.org/10.3402/gha.v5i0.19281>.
- Byass, Peter, Laith Hussain-Alkhateeb, Lucia D'Ambruoso, et al. 2019. 'An Integrated Approach to Processing WHO-2016 Verbal Autopsy Data: The InterVA-5 Model'. *BMC Medicine* 17 (1): 102. <https://doi.org/10.1186/s12916-019-1333-6>.
- Chandramohan, Daniel, Edward Fottrell, Jordana Leitao, et al. 2021. 'Estimating Causes of Death Where There Is No Medical Certification: Evolution and State of the Art of Verbal Autopsy'. *Global Health Action* 14 (sup1): 1982486. <https://doi.org/10.1080/16549716.2021.1982486>.
- D'Ambruoso, Lucia, Kathleen Kahn, Ryan G. Wagner, et al. 2016. 'Moving from Medical to Health Systems Classifications of Deaths: Extending Verbal Autopsy to Collect Information on the Circumstances of Mortality'. *Global Health Research and Policy* 1 (1): 2. <https://doi.org/10.1186/s41256-016-0002-y>.
- D'Ambruoso, Lucia, Jessica Price, Eilidh Cowan, et al. 2021. 'Refining Circumstances of Mortality Categories (COMCAT): A Verbal Autopsy Model Connecting Circumstances of Deaths with Outcomes for Public Health Decision-Making'. *Global Health Action* 14 (sup1): 2000091. <https://doi.org/10.1080/16549716.2021.2000091>.
- Gareta, Dickman, Kathy Baisley, Thobeka Mngomezulu, et al. 2021. 'Cohort Profile Update: Africa Centre Demographic Information System (ACDIS) and Population-Based HIV Survey'. *International Journal of Epidemiology* 50 (1): 33-34. <https://doi.org/10.1093/ije/dyaa264>.
- Li, Zehang Richard, Jason Thomas, Eungang Choi, Tyler H. McCormick, and Samuel J. Clark. 2023. 'The openVA Toolkit for Verbal Autopsies'. *The R Journal*, February 25, 1.
- McCormick, Tyler H., Zehang Richard Li, Clara Calvert, Amelia C. Crampin, Kathleen Kahn, and Samuel J. Clark. 2016. 'Probabilistic Cause-of-Death Assignment Using Verbal Autopsies'. *Journal of the American Statistical Association* 111 (515): 1036-49. <https://doi.org/10.1080/01621459.2016.1152191>.

| | |
|-------------------------|---|
| Kind of Data | Population surveillance (death registration) and survey data (verbal autopsies) |
| Unit of Analysis | Deceased individuals |

| Scope & Coverage | |
|--|--|
| Keywords | South Africa, mortality, deaths, causes of death, verbal autopsy, surveillance |
| Topics | Population Surveillance, Deaths, Causes of death, Verbal Autopsy, Circumstances of death Harmonisa data |
| Time Period(s) | 2000-2024 |
| Countries | South Africa |
| Geographic Coverage AHRI's Health and Demographic Surveillance System (HDSS) in uMkhanyakude District, KwaZulu-Natal, South Africa. From 2000 to 2016, the HDSS covered an area of 438 km ² with a population of approximately 85 000 people. It expanded in 2017 to cover an area of 845 km ² and ~150,000 participants (Gareta et al. 2021). | |
| Universe AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v1: All participants of AHRI's HDSS deceased between 01-01-2000 and 31-12-2024 AHRI.HDSS.VA-detailed-input-data-2000-2024.v1: All deceased in AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v1 with a complete verbal autopsy | |

| Producers & Sponsors | |
|---------------------------------|---|
| Primary Investigator(s) | Ariane Sessegó, Africa Health Research Institute, French Institute of Demographic Studies (INED), Ecole des Hautes Etudes en Sciences Sociales (Centre Maurice Halbwachs) Siyabonga Nxumalo, Africa Health Research Institute Dickman Gareta, Africa Health Research Institute Dr. Alison Castle, Africa Health Research Institute Dr. Guy Harling, Africa Health Research Institute Prof. Mark Siedner, Africa Health Research Institute Prof. Janet Seeley, Africa Health Research Institute Prof. Collins Iwuji, Africa Health Research Institute Prof. Willem Hanekom, Africa Health Research Institute Dr. Kobus Herbst, Africa Health Research Institute |
| Other Producer(s) | Africa Health Research Institute (AHRI) |
| Funding Agency/ies | Wellcome Trust (WT) , Core funding SAPRIN (SAPRIN) Ecole des Hautes Etudes en Sciences Sociales (EHESS) French Institute of Demographic Studies (INED) |
| Other Acknowledgment(s) | Sweetness Dube , Data Documentation , Africa Health Research Institute AHRI Data Collection Team , Data Collection , Africa Health Research Institute AHRI Community Engagement Team , Community Engagement , Africa Health Research Institute Nompumelelo Mkwanazi , Community Engagement , Africa Health Research Institute We thank the household members of the HDSS. We acknowledge the support of the study and field staff at the Africa Health Research Institute, particularly the verbal autopsy nurses, who made this study possible , Data Documentation , Africa Health Research Institute We would also like to thank the openVA team who developed and implemented the tools used here to estimate causes of death and provided support during part of the production process. In particular, we would like to thank Jason Thomas, Sam Clark, Zehang Richard Li and Tyler McCormick , Data Documentation , Africa Health Research Institute |

Sampling

Sampling Procedure

This dataset is not based on a sample, it contains information from the complete demographic surveillance area.

Data Collection

| | |
|------------------------------|--|
| Data Collection Dates | Data collection dates: start 2000-01-15 Data collection dates: end 2025-07-28 Time period: Deaths that occurred: start 2000-01-01 Time period: Deaths that occurred: end 2024-12-31 |
|------------------------------|--|

Data Processing & Appraisal**Data Editing**

Data collection mode

Face-to-face between January 2000 and April 2021.

From May 2021 to 2024, first three attempts are telephonic. If they are not successful interviews attempts are made face to face.

The mode of data collection is documented with the variable VAIInterview for each death.

Notes on Data Collection

AHRI's HDSS monitors vital events (births, death, in- and out-migration) in the rural district of uMkhanyakude, KwaZulu-Natal, South Africa (Gareta et. al 2021). When a death is recorded, a trained nurses conducts a VA with the caregiver of the deceased, after a bereavement period of at least 3 months.

From 2000 to 2016, verbal autopsies were collected through paper-based questionnaires. In 2017, the data collection process was digitalized. Different questionnaires were used during the period, with four significant changes (2000-2009, 2010-2016, 2017-2021, 2022-2024). For more details, see the harmonization report and Questionnaires in the resource files.

Reference: Gareta, Dickman, Kathy Baisley, Thobeka Mngomezulu, et al. 2021. 'Cohort Profile Update: Africa Centre Demographic Information System (ACDIS) and Population-Based HIV Survey'. *International Journal of Epidemiology* 50 (1): 33-34. <https://doi.org/10.1093/ije/dyaa264>.

Harmonization Process

These datasets are the result of the harmonization of data collected across 25 years and four different verbal autopsy questionnaires. To ensure transparency and reproducibility, this was carried out using a structured data processing framework implemented in a Julia package, VAConvert. This framework is based on correspondence tables that systematically document which variables from the historical data are used to produced the harmonized input format required by InterVA5 and InSilicoVA (see the harmonization report for more details).

These correspondence tables are available in the resource files (Mapping files) and the code used for harmonization is available on Github (<https://github.com/AHRIORG/VAConvert.jl/releases/tag/release_v.1>).

Cause-of-death Estimation

Causes of death were estimated using the R package openVA (Li et al. 2023). Default parameters were used for InterVA5 and InSilicoVA. For InSilicoVA, the seed used was 19800508 (date of the declaration of smallpox eradication!). The detailed code is available on Github (<https://github.com/AHRIORG/VAConvert.jl/releases/tag/release_v.1>, src/CoD_attribution.R).

Compared to InterVA5, InSilicoVA does not have pre-defined rules to select the top causes of death (Byass et al. 2012). For this dataset, InSilicoVA's top causes of death were selected according to the following criteria (similar to InterVA's rules): a cause is considered "Undetermined" if the most probable cause is associated with a mean posterior probability \leq 40%, otherwise the most probable cause is selected as the first cause. A second and a third cause are selected, if their mean posterior probability is higher or equal to 20%. We included the 95% posterior credible interval (CI) for each selected cause.

Note that a small minority of deaths might have a mean posterior probability outside of their CI due to skewed probability distributions.

Reference:

- Byass, Peter, Daniel Chandramohan, Samuel J. Clark, et al. 2012. 'Strengthening Standardised Interpretation of Verbal Autopsy Data: The New InterVA-4 Tool'. *Global Health Action* 5 (1): 19281. <https://doi.org/10.3402/gha.v5i0.19281>.
- Li, Zehang Richard, Jason Thomas, Eungang Choi, Tyler H. McCormick, and Samuel J. Clark. 2023. 'The openVA Toolkit for Verbal Autopsies'. *The R Journal*, February 25, 1.

Accessibility

Access Conditions

Access to the data requires accurate completion of the online data access application form accessible on the AHRI Data repository(<<https://data.ahri.org/>>). Data users are required to abide by the data use conditions stipulated on the application for access to the data. Failure to do so may result in their data access privileges being revoked by the Data Custodian. In order to recognise the effort and intellectual contributions of AHRI investigators in producing and curating the data, users of AHRI data must acknowledge the source of the data and abide by the terms and conditions under which the data is accessed and must cite the dataset in publication using the citation provided as part of this documentation. All analytical datasets published on the AHRI Data Repository are assigned digital object identifier (DOIs) and the DOIs can be found on the Data Repository under Study Description tab - Access policy. AHRI data users are required to always cite the dataset using the relevant DOI.

Citation Requirements

Sessego, A., Nxumalo, S., Gareta, D., Castle, A., Harling, G., Siedner, M., Seeley, J., Iwuji, C., Hanekom, W., & Herbst, K. (2026). AHRI:Health and Demographic Surveillance System: Deaths and Causes of Death from Verbal Autopsies (2000-2024) [Data set]. Africa Health Research Institute.

DOI: <https://doi.org/10.23664/AHRI.VERBALAUTOPSY.HARMONISATION>

Files Description

Dataset contains 2 file(s)

| AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v1 | |
|---|-------|
| # Cases | 27431 |
| # Variable(s) | 33 |

| AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | |
|--|-------|
| # Cases | 26168 |
| # Variable(s) | 359 |

Variables List

Dataset contains 392 variable(s)

| File AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v1 | | | | | | | |
|---|-----------------------------|---|------------|--------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | IntID | Unique Internal Id of Individual | continuous | numeric-12.0 | 27431 | 0 | - |
| 2 | DoB_ym | Date of birth (Year-Month) | discrete | character-7 | 27431 | 0 | - |
| 3 | DoD_ym | Date of Death (Year-Month) | discrete | character-7 | 27431 | 0 | - |
| 4 | Sex | What was the sex of the deceased? | discrete | numeric-12.0 | 27431 | 0 | - |
| 5 | Age_in_y_.. | Age in completed years Numeric | continuous | numeric-12.0 | 27431 | 0 | - |
| 6 | Age_in_d_.. | Age in days for deceased that died before the age of 1 | continuous | numeric-12.0 | 1313 | 26118 | - |
| 7 | MissingVA | Was the verbal autopsy not completed? | discrete | numeric-12.0 | 27431 | 0 | - |
| 8 | NonContact | Was it a non-contact? | discrete | numeric-12.0 | 8322 | 19109 | - |
| 9 | VARefused | Was participation refused ? | discrete | numeric-12.0 | 8323 | 19108 | - |
| 10 | Question_.. | Verbal autopsy questionnaire used for data collection (dates are indicative) | discrete | numeric-12.0 | 27431 | 0 | - |
| 11 | VAVisitD_.. | VA Visit Date | discrete | character-11 | 27431 | - | - |
| 12 | VAInterv_.. | Interview modality (face-to-face in the field or telephonic) | discrete | numeric-12.0 | 27431 | 0 | - |
| 13 | RespRela_.. | Respondent's relationship to deceased (important classification change in 2017) | discrete | numeric-12.0 | 26249 | 1182 | - |
| 14 | LivedWit_.. | Did the respondent live with the deceased in the period leading to death? | discrete | numeric-12.0 | 24971 | 2460 | - |
| 15 | DeathSet_.. | Where did the deceased die? | discrete | numeric-12.0 | 25082 | 2349 | - |
| 16 | cause1_I_.. | Cause 1 - InterVA5 causes of death | discrete | character-34 | 27431 | 0 | - |
| 17 | lik1_Int_.. | Likelihood cause 1 - InterVA5 causes of death | continuous | numeric-10.0 | 26168 | 1263 | - |
| 18 | cause2_I_.. | Cause 2 - InterVA5 causes of death | discrete | character-34 | 2198 | 0 | - |
| 19 | lik2_Int_.. | Likelihood cause 2 - InterVA5 causes of death | continuous | numeric-10.0 | 2198 | 25233 | - |
| 20 | cause3_I_.. | Cause 3 - InterVA5 causes of death | discrete | character-34 | 71 | 0 | - |
| 21 | lik3_Int_.. | Likelihood cause 3 - InterVA5 causes of death | continuous | numeric-10.0 | 71 | 27360 | - |
| 22 | cause1_I_.. | Cause 1 - InSilicoVA causes of death | discrete | character-34 | 27431 | 0 | - |
| 23 | prob1_In_.. | Probability cause 1 - InSilicoVA causes of death | discrete | character-17 | 26168 | 0 | - |

| File AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v1 | | | | | | | |
|---|----------------------------|---|----------|--------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 24 | prob1_up.. | Probability cause 1 95% CI upper bound - InSilicoVA | discrete | character-20 | 25381 | 0 | - |
| 25 | prob1_lo.. | Probability cause 1 95% CI lower bound InSilicoVA | discrete | character-20 | 25381 | 0 | - |
| 26 | cause2_I.. | Cause 2 - InSilicoVA causes of death | discrete | character-34 | 4079 | 0 | - |
| 27 | prob2_In.. | Probability cause 2 - InSilicoVA causes of death | discrete | character-17 | 4079 | 0 | - |
| 28 | prob2_up.. | Probability cause 2 95% CI upper bound - InSilicoVA | discrete | character-20 | 4079 | 0 | - |
| 29 | prob2_lo.. | Probability cause 2 95% CI lower bound InSilicoVA | discrete | character-20 | 4079 | 0 | - |
| 30 | cause3_I.. | Cause 3 - InSilicoVA causes of death | discrete | character-33 | 178 | 0 | - |
| 31 | prob3_In.. | Probability cause 3 - InSilicoVA causes of death | discrete | character-17 | 178 | 0 | - |
| 32 | prob3_up.. | Probability cause 3 95% CI upper bound - InSilicoVA | discrete | character-20 | 178 | 0 | - |
| 33 | prob3_lo.. | Probability cause 3 95% CI lower bound InSilicoVA | discrete | character-20 | 178 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|--|------------------------|--|------------|--------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 1 | IIntID | - | continuous | numeric-12.0 | 26168 | 0 | - |
| 2 | i004a | Did s(he) die during the wet season? | discrete | character-1 | 26168 | 0 | - |
| 3 | i004b | Did s(he) die during the dry season? | discrete | character-1 | 26168 | 0 | - |
| 4 | i019a | Was he male? | discrete | character-1 | 26168 | 0 | - |
| 5 | i019b | Was she female? | discrete | character-1 | 26168 | 0 | - |
| 6 | i022a | Was s(he) aged 65 years or more at death? | discrete | character-1 | 26168 | 0 | - |
| 7 | i022b | Was s(he) aged 50 to 64 years at death? | discrete | character-1 | 26168 | 0 | - |
| 8 | i022c | Was s(he) aged 15 to 49 years at death? | discrete | character-1 | 26168 | 0 | - |
| 9 | i022d | Was s(he) aged 5-14 years at death? | discrete | character-1 | 26168 | 0 | - |
| 10 | i022e | Was s(he) aged 1 to 4 years at death? | discrete | character-1 | 26168 | 0 | - |
| 11 | i022f | Was s(he) aged 1 to 11 months at death? | discrete | character-1 | 26168 | 0 | - |
| 12 | i022g | Was s(he) aged < 1 month (28 days) at death? | discrete | character-1 | 26168 | 0 | - |
| 13 | i022h | Was s(he) a live baby who died within 24 hours of birth? | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|---|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 14 | i022i | Was s(he) a baby who died between 24 and 48 hours of birth? | discrete | character-1 | 26168 | 0 | - |
| 15 | i022j | Was s(he) a baby who died more than 48 hours from birth, but within the first we | discrete | character-1 | 26168 | 0 | - |
| 16 | i022k | Was s(he) a baby who died after the first week, but within the first month? | discrete | character-1 | 26168 | 0 | - |
| 17 | i022l | Was she a woman aged 12-19 years at death? | discrete | character-1 | 26168 | 0 | - |
| 18 | i022m | Was she a woman aged 20-34 years at death? | discrete | character-1 | 26168 | 0 | - |
| 19 | i022n | Was she a woman aged 35 to 49 years at death? | discrete | character-1 | 26168 | 0 | - |
| 20 | i059o | Was she married at the time of death? | discrete | character-1 | 26168 | 0 | - |
| 21 | i077o | Did (s)he suffer from any injury or accident that led to her/his death? | discrete | character-1 | 26168 | 0 | - |
| 22 | i079o | Was (s)he injured in a road traffic accident? | discrete | character-1 | 26168 | 0 | - |
| 23 | i082o | Was (s)he injured in a non-road transport accident? | discrete | character-1 | 26168 | 0 | - |
| 24 | i083o | Was (s)he injured in a fall? | discrete | character-1 | 26168 | 0 | - |
| 25 | i084o | Was (s)he poisoned in any way? | discrete | character-1 | 26168 | 0 | - |
| 26 | i085o | Did (s)he die of drowning? | discrete | character-1 | 26168 | 0 | - |
| 27 | i086o | Was (s)he injured by the bite or sting of a venomous animal? | discrete | character-1 | 26168 | 0 | - |
| 28 | i087o | Was (s)he injured by an animal or insect (non-venomous) | discrete | character-1 | 26168 | 0 | - |
| 29 | i089o | Was (s)he injured by burns or fire? | discrete | character-1 | 26168 | 0 | - |
| 30 | i090o | Was (s)he subject to violence (suicide, homicide, abuse)? | discrete | character-1 | 26168 | 0 | - |
| 31 | i091o | Was (s)he injured by a fire arm? | discrete | character-1 | 26168 | 0 | - |
| 32 | i092o | Was (s)he stabbed, cut or pierced? | discrete | character-1 | 26168 | 0 | - |
| 33 | i093o | Was (s)he strangled? | discrete | character-1 | 26168 | 0 | - |
| 34 | i094o | Was (s)he injured by a blunt force? | discrete | character-1 | 26168 | 0 | - |
| 35 | i095o | Was (s)he injured by a force of nature? | discrete | character-1 | 26168 | 0 | - |
| 36 | i096o | Was (s)he electrocuted? | discrete | character-1 | 26168 | 0 | - |
| 37 | i098o | Was the injury accidental? | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|---|-----------------------|---|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 38 | i099o | Was the injury or accident self-inflicted? | discrete | character-1 | 26168 | 0 | - |
| 39 | i100o | Was the injury or accident intentionally inflicted by someone else? | discrete | character-1 | 26168 | 0 | - |
| 40 | i104o | Did the baby ever cry? | discrete | character-1 | 26168 | 0 | - |
| 41 | i105o | Did the baby cry immediately after birth, even if only a little bit? | discrete | character-1 | 26168 | 0 | - |
| 42 | i106a | Was it more than 5 minutes after birth before the baby first cried? | discrete | character-1 | 26168 | 0 | - |
| 43 | i107o | Did the baby stop being able to cry? | discrete | character-1 | 26168 | 0 | - |
| 44 | i108a | Did the baby stop crying more than a day before (s)he died? | discrete | character-1 | 26168 | 0 | - |
| 45 | i109o | Did the baby ever move? | discrete | character-1 | 26168 | 0 | - |
| 46 | i110o | Did the baby ever breathe? | discrete | character-1 | 26168 | 0 | - |
| 47 | i111o | Did the baby breathe immediately after birth, even a little? | discrete | character-1 | 26168 | 0 | - |
| 48 | i112o | Did the baby have a breathing problem? | discrete | character-1 | 26168 | 0 | - |
| 49 | i113o | Was the baby given assistance to breathe at birth? | discrete | character-1 | 26168 | 0 | - |
| 50 | i114o | If the baby didn't show any sign of life, was it born dead? | discrete | character-1 | 26168 | 0 | - |
| 51 | i115o | Were there any bruises or signs of injury on child's body after the birth? | discrete | character-1 | 26168 | 0 | - |
| 52 | i116o | Was the baby's body soft, pulpy and discoloured with the skin peeling away? | discrete | character-1 | 26168 | 0 | - |
| 53 | i120a | Did the final illness last less than 3 weeks? | discrete | character-1 | 26168 | 0 | - |
| 54 | i120b | Did the final illness last at least 3 weeks? | discrete | character-1 | 26168 | 0 | - |
| 55 | i123o | Did (s)he die suddenly? | discrete | character-1 | 26168 | 0 | - |
| 56 | i125o | Was there any diagnosis by a health professional of tuberculosis? | discrete | character-1 | 26168 | 0 | - |
| 57 | i127o | Was there any diagnosis by a health professional of HIV/AIDS? | discrete | character-1 | 26168 | 0 | - |
| 58 | i128o | Did (s)he have a recent positive test by a health professional for malaria? | discrete | character-1 | 26168 | 0 | - |
| 59 | i129o | Did (s)he have a recent negative test by a health professional for malaria? | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|---|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 60 | i130o | Was there any diagnosis by a health professional of dengue fever? | discrete | character-1 | 26168 | 0 | - |
| 61 | i131o | Was there any diagnosis by a health professional of measles? | discrete | character-1 | 26168 | 0 | - |
| 62 | i132o | Was there any diagnosis by a health professional of high blood pressure? | discrete | character-1 | 26168 | 0 | - |
| 63 | i133o | Was there any diagnosis by a health professional of heart disease? | discrete | character-1 | 26168 | 0 | - |
| 64 | i134o | Was there any diagnosis by a health professional of diabetes? | discrete | character-1 | 26168 | 0 | - |
| 65 | i135o | Was there any diagnosis by a health professional of asthma? | discrete | character-1 | 26168 | 0 | - |
| 66 | i136o | Was there any diagnosis by a health professional of epilepsy? | discrete | character-1 | 26168 | 0 | - |
| 67 | i137o | Was there any diagnosis by a health professional of cancer? | discrete | character-1 | 26168 | 0 | - |
| 68 | i138o | Was there any diagnosis by a health professional of Chronic Obstructive Pulmonar | discrete | character-1 | 26168 | 0 | - |
| 69 | i139o | Was there any diagnosis by a physician or health worker of dementia? | discrete | character-1 | 26168 | 0 | - |
| 70 | i140o | Was there any diagnosis by a health professional of depression? | discrete | character-1 | 26168 | 0 | - |
| 71 | i141o | Was there any diagnosis by a health professional of stroke? | discrete | character-1 | 26168 | 0 | - |
| 72 | i142o | Was there any diagnosis by a health professional of sickle cell disease? | discrete | character-1 | 26168 | 0 | - |
| 73 | i143o | Was there any diagnosis by a health professional of kidney disease? | discrete | character-1 | 26168 | 0 | - |
| 74 | i144o | Was there any diagnosis by a health professional of liver disease? | discrete | character-1 | 26168 | 0 | - |
| 75 | i147o | During the illness that led to death, did (s)he have a fever? | discrete | character-1 | 26168 | 0 | - |
| 76 | i148a | Did the fever last less than a week before death? | discrete | character-1 | 26168 | 0 | - |
| 77 | i148b | Did the fever last at least one week, but less than 2 weeks before death? | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|---|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 78 | i148c | Did the fever last at least 2 weeks before death? | discrete | character-1 | 26168 | 0 | - |
| 79 | i149o | Did the fever continue until death? | discrete | character-1 | 26168 | 0 | - |
| 80 | i150a | Was the fever severe? | discrete | character-1 | 26168 | 0 | - |
| 81 | i151a | Was the fever continuous? | discrete | character-1 | 26168 | 0 | - |
| 82 | i152o | Did (s)he have night sweats? | discrete | character-1 | 26168 | 0 | - |
| 83 | i153o | During the illness that led to death, did (s)he have a cough? | discrete | character-1 | 26168 | 0 | - |
| 84 | i154a | Did the cough last less than 3 weeks before death? | discrete | character-1 | 26168 | 0 | - |
| 85 | i154b | Did the cough last at least 3 weeks before death? | discrete | character-1 | 26168 | 0 | - |
| 86 | i155o | Was the cough productive, with sputum? | discrete | character-1 | 26168 | 0 | - |
| 87 | i156o | Was the cough very severe? | discrete | character-1 | 26168 | 0 | - |
| 88 | i157o | Did (s)he cough up blood? | discrete | character-1 | 26168 | 0 | - |
| 89 | i158o | Did (s)he make a whooping sound when coughing? | discrete | character-1 | 26168 | 0 | - |
| 90 | i159o | During the illness that led to death, did (s)he have any difficulty breathing? | discrete | character-1 | 26168 | 0 | - |
| 91 | i161a | Did the difficult breathing last for at least 3 days before death? | discrete | character-1 | 26168 | 0 | - |
| 92 | i165a | Was the difficult breathing continuous during this period? | discrete | character-1 | 26168 | 0 | - |
| 93 | i166o | Did (s)he have fast breathing? | discrete | character-1 | 26168 | 0 | - |
| 94 | i167a | Did the fast breathing last for less than two weeks before death? | discrete | character-1 | 26168 | 0 | - |
| 95 | i167b | Did the fast breathing last for at least 2 weeks before death? | discrete | character-1 | 26168 | 0 | - |
| 96 | i168o | Did (s)he have breathlessness? | discrete | character-1 | 26168 | 0 | - |
| 97 | i169a | Did the breathlessness last for less than 2 weeks before death? | discrete | character-1 | 26168 | 0 | - |
| 98 | i169b | Did the breathlessness last for at least 2 weeks before death? | discrete | character-1 | 26168 | 0 | - |
| 99 | i170o | Was (s)he unable to carry out daily routines due to breathlessness? | discrete | character-1 | 26168 | 0 | - |
| 100 | i171o | Was (s)he breathless while lying flat? | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|---|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 101 | i172o | Did you see the lower chest wall/ribs being pulled in as the child breathed? | discrete | character-1 | 26168 | 0 | - |
| 102 | i173a | Did his/her breathing sound like wheezing or grunting? | discrete | character-1 | 26168 | 0 | - |
| 103 | i174o | During the illness that led to death, did (s)he have chest pain? | discrete | character-1 | 26168 | 0 | - |
| 104 | i175o | Was the chest pain severe? | discrete | character-1 | 26168 | 0 | - |
| 105 | i176a | Did (s)he experience chest pain at least 3 days before death? | discrete | character-1 | 26168 | 0 | - |
| 106 | i178a | Did the chest pain last for at least 30 minutes? | discrete | character-1 | 26168 | 0 | - |
| 107 | i181o | Did (s)he have diarrhoea? | discrete | character-1 | 26168 | 0 | - |
| 108 | i182a | Did (s)he have diarrhoea for less than 2 weeks before death? | discrete | character-1 | 26168 | 0 | - |
| 109 | i182b | Did (s)he have diarrhoea for at least 2 weeks but less than 4 weeks before death | discrete | character-1 | 26168 | 0 | - |
| 110 | i182c | Did (s)he have diarrhoea for at least 4 weeks before death? | discrete | character-1 | 26168 | 0 | - |
| 111 | i183a | Did the baby or child have at least 4 stools on the day that loose liquid stools | discrete | character-1 | 26168 | 0 | - |
| 112 | i184a | Did the frequent loose or liquid stools start at least 3 days before death? | discrete | character-1 | 26168 | 0 | - |
| 113 | i185o | Did the frequent loose or liquid stools continue up until death? | discrete | character-1 | 26168 | 0 | - |
| 114 | i186o | At any time during the final illness was there blood in the stools? | discrete | character-1 | 26168 | 0 | - |
| 115 | i187o | Was there blood in the stool up until death? | discrete | character-1 | 26168 | 0 | - |
| 116 | i188o | During the illness that led to death, did (s)he vomit? | discrete | character-1 | 26168 | 0 | - |
| 117 | i189o | Did (s)he vomit in the week preceding the death? | discrete | character-1 | 26168 | 0 | - |
| 118 | i190o | Did (s)he vomit for at least 3 days before death? | discrete | character-1 | 26168 | 0 | - |
| 119 | i191o | Was there blood in the vomit? | discrete | character-1 | 26168 | 0 | - |
| 120 | i192o | Was the vomit black? | discrete | character-1 | 26168 | 0 | - |
| 121 | i193o | During the illness that led to death, did (s)he have any abdominal (belly) probl | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|--|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 122 | i194o | Did (s)he have abdominal pain? | discrete | character-1 | 26168 | 0 | - |
| 123 | i195o | Was the abdominal pain severe? | discrete | character-1 | 26168 | 0 | - |
| 124 | i197a | Did (s)he have severe abdominal pain for less than 2 weeks before death? | discrete | character-1 | 26168 | 0 | - |
| 125 | i197b | Did (s)he have severe abdominal pain for at least 2 weeks before death? | discrete | character-1 | 26168 | 0 | - |
| 126 | i199a | Was the pain in the upper abdomen? | discrete | character-1 | 26168 | 0 | - |
| 127 | i199b | Was the pain in the lower abdomen? | discrete | character-1 | 26168 | 0 | - |
| 128 | i200o | Did (s)he have a more than usually protruding abdomen? | discrete | character-1 | 26168 | 0 | - |
| 129 | i201a | Did (s)he have a more than usually protruding abdomen for less than 2 weeks befo | discrete | character-1 | 26168 | 0 | - |
| 130 | i201b | Did (s)he have a more than usually protruding abdomen for at least 2 weeks befor | discrete | character-1 | 26168 | 0 | - |
| 131 | i203a | Did (s)he develop the protruding abdomen rapidly? | discrete | character-1 | 26168 | 0 | - |
| 132 | i204o | Did (s)he have any mass in the abdomen? | discrete | character-1 | 26168 | 0 | - |
| 133 | i205a | Did (s)he have a mass in the abdomen for less than 2 weeks before death? | discrete | character-1 | 26168 | 0 | - |
| 134 | i205b | Did (s)he have a mass in the abdomen for at least 2 weeks before death? | discrete | character-1 | 26168 | 0 | - |
| 135 | i207o | During the illness that led to death, did (s)he have a severe headache? | discrete | character-1 | 26168 | 0 | - |
| 136 | i208o | During the illness that led to death, did (s)he have a stiff neck? | discrete | character-1 | 26168 | 0 | - |
| 137 | i209a | Did (s)he have a stiff neck for less than one week before death? | discrete | character-1 | 26168 | 0 | - |
| 138 | i209b | Did (s)he have a stiff neck for at least one week before death? | discrete | character-1 | 26168 | 0 | - |
| 139 | i210o | During the illness that led to death, did (s)he have a painful neck? | discrete | character-1 | 26168 | 0 | - |
| 140 | i211a | Did (s)he have a painful neck for at least one week before death? | discrete | character-1 | 26168 | 0 | - |
| 141 | i212o | During the illness that led to death, did (s)he have mental confusion? | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|---|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 142 | i213o | Did (s)he have mental confusion for at least 3 months before death? | discrete | character-1 | 26168 | 0 | - |
| 143 | i214o | During the illness that led to death, was (s)he unconscious? | discrete | character-1 | 26168 | 0 | - |
| 144 | i215o | Was (s)he unconscious for at least 24 hours before death? | discrete | character-1 | 26168 | 0 | - |
| 145 | i216a | Was (s)he unconscious for at least 6 hours before death? | discrete | character-1 | 26168 | 0 | - |
| 146 | i217o | Did the unconsciousness start suddenly, quickly (at least within a single day)? | discrete | character-1 | 26168 | 0 | - |
| 147 | i218o | Did the unconsciousness continue until death? | discrete | character-1 | 26168 | 0 | - |
| 148 | i219o | During the illness that led to death, did (s)he have any convulsions? | discrete | character-1 | 26168 | 0 | - |
| 149 | i220o | Did (s)he experience any generalized convulsions or fits? | discrete | character-1 | 26168 | 0 | - |
| 150 | i221a | Did the convulsions last for less than 10 minutes? | discrete | character-1 | 26168 | 0 | - |
| 151 | i221b | Did the convulsions last for at least 10 minutes? | discrete | character-1 | 26168 | 0 | - |
| 152 | i222o | Did (s)he become unconscious immediately after the convulsion? | discrete | character-1 | 26168 | 0 | - |
| 153 | i223o | During the illness that led to death, did (s)he have any urine problems? | discrete | character-1 | 26168 | 0 | - |
| 154 | i224o | Did (s)he stop urinating? | discrete | character-1 | 26168 | 0 | - |
| 155 | i225o | Did (s)he go to urinate more often than usual? | discrete | character-1 | 26168 | 0 | - |
| 156 | i226o | Did (s)he pass blood in the urine? | discrete | character-1 | 26168 | 0 | - |
| 157 | i227o | During the illness that led to death, did (s)he have any sores or ulcers anywhere? | discrete | character-1 | 26168 | 0 | - |
| 158 | i228o | Did (s)he have sores? | discrete | character-1 | 26168 | 0 | - |
| 159 | i229o | Did the sores have clear fluid and/or pus? | discrete | character-1 | 26168 | 0 | - |
| 160 | i230o | Did (s)he have an ulcer (pit) on the foot? | discrete | character-1 | 26168 | 0 | - |
| 161 | i231o | Did any ulcer ooze pus? | discrete | character-1 | 26168 | 0 | - |
| 162 | i232a | Did the ulcer ooze pus for at least 2 weeks? | discrete | character-1 | 26168 | 0 | - |
| 163 | i233o | During the illness that led to death, did (s)he have any skin rash? | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|---|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 164 | i234a | Did (s)he have the skin rash for less than one week? | discrete | character-1 | 26168 | 0 | - |
| 165 | i234b | Did (s)he have the skin rash for at least one week? | discrete | character-1 | 26168 | 0 | - |
| 166 | i235a | Did (s)he have a rash on the face? | discrete | character-1 | 26168 | 0 | - |
| 167 | i235b | Did (s)he have a rash on the trunk or abdomen? | discrete | character-1 | 26168 | 0 | - |
| 168 | i235c | Did (s)he have a rash on the extremities? | discrete | character-1 | 26168 | 0 | - |
| 169 | i235d | Did (s)he have a rash everywhere? | discrete | character-1 | 26168 | 0 | - |
| 170 | i236o | Did (s)he have measles rash? | discrete | character-1 | 26168 | 0 | - |
| 171 | i237o | Did (s)he ever have shingles or herpes zoster? | discrete | character-1 | 26168 | 0 | - |
| 172 | i238o | During the illness that led to death, did her/his skin flake off in patches? | discrete | character-1 | 26168 | 0 | - |
| 173 | i239o | During the illness that led to death, did he/she have areas of the skin that tur | discrete | character-1 | 26168 | 0 | - |
| 174 | i240o | During the illness that led to death, did he/she have areas of the skin with red | discrete | character-1 | 26168 | 0 | - |
| 175 | i241o | During the illness that led to death, did (s)he bleed from anywhere? | discrete | character-1 | 26168 | 0 | - |
| 176 | i242o | Did (s)he bleed from the nose, mouth or anus? | discrete | character-1 | 26168 | 0 | - |
| 177 | i243o | During the illness that led to death, did (s)he have noticeable weight loss? | discrete | character-1 | 26168 | 0 | - |
| 178 | i244o | Was (s)he severely thin or wasted? | discrete | character-1 | 26168 | 0 | - |
| 179 | i245o | During the illness that led to death, did s/he have a whitish rash inside the mo | discrete | character-1 | 26168 | 0 | - |
| 180 | i246o | During the illness that led to death, did (s)he have stiffness of the whole body | discrete | character-1 | 26168 | 0 | - |
| 181 | i247o | During the illness that led to death, did (s)he have puffiness of the face? | discrete | character-1 | 26168 | 0 | - |
| 182 | i248a | Did (s)he have puffiness of the face for at least one week before death? | discrete | character-1 | 26168 | 0 | - |
| 183 | i249o | During the illness that led to death, did (s)he have swollen legs or feet? | discrete | character-1 | 26168 | 0 | - |
| 184 | i250a | Did the swelling last for at least 3 days before death? | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|---|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 185 | i251o | Did (s)he have both feet swollen? | discrete | character-1 | 26168 | 0 | - |
| 186 | i252o | During the illness that led to death, did (s)he have general puffiness all over | discrete | character-1 | 26168 | 0 | - |
| 187 | i253o | During the illness that led to death, did (s)he have any lumps? | discrete | character-1 | 26168 | 0 | - |
| 188 | i254o | Did (s)he have any lumps or lesions in the mouth? | discrete | character-1 | 26168 | 0 | - |
| 189 | i255o | Did (s)he have any lumps in the neck? | discrete | character-1 | 26168 | 0 | - |
| 190 | i256o | Did (s)he have any lumps in the armpit? | discrete | character-1 | 26168 | 0 | - |
| 191 | i257o | Did (s)he have any lumps in the groin? | discrete | character-1 | 26168 | 0 | - |
| 192 | i258o | During the illness that led to death, was (s)he in any way paralysed? | discrete | character-1 | 26168 | 0 | - |
| 193 | i259o | Did (s)he have paralysis of only one side of the body? | discrete | character-1 | 26168 | 0 | - |
| 194 | i260a | Was only the right side of the body paralysed? | discrete | character-1 | 26168 | 0 | - |
| 195 | i260b | Was only the left side of the body paralysed? | discrete | character-1 | 26168 | 0 | - |
| 196 | i260c | Was only the lower part of the body paralysed? | discrete | character-1 | 26168 | 0 | - |
| 197 | i260d | Was only the upper part of the body paralysed? | discrete | character-1 | 26168 | 0 | - |
| 198 | i260e | Was only one leg paralysed? | discrete | character-1 | 26168 | 0 | - |
| 199 | i260f | Was only one arm paralysed? | discrete | character-1 | 26168 | 0 | - |
| 200 | i260g | Was the entire body paralysed? | discrete | character-1 | 26168 | 0 | - |
| 201 | i261o | During the illness that led to death, did (s)he have difficulty swallowing? | discrete | character-1 | 26168 | 0 | - |
| 202 | i262a | Did (s)he have difficulty swallowing for at least one week before death? | discrete | character-1 | 26168 | 0 | - |
| 203 | i263a | Did (s)he have difficulty with swallowing solids? | discrete | character-1 | 26168 | 0 | - |
| 204 | i263b | Did (s)he have difficulty with swallowing liquids? | discrete | character-1 | 26168 | 0 | - |
| 205 | i264o | Did (s)he have pain upon swallowing? | discrete | character-1 | 26168 | 0 | - |
| 206 | i265o | During the illness that led to death, did (s)he have yellow discolouration of th | discrete | character-1 | 26168 | 0 | - |
| 207 | i266a | Did (s)he have the yellow discolouration for at least 3 weeks before death? | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|---|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 208 | i267o | During the illness that led to death, did her/his hair change to a reddish or ye | discrete | character-1 | 26168 | 0 | - |
| 209 | i268o | During the illness that led to death, did (s)he look pale (thinning/lack of bloo | discrete | character-1 | 26168 | 0 | - |
| 210 | i269o | During the illness that led to death, did (s)he have sunken eyes? | discrete | character-1 | 26168 | 0 | - |
| 211 | i270o | During the illness that led to death, did (s)he drink a lot more water than usua | discrete | character-1 | 26168 | 0 | - |
| 212 | i271o | Was the baby able to suckle or bottle-feed within the first 24 hours after birth | discrete | character-1 | 26168 | 0 | - |
| 213 | i272o | Did the baby ever suckle in a normal way? | discrete | character-1 | 26168 | 0 | - |
| 214 | i273o | Did the baby stop suckling? | discrete | character-1 | 26168 | 0 | - |
| 215 | i274a | Did the baby stop suckling on the 2nd day of life or later? | discrete | character-1 | 26168 | 0 | - |
| 216 | i275o | Did the baby have convulsions starting within the first 24 hours of life? | discrete | character-1 | 26168 | 0 | - |
| 217 | i276o | Did the baby have convulsions starting more than 24 hours after birth? | discrete | character-1 | 26168 | 0 | - |
| 218 | i277o | Did the baby's body become stiff, with the back arched backwards? | discrete | character-1 | 26168 | 0 | - |
| 219 | i278o | During the illness that led to death, did the baby have a bulging or raised font | discrete | character-1 | 26168 | 0 | - |
| 220 | i279o | During the illness that led to death, did the baby have a sunken fontanelle? | discrete | character-1 | 26168 | 0 | - |
| 221 | i281o | During the illness that led to death, did the baby become unresponsive or uncons | discrete | character-1 | 26168 | 0 | - |
| 222 | i282o | Did the baby become unresponsive or unconscious soon after birth, within less th | discrete | character-1 | 26168 | 0 | - |
| 223 | i283o | Did the baby become unresponsive or unconscious more than 24 hours after birth? | discrete | character-1 | 26168 | 0 | - |
| 224 | i284o | During the illness that led to death, did the baby become cold to touch? | discrete | character-1 | 26168 | 0 | - |
| 225 | i285a | Was the baby more than 3 days old when it started feeling cold to touch? | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|---|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 226 | i286o | During the illness that led to death, did the baby become lethargic, after a per | discrete | character-1 | 26168 | 0 | - |
| 227 | i287o | Did the baby have redness or discharge from the umbilical cord stump? | discrete | character-1 | 26168 | 0 | - |
| 228 | i288o | During the illness that led to death, did the baby have skin ulcer(s) or pits? | discrete | character-1 | 26168 | 0 | - |
| 229 | i289o | During the illness that led to death, did the baby have yellow skin, palms (hand | discrete | character-1 | 26168 | 0 | - |
| 230 | i290o | Did the baby or infant appear to be healthy and then just die suddenly? | discrete | character-1 | 26168 | 0 | - |
| 231 | i294o | During the illness that led to death, did she have any swelling or lump in the b | discrete | character-1 | 26168 | 0 | - |
| 232 | i295o | During the illness that led to death, did she have any ulcers (pits) in the brea | discrete | character-1 | 26168 | 0 | - |
| 233 | i296o | Did she ever have a period or menstruate? | discrete | character-1 | 26168 | 0 | - |
| 234 | i297o | During the illness that led to death, did she have excessive vaginal bleeding in | discrete | character-1 | 26168 | 0 | - |
| 235 | i298o | Was the bleeding excessive? | discrete | character-1 | 26168 | 0 | - |
| 236 | i299o | Did her menstrual period stop naturally because of menopause? | discrete | character-1 | 26168 | 0 | - |
| 237 | i300o | Did she have vaginal bleeding after cessation of menstruation? | discrete | character-1 | 26168 | 0 | - |
| 238 | i301o | Was there excessive vaginal bleeding in the week prior to death? | discrete | character-1 | 26168 | 0 | - |
| 239 | i302o | At the time of death was her period overdue? | discrete | character-1 | 26168 | 0 | - |
| 240 | i303a | Had her period been overdue for at least 4 weeks? | discrete | character-1 | 26168 | 0 | - |
| 241 | i304o | Did she have a sharp pain in her abdomen shortly before death? | discrete | character-1 | 26168 | 0 | - |
| 242 | i305o | Was she pregnant (incl. in labour) at the time of death? | discrete | character-1 | 26168 | 0 | - |
| 243 | i306o | Did she die within 6 weeks of delivery, abortion or miscarriage? | discrete | character-1 | 26168 | 0 | - |
| 244 | i309o | Was she, or had she been, pregnant for less than 6 months when she died? | discrete | character-1 | 26168 | 0 | - |
| 245 | i310o | Please confirm: When she died, she was NEITHER | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|--|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| | | pregnant NOR had recently been pr | | | | | |
| 246 | i312o | Did she die during labour or delivery? | discrete | character-1 | 26168 | 0 | - |
| 247 | i313o | Did she die after delivering a baby? | discrete | character-1 | 26168 | 0 | - |
| 248 | i314o | Did she die within 24 hours after delivery? | discrete | character-1 | 26168 | 0 | - |
| 249 | i315o | Did she die within 6 weeks of childbirth? | discrete | character-1 | 26168 | 0 | - |
| 250 | i316o | Did she give birth to a live baby (within 6 weeks of her death)? | discrete | character-1 | 26168 | 0 | - |
| 251 | i317o | Did she die during or after a multiple pregnancy? | discrete | character-1 | 26168 | 0 | - |
| 252 | i318o | Was she breastfeeding the child in the days before death? | discrete | character-1 | 26168 | 0 | - |
| 253 | i319a | Did she die during or after her first pregnancy? | discrete | character-1 | 26168 | 0 | - |
| 254 | i319b | Did she have four or more pregnancies before this one? | discrete | character-1 | 26168 | 0 | - |
| 255 | i320o | Had she had any previous Caesarean section? | discrete | character-1 | 26168 | 0 | - |
| 256 | i321o | During pregnancy, did she suffer from high blood pressure? | discrete | character-1 | 26168 | 0 | - |
| 257 | i322o | Did she have foul smelling vaginal discharge during pregnancy or after delivery? | discrete | character-1 | 26168 | 0 | - |
| 258 | i323o | During the last 3 months of pregnancy, did she suffer from convulsions? | discrete | character-1 | 26168 | 0 | - |
| 259 | i324o | During the last 3 months of pregnancy did she suffer from blurred vision? | discrete | character-1 | 26168 | 0 | - |
| 260 | i325o | Did she have excessive bleeding during pregnancy or shortly after delivery? | discrete | character-1 | 26168 | 0 | - |
| 261 | i326o | Was there vaginal bleeding during the first 6 months of pregnancy? | discrete | character-1 | 26168 | 0 | - |
| 262 | i327o | Was there vaginal bleeding during the last 3 months of pregnancy but before labo | discrete | character-1 | 26168 | 0 | - |
| 263 | i328o | Did she have excessive bleeding during labour, before delivery? | discrete | character-1 | 26168 | 0 | - |
| 264 | i329o | Did she have excessive bleeding after delivery or abortion? | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|---|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 265 | i330o | Was the placenta completely delivered? | discrete | character-1 | 26168 | 0 | - |
| 266 | i331o | Did she deliver or try to deliver an abnormally positioned baby? | discrete | character-1 | 26168 | 0 | - |
| 267 | i332a | Did her labour last longer than 24 hours? | discrete | character-1 | 26168 | 0 | - |
| 268 | i333o | Did she attempt to terminate the pregnancy? | discrete | character-1 | 26168 | 0 | - |
| 269 | i334o | Did she recently have a pregnancy that ended in an abortion (spontaneous or indu | discrete | character-1 | 26168 | 0 | - |
| 270 | i335o | Did she die during an abortion? | discrete | character-1 | 26168 | 0 | - |
| 271 | i336o | Did she die within 6 weeks of having an abortion? | discrete | character-1 | 26168 | 0 | - |
| 272 | i337a | Did the mother deliver at a health facility or clinic? | discrete | character-1 | 26168 | 0 | - |
| 273 | i337b | Did the mother deliver at home? | discrete | character-1 | 26168 | 0 | - |
| 274 | i337c | Did the mother deliver elsewhere (not at a health facility nor at home)? | discrete | character-1 | 26168 | 0 | - |
| 275 | i338o | Did she receive professional assistance during the delivery? | discrete | character-1 | 26168 | 0 | - |
| 276 | i340o | Did she have an operation to remove her uterus shortly before death? | discrete | character-1 | 26168 | 0 | - |
| 277 | i342o | Was the delivery normal vaginal, without forceps or vacuum? | discrete | character-1 | 26168 | 0 | - |
| 278 | i343o | Was the delivery vaginal, with forceps or vacuum? | discrete | character-1 | 26168 | 0 | - |
| 279 | i344o | Was the delivery a Caesarean section? | discrete | character-1 | 26168 | 0 | - |
| 280 | i347o | Was her baby born more than one month early? | discrete | character-1 | 26168 | 0 | - |
| 281 | i354o | Was the child part of a multiple birth? | discrete | character-1 | 26168 | 0 | - |
| 282 | i355a | If the child was part of a multiple birth, was it born first? | discrete | character-1 | 26168 | 0 | - |
| 283 | i356o | Is the child's mother still alive? | discrete | character-1 | 26168 | 0 | - |
| 284 | i357o | Did the child's mother die during or shortly after the delivery? | discrete | character-1 | 26168 | 0 | - |
| 285 | i358a | Did the child's mother die in the baby's first year of life? | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|---|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 286 | i360a | Was the baby born in a health facility or clinic? | discrete | character-1 | 26168 | 0 | - |
| 287 | i360b | Was the baby born at home? | discrete | character-1 | 26168 | 0 | - |
| 288 | i360c | Was the baby born somewhere else (e.g. on the way to a clinic)? | discrete | character-1 | 26168 | 0 | - |
| 289 | i361o | Did the mother receive professional assistance during the delivery? | discrete | character-1 | 26168 | 0 | - |
| 290 | i362o | At birth, was the baby of usual size? | discrete | character-1 | 26168 | 0 | - |
| 291 | i363o | At birth, was the baby smaller than normal (weighing under 2.5 kg)? | discrete | character-1 | 26168 | 0 | - |
| 292 | i364o | At birth, was the baby very much smaller than usual, (weighing under 1 kg)? | discrete | character-1 | 26168 | 0 | - |
| 293 | i365o | At birth, was the baby larger than normal (weighing over 4.5 kg)? | discrete | character-1 | 26168 | 0 | - |
| 294 | i367a | Was the baby born during the ninth month (at least 37 weeks) of pregnancy? | discrete | character-1 | 26168 | 0 | - |
| 295 | i367b | Was the baby born during the eighth month (34 to 37 weeks) of pregnancy? | discrete | character-1 | 26168 | 0 | - |
| 296 | i367c | Was the baby born before the eighth month (less than 34 weeks) of pregnancy? | discrete | character-1 | 26168 | 0 | - |
| 297 | i368o | Were there any complications in the late part of the pregnancy (defined as the 1 | discrete | character-1 | 26168 | 0 | - |
| 298 | i369o | Were there any complications during labour or delivery? | discrete | character-1 | 26168 | 0 | - |
| 299 | i370o | Was any part of the baby physically abnormal at time of delivery? (for example: | discrete | character-1 | 26168 | 0 | - |
| 300 | i371o | Did the baby/child have a swelling or defect on the back? | discrete | character-1 | 26168 | 0 | - |
| 301 | i372o | Did the baby/child have a very large head? | discrete | character-1 | 26168 | 0 | - |
| 302 | i373o | Did the baby/child have a very small head? | discrete | character-1 | 26168 | 0 | - |
| 303 | i376o | Was the baby moving in the last few days before the birth? | discrete | character-1 | 26168 | 0 | - |
| 304 | i377o | Did the baby stop moving in the womb before labour started? | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|--|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 305 | i382a | Did labour and delivery take more than 24 hours? | discrete | character-1 | 26168 | 0 | - |
| 306 | i383o | Was the baby born 24 hours or more after the waters broke? | discrete | character-1 | 26168 | 0 | - |
| 307 | i384o | Was the liquor foul smelling when the waters broke? | discrete | character-1 | 26168 | 0 | - |
| 308 | i385a | Was the liquor a green or brown colour when the waters broke? | discrete | character-1 | 26168 | 0 | - |
| 309 | i387o | Was the delivery normal vaginal, without forceps or vacuum? | discrete | character-1 | 26168 | 0 | - |
| 310 | i388o | Was the delivery vaginal, with forceps or vacuum? | discrete | character-1 | 26168 | 0 | - |
| 311 | i389o | Was the delivery a Caesarean section? | discrete | character-1 | 26168 | 0 | - |
| 312 | i391o | Did the child's mother receive any vaccinations since reaching adulthood includi | discrete | character-1 | 26168 | 0 | - |
| 313 | i393o | Did the mother receive tetanus toxoid (TT) vaccine? | discrete | character-1 | 26168 | 0 | - |
| 314 | i394a | Was this baby born from the mother's first pregnancy? | discrete | character-1 | 26168 | 0 | - |
| 315 | i394b | Did the baby's mother have four or more births before this one? | discrete | character-1 | 26168 | 0 | - |
| 316 | i395o | During labour, did the baby's mother suffer from fever? | discrete | character-1 | 26168 | 0 | - |
| 317 | i396o | During the last 3 months of pregnancy, labour or delivery, did the baby's mother | discrete | character-1 | 26168 | 0 | - |
| 318 | i397o | Did the baby's mother have diabetes mellitus? | discrete | character-1 | 26168 | 0 | - |
| 319 | i398o | Did the baby's mother have foul smelling vaginal discharge during pregnancy or a | discrete | character-1 | 26168 | 0 | - |
| 320 | i399o | During the last 3 months of pregnancy, labour or delivery, did the baby's mother | discrete | character-1 | 26168 | 0 | - |
| 321 | i400o | During the last 3 months of pregnancy did the baby's mother suffer from blurred | discrete | character-1 | 26168 | 0 | - |
| 322 | i401o | Did the baby's mother have severe anaemia? | discrete | character-1 | 26168 | 0 | - |
| 323 | i402o | Did the baby's mother have vaginal bleeding during the last 3 months of pregnanc | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|--|-----------------------|--|----------|-------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 324 | i403o | Did the baby's bottom, feet, arm or hand come out of the vagina before its head? | discrete | character-1 | 26168 | 0 | - |
| 325 | i404o | Was the umbilical cord wrapped more than once around the baby's neck at birth? | discrete | character-1 | 26168 | 0 | - |
| 326 | i405o | Was the umbilical cord delivered first? | discrete | character-1 | 26168 | 0 | - |
| 327 | i406o | Was the baby blue in colour at birth? | discrete | character-1 | 26168 | 0 | - |
| 328 | i408o | Before the illness that led to death, was the baby/child growing normally? | discrete | character-1 | 26168 | 0 | - |
| 329 | i411o | Did (s)he drink alcohol? | discrete | character-1 | 26168 | 0 | - |
| 330 | i412o | Did (s)he use tobacco? | discrete | character-1 | 26168 | 0 | - |
| 331 | i413o | Did (s)he smoke tobacco (cigarette, cigar, pipe, etc.)? | discrete | character-1 | 26168 | 0 | - |
| 332 | i414a | Did (s)he use non-smoking tobacco? | discrete | character-1 | 26168 | 0 | - |
| 333 | i415a | Did (s)he smoke at least 10 cigarettes daily? | discrete | character-1 | 26168 | 0 | - |
| 334 | i418o | Did (s)he receive any treatment for the illness that led to death? | discrete | character-1 | 26168 | 0 | - |
| 335 | i419o | Did (s)he receive oral rehydration salts? | discrete | character-1 | 26168 | 0 | - |
| 336 | i420o | Did (s)he receive (or need) intravenous fluids (drip) treatment? | discrete | character-1 | 26168 | 0 | - |
| 337 | i421o | Did (s)he receive (or need) a blood transfusion? | discrete | character-1 | 26168 | 0 | - |
| 338 | i422o | Did (s)he receive (or need) treatment/food through a tube passed through the nos | discrete | character-1 | 26168 | 0 | - |
| 339 | i423o | Did (s)he receive (or need) injectable antibiotics? | discrete | character-1 | 26168 | 0 | - |
| 340 | i424o | Did (s)he receive (or need) antiretroviral therapy (ART)? | discrete | character-1 | 26168 | 0 | - |
| 341 | i425o | Did (s)he have (or need) an operation for the illness? | discrete | character-1 | 26168 | 0 | - |
| 342 | i426o | Did (s)he have the operation within 1 month before death? | discrete | character-1 | 26168 | 0 | - |
| 343 | i427o | Was (s)he discharged from hospital very ill? | discrete | character-1 | 26168 | 0 | - |
| 344 | i428o | Did (s)he receive appropriate immunizations? | discrete | character-1 | 26168 | 0 | - |
| 345 | i450o | In the final days before death, did s/he travel to a hospital or health facility | discrete | character-1 | 26168 | 0 | - |

| File AHRI.HDSS.VA-detailed-input-data-2000-2024.v1 | | | | | | | |
|--|----------------------------|--|----------|--------------|-------|---------|----------|
| # | Name | Label | Type | Format | Valid | Invalid | Question |
| 346 | i451o | Did (s)he use motorised transport to get to the hospital or health facility? | discrete | character-1 | 26168 | 0 | - |
| 347 | i452o | Were there any problems during admission to the hospital or health facility? | discrete | character-1 | 26168 | 0 | - |
| 348 | i453o | Were there any problems with the way (s)he was treated (medical treatment, proce | discrete | character-1 | 26168 | 0 | - |
| 349 | i454o | Were there any problems getting medications, or diagnostic tests in the hospital | discrete | character-1 | 26168 | 0 | - |
| 350 | i455o | Does it take more than 2 hours to get to the nearest hospital or health facility | discrete | character-1 | 26168 | 0 | - |
| 351 | i456o | In the final days before death, were there any doubts about whether medical care | discrete | character-1 | 26168 | 0 | - |
| 352 | i457o | In the final days before death, was traditional medicine used? | discrete | character-1 | 26168 | 0 | - |
| 353 | i458o | In the final days before death, did anyone use a telephone or cell phone to call | discrete | character-1 | 26168 | 0 | - |
| 354 | i459o | Over the course of illness, did the total costs of care and treatment prohibit o | discrete | character-1 | 26168 | 0 | - |
| 355 | covid_diag | Was there any diagnosis by a health professional of COVID-19? | discrete | character-3 | 26168 | 0 | - |
| 356 | covid_test | Did s(h)e have a recent test by a health professional for COVID-19? | discrete | character-3 | 26168 | 0 | - |
| 357 | covid_te.. | What was the result of the Covid-19 test? | discrete | numeric-12.0 | 23509 | 2659 | - |
| 358 | taste_loss | Did (s)he experience a new loss, change or decreased sense of smell or taste? | discrete | character-3 | 26168 | 0 | - |
| 359 | extreme .. | Did s(h)e suffer from extreme fatigue? | discrete | character-3 | 26168 | 0 | - |

Variables Description

Dataset contains 392 variable(s)

File : AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v1

IntID: Unique Internal Id of Individual

Information [Type= continuous] [Format=numeric] [Range= 11-275724] [Missing=*]

Statistics [NW/ W] [Valid=27431 /-] [Invalid=0 /-] [Mean=80283.541 /-] [StdDev=61433.995 /-]

DoB_ym: Date of birth (Year-Month)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=27431 /-] [Invalid=0 /-]

DoD_ym: Date of Death (Year-Month)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=27431 /-] [Invalid=0 /-]

Sex: What was the sex of the deceased?

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=27431 /-] [Invalid=0 /-]

| Value | Label | Cases | Percentage |
|-------|---------|-------|------------|
| 0 | Unknown | 1 | 0.0% |
| 1 | Male | 13752 | 50.1% |
| 2 | Female | 13678 | 49.9% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Age_in_years: Age in completed years Numeric

Information [Type= continuous] [Format=numeric] [Range= 0-122] [Missing=*]

Statistics [NW/ W] [Valid=27431 /-] [Invalid=0 /-] [Mean=44.813 /-] [StdDev=24.463 /-]

Age_in_days: Age in days for deceased that died before the age of 1

Information [Type= continuous] [Format=numeric] [Range= 0-364] [Missing=*]

Statistics [NW/ W] [Valid=1313 /-] [Invalid=26118 /-] [Mean=141.107 /-] [StdDev=104.024 /-]

MissingVA: Was the verbal autopsy not completed?

Information [Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]

Statistics [NW/ W] [Valid=27431 /-] [Invalid=0 /-]

| Value | Label | Cases | Percentage |
|-------|----------------|-------|------------|
| 1 | Yes | 1263 | 4.6% |
| 2 | No | 26168 | 95.4% |
| 997 | Not Applicable | 0 | |
| 999 | Missing | 0 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

NonContact: Was it a non-contact?

Information [Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]

Statistics [NW/ W] [Valid=8322 /-] [Invalid=19109 /-]

| Value | Label | Cases | Percentage |
|-------|----------------|-------|------------|
| 1 | Yes | 273 | 3.3% |
| 2 | No | 8049 | 96.7% |
| 997 | Not Applicable | 0 | |
| 999 | Missing | 0 | |

File : AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v1

NonContact: Was it a non-contact?

| Value | Label | Cases | Percentage |
|---------|-------|-------|------------|
| Sysmiss | | 19109 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

VAREfused: Was participation refused ?

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*] |
| Statistics [NW/ W] | [Valid=8323 /-] [Invalid=19108 /-] |

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 1 | Yes | 335 | 4.0% |
| 2 | No | 7988 | 96.0% |
| 997 | Not Applicable | 0 | |
| 999 | Missing | 0 | |
| Sysmiss | | 19108 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Questionnaire: Verbal autopsy questionnaire used for data collection (dates are indicative)

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-997] [Missing=*] |
| Statistics [NW/ W] | [Valid=27431 /-] [Invalid=0 /-] |

| Value | Label | Cases | Percentage |
|-------|--|-------|------------|
| 1 | AHRI Form (2000-2016) | 1204 | 4.4% |
| 2 | WHO 2016 standard (2017-2021) | 5041 | 18.4% |
| 3 | WHO 2022 standard (2022-2024) | 2668 | 9.7% |
| 4 | AHRI Form & Checklist1(CL1)(2000-2009) | 12121 | 44.2% |
| 5 | AHRI Form & Checklist2(CL2)(2010-2016) | 4308 | 15.7% |
| 6 | AHRI Form, CL1 & CL2 (2010) | 826 | 3.0% |
| 997 | Not Applicable | 1263 | 4.6% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

VAVisitDate: VA Visit Date

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=27431 /-] |

VAInterviewType: Interview modality (face-to-face in the field or telephonic)

| | |
|---------------------------|--|
| Information | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| Statistics [NW/ W] | [Valid=27431 /-] [Invalid=0 /-] |

| Value | Label | Cases | Percentage |
|-------|----------------------|-------|------------|
| 1 | Field Interview | 23050 | 84.0% |
| 2 | Telephonic Interview | 4381 | 16.0% |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RespRelationship: Respondent's relationship to deceased (important classification change in 2017)

| | |
|---------------------------|---|
| Information | [Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*] |
| Statistics [NW/ W] | [Valid=26249 /-] [Invalid=1182 /-] |

| Value | Label | Cases | Percentage |
|-------|----------------------|-------|------------|
| 1 | Another Relationship | 778 | 3.0% |
| 2 | Child | 2360 | 9.0% |

File : AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v1

RespRelationship: Respondent's relationship to deceased (important classification change in 2017)

| Value | Label | Cases | Percentage |
|---------|---------------------------------|-------|------------|
| 3 | Child | 2250 | 8.6% |
| 4 | Daughter-in-law | 751 | 2.9% |
| 5 | Father-in-law | 6 | 0.0% |
| 6 | Family Member(Household Member) | 2857 | 10.9% |
| 7 | Friend | 2 | 0.0% |
| 8 | Grandchild | 758 | 2.9% |
| 9 | Grandparent | 1327 | 5.1% |
| 10 | Mother-in-law | 172 | 0.7% |
| 11 | Other | 346 | 1.3% |
| 12 | Other non-relative | 521 | 2.0% |
| 13 | Other relative | 3198 | 12.2% |
| 14 | Parent | 6060 | 23.1% |
| 15 | Public Official | 1 | 0.0% |
| 16 | Sibling | 2568 | 9.8% |
| 17 | Son-in-law | 19 | 0.1% |
| 18 | Spouse | 2275 | 8.7% |
| Sysmiss | | 1182 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LivedWithDeceased: Did the respondent live with the deceased in the period leading to death?

| Value | Label | Cases | Percentage |
|---------|----------------|-------|------------|
| 1 | Yes | 22727 | 91.0% |
| 2 | No | 2244 | 9.0% |
| 997 | Not Applicable | 0 | |
| 999 | Missing | 0 | |
| Sysmiss | | 2460 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeathSetting: Where did the deceased die?

| Value | Label | Cases | Percentage |
|---------|--|-------|------------|
| 1 | Home | 11190 | 44.6% |
| 2 | Hospital | 10840 | 43.2% |
| 3 | Other Health facility | 844 | 3.4% |
| 4 | Other | 2009 | 8.0% |
| 5 | On route to hospital or facility (only from 2017 on) | 199 | 0.8% |
| Sysmiss | | 2349 | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

cause1_InterVA: Cause 1 - InterVA5 causes of death

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 1 | ... | ... | ... |

File : AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v1

lik1_InterVA: Likelihood cause 1 - InterVA5 causes of death

Information [Type= continuous] [Format=numeric] [Range= 0.4-1] [Missing=*/11]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=1263 /-] [Mean=0.907 /-] [StdDev=0.156 /-]

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 11 | .. | | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

cause2_InterVA: Cause 2 - InterVA5 causes of death

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=2198 /-] [Invalid=0 /-]

lik2_InterVA: Likelihood cause 2 - InterVA5 causes of death

Information [Type= continuous] [Format=numeric] [Range= 0.2-0.5] [Missing=*/11]

Statistics [NW/ W] [Valid=2198 /-] [Invalid=25233 /-] [Mean=0.375 /-] [StdDev=0.0682 /-]

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 11 | .. | | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

cause3_InterVA: Cause 3 - InterVA5 causes of death

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=0 /-]

lik3_InterVA: Likelihood cause 3 - InterVA5 causes of death

Information [Type= continuous] [Format=numeric] [Range= 0.21-0.28] [Missing=*/11]

Statistics [NW/ W] [Valid=71 /-] [Invalid=27360 /-] [Mean=0.237 /-] [StdDev=0.0194 /-]

| Value | Label | Cases | Percentage |
|-------|-------|-------|------------|
| 11 | .. | | |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

cause1_InSilicoVA: Cause 1 - InSilicoVA causes of death

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=27431 /-] [Invalid=0 /-]

prob1_InSilicoVA: Probability cause 1 - InSilicoVA causes of death

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

prob1_upper: Probability cause 1 95% CI upper bound - InSilicoVA

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=25381 /-] [Invalid=0 /-]

prob1_lower: Probability cause 1 95% CI lower bound InSilicoVA

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=25381 /-] [Invalid=0 /-]

cause2_InSilicoVA: Cause 2 - InSilicoVA causes of death

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=4079 /-] [Invalid=0 /-]

File : AHRI.HDSS.DEATHS-Cause-of-death-2000-2024.v1**# prob2_InSilicoVA: Probability cause 2 - InSilicoVA causes of death**

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
|--------------------|---|

| | |
|---------------------------|--------------------------------|
| Statistics [NW/ W] | [Valid=4079 /-] [Invalid=0 /-] |
|---------------------------|--------------------------------|

prob2_upper: Probability cause 2 95% CI upper bound - InSilicoVA

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
|--------------------|---|

| | |
|---------------------------|--------------------------------|
| Statistics [NW/ W] | [Valid=4079 /-] [Invalid=0 /-] |
|---------------------------|--------------------------------|

prob2_lower: Probability cause 2 95% CI lower bound InSilicoVA

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
|--------------------|---|

| | |
|---------------------------|--------------------------------|
| Statistics [NW/ W] | [Valid=4079 /-] [Invalid=0 /-] |
|---------------------------|--------------------------------|

cause3_InSilicoVA: Cause 3 - InSilicoVA causes of death

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
|--------------------|---|

| | |
|---------------------------|-------------------------------|
| Statistics [NW/ W] | [Valid=178 /-] [Invalid=0 /-] |
|---------------------------|-------------------------------|

prob3_InSilicoVA: Probability cause 3 - InSilicoVA causes of death

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
|--------------------|---|

| | |
|---------------------------|-------------------------------|
| Statistics [NW/ W] | [Valid=178 /-] [Invalid=0 /-] |
|---------------------------|-------------------------------|

prob3_upper: Probability cause 3 95% CI upper bound - InSilicoVA

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
|--------------------|---|

| | |
|---------------------------|-------------------------------|
| Statistics [NW/ W] | [Valid=178 /-] [Invalid=0 /-] |
|---------------------------|-------------------------------|

prob3_lower: Probability cause 3 95% CI lower bound InSilicoVA

| | |
|--------------------|---|
| Information | [Type= discrete] [Format=character] [Missing=*] |
|--------------------|---|

| | |
|---------------------------|-------------------------------|
| Statistics [NW/ W] | [Valid=178 /-] [Invalid=0 /-] |
|---------------------------|-------------------------------|

File : AHRI.HDSS.VA-detailed-input-data-2000-2024.v1

| | |
|--|---|
| # IIntID | |
| Information | [Type= continuous] [Format=numeric] [Range= 11-275724] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] [Mean=80219.112 /-] [StdDev=61584.186 /-] |
| # i004a: Did s(he) die during the wet season? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i004b: Did s(he) die during the dry season? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i019a: Was he male? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i019b: Was she female? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i022a: Was s(he) aged 65 years or more at death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i022b: Was s(he) aged 50 to 64 years at death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i022c: Was s(he) aged 15 to 49 years at death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i022d: Was s(he) aged 5-14 years at death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i022e: Was s(he) aged 1 to 4 years at death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i022f: Was s(he) aged 1 to 11 months at death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i022g: Was s(he) aged < 1 month (28 days) at death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i022h: Was s(he) a live baby who died within 24 hours of birth? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |

File : AHRI.HDSS.VA-detailed-input-data-2000-2024.v1**# i022h: Was s(he) a live baby who died within 24 hours of birth?**

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i022i: Was s(he) a baby who died between 24 and 48 hours of birth?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i022j: Was s(he) a baby who died more than 48 hours from birth, but within the first we

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i022k: Was s(he) a baby who died after the first week, but within the first month?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i022l: Was she a woman aged 12-19 years at death?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i022m: Was she a woman aged 20-34 years at death?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i022n: Was she a woman aged 35 to 49 years at death?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i059o: Was she married at the time of death?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i077o: Did (s)he suffer from any injury or accident that led to her/his death?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i079o: Was (s)he injured in a road traffic accident?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i082o: Was (s)he injured in a non-road transport accident?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i083o: Was (s)he injured in a fall?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i084o: Was (s)he poisoned in any way?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

File : AHRI.HDSS.VA-detailed-input-data-2000-2024.v1**# i085o: Did (s)he die of drowning?****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=26168 /-] [Invalid=0 /-]**# i086o: Was (s)he injured by the bite or sting of a venomous animal?****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=26168 /-] [Invalid=0 /-]**# i087o: Was (s)he injured by an animal or insect (non-venomous)****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=26168 /-] [Invalid=0 /-]**# i089o: Was (s)he injured by burns or fire?****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=26168 /-] [Invalid=0 /-]**# i090o: Was (s)he subject to violence (suicide, homicide, abuse)?****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=26168 /-] [Invalid=0 /-]**# i091o: Was (s)he injured by a fire arm?****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=26168 /-] [Invalid=0 /-]**# i092o: Was (s)he stabbed, cut or pierced?****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=26168 /-] [Invalid=0 /-]**# i093o: Was (s)he strangled?****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=26168 /-] [Invalid=0 /-]**# i094o: Was (s)he injured by a blunt force?****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=26168 /-] [Invalid=0 /-]**# i095o: Was (s)he injured by a force of nature?****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=26168 /-] [Invalid=0 /-]**# i096o: Was (s)he electrocuted?****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=26168 /-] [Invalid=0 /-]**# i098o: Was the injury accidental?****Information** [Type= discrete] [Format=character] [Missing=*]**Statistics [NW/ W]** [Valid=26168 /-] [Invalid=0 /-]**# i099o: Was the injury or accident self-inflicted?****Information** [Type= discrete] [Format=character] [Missing=*]

File : AHRI.HDSS.VA-detailed-input-data-2000-2024.v1**# i099o: Was the injury or accident self-inflicted?**

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i100o: Was the injury or accident intentionally inflicted by someone else?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i104o: Did the baby ever cry?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i105o: Did the baby cry immediately after birth, even if only a little bit?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i106a: Was it more than 5 minutes after birth before the baby first cried?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i107o: Did the baby stop being able to cry?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i108a: Did the baby stop crying more than a day before (s)he died?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i109o: Did the baby ever move?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i110o: Did the baby ever breathe?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i111o: Did the baby breathe immediately after birth, even a little?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i112o: Did the baby have a breathing problem?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i113o: Was the baby given assistance to breathe at birth?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

i114o: If the baby didn't show any sign of life, was it born dead?

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=26168 /-] [Invalid=0 /-]

| | |
|---|---|
| # i115o: Were there any bruises or signs of injury on child's body after the birth? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i116o: Was the baby's body soft, pulpy and discoloured with the skin peeling away? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i120a: Did the final illness last less than 3 weeks? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i120b: Did the final illness last at least 3 weeks? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i123o: Did (s)he die suddenly? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i125o: Was there any diagnosis by a health professional of tuberculosis? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i127o: Was there any diagnosis by a health professional of HIV/AIDS? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i128o: Did (s)he have a recent positive test by a health professional for malaria? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i129o: Did (s)he have a recent negative test by a health professional for malaria? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i130o: Was there any diagnosis by a health professional of dengue fever? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i131o: Was there any diagnosis by a health professional of measles? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i132o: Was there any diagnosis by a health professional of high blood pressure? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i133o: Was there any diagnosis by a health professional of heart disease? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i134o: Was there any diagnosis by a health professional of diabetes? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i135o: Was there any diagnosis by a health professional of asthma? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i136o: Was there any diagnosis by a health professional of epilepsy? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i137o: Was there any diagnosis by a health professional of cancer? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i138o: Was there any diagnosis by a health professional of Chronic Obstructive Pulmonar | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i139o: Was there any diagnosis by a physician or health worker of dementia? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i140o: Was there any diagnosis by a health professional of depression? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i141o: Was there any diagnosis by a health professional of stroke? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i142o: Was there any diagnosis by a health professional of sickle cell disease? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i143o: Was there any diagnosis by a health professional of kidney disease? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i144o: Was there any diagnosis by a health professional of liver disease? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i147o: During the illness that led to death, did (s)he have a fever? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i148a: Did the fever last less than a week before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|---|---|
| # i148b: Did the fever last at least one week, but less than 2 weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i148c: Did the fever last at least 2 weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i149o: Did the fever continue until death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i150a: Was the fever severe? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i151a: Was the fever continuous? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i152o: Did (s)he have night sweats? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i153o: During the illness that led to death, did (s)he have a cough? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i154a: Did the cough last less than 3 weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i154b: Did the cough last at least 3 weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i155o: Was the cough productive, with sputum? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i156o: Was the cough very severe? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i157o: Did (s)he cough up blood? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i158o: Did (s)he make a whooping sound when coughing? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i159o: During the illness that led to death, did (s)he have any difficulty breathing? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i161a: Did the difficult breathing last for at least 3 days before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i165a: Was the difficult breathing continuous during this period? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i166o: Did (s)he have fast breathing? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i167a: Did the fast breathing last for less than two weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i167b: Did the fast breathing last for at least 2 weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i168o: Did (s)he have breathlessness? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i169a: Did the breathlessness last for less than 2 weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i169b: Did the breathlessness last for at least 2 weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i170o: Was (s)he unable to carry out daily routines due to breathlessness? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i171o: Was (s)he breathless while lying flat? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i172o: Did you see the lower chest wall/ribs being pulled in as the child breathed? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i173a: Did his/her breathing sound like wheezing or grunting? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i174o: During the illness that led to death, did (s)he have chest pain? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i175o: Was the chest pain severe? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i176a: Did (s)he experience chest pain at least 3 days before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i178a: Did the chest pain last for at least 30 minutes? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i181o: Did (s)he have diarrhoea? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i182a: Did (s)he have diarrhoea for less than 2 weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i182b: Did (s)he have diarrhoea for at least 2 weeks but less than 4 weeks before death | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i182c: Did (s)he have diarrhoea for at least 4 weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i183a: Did the baby or child have at least 4 stools on the day that loose liquid stools | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i184a: Did the frequent loose or liquid stools start at least 3 days before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i185o: Did the frequent loose or liquid stools continue up until death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i186o: At any time during the final illness was there blood in the stools? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i187o: Was there blood in the stool up until death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i188o: During the illness that led to death, did (s)he vomit? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i189o: Did (s)he vomit in the week preceding the death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i190o: Did (s)he vomit for at least 3 days before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i191o: Was there blood in the vomit? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i192o: Was the vomit black? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i193o: During the illness that led to death, did (s)he have any abdominal (belly) probl | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i194o: Did (s)he have abdominal pain? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i195o: Was the abdominal pain severe? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i197a: Did (s)he have severe abdominal pain for less than 2 weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i197b: Did (s)he have severe abdominal pain for at least 2 weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i199a: Was the pain in the upper abdomen? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i199b: Was the pain in the lower abdomen? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i200o: Did (s)he have a more than usually protruding abdomen? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i201a: Did (s)he have a more than usually protruding abdomen for less than 2 weeks befo | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i201b: Did (s)he have a more than usually protruding abdomen for at least 2 weeks befor | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i203a: Did (s)he develop the protruding abdomen rapidly? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i204o: Did (s)he have any mass in the abdomen? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i205a: Did (s)he have a mass in the abdomen for less than 2 weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i205b: Did (s)he have a mass in the abdomen for at least 2 weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i207o: During the illness that led to death, did (s)he have a severe headache? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i208o: During the illness that led to death, did (s)he have a stiff neck? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i209a: Did (s)he have a stiff neck for less than one week before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i209b: Did (s)he have a stiff neck for at least one week before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i210o: During the illness that led to death, did (s)he have a painful neck? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|---|---|
| # i211a: Did (s)he have a painful neck for at least one week before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i212o: During the illness that led to death, did (s)he have mental confusion? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i213o: Did (s)he have mental confusion for at least 3 months before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i214o: During the illness that led to death, was (s)he unconscious? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i215o: Was (s)he unconscious for at least 24 hours before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i216a: Was (s)he unconscious for at least 6 hours before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i217o: Did the unconsciousness start suddenly, quickly (at least within a single day)? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i218o: Did the unconsciousness continue until death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i219o: During the illness that led to death, did (s)he have any convulsions? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i220o: Did (s)he experience any generalized convulsions or fits? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i221a: Did the convulsions last for less than 10 minutes? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i221b: Did the convulsions last for at least 10 minutes? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i222o: Did (s)he become unconscious immediately after the convulsion? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i223o: During the illness that led to death, did (s)he have any urine problems? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i224o: Did (s)he stop urinating? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i225o: Did (s)he go to urinate more often than usual? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i226o: Did (s)he pass blood in the urine? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i227o: During the illness that led to death, did (s)he have any sores or ulcers anywher | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i228o: Did (s)he have sores? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i229o: Did the sores have clear fluid and/or pus? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i230o: Did (s)he have an ulcer (pit) on the foot? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i231o: Did any ulcer ooze pus? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i232a: Did the ulcer ooze pus for at least 2 weeks? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i233o: During the illness that led to death, did (s)he have any skin rash? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i234a: Did (s)he have the skin rash for less than one week? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i234b: Did (s)he have the skin rash for at least one week? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i235a: Did (s)he have a rash on the face? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i235b: Did (s)he have a rash on the trunk or abdomen? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i235c: Did (s)he have a rash on the extremities? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i235d: Did (s)he have a rash everywhere? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i236o: Did (s)he have measles rash? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i237o: Did (s)he ever have shingles or herpes zoster? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i238o: During the illness that led to death, did her/his skin flake off in patches? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i239o: During the illness that led to death, did he/she have areas of the skin that tur | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i240o: During the illness that led to death, did he/she have areas of the skin with red | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i241o: During the illness that led to death, did (s)he bleed from anywhere? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i242o: Did (s)he bleed from the nose, mouth or anus? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i243o: During the illness that led to death, did (s)he have noticeable weight loss? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i244o: Was (s)he severely thin or wasted? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i245o: During the illness that led to death, did s/he have a whitish rash inside the mo | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i246o: During the illness that led to death, did (s)he have stiffness of the whole body | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i247o: During the illness that led to death, did (s)he have puffiness of the face? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i248a: Did (s)he have puffiness of the face for at least one week before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i249o: During the illness that led to death, did (s)he have swollen legs or feet? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i250a: Did the swelling last for at least 3 days before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i251o: Did (s)he have both feet swollen? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i252o: During the illness that led to death, did (s)he have general puffiness all over | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i253o: During the illness that led to death, did (s)he have any lumps? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i254o: Did (s)he have any lumps or lesions in the mouth? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i255o: Did (s)he have any lumps in the neck? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|---|---|
| # i256o: Did (s)he have any lumps in the armpit? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i257o: Did (s)he have any lumps in the groin? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i258o: During the illness that led to death, was (s)he in any way paralysed? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i259o: Did (s)he have paralysis of only one side of the body? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i260a: Was only the right side of the body paralysed? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i260b: Was only the left side of the body paralysed? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i260c: Was only the lower part of the body paralysed? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i260d: Was only the upper part of the body paralysed? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i260e: Was only one leg paralysed? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i260f: Was only one arm paralysed? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i260g: Was the entire body paralysed? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i261o: During the illness that led to death, did (s)he have difficulty swallowing? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i262a: Did (s)he have difficulty swallowing for at least one week before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i263a: Did (s)he have difficulty with swallowing solids? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i263b: Did (s)he have difficulty with swallowing liquids? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i264o: Did (s)he have pain upon swallowing? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i265o: During the illness that led to death, did (s)he have yellow discolouration of th | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i266a: Did (s)he have the yellow discolouration for at least 3 weeks before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i267o: During the illness that led to death, did her/his hair change to a reddish or ye | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i268o: During the illness that led to death, did (s)he look pale (thinning/lack of bloo | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i269o: During the illness that led to death, did (s)he have sunken eyes? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i270o: During the illness that led to death, did (s)he drink a lot more water than usua | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i271o: Was the baby able to suckle or bottle-feed within the first 24 hours after birth | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i272o: Did the baby ever suckle in a normal way? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i273o: Did the baby stop suckling? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i274a: Did the baby stop suckling on the 2nd day of life or later? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i275o: Did the baby have convulsions starting within the first 24 hours of life? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i276o: Did the baby have convulsions starting more than 24 hours after birth? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i277o: Did the baby's body become stiff, with the back arched backwards? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i278o: During the illness that led to death, did the baby have a bulging or raised font | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i279o: During the illness that led to death, did the baby have a sunken fontanelle? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i281o: During the illness that led to death, did the baby become unresponsive or uncons | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i282o: Did the baby become unresponsive or unconscious soon after birth, within less th | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i283o: Did the baby become unresponsive or unconscious more than 24 hours after birth? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i284o: During the illness that led to death, did the baby become cold to touch? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i285a: Was the baby more than 3 days old when it started feeling cold to touch? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i286o: During the illness that led to death, did the baby become lethargic, after a per | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i287o: Did the baby have redness or discharge from the umbilical cord stump? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i288o: During the illness that led to death, did the baby have skin ulcer(s) or pits? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i289o: During the illness that led to death, did the baby have yellow skin, palms (hand | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i290o: Did the baby or infant appear to be healthy and then just die suddenly? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i294o: During the illness that led to death, did she have any swelling or lump in the b | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i295o: During the illness that led to death, did she have any ulcers (pits) in the brea | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i296o: Did she ever have a period or menstruate? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i297o: During the illness that led to death, did she have excessive vaginal bleeding in | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i298o: Was the bleeding excessive? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i299o: Did her menstrual period stop naturally because of menopause? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i300o: Did she have vaginal bleeding after cessation of menstruation? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i301o: Was there excessive vaginal bleeding in the week prior to death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i302o: At the time of death was her period overdue? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i303a: Had her period been overdue for at least 4 weeks? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i304o: Did she have a sharp pain in her abdomen shortly before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i305o: Was she pregnant (incl. in labour) at the time of death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i306o: Did she die within 6 weeks of delivery, abortion or miscarriage? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i309o: Was she, or had she been, pregnant for less than 6 months when she died? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i310o: Please confirm: When she died, she was NEITHER pregnant NOR had recently been pr | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i312o: Did she die during labour or delivery? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i313o: Did she die after delivering a baby? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i314o: Did she die within 24 hours after delivery? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i315o: Did she die within 6 weeks of childbirth? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i316o: Did she give birth to a live baby (within 6 weeks of her death)? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i317o: Did she die during or after a multiple pregnancy? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i318o: Was she breastfeeding the child in the days before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i319a: Did she die during or after her first pregnancy? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i319b: Did she have four or more pregnancies before this one? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i320o: Had she had any previous Caesarean section? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i321o: During pregnancy, did she suffer from high blood pressure? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i322o: Did she have foul smelling vaginal discharge during pregnancy or after delivery? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i323o: During the last 3 months of pregnancy, did she suffer from convulsions? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i324o: During the last 3 months of pregnancy did she suffer from blurred vision? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i325o: Did she have excessive bleeding during pregnancy or shortly after delivery? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i326o: Was there vaginal bleeding during the first 6 months of pregnancy? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i327o: Was there vaginal bleeding during the last 3 months of pregnancy but before labo | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i328o: Did she have excessive bleeding during labour, before delivery? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i329o: Did she have excessive bleeding after delivery or abortion? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i330o: Was the placenta completely delivered? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i331o: Did she deliver or try to deliver an abnormally positioned baby? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i332a: Did her labour last longer than 24 hours? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i333o: Did she attempt to terminate the pregnancy? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i334o: Did she recently have a pregnancy that ended in an abortion (spontaneous or indu | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i335o: Did she die during an abortion? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i336o: Did she die within 6 weeks of having an abortion? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i337a: Did the mother deliver at a health facility or clinic? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i337b: Did the mother deliver at home? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i337c: Did the mother deliver elsewhere (not at a health facility nor at home)? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i338o: Did she receive professional assistance during the delivery? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i340o: Did she have an operation to remove her uterus shortly before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|---|---|
| # i342o: Was the delivery normal vaginal, without forceps or vacuum? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i343o: Was the delivery vaginal, with forceps or vacuum? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i344o: Was the delivery a Caesarean section? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i347o: Was her baby born more than one month early? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i354o: Was the child part of a multiple birth? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i355a: If the child was part of a multiple birth, was it born first? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i356o: Is the child's mother still alive? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i357o: Did the child's mother die during or shortly after the delivery? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i358a: Did the child's mother die in the baby's first year of life? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i360a: Was the baby born in a health facility or clinic? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i360b: Was the baby born at home? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i360c: Was the baby born somewhere else (e.g. on the way to a clinic)? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i361o: Did the mother receive professional assistance during the delivery? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i362o: At birth, was the baby of usual size? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i363o: At birth, was the baby smaller than normal (weighing under 2.5 kg)? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i364o: At birth, was the baby very much smaller than usual, (weighing under 1 kg)? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i365o: At birth, was the baby larger than normal (weighing over 4.5 kg)? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i367a: Was the baby born during the ninth month (at least 37 weeks) of pregnancy? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i367b: Was the baby born during the eighth month (34 to 37 weeks) of pregnancy? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i367c: Was the baby born before the eighth month (less than 34 weeks) of pregnancy? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i368o: Were there any complications in the late part of the pregnancy (defined as the 1 | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i369o: Were there any complications during labour or delivery? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i370o: Was any part of the baby physically abnormal at time of delivery? (for example: | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i371o: Did the baby/child have a swelling or defect on the back? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i372o: Did the baby/child have a very large head? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i373o: Did the baby/child have a very small head? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i376o: Was the baby moving in the last few days before the birth? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i377o: Did the baby stop moving in the womb before labour started? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i382a: Did labour and delivery take more than 24 hours? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i383o: Was the baby born 24 hours or more after the waters broke? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i384o: Was the liquor foul smelling when the waters broke? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i385a: Was the liquor a green or brown colour when the waters broke? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i387o: Was the delivery normal vaginal, without forceps or vacuum? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i388o: Was the delivery vaginal, with forceps or vacuum? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i389o: Was the delivery a Caesarean section? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i391o: Did the child's mother receive any vaccinations since reaching adulthood includi | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i393o: Did the mother receive tetanus toxoid (TT) vaccine? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i394a: Was this baby born from the mother's first pregnancy? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i394b: Did the baby's mother have four or more births before this one? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i395o: During labour, did the baby's mother suffer from fever? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i396o: During the last 3 months of pregnancy, labour or delivery, did the baby's mother | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i397o: Did the baby's mother have diabetes mellitus? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i398o: Did the baby's mother have foul smelling vaginal discharge during pregnancy or a | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i399o: During the last 3 months of pregnancy, labour or delivery, did the baby's mother | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i400o: During the last 3 months of pregnancy did the baby's mother suffer from blurred | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i401o: Did the baby's mother have severe anaemia? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i402o: Did the baby's mother have vaginal bleeding during the last 3 months of pregnanc | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i403o: Did the baby's bottom, feet, arm or hand come out of the vagina before its head? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i404o: Was the umbilical cord wrapped more than once around the baby's neck at birth? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i405o: Was the umbilical cord delivered first? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i406o: Was the baby blue in colour at birth? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i408o: Before the illness that led to death, was the baby/child growing normally? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i411o: Did (s)he drink alcohol? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i412o: Did (s)he use tobacco? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i413o: Did (s)he smoke tobacco (cigarette, cigar, pipe, etc.)? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i414a: Did (s)he use non-smoking tobacco? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i415a: Did (s)he smoke at least 10 cigarettes daily? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i418o: Did (s)he receive any treatment for the illness that led to death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i419o: Did (s)he receive oral rehydration salts? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i420o: Did (s)he receive (or need) intravenous fluids (drip) treatment? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i421o: Did (s)he receive (or need) a blood transfusion? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i422o: Did (s)he receive (or need) treatment/food through a tube passed through the nos | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i423o: Did (s)he receive (or need) injectable antibiotics? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | |
|--|---|
| # i424o: Did (s)he receive (or need) antiretroviral therapy (ART)? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i425o: Did (s)he have (or need) an operation for the illness? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i426o: Did (s)he have the operation within 1 month before death? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i427o: Was (s)he discharged from hospital very ill? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i428o: Did (s)he receive appropriate immunizations? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i450o: In the final days before death, did s/he travel to a hospital or health facility | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i451o: Did (s)he use motorised transport to get to the hospital or health facility? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i452o: Were there any problems during admission to the hospital or health facility? | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i453o: Were there any problems with the way (s)he was treated (medical treatment, proce | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i454o: Were there any problems getting medications, or diagnostic tests in the hospital | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |
| # i455o: Does it take more than 2 hours to get to the nearest hospital or health facility | |
| Information | [Type= discrete] [Format=character] [Missing=*] |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] |

| | | | |
|--|--|--------------|-------------------|
| # i456o: In the final days before death, were there any doubts about whether medical care | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] | | |
| # i457o: In the final days before death, was traditional medicine used? | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] | | |
| # i458o: In the final days before death, did anyone use a telephone or cell phone to call | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] | | |
| # i459o: Over the course of illness, did the total costs of care and treatment prohibit o | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] | | |
| # covid_diag: Was there any diagnosis by a health professional of COVID-19? | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] | | |
| # covid_test: Did s(h)e have a recent test by a health professional for COVID-19? | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] | | |
| # covid_test_r: What was the result of the Covid-19 test? | | | |
| Information | [Type= discrete] [Format=numeric] [Range= 1-998] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=23509 /-] [Invalid=2659 /-] | | |
| Value | Label | Cases | Percentage |
| 1 | Positive | 7 | 0.0% |
| 2 | Negative | 2 | 0.0% |
| 3 | Unclear | 0 | |
| 993 | Refused | 0 | |
| 997 | Not Applicable | 23500 | 100.0% |
| 998 | Don't know | 0 | |
| Sysmiss | | 2659 | |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> | | | |
| # taste_loss: Did (s)he experience a new loss, change or decreased sense of smell or taste? | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] | | |
| # extreme_fatigue: Did s(h)e suffer from extreme fatigue? | | | |
| Information | [Type= discrete] [Format=character] [Missing=*] | | |
| Statistics [NW/ W] | [Valid=26168 /-] [Invalid=0 /-] | | |