

South Africa

Jaco Dreyer, Africa Health Research Institute

Eva Ssozi, Africa Health Research Institute

Nompumelelo Mkwanazi, Africa Health Research Institute

Prof. Maryam Shahmanesh, Africa Health Research Institute

Dr. Limakatso Lebina, Africa Health Research Institute

cRCT of Long-acting PrEP Integrated with Community-based Sexual Health (LAPIS) – Exit Survey

Study Documentation

July 8, 2026

Metadata Production

Metadata Producer(s)	Africa Health Research Institute (AHRI)
Identification	AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1

Table of Contents

Overview	4
Scope & Coverage	4
Producers & Sponsors	5
Sampling	5
Data Collection	5
Data Processing & Appraisal	5
Accessibility	5
Files Description	7
AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1	7
Variables List	8
AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1	8
Variables Description	23
AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1	24

cRCT of Long-acting PrEP Integrated with Community-based Sexual Health (LAPIS) – Exit Survey

Overview	
Identification	AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1
Version	v1.0.0
Abstract	
<p>Long-acting HIV Pre-Exposure Prophylaxis integrated with community-based sexual and reproductive health in South Africa (LAPIS): A hybrid (1a) cluster randomised controlled phase 3B trial of effectiveness and implementation. Offering a choice of long-acting PrEP, such as the 2 monthly injectable cabotegravir (CAB LA) within the community-based delivery of SRH integrated with oral PrEP, post-exposure prophylaxis, and dapivirine vaginal ring will overcome the uptake, adherence, and retention challenges of oral PrEP and lead to a population-level effect on sexually transmissible HIV. Young men and women aged 15-30 years from the 40 administrative clusters in the uMkhanyakude district who attend any integrated SRH/HIV service are eligible for enrolment.</p> <p>Study Aim: Offering a choice of long-acting PrEP, such as the two-monthly injectable cabotegravir, in addition to the community-based oral PrEP and SRH will overcome the adherence, retention, and disclosure challenges of oral PrEP and lead to a population-level effect on sexually transmissible HIV.</p> <p>Specific Objectives:</p> <ol style="list-style-type: none"> 1. To measure the effectiveness of the choice of oral and long-acting PrEP, including injectable (CAB LA) and vaginal ring (DapiRing), and post exposure prophylaxis (PEP) on increasing effective uptake (adoption), retention, and adherence of PrEP compared to oral PrEP in young people aged 15-30 in rural South Africa and to estimate the preliminary effect on transmissible HIV and HIV incidence. 2. To understand real-world implementation: <ol style="list-style-type: none"> a. To explore the acceptability, preference, and reach of CAB-LA from the perspective of young people aged 15-30 and their communities in rural South Africa. b. To understand the feasibility, affordability, and scalability of delivering CAB-LA through community-based PrEP with SRH. c. To identify implementation challenges and practical solutions for CAB-LA initiation, laboratory monitoring (e.g. RNA testing), and safe stopping within nurse-led and rural community-based clinical settings. d. To evaluate the safety and tolerability of CAB-LA compared to oral PrEP. 	
Kind of Data	Exit survey interview
Unit of Analysis	PrEP cohort participants.

Scope & Coverage	
Keywords	STI, HIV prevention.
Topics	Adolescents; young adults; HIV infections/prevention & control; South Africa/epidemiology; sexual health; PrEP; HIV prevention
Time Period(s)	2025-2026
Countries	South Africa
Geographic Coverage	
Health and demographic surveillance site in the rural KwaZulu-Natal.	
Universe	
Long-acting HIV Pre-Exposure Prophylaxis integrated with community-based sexual and reproductive health in South Africa (LAPIS): A hybrid (1a) cluster randomised controlled phase 3B trial of effectiveness and implementation. About	

26,000 15-30 AYAs from 40 geographical areas (clusters) residing in the 40 clusters of the uMkhanyakude District in rural KwaZulu Natal are eligible to receive “LAPIS” intervention. Of these, ~20% are at risk of HIV acquisition and would benefit from PrEP and STI clinical management. The unit of randomisation is the administrative area supported by a pair of peer navigators: 40 administrative areas are randomised to receive the intervention.

Producers & Sponsors	
Primary Investigator(s)	Jaco Dreyer, Africa Health Research Institute Eva Ssozi, Africa Health Research Institute Nompumelelo Mkwanazi, Africa Health Research Institute Prof. Maryam Shahmanesh, Africa Health Research Institute Dr. Limakatso Lebina, Africa Health Research Institute
Other Producer(s)	Africa Health Research Institute (AHRI)
Funding Agency/ies	Bill and Melinda Gates Foundation (BMG) , Funder ViiV Healthcare (ViiV) , Donor

Sampling
<p><u>Sampling Procedure</u></p> <ul style="list-style-type: none"> · Co-primary effectiveness outcomes: uptake of PrEP/PEP and retention of PrEP <p>Secondary outcomes</p> <ol style="list-style-type: none"> 1. The prevalence of transmissible HIV 2. Uptake of risk-informed HIV prevention 3. Implementation outcomes using RE-AIM (Reach, Effectiveness, Adoption, and Implementation, Maintenance) framework 4. Adverse events with CABLA 5. The proportion of men and women aged 15-30 at risk of acquiring HIV or transmitting HIV. 6. Cost-effectiveness

Data Collection	
Data Collection Dates	start 2025-10-15 end 2026-04-30

Data Processing & Appraisal
<p><u>Data Editing</u></p> <p>The data collected and captured on REDCap was uploaded to a MySQL database server within AHRI's secure server cluster.</p>

Accessibility
<p><u>Access Conditions</u></p> <p>Access to the data requires accurate completion of the online data access application form accessible on the AHRI Data repository(<https://data.ahri.org/>). Data users are required to abide by the data use conditions stipulated on the application for access to the data. Failure to do so may result in their data access privileges being revoked by the Data Custodian. In order to recognise the effort and intellectual contributions of AHRI investigators in producing and curating the data, users of AHRI data must acknowledge the source of the data and abide by the terms and conditions under which the data is accessed and must cite the dataset in publication using the citation provided as part of this documentation. All analytical datasets published on the AHRI Data Repository are assigned digital object identifier (DOIs) and the DOIs can be found on the Data Repository under Study Description tab - Access policy. AHRI data users are required to always cite the dataset using the relevant DOI.</p>
<p><u>Citation Requirements</u></p>

Dreyer, J., Ssozi, E., Mkwanazi, N., Shahmanesh, M., & Lebina, L. (2026). cRCT of Long-acting PrEP Integrated with Community-based Sexual Health (LAPIS) – Exit Survey [Dataset]. Africa Health Research Institute.

DOI:<https://doi.org/10.23664/AHRI.PREPIMPLEMENTATION.LES.LAPIS.EXIT.SURVEY.2026.V1>

Files Description

Dataset contains 1 file(s)

AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1	
# Cases	1530
# Variable(s)	301

Variables List

Dataset contains 301 variable(s)

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IintID	Internal Individual ID	continuous	numeric-12.0	1530	0	-
2	pv_clini..	What is the name of the Clinic?	discrete	numeric-12.0	1530	0	-
3	pv_clini..	Location / Isigodi	discrete	character-30	1526	0	-
4	pv_verif..	Is this the correct participant?	discrete	numeric-12.0	1530	0	-
5	pv_visit..	Visit Date	discrete	character-11	1530	-	-
6	pv_calc...	Participant's age - Calculated from Date of Birth and Visit Date	discrete	character-5	1530	0	-
7	up_weekb..	Week Block	discrete	character-5	749	0	-
8	up_week	Week	discrete	character-2	737	0	-
9	up_sex	Participant Sex	discrete	numeric-12.0	1530	0	-
10	up_dob	Participant Date of Birth	discrete	character-11	1530	-	-
11	up_part..	In which Location / Isigodi do you stay	discrete	character-22	1530	0	-
12	up_study..	Study Cluster - Final	discrete	character-10	1529	0	-
13	up_lapis..	LAPIS Randomization Assignment	discrete	character-17	1529	0	-
14	ie_quest..	Questionnaire - Start time	discrete	character-11	1530	-	-
15	ie_insch..	Are you currently still in school?	discrete	numeric-12.0	1530	0	-
16	ie_schoo..	In which grade are you? (Grade 1 - 12)	discrete	character-2	186	0	-
17	ie_highl..	What is your highest level of education achieved / qualification ('attainment')	discrete	numeric-12.0	1343	187	-
18	ie_emplo..	Are you currently in full-time or part-time employment?	discrete	numeric-12.0	1530	0	-
19	ie_grant..	Do you receive any Government Grant for yourself? Please specify the types of gr	discrete	numeric-12.0	462	1068	-
20	ie_grant..	Do you receive any Government Grant for yourself? Please specify the types of gr	discrete	numeric-12.0	715	815	-
21	ie_grant..	Do you receive any Government Grant for yourself? Please specify the types of gr	discrete	numeric-12.0	255	1275	-
22	ie_grant..	Do you receive any Government Grant for yourself? Please specify the types of gr	discrete	numeric-12.0	11	1519	-

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
23	ie_grant..	Do you receive any Government Grant for yourself? Please specify the types of gr	discrete	numeric-12.0	1	1529	-
24	ie_grant..	Do you receive any Government Grant for yourself? Please specify the types of gr	discrete	numeric-12.0	28	1502	-
25	ie_grant..	Do you receive any Government Grant for yourself? Please specify the types of gr	discrete	numeric-12.0	1	1529	-
26	ie_grant..	Do you receive any Government Grant for yourself? Please specify the types of gr	discrete	numeric-12.0	149	1381	-
27	ie_grant..	Do you receive any Government Grant for yourself? Please specify the types of gr	discrete	numeric-12.0	1	1529	-
28	ie_foodf..	In the last 12 months did you or any other individuals in your household ever cu	discrete	numeric-12.0	1530	0	-
29	ie_foodf..	How often did this happen?	discrete	numeric-12.0	132	1398	-
30	ie_quest..	Questionnaire - Stop time	discrete	character-11	1530	-	-
31	dm_quest..	Questionnaire - Start time	discrete	character-11	1530	-	-
32	dm_partc..	Have you participated / engaged with the following service/program in the last 1	discrete	numeric-12.0	1530	0	-
33	dm_supp..	What support did you receive? Sexual reproductive health information	discrete	numeric-12.0	442	1088	-
34	dm_supp..	What support did you receive? Condoms	discrete	numeric-12.0	263	1267	-
35	dm_supp..	What support did you receive? Referral to clinic	discrete	numeric-12.0	400	1130	-
36	dm_supp..	What support did you receive? Support/reminders for clinic visit	discrete	numeric-12.0	223	1307	-
37	dm_supp..	What support did you receive? Referral to social worker	discrete	numeric-12.0	16	1514	-
38	dm_supp..	What support did you receive? Support with getting Voter ID	discrete	numeric-12.0	12	1518	-
39	dm_supp..	What support did you receive? Support with getting Social grants	discrete	numeric-12.0	13	1517	-
40	dm_supp..	What support did you receive? Educational support	discrete	numeric-12.0	13	1517	-
41	dm_supp..	What support did you receive? Legal support	discrete	numeric-12.0	3	1527	-

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
42	dm_supp_..	What support did you receive? Friendship from a peer navigator	discrete	numeric-12.0	77	1453	-
43	dm_supp_..	What support did you receive? Safe space	discrete	numeric-12.0	28	1502	-
44	dm_supp_..	What support did you receive? Other	discrete	numeric-12.0	0	1530	-
45	dm_reco_..	How likely are you to recommend your peer navigator to a friend?	discrete	numeric-12.0	600	930	-
46	dm_partc_..	Have you participated/attended in the following service/program in the last 12	discrete	numeric-12.0	1530	0	-
47	dm_hiv_s_..	Have you been offered an HIV Self test kit in the last 12 months?	discrete	numeric-12.0	1530	0	-
48	dm_hiv_s_..	Did you accept the HIV Self Testing kit?	discrete	numeric-12.0	378	1152	-
49	dm_hiv_s_..	Have you used the HIV Self testing kit?	discrete	numeric-12.0	347	1183	-
50	dm_quest_..	Questionnaire - Stop time	discrete	character-11	1530	-	-
51	mv_quest_..	Questionnaire - Start time	discrete	character-11	1530	-	-
52	mv_phq9_..	Little interest or pleasure in doing things	discrete	numeric-12.0	1530	0	-
53	mv_phq9_..	Feeling down, depressed, or hopeless	discrete	numeric-12.0	1530	0	-
54	mv_phq9_..	Trouble falling or staying asleep, or sleeping too much	discrete	numeric-12.0	1530	0	-
55	mv_phq9_..	Feeling tired or having little energy	discrete	numeric-12.0	1530	0	-
56	mv_phq9_..	Poor appetite or overeating	discrete	numeric-12.0	1530	0	-
57	mv_phq9_..	Feeling bad about yourself-or that you are a failure or have let yourself or you	discrete	numeric-12.0	1530	0	-
58	mv_phq9_..	Trouble concentrating on things, such as reading the newspaper or watching telev	discrete	numeric-12.0	1530	0	-
59	mv_phq9_..	Thoughts that you would be better off dead or of hurting yourself in some way	discrete	numeric-12.0	1530	0	-
60	mv_phq9_..	Moving or speaking so slowly that other people could have noticed? Or the opposi	discrete	numeric-12.0	1530	0	-
61	mv_quest_..	Questionnaire - Stop time	discrete	character-11	1530	-	-
62	hq_quest_..	Questionnaire - Start time	discrete	character-11	1530	-	-
63	hq_recv_..	Have you ever received a test result for HIV?	discrete	numeric-12.0	1530	0	-
64	hq_pos_h_..	Have you ever had a positive HIV test result?	discrete	numeric-12.0	1424	106	-

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
65	hq_first_..	When was your first positive test result?	discrete	numeric-12.0	18	1512	-
66	hq_lastn_..	When was your last negative test result?	discrete	numeric-12.0	1424	106	-
67	hq_prev_..	Have you ever taken ART for your own health?	discrete	numeric-12.0	18	1512	-
68	hq_start_..	When did you first start ART?	discrete	numeric-12.0	7	1523	-
69	hq_curr_..	Are you currently receiving ART?	discrete	numeric-12.0	18	1512	-
70	hq_art_t_..	Have you ever had to stop ART?	discrete	numeric-12.0	7	1523	-
71	hq_recvf_..	Where do you currently receive your ART from?	discrete	numeric-12.0	11	1519	-
72	hq_art_d_..	During the past 12 months have you DELAYED getting ART (only those who said yes)	discrete	numeric-12.0	7	1523	-
73	hq_pep_t_..	Have you ever taken PEP?	discrete	numeric-12.0	1530	0	-
74	hq_pep_l_..	How long ago did you last take PEP?	discrete	character-2	70	0	-
75	hq_pep_l_..	Is value in	discrete	numeric-12.0	70	1460	-
76	hq_pep_g_..	Where did you receive PEP from?	discrete	numeric-12.0	70	1460	-
77	hq_pep_g_..	Please specify detail on the other place where you received PEP from:	discrete	character-63	2	0	-
78	hq_prep_..	In the past 12 months have you taken any PrEP?	discrete	numeric-12.0	1530	0	-
79	hq_prep_..	If yes, was it:	discrete	numeric-12.0	1304	226	-
80	hq_prep_..	Where / from which organisation was it offered?	discrete	numeric-12.0	1304	226	-
81	hq_prep_..	Please specify details of the other organization	discrete	character-11	1	0	-
82	hq_prep_..	Are you currently taking PrEP to prevent HIV?	discrete	numeric-12.0	1319	211	-
83	hq_prep_..	If yes, which one?	discrete	numeric-12.0	806	724	-
84	hq_prep_..	Why did you decide not to take PrEP? Please rank from most important (1) to leas	discrete	numeric-12.0	675	855	-
85	hq_prep_..	Why did you decide not to take PrEP? Please rank from most important (1) to leas	discrete	numeric-12.0	675	855	-
86	hq_prep_..	Why did you decide not to take PrEP? Please rank from most important (1) to leas	discrete	numeric-12.0	674	856	-
87	hq_prep_..	Why did you decide not to take PrEP? Please rank from most important (1) to leas	discrete	numeric-12.0	675	855	-

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
88	hq_prep_..	Why did you decide not to take PrEP? Please rank from most important (1) to leas	discrete	numeric-12.0	675	855	-
89	hq_prep_..	Why did you decide not to take PrEP? Please rank from most important (1) to leas	discrete	numeric-12.0	675	855	-
90	hq_prep_..	Why did you decide not to take PrEP? Please rank from most important (1) to leas	discrete	numeric-12.0	675	855	-
91	hq_prep_..	Why did you decide not to take PrEP? Please rank from most important (1) to leas	discrete	numeric-12.0	675	855	-
92	hq_prep_..	Why did you decide not to take PrEP? Please rank from most important (1) to leas	discrete	numeric-12.0	675	855	-
93	hq_prep_..	Why did you decide not to take PrEP? Please rank from most important (1) to leas	discrete	numeric-12.0	675	855	-
94	hq_prep_..	Do you take PrEP every day?	discrete	numeric-12.0	566	964	-
95	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because (plea	discrete	numeric-12.0	870	660	-
96	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because (plea	discrete	numeric-12.0	143	1387	-
97	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because (plea	discrete	numeric-12.0	0	1530	-
98	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because (plea	discrete	numeric-12.0	6	1524	-
99	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because (plea	discrete	numeric-12.0	59	1471	-
100	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because (plea	discrete	numeric-12.0	66	1464	-
101	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because (plea	discrete	numeric-12.0	126	1404	-
102	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because (plea	discrete	numeric-12.0	26	1504	-
103	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because (plea	discrete	numeric-12.0	8	1522	-
104	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because (plea	discrete	numeric-12.0	13	1517	-
105	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because (plea	discrete	numeric-12.0	26	1504	-

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
106	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because (plea	discrete	numeric-12.0	43	1487	-
107	hq_prep_..	During the past 12 months have you DELAYED getting PrEP (only those who said yes	discrete	numeric-12.0	1304	226	-
108	hq_prep_..	If yes, why (please select the top three reasons): I did not believe I was at ri	discrete	numeric-12.0	59	1471	-
109	hq_prep_..	If yes, why (please select the top three reasons): I was using condoms	discrete	numeric-12.0	53	1477	-
110	hq_prep_..	If yes, why (please select the top three reasons): I don't like the injections/t	discrete	numeric-12.0	31	1499	-
111	hq_prep_..	If yes, why (please select the top three reasons): I was travelling/away from ho	discrete	numeric-12.0	397	1133	-
112	hq_prep_..	If yes, why (please select the top three reasons): I don't like to be seen at th	discrete	numeric-12.0	9	1521	-
113	hq_prep_..	If yes, why (please select the top three reasons): I was worried that my partner	discrete	numeric-12.0	2	1528	-
114	hq_prep_..	If yes, why (please select the top three reasons): I do not have time to come to	discrete	numeric-12.0	86	1444	-
115	hq_prep_..	If yes, why (please select the top three reasons): I wanted to have children/ be	discrete	numeric-12.0	3	1527	-
116	hq_prep_..	If yes, why (please select the top three reasons): I am concerned about side eff	discrete	numeric-12.0	44	1486	-
117	hq_prep_..	If yes, why (please select the top three reasons): I struggle to take daily pill	discrete	numeric-12.0	46	1484	-
118	hq_prep_..	If yes, why (please select the top three reasons): Other, specify	discrete	numeric-12.0	40	1490	-
119	hq_prep_..	(For those who were on CABLA), what protection did you use during the 12 month C	discrete	numeric-12.0	258	1272	-
120	hq_impert_..	The potential side effects of the medicine	discrete	numeric-12.0	1530	0	-
121	hq_impert_..	That I can take the injectable at a clinic and do not need to keep medicines at	discrete	numeric-12.0	1530	0	-
122	hq_impert_..	That I must come to clinic to have the shot	discrete	numeric-12.0	1530	0	-
123	hq_impert_..	That other people I know and trust might also be using it.	discrete	numeric-12.0	1530	0	-

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
124	hq_impvt..	Combining it with contraception.	discrete	numeric-12.0	1530	0	-
125	hq_impvt..	The possibility that long-acting injectable PrEP might "wear off" if I don't ret	discrete	numeric-12.0	1530	0	-
126	hq_impvt..	Which is your preferred route (choose one)?	discrete	numeric-12.0	875	655	-
127	hq_impvt..	Which is your preferred route (choose one)?	discrete	numeric-12.0	654	876	-
128	hq_impvt..	Which is your preferred dosing schedule (choose one)	discrete	numeric-12.0	1530	0	-
129	hq_evers..	In your whole life up to now, have you ever smoked a cigarette?	discrete	numeric-12.0	1530	0	-
130	hq_frsts..	How old were you when you smoked your first cigarette? If you can't remember, pl	discrete	character-2	278	0	-
131	hq_dayss..	How many days have you smoked at least one cigarette in the past month? [number	discrete	character-2	278	0	-
132	hq_smokl..	Have you used smokeless tobacco products such as snuff or chewing tobacco in the	discrete	numeric-12.0	279	1251	-
133	hq_everd..	In your whole life up to now, have you ever drunk one "drink" of alcohol (e.g. a	discrete	numeric-12.0	1530	0	-
134	hq_frstd..	How old were you when you drank your first drink? If you can't remember, please	discrete	character-2	775	0	-
135	hq_daysd..	How many days have you drunk at least one drink in the past month? [number of da	discrete	character-2	775	0	-
136	hq_more5..	How many days have you drunk 5 or more drinks (in succession) on one or more day	discrete	character-2	775	0	-
137	hq_alcoh..	In the past three months have you had sex after using alcohol?	discrete	numeric-12.0	775	755	-
138	hq_alcoh..	How often do you have a drink containing alcohol?	discrete	numeric-12.0	775	755	-
139	hq_alcoh..	Referring to the image above, how many units of alcohol do you drink on a typica	discrete	numeric-12.0	775	755	-
140	hq_alcoh..	Referring to the image above, how often have you had 5 or more units, on a singl	discrete	numeric-12.0	775	755	-
141	hq_everu..	In your whole life up to now, have you ever used cannabis (dagga)?	discrete	numeric-12.0	1529	1	-

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
142	hq_frstc ..	How old were you when you used cannabis (dagga)? If you can't remember, please g	discrete	character-2	156	0	-
143	hq_daysc ..	How many days have you used cannabis in the past month? [number of days]	discrete	character-2	156	0	-
144	hq_usedo ..	Have you ever used other drugs such as (Tick all that apply) - No	discrete	numeric-12.0	1500	30	-
145	hq_usedo ..	Have you ever used other drugs such as (Tick all that apply) - Inhalants such as	discrete	numeric-12.0	4	1526	-
146	hq_usedo ..	Have you ever used other drugs such as (Tick all that apply) - I-methaqualone(Ma	discrete	numeric-12.0	4	1526	-
147	hq_usedo ..	Have you ever used other drugs such as (Tick all that apply) - Cocaine	discrete	numeric-12.0	3	1527	-
148	hq_usedo ..	Have you ever used other drugs such as (Tick all that apply) - Heroin	discrete	numeric-12.0	0	1530	-
149	hq_usedo ..	Have you ever used other drugs such as (Tick all that apply) - Club drugs	discrete	numeric-12.0	3	1527	-
150	hq_usedo ..	Have you ever used other drugs such as (Tick all that apply) - Other	discrete	numeric-12.0	1	1529	-
151	hq_usedo ..	Have you ever used other drugs such as (Tick all that apply) - Prefer not to ans	discrete	numeric-12.0	17	1513	-
152	hq_othdr ..	Please specify more details on the kind of other drugs you have used?	discrete	character-14	17	0	-
153	hq_quest ..	Questionnaire - Stop time	discrete	character-11	1530	-	-
154	sr_quest ..	Questionnaire - Start time	discrete	character-11	1530	-	-
155	sr_fathe ..	Have you ever fathered any children?	discrete	numeric-12.0	654	876	-
156	sr_numch ..	How many children have you fathered (please include those who have died)?	discrete	character-2	250	0	-
157	sr_share ..	How many of these children are still alive?	discrete	numeric-12.0	1	1529	-
158	sr_agefa ..	How many children have you fathered (please include those who have died)?	discrete	character-2	247	0	-
159	sr_share ..	How old were you when you first made someone pregnant?	discrete	numeric-12.0	4	1526	-
160	sr_ever ..	Have you ever been circumcised?	discrete	numeric-12.0	654	876	-
161	sr_circu ..	When were you circumcised (if you do not know, please make your best guess)?	discrete	numeric-12.0	542	988	-

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
162	sr_circu..	Where were you circumcised?	discrete	numeric-12.0	542	988	-
163	sr_circu..	Please specify more details on where you were circumcised:	discrete	character-14	6	0	-
164	sr_currp..	Are you currently pregnant?	discrete	numeric-12.0	875	655	-
165	sr_everp..	Have you ever been pregnant?	discrete	numeric-12.0	875	655	-
166	sr_pregn..	Have you been pregnant in the last 12 months?	discrete	numeric-12.0	728	802	-
167	sr_preg..	What was the outcome of the pregnancy?	discrete	numeric-12.0	93	1437	-
168	sr_prema..	How many weeks old was the premature delivery?	discrete	character-2	3	0	-
169	sr_mis s..	What was the gestation period of the miscarriage/still birth?	discrete	character-8	10	0	-
170	sr_agepr..	How old were you the first time you got pregnant? [age in years]	discrete	character-2	725	0	-
171	sr_share..	How old were you the first time you got pregnant? [age in years]	discrete	numeric-12.0	3	1527	-
172	sr_times..	How many times have you been pregnant? (including pregnancies that did not go to	discrete	character-2	714	0	-
173	sr_times..	How many times have you given birth? (include both live births and stillbirths.	discrete	character-2	714	0	-
174	sr_areus..	Are you currently using any contraceptive methods to prevent pregnancy?	discrete	numeric-12.0	820	710	-
175	sr_currm..	Which methods are you currently using? Male condom	discrete	numeric-12.0	11	1519	-
176	sr_currm..	Which methods are you currently using? Female condom	discrete	numeric-12.0	0	1530	-
177	sr_currm..	Which methods are you currently using? Female sterilization ('tubal ligation')	discrete	numeric-12.0	2	1528	-
178	sr_currm..	Which methods are you currently using? Male sterilization ('vasectomy')	discrete	numeric-12.0	0	1530	-
179	sr_currm..	Which methods are you currently using? IUD/loop	discrete	numeric-12.0	17	1513	-
180	sr_currm..	Which methods are you currently using? Injectable contraceptives	discrete	numeric-12.0	269	1261	-
181	sr_currm..	Which methods are you currently using? Implants	discrete	numeric-12.0	233	1297	-

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
182	sr_currm_..	Which methods are you currently using? Oral contraceptive pills	discrete	numeric-12.0	64	1466	-
183	sr_currm_..	Which methods are you currently using? Douching after sex	discrete	numeric-12.0	0	1530	-
184	sr_currm_..	Which methods are you currently using? Traditional methods	discrete	numeric-12.0	0	1530	-
185	sr_currm_..	Which methods are you currently using? Prefer not to answer	discrete	numeric-12.0	0	1530	-
186	sr_currm_..	Which methods are you currently using? Other, specify	discrete	numeric-12.0	1	1529	-
187	sr_currm_..	Other method, please specify:	discrete	character-4	1	0	-
188	sr_whatm_..	In the past 12 months, have you used any method to avoid getting pregnant?	discrete	numeric-12.0	875	655	-
189	sr_meth_..	Which methods were you using? Male condom	discrete	numeric-12.0	20	1510	-
190	sr_meth_..	Which methods were you using? Female condom	discrete	numeric-12.0	1	1529	-
191	sr_meth_..	Which methods were you using? Female sterilization ('tubal ligation')	discrete	numeric-12.0	0	1530	-
192	sr_meth_..	Which methods were you using? Male sterilization ('vasectomy')	discrete	numeric-12.0	0	1530	-
193	sr_meth_..	Which methods were you using? IUD/loop	discrete	numeric-12.0	15	1515	-
194	sr_meth_..	Which methods were you using? Injectable contraceptives	discrete	numeric-12.0	303	1227	-
195	sr_meth_..	Which methods were you using? Implants	discrete	numeric-12.0	241	1289	-
196	sr_meth_..	Which methods were you using? Oral contraceptive pills	discrete	numeric-12.0	75	1455	-
197	sr_meth_..	Which methods were you using? Douching after sex	discrete	numeric-12.0	0	1530	-
198	sr_meth_..	Which methods were you using? Traditional methods	discrete	numeric-12.0	0	1530	-
199	sr_meth_..	Which methods were you using? Prefer not to answer	discrete	numeric-12.0	0	1530	-
200	sr_meth_..	Which methods were you using? Other, specify	discrete	numeric-12.0	0	1530	-
201	sr_meth_..	Other method, please specify:	discrete	character-1	0	0	-
202	sr_satis_..	On a scale of 1 to 10, where 1 is not satisfied and 10 is very satisfied, how wo	discrete	numeric-12.0	1530	0	-

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
203	sr_reco ..	How likely are you to recommend the following to a friend: The mobile thetha nam	discrete	numeric-12.0	1530	0	-
204	sr_reco ..	How likely are you to recommend the following to a friend: Injectable PrEP	discrete	numeric-12.0	1530	0	-
205	sr_reco ..	How likely are you to recommend the following to a friend: Oral PrEP	discrete	numeric-12.0	1530	0	-
206	sr_quest ..	Questionnaire - Stop time	discrete	character-11	1530	-	-
207	srs_ques ..	Questionnaire - Start time	discrete	character-11	1530	-	-
208	srs_ever ..	Have you ever had sex?	discrete	numeric-12.0	1530	0	-
209	srs_agef ..	If you ever had sex (even if it was not your choice) how old were you the first	discrete	character-2	1465	0	-
210	srs_shar ..	If you ever had sex (even if it was not your choice) how old were you the first	discrete	numeric-12.0	22	1508	-
211	srs_firs ..	When you had sex for the first time, even if it was not your choice, with whom d	discrete	numeric-12.0	1483	47	-
212	srs_life ..	How many different people have you had sex with in your lifetime (including your	discrete	character-3	1434	0	-
213	srs_shar ..	How many different people have you had sex with in your lifetime (including your	discrete	numeric-12.0	54	1476	-
214	srs_12mt ..	How many people have you had sex with in the past 12 months (including your husb	discrete	character-2	1467	0	-
215	srs_shar ..	How many people have you had sex with in the past 12 months (including your husb	discrete	numeric-12.0	21	1509	-
216	srs_12mt ..	Of the number of partners you had in the last 12 months, how many of these partn	discrete	character-2	1426	0	-
217	srs_nums ..	Sometimes people have more than one sexual relationship at the same time. How ma	discrete	character-2	1479	0	-
218	srs_shar ..	Sometimes people have more than one sexual relationship at the same time. How ma	discrete	numeric-12.0	9	1521	-
219	srs_tran ..	In the past 12 months, have you ever had sex with anyone (for a short period of	discrete	numeric-12.0	847	683	-
220	srs_tran ..	In the past 12 months how many different people have you become sexually involve	discrete	character-2	35	0	-
221	srs_shar ..	In the past 12 months how many different people have you become sexually involve	discrete	numeric-12.0	0	1530	-

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
222	srs_sexw..	Some people have sex with other people for a living; would you consider yourself	discrete	numeric-12.0	847	683	-
223	srs_sexw..	In the past 12 months have you had sex for a living?	discrete	numeric-12.0	8	1522	-
224	srs_sexw..	In the past 12 months how many people have you had sex with for a living?	discrete	character-1	3	0	-
225	srs_tran..	In the past 12 months have you paid for sex or provided a woman who is not a sex	discrete	numeric-12.0	640	890	-
226	srs_tran..	In the past 12 months how many different people have you paid to have sex with?	discrete	character-2	10	0	-
227	srs_usec..	Have you used a condom during sex in the past 3 months?	discrete	numeric-12.0	847	683	-
228	srs_usec..	Did you use a condom the LAST time you had sex over the past year (whether it wa	discrete	numeric-12.0	847	683	-
229	srs_cond..	Have you had any sex without a condom in the last month? (condom less sex)	discrete	numeric-12.0	847	683	-
230	srs_cond..	Have you had any sex without a condom in the last 12 months? (condom less sex)	discrete	numeric-12.0	308	1222	-
231	srs_recn..	Have you had sex with this person in the past 12 months?	discrete	numeric-12.0	1488	42	-
232	srs_recn..	When you last had sex with this person, what was your relationship to that perso	discrete	numeric-12.0	1374	156	-
233	srs_recn..	During your relationship with this person, did you have sex with someone else?	discrete	numeric-12.0	1374	156	-
234	srs_recn..	How old is this person (if you do not know, please make your best guess)? [in ye	discrete	character-2	1356	0	-
235	srs_recn..	How old is this person (if you do not know, please make your best guess)? [in ye	discrete	numeric-12.0	18	1512	-
236	srs_recn..	Did you use a condom the last time you had sex with this person?	discrete	numeric-12.0	1374	156	-
237	srs_recn..	If no, why did you or [name] NOT use a condom? (last sex)	discrete	numeric-12.0	973	557	-
238	srs_recn..	Did you drink alcohol before the last time you had sex with [name]?	discrete	numeric-12.0	1374	156	-
239	srs_recn..	The last time you had sex with [name], did you give or were you given a gift in	discrete	numeric-12.0	1374	156	-

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
240	srs_recn ..	The last time you had sex with [name], did you give or were you given money in o	discrete	numeric-12.0	1374	156	-
241	srs_recn ..	Do you know the HIV status of [name]?	discrete	numeric-12.0	1374	156	-
242	srs_recn ..	What is the HIV status of [name]?	discrete	numeric-12.0	750	780	-
243	srs_recn ..	Do you know if [name]is taking ART?	discrete	numeric-12.0	41	1489	-
244	srs_recn ..	Does this person know your current HIV status?	discrete	numeric-12.0	1374	156	-
245	srs_recn ..	During your relationship with [name] in the past year, did you take PrEP to prev	discrete	numeric-12.0	1374	156	-
246	srs_recn ..	Why did you decide not to take PrEP?	discrete	numeric-12.0	347	1183	-
247	srs_recn ..	Over the past 12 months, during your relationships with X do you know or suspect	discrete	numeric-12.0	1374	156	-
248	srs_rece ..	Calculated age difference - Partner 1	discrete	character-21	1356	0	-
249	srs_emo ..	In the past 12 months how many times has a current or previous partner, boyfrien	discrete	numeric-12.0	876	654	-
250	srs_emo ..	In the past 12 months how many times has a current or previous partner, boyfrien	discrete	numeric-12.0	876	654	-
251	srs_emo ..	In the past 12 months how many times has a current or previous partner, boyfrien	discrete	numeric-12.0	876	654	-
252	srs_emo ..	In the past 12 months how many times has a current or previous partner, boyfrien	discrete	numeric-12.0	876	654	-
253	srs_emo ..	In the past 12 months how many times has a current or previous partner, boyfrien	discrete	numeric-12.0	876	654	-
254	srs_phy ..	In the past 12 months how many times has a current or previous partner, boyfrien	discrete	numeric-12.0	876	654	-
255	srs_phy ..	In the past 12 months how many times has a current or previous partner, boyfrien	discrete	numeric-12.0	876	654	-
256	srs_phy ..	In the past 12 months how many times has a current or previous partner, boyfrien	discrete	numeric-12.0	875	655	-
257	srs_phy ..	In the past 12 months how many times has a current or previous partner, boyfrien	discrete	numeric-12.0	876	654	-
258	srs_phy ..	In the past 12 months how many times has a current or previous partner, boyfrien	discrete	numeric-12.0	874	656	-

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
259	srs_sex_..	In the past 12 months how many times has a current or previous partner, boyfriend	discrete	numeric-12.0	876	654	-
260	srs_sex_..	In the past 12 months how many times has a current or previous partner, boyfriend	discrete	numeric-12.0	876	654	-
261	srs_sex_..	In the past 12 months how many times has a current or previous partner, boyfriend	discrete	numeric-12.0	876	654	-
262	srs_emo_..	In the past 12 months how many times have you: How many times have you insulted	discrete	numeric-12.0	654	876	-
263	srs_emo_..	In the past 12 months how many times have you: Belittled or humiliated a partner	discrete	numeric-12.0	654	876	-
264	srs_emo_..	In the past 12 months how many times have you: Done things to scare or intimidat	discrete	numeric-12.0	654	876	-
265	srs_emo_..	In the past 12 months how many times have you: Threatened to hurt a partner?	discrete	numeric-12.0	654	876	-
266	srs_emo_..	In the past 12 months how many times have you: Hurt people your partner cares ab	discrete	numeric-12.0	654	876	-
267	srs_phy_..	In the last 12 months how many times did you: Slap your current or previous girl	discrete	numeric-12.0	654	876	-
268	srs_phy_..	In the last 12 months how many times did you: Push or shove your current or prev	discrete	numeric-12.0	653	877	-
269	srs_phy_..	In the last 12 months how many times did you: Hit your current or previous girlf	discrete	numeric-12.0	654	876	-
270	srs_phy_..	In the last 12 months how many times did you: Kick, drag, beat, choke or burn yo	discrete	numeric-12.0	654	876	-
271	srs_phy_..	In the last 12 months how many times did you: Threatened to use or actually use	discrete	numeric-12.0	654	876	-
272	srs_sex_..	In the past 12 months how many times have you: Physically forced your current or	discrete	numeric-12.0	654	876	-
273	srs_sex_..	In the past 12 months how many times have you: Used threats or intimidation to g	discrete	numeric-12.0	654	876	-
274	srs_sex_..	In the past 12 months how many times have you: Ever forced your current or previ	discrete	numeric-12.0	654	876	-
275	srs_usev_..	Have you used physical or sexual violence on your partner in the last 12 months?	discrete	numeric-12.0	641	889	-

File AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1							
#	Name	Label	Type	Format	Valid	Invalid	Question
276	or_troub..	Have you ever been in trouble with the police?	discrete	numeric-12.0	1530	0	-
277	or_type..	If yes, what kind of trouble?	discrete	numeric-12.0	61	1469	-
278	or_assis..	FOR FIELD WORKER COMPLETION: Did the participant respond to the question on the	discrete	numeric-12.0	1530	0	-
279	or_quest..	Questionnaire - Stop time	discrete	character-11	1530	-	-
280	pr_conse..	Participant's Date of Consent	discrete	character-11	1530	-	-
281	pr_verif..	Date Verified	discrete	character-11	1530	-	-
282	ic_conse..	Does the participant give his/her consent to receive reimbursement through PayCen	discrete	numeric-12.0	1529	1	-
283	pr_card..	Card Status	discrete	numeric-12.0	1530	0	-
284	pr_comment	Comment	discrete	character-73	153	0	-
285	payment..	Payment Request Date	discrete	character-11	1530	-	-
286	base_amo..	Base visit amount	discrete	character-3	1530	0	-
287	addition..	Additional Amount	discrete	character-1	0	0	-
288	amount	Amount	discrete	character-3	1530	0	-
289	pr_dob	Date of Birth	discrete	character-11	1530	-	-
290	rf_staff..	Date	discrete	character-11	1530	-	-
291	rf_part..	Date	discrete	character-11	1530	-	-
292	rf_appro..	Date	discrete	character-11	1530	-	-
293	rf_appro..	Payment approval	discrete	numeric-12.0	1530	0	-
294	rf_reaso..	Reason for declining payment	discrete	character-1	0	0	-
295	es_ques..	Have all questions been completed and can the survey proceed to be quality contr	discrete	numeric-12.0	1530	0	-
296	es_compl..	End of Study Completed date/time	discrete	character-11	1530	-	-
297	ess_calc..	Calculate Survey Completion	discrete	numeric-12.0	1530	0	-
298	qc_qc_pe..	Was the Internal QC Step completed?	discrete	numeric-12.0	1530	0	-
299	qc_qc_da..	Date of QC	discrete	character-11	1529	-	-
300	qc_qc_pe..	Was the Internal QC Step completed?	discrete	numeric-12.0	1530	0	-
301	qc_qc_da..	Date of QC	discrete	character-11	1530	-	-

Variables Description

Dataset contains 301 variable(s)

File : AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1

IintID: Internal Individual ID

Information [Type= continuous] [Format=numeric] [Range= 207-99902929] [Missing=*]

Statistics [NW/ W] [Valid=1530 /-] [Invalid=0 /-] [Mean=53223637.327 /-] [StdDev=49786561.591 /-]

pv_clinic_name: What is the name of the Clinic?

Information [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]

Statistics [NW/ W] [Valid=1530 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Mtubatuba	4	0.3%
2	KwaMsane	0	
3	Somkhele	0	
4	Nkundusi	0	
5	Hluhluwe	0	
6	Mobile - A	381	24.9%
7	Mobile - B	423	27.6%
8	Mobile - C	215	14.1%
9	Mobile - D	240	15.7%
10	Mobile - E	267	17.5%
11	Mobile - F	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

pv_clinic_location: Location / Isigodi

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1526 /-] [Invalid=0 /-]

pv_verify_partic: Is this the correct participant?

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=1530 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes - this is the correct participant	1530	100.0%
2	No - this is not the correct participant	0	
3	Yes - correct person - details have changed / need to be updated	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

pv_visit_date: Visit Date

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1530 /-]

pv_calc_age: Participant's age - Calculated from Date of Birth and Visit Date

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1530 /-] [Invalid=0 /-]

up_weekblock: Week Block

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=749 /-] [Invalid=0 /-]

up_week: Week

Information [Type= discrete] [Format=character] [Missing=*]

File : AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1

up_week: Week

Statistics [NW/ W] [Valid=737 /-] [Invalid=0 /-]

up_sex: Participant Sex

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=1530 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Male	654	42.7%
2	Female	876	57.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

up_dob: Participant Date of Birth

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1530 /-]

up_part_location: In which Location / Isigodi do you stay

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1530 /-] [Invalid=0 /-]

up_study_cluster_final: Study Cluster - Final

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1529 /-] [Invalid=0 /-]

up_lapis_assignment: LAPIS Randomization Assignment

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1529 /-] [Invalid=0 /-]

ie_quest_starttime: Questionnaire - Start time

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1530 /-]

ie_inschool: Are you currently still in school?

Information [Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]

Statistics [NW/ W] [Valid=1530 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	186	12.2%
2	No	1344	87.8%
93	Prefer not to answer	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ie_schoolgrade: In which grade are you?(Grade 1 - 12)

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=186 /-] [Invalid=0 /-]

ie_highlevledu: What is your highest level of education achieved / qualification ('attainment')

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=1343 /-] [Invalid=187 /-]

File : AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1

ie_highlevdu: What is your highest level of education achieved / qualification ('attainment')

Value	Label	Cases	Percentage
0	None	2	0.1%
1	Some Primary	27	2.0%
2	Some Secondary	218	16.2%
3	Completed secondary/matriculated	841	62.6%
4	Certificate	146	10.9%
5	Diploma	56	4.2%
6	Bachelors degree	45	3.4%
7	Bachelors + Diploma	5	0.4%
8	Honours	3	0.2%
93	Prefer not to answer	0	
98	Don't know	0	
Sysmiss		187	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ie_employed: Are you currently in full-time or part-time employment?

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Full-time employment	106	6.9%
2	No, not employed	1092	71.4%
3	Part-time employment	184	12.0%
4	Studying	148	9.7%
93	Prefer not to answer	0	
98	Don't know	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ie_granttype_1: Do you receive any Government Grant for yourself? Please specify the types of gr

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=462 /-] [Invalid=1068 /-]

Value	Label	Cases	Percentage
1	Yes, Child support	462	100.0%
2	No, none	0	
3	Yes, Foster Care	0	
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	0	
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	0	
Sysmiss		1068	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ie_granttype_2: Do you receive any Government Grant for yourself? Please specify the types of gr

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
--------------------	---

File : AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1

ie_granttype_2: Do you receive any Government Grant for yourself? Please specify the types of gr

Statistics [NW/ W] [Valid=715 /-] [Invalid=815 /-]

Value	Label	Cases	Percentage
1	Yes, Child support	0	
2	No, none	715	100.0%
3	Yes, Foster Care	0	
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	0	
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	0	
Sysmiss		815	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ie_granttype_3: Do you receive any Government Grant for yourself? Please specify the types of gr

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=255 /-] [Invalid=1275 /-]

Value	Label	Cases	Percentage
1	Yes, Child support	0	
2	No, none	0	
3	Yes, Foster Care	255	100.0%
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	0	
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	0	
Sysmiss		1275	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ie_granttype_4: Do you receive any Government Grant for yourself? Please specify the types of gr

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=11 /-] [Invalid=1519 /-]

Value	Label	Cases	Percentage
1	Yes, Child support	0	
2	No, none	0	
3	Yes, Foster Care	0	
4	Yes, Disability Care	11	100.0%
5	Yes, Old Age Pension	0	
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	0	
Sysmiss		1519	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1

ie_granttype_5: Do you receive any Government Grant for yourself? Please specify the types of gr

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=1529 /-]

Value	Label	Cases	Percentage
1	Yes, Child support	0	
2	No, none	0	
3	Yes, Foster Care	0	
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	1	100.0%
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	0	
Sysmiss		1529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ie_granttype_6: Do you receive any Government Grant for yourself? Please specify the types of gr

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=1502 /-]

Value	Label	Cases	Percentage
1	Yes, Child support	0	
2	No, none	0	
3	Yes, Foster Care	0	
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	0	
6	Yes, Child Care	28	100.0%
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	0	
Sysmiss		1502	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ie_granttype_93: Do you receive any Government Grant for yourself? Please specify the types of gr

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=1529 /-]

Value	Label	Cases	Percentage
1	Yes, Child support	0	
2	No, none	0	
3	Yes, Foster Care	0	
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	0	
6	Yes, Child Care	0	
93	Prefer not to answer	1	100.0%
96	Other, specify	0	
98	Don't know	0	

File : AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1

ie_granttype_93: Do you receive any Government Grant for yourself? Please specify the types of gr

Value	Label	Cases	Percentage
Sysmiss		1529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ie_granttype_96: Do you receive any Government Grant for yourself? Please specify the types of gr

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=149 /-] [Invalid=1381 /-]
---------------------------	----------------------------------

Value	Label	Cases	Percentage
1	Yes, Child support	0	
2	No, none	0	
3	Yes, Foster Care	0	
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	0	
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	149	100.0%
98	Don't know	0	
Sysmiss		1381	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ie_granttype_98: Do you receive any Government Grant for yourself? Please specify the types of gr

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=1 /-] [Invalid=1529 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
1	Yes, Child support	0	
2	No, none	0	
3	Yes, Foster Care	0	
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	0	
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	1	100.0%
Sysmiss		1529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ie_foodfreq: In the last 12 months did you or any other individuals in your household ever cu

Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]
---------------------------	--------------------------------

Value	Label	Cases	Percentage
1	Yes	132	8.6%
2	No	1394	91.1%
93	Prefer not to answer	4	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1

ie_foodfreqskip: How often did this happen?

Information [Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]

Statistics [NW/ W] [Valid=132 /-] [Invalid=1398 /-]

Value	Label	Cases	Percentage
1	Every month	27	20.5%
2	Some months	90	68.2%
3	Once or twice a month	15	11.4%
93	Prefer not to answer	0	
Sysmiss		1398	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ie_quest_stoptime: Questionnaire - Stop time

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1530 /-]

dm_quest_starttime: Questionnaire - Start time

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1530 /-]

dm_partc_thetha_prog_12m: Have you participated / engaged with the following service/program in the last 1

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=1530 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	599	39.2%
2	No	904	59.1%
93	Prefer not to answer	8	0.5%
98	Don't know	19	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_supp_thetha_prog_12m_1: What support did you receive? Sexual reproductive health information

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=442 /-] [Invalid=1088 /-]

Value	Label	Cases	Percentage
1	Sexual reproductive health information	442	100.0%
2	Condoms	0	
3	Referral to clinic	0	
4	Support/reminders for clinic visit	0	
5	Referral to social worker	0	
6	Support with getting Voter ID	0	
7	Support with getting Social grants	0	
8	Educational support	0	
9	Legal support	0	
10	Friendship from a peer navigator	0	
11	Safe space	0	
96	Other	0	
Sysmiss		1088	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1

dm_supp_thetha_prog_12m_2: What support did you receive? Condoms

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=263 /-] [Invalid=1267 /-]

Value	Label	Cases	Percentage
1	Sexual reproductive health information	0	
2	Condoms	263	100.0%
3	Referral to clinic	0	
4	Support/reminders for clinic visit	0	
5	Referral to social worker	0	
6	Support with getting Voter ID	0	
7	Support with getting Social grants	0	
8	Educational support	0	
9	Legal support	0	
10	Friendship from a peer navigator	0	
11	Safe space	0	
96	Other	0	
Systemiss		1267	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_supp_thetha_prog_12m_3: What support did you receive? Referral to clinic

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=400 /-] [Invalid=1130 /-]

Value	Label	Cases	Percentage
1	Sexual reproductive health information	0	
2	Condoms	0	
3	Referral to clinic	400	100.0%
4	Support/reminders for clinic visit	0	
5	Referral to social worker	0	
6	Support with getting Voter ID	0	
7	Support with getting Social grants	0	
8	Educational support	0	
9	Legal support	0	
10	Friendship from a peer navigator	0	
11	Safe space	0	
96	Other	0	
Systemiss		1130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_supp_thetha_prog_12m_4: What support did you receive? Support/reminders for clinic visit

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=223 /-] [Invalid=1307 /-]

Value	Label	Cases	Percentage
1	Sexual reproductive health information	0	
2	Condoms	0	
3	Referral to clinic	0	

File : AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1

dm_supp_thetha_prog_12m_4: What support did you receive? Support/reminders for clinic visit

Value	Label	Cases	Percentage
4	Support/reminders for clinic visit	223	100.0%
5	Referral to social worker	0	
6	Support with getting Voter ID	0	
7	Support with getting Social grants	0	
8	Educational support	0	
9	Legal support	0	
10	Friendship from a peer navigator	0	
11	Safe space	0	
96	Other	0	
Sysmiss		1307	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_supp_thetha_prog_12m_5: What support did you receive? Referral to social worker

Value	Label	Cases	Percentage
1	Sexual reproductive health information	0	
2	Condoms	0	
3	Referral to clinic	0	
4	Support/reminders for clinic visit	0	
5	Referral to social worker	16	100.0%
6	Support with getting Voter ID	0	
7	Support with getting Social grants	0	
8	Educational support	0	
9	Legal support	0	
10	Friendship from a peer navigator	0	
11	Safe space	0	
96	Other	0	
Sysmiss		1514	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_supp_thetha_prog_12m_6: What support did you receive? Support with getting Voter ID

Value	Label	Cases	Percentage
1	Sexual reproductive health information	0	
2	Condoms	0	
3	Referral to clinic	0	
4	Support/reminders for clinic visit	0	
5	Referral to social worker	0	
6	Support with getting Voter ID	12	100.0%
7	Support with getting Social grants	0	
8	Educational support	0	
9	Legal support	0	

File : AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1

dm_supp_thetha_prog_12m_6: What support did you receive? Support with getting Voter ID

Value	Label	Cases	Percentage
10	Friendship from a peer navigator	0	
11	Safe space	0	
96	Other	0	
Sysmiss		1518	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_supp_thetha_prog_12m_7: What support did you receive? Support with getting Social grants

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=1517 /-]

Value	Label	Cases	Percentage
1	Sexual reproductive health information	0	
2	Condoms	0	
3	Referral to clinic	0	
4	Support/reminders for clinic visit	0	
5	Referral to social worker	0	
6	Support with getting Voter ID	0	
7	Support with getting Social grants	13	100.0%
8	Educational support	0	
9	Legal support	0	
10	Friendship from a peer navigator	0	
11	Safe space	0	
96	Other	0	
Sysmiss		1517	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_supp_thetha_prog_12m_8: What support did you receive? Educational support

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=1517 /-]

Value	Label	Cases	Percentage
1	Sexual reproductive health information	0	
2	Condoms	0	
3	Referral to clinic	0	
4	Support/reminders for clinic visit	0	
5	Referral to social worker	0	
6	Support with getting Voter ID	0	
7	Support with getting Social grants	0	
8	Educational support	13	100.0%
9	Legal support	0	
10	Friendship from a peer navigator	0	
11	Safe space	0	
96	Other	0	
Sysmiss		1517	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1

dm_supp_thetha_prog_12m_9: What support did you receive? Legal support

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=1527 /-]

Value	Label	Cases	Percentage
1	Sexual reproductive health information	0	
2	Condoms	0	
3	Referral to clinic	0	
4	Support/reminders for clinic visit	0	
5	Referral to social worker	0	
6	Support with getting Voter ID	0	
7	Support with getting Social grants	0	
8	Educational support	0	
9	Legal support	3	100.0%
10	Friendship from a peer navigator	0	
11	Safe space	0	
96	Other	0	
System		1527	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_supp_thetha_prog_12m_10: What support did you receive? Friendship from a peer navigator

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=77 /-] [Invalid=1453 /-]

Value	Label	Cases	Percentage
1	Sexual reproductive health information	0	
2	Condoms	0	
3	Referral to clinic	0	
4	Support/reminders for clinic visit	0	
5	Referral to social worker	0	
6	Support with getting Voter ID	0	
7	Support with getting Social grants	0	
8	Educational support	0	
9	Legal support	0	
10	Friendship from a peer navigator	77	100.0%
11	Safe space	0	
96	Other	0	
System		1453	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_supp_thetha_prog_12m_11: What support did you receive? Safe space

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=1502 /-]

Value	Label	Cases	Percentage
1	Sexual reproductive health information	0	
2	Condoms	0	
3	Referral to clinic	0	

File : AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1

dm_supp_thetha_prog_12m_11: What support did you receive? Safe space

Value	Label	Cases	Percentage
4	Support/reminders for clinic visit	0	
5	Referral to social worker	0	
6	Support with getting Voter ID	0	
7	Support with getting Social grants	0	
8	Educational support	0	
9	Legal support	0	
10	Friendship from a peer navigator	0	
11	Safe space	28	100.0%
96	Other	0	
Sysmiss		1502	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_supp_thetha_prog_12m_96: What support did you receive? Other

Value	Label	Cases	Percentage
1	Sexual reproductive health information	0	
2	Condoms	0	
3	Referral to clinic	0	
4	Support/reminders for clinic visit	0	
5	Referral to social worker	0	
6	Support with getting Voter ID	0	
7	Support with getting Social grants	0	
8	Educational support	0	
9	Legal support	0	
10	Friendship from a peer navigator	0	
11	Safe space	0	
96	Other	0	
Sysmiss		1530	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_reco_thetha_prog_12m: How likely are you to recommend your peer navigator to a friend?

Value	Label	Cases	Percentage
1	Very likely	459	76.5%
2	Likely	33	5.5%
3	Somewhat likely	34	5.7%
4	Not likely	74	12.3%
Sysmiss		930	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_partc_mentor_prog_12m: Have you participated/ attended in the following service/program in the last 12

Value	Label	Cases	Percentage
1	Yes	1530	100.0%
2	No	0	0.0%
Sysmiss		0	

File : AHRI.PrEPImplementation.LES.LAPIS.Exit.Survey.2026.v1

dm_partc_mentor_prog_12m: Have you participated/ attended in the following service/program in the last 12

Value	Label	Cases	Percentage
1	Yes	254	16.6%
2	No	1223	79.9%
93	Prefer not to answer	4	0.3%
98	Don't know	49	3.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_hiv_selftesting_12m: Have you been offered an HIV Self test kit in the last 12 months?

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	378	24.7%
2	No	1149	75.1%
93	Prefer not to answer	1	0.1%
98	Don't know	2	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_hiv_selftesting_acc: Did you accept the HIV Self Testing kit?

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=378 /-] [Invalid=1152 /-]

Value	Label	Cases	Percentage
1	Yes	346	91.5%
2	No	32	8.5%
93	Prefer not to answer	0	
98	Don't know	0	
Sysmiss		1152	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_hiv_selftesting_use: Have you used the HIV Self testing kit?

















Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=347 /-] [Invalid=1183 /-]

Value	Label	Cases	Percentage
1	Yes	288	83.0%
2	No	59	17.0%
93	Prefer not to answer	0	
98	Don't know	0	
Sysmiss		1183	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dm_quest_stoptime: Questionnaire - Stop time

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1530 /-]

# mv_quest_starttime: Questionnaire - Start time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-]		
# mv_phq9_ment01: Little interest or pleasure in doing things			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Not at all	1104	 72.2%
1	Several days	291	 19.0%
2	More than half the days	93	 6.1%
3	Nearly every day	42	 2.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# mv_phq9_ment02: Feeling down, depressed, or hopeless			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Not at all	1129	 73.8%
1	Several days	257	 16.8%
2	More than half the days	115	 7.5%
3	Nearly every day	29	 1.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# mv_phq9_ment03: Trouble falling or staying asleep, or sleeping too much			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Not at all	1174	 76.7%
1	Several days	230	 15.0%
2	More than half the days	96	 6.3%
3	Nearly every day	30	 2.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# mv_phq9_ment04: Feeling tired or having little energy			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Not at all	1096	 71.6%
1	Several days	296	 19.3%
2	More than half the days	109	 7.1%
3	Nearly every day	29	 1.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# mv_phq9_ment05: Poor appetite or overeating			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		

mv_phq9_ment05: Poor appetite or overeating

Value	Label	Cases	Percentage
0	Not at all	1167	76.3%
1	Several days	208	13.6%
2	More than half the days	128	8.4%
3	Nearly every day	27	1.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

mv_phq9_ment06: Feeling bad about yourself-or that you are a failure or have let yourself or you

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Not at all	1294	84.6%
1	Several days	141	9.2%
2	More than half the days	75	4.9%
3	Nearly every day	20	1.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

mv_phq9_ment07: Trouble concentrating on things, such as reading the newspaper or watching telev

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Not at all	1290	84.3%
1	Several days	139	9.1%
2	More than half the days	83	5.4%
3	Nearly every day	18	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

mv_phq9_ment09: Thoughts that you would be better off dead or of hurting yourself in some way

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Not at all	1442	94.2%
1	Several days	54	3.5%
2	More than half the days	26	1.7%
3	Nearly every day	8	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

mv_phq9_ment08: Moving or speaking so slowly that other people could have noticed? Or the opposi

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Not at all	1303	85.2%
1	Several days	159	10.4%
2	More than half the days	54	3.5%
3	Nearly every day	14	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# mv_quest_stoptime: Questionnaire - Stop time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-]		
# hq_quest_starttime: Questionnaire - Start time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-]		
# hq_recv_hivresult: Have you ever received a test result for HIV?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	1424	93.1%
2	No	106	6.9%
93	Prefer not to answer	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_pos_hivresult: Have you ever had a positive HIV test result?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1424 /-] [Invalid=106 /-]		
Value	Label	Cases	Percentage
1	Yes	18	1.3%
2	No	1404	98.6%
93	Prefer not to answer	2	0.1%
Sysmiss		106	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_firstposresult: When was your first positive test result?			
Information	[Type= discrete] [Format=numeric] [Range= 2-93] [Missing=*]		
Statistics [NW/ W]	[Valid=18 /-] [Invalid=1512 /-]		
Value	Label	Cases	Percentage
2	More than one year	1	5.6%
3	Less than one year	15	83.3%
93	Prefer not to answer	2	11.1%
Sysmiss		1512	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_lastneghivresult: When was your last negative test result?			
Information	[Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1424 /-] [Invalid=106 /-]		
Value	Label	Cases	Percentage
2	More than one year	314	22.1%
3	Less than one year	1051	73.8%
4	I never got the results	5	0.4%
93	Prefer not to answer	1	0.1%
98	Don't know	53	3.7%
Sysmiss		106	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# hq_prev_arttreat: Have you ever taken ART for your own health?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=18 /-] [Invalid=1512 /-]		
Value	Label	Cases	Percentage
1	Yes	7	38.9%
2	No	11	61.1%
93	Prefer not to answer	0	
Sysmiss		1512	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_start_arttreat: When did you first start ART?			
Information	[Type= discrete] [Format=numeric] [Range= 2-3] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=1523 /-]		
Value	Label	Cases	Percentage
2	More than one year	1	14.3%
3	Less than one year	6	85.7%
Sysmiss		1523	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_curr_arttreat: Are you currently receiving ART?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=18 /-] [Invalid=1512 /-]		
Value	Label	Cases	Percentage
1	Yes	11	61.1%
2	No	7	38.9%
93	Prefer not to answer	0	
Sysmiss		1512	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_art_takenstop: Have you ever had to stop ART?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=1523 /-]		
Value	Label	Cases	Percentage
1	Yes	0	
2	No	7	100.0%
93	Prefer not to answer	0	
Sysmiss		1523	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_recvfrom_arttreat: Where do you currently receive your ART from?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=1519 /-]		
Value	Label	Cases	Percentage
1	At the clinic	2	18.2%
2	At a mobile clinic	7	63.6%
3	Pills Download	0	
4	From a private doctor	0	
5	NGO	1	9.1%

# hq_recvfrom_arttreat: Where do you currently receive your ART from?			
Value	Label	Cases	Percentage
6	Outside the study area / Outside PIPSA	0	
93	Prefer not to answer	1	9.1%
Sysmiss		1519	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_art_delay_meds: During the past 12 months have you DELAYED getting ART (only those who said yes)			
Information		[Type= discrete] [Format=numeric] [Range= 1-97] [Missing=*]	
Statistics [NW/ W]		[Valid=7 /-] [Invalid=1523 /-]	
Value	Label	Cases	Percentage
1	Yes	1	14.3%
2	No	6	85.7%
97	NA	0	
Sysmiss		1523	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_pep_taken: Have you ever taken PEP?			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=1530 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	70	4.6%
2	No	1459	95.4%
93	Prefer not to answer	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_pep_lasttaken: How long ago did you last take PEP?			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=70 /-] [Invalid=0 /-]	
# hq_pep_lasttakenunit: Is value in			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=70 /-] [Invalid=1460 /-]	
Value	Label	Cases	Percentage
1	Days	15	21.4%
2	Weeks	8	11.4%
3	Months	32	45.7%
4	Years	15	21.4%
Sysmiss		1460	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_pep_getwhere: Where did you receive PEP from?			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=70 /-] [Invalid=1460 /-]	
Value	Label	Cases	Percentage
1	Isisekelo Sempilo Clinic / Thetha Nami mobile clinic	51	72.9%
2	Thetha Nami peer navigator	0	
3	DoH/Primary care Clinic	16	22.9%
4	Private Doctor	0	

# hq_pep_getwhere: Where did you receive PEP from?			
Value	Label	Cases	Percentage
5	Pharmacy	0	
6	EDI	0	
7	Ezibayeni	0	
8	Unyezi	0	
9	Isikondlakondla	0	
10	DoE	0	
11	Mphilonhle	1	1.4%
12	Star for Life	0	
13	AHRI CTU	0	
96	Other, specify	2	2.9%
Sysmiss		1460	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_pep_getwhere_oth: Please specify detail on the other place where you received PEP from:			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]		
# hq_prep_taken_12mths: In the past 12 months have you taken any PrEP?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	1304	85.2%
2	No	211	13.8%
98	Don't know	15	1.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_taken_12mths_type: If yes, was it:			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1304 /-] [Invalid=226 /-]		
Value	Label	Cases	Percentage
1	Oral PrEP only	793	60.8%
2	2 monthly Injectable (im) cabotegravir only	507	38.9%
3	DapiRing Only	0	
4	6 monthly subcutaneous lenacapovir	0	
5	Oral PrEP and Injectable cabotegravir	4	0.3%
96	Other	0	
Sysmiss		226	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_taken_from_org: Where / from which organisation was it offered?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1304 /-] [Invalid=226 /-]		
Value	Label	Cases	Percentage
1	DoH	15	1.2%
2	Private Doctor	0	
3	Pharmacy	0	

hq_prep_taken_from_org: Where / from which organisation was it offered?

Value	Label	Cases	Percentage
4	Africa Centre / AHRI	99	7.6%
9	EDI	0	
10	Ezibayeni	0	
11	Unyezi	0	
12	Isikondlakondla	0	
18	Mpilonhle	0	
19	Star for Life	0	
20	Isisekelo Sempilo/ Thetha Nami Mobile Clinic	1161	89.0%
21	AHRI Clinical Trial Unit	10	0.8%
22	Primary Health Care Clinic (Government Clinic)	18	1.4%
30	STAR / Theha Nami	0	
96	Other	1	0.1%
98	Don't know	0	
Sysmiss		226	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_taken_from_oth: Please specify details of the other organization

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]

hq_prep_currtaken: Are you currently taking PrEP to prevent HIV?

Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]
Statistics [NW/ W]	[Valid=1319 /-] [Invalid=211 /-]

Value	Label	Cases	Percentage
1	Yes	806	61.1%
2	No	464	35.2%
93	Prefer not to answer	49	3.7%
Sysmiss		211	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_currtaken_type: If yes, which one?

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=806 /-] [Invalid=724 /-]

Value	Label	Cases	Percentage
1	Oral PrEP only	566	70.2%
2	2 monthly Injectable (im) cabotegravir only	238	29.5%
3	DapiRing Only	0	
4	6 monthly subcutaneous lenacapovir	2	0.2%
96	Other	0	
Sysmiss		724	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_reasnot_need: Why did you decide not to take PrEP? Please rank from most important (1) to leas

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=675 /-] [Invalid=855 /-]

hq_prep_reasnot_need: Why did you decide not to take PrEP? Please rank from most important (1) to leas

Value	Label	Cases	Percentage
1	1	273	40.4%
2	2	69	10.2%
3	3	11	1.6%
4	4	12	1.8%
5	5	31	4.6%
6	6	26	3.9%
7	7	28	4.1%
8	8	32	4.7%
9	9	47	7.0%
10	10	146	21.6%
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_reasnot_sideff: Why did you decide not to take PrEP? Please rank from most important (1) to leas

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=675 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
1	1	130	19.3%
2	2	153	22.7%
3	3	42	6.2%
4	4	30	4.4%
5	5	75	11.1%
6	6	30	4.4%
7	7	23	3.4%
8	8	33	4.9%
9	9	57	8.4%
10	10	102	15.1%
Sysmiss		855	






























Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_reasnot_conv: Why did you decide not to take PrEP? Please rank from most important (1) to leas

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=674 /-] [Invalid=856 /-]

Value	Label	Cases	Percentage
1	1	89	13.2%
2	2	160	23.7%
3	3	137	20.3%
4	4	20	3.0%
5	5	44	6.5%
6	6	31	4.6%
7	7	32	4.7%
8	8	43	6.4%
9	9	65	9.6%
10	10	53	7.9%
Sysmiss		856	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# hq_prep_reasnot_tab: Why did you decide not to take PrEP? Please rank from most important (1) to least			
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W]		[Valid=675 /-] [Invalid=855 /-]	
Value	Label	Cases	Percentage
1	1	36	 5.3%
2	2	90	 13.3%
3	3	117	 17.3%
4	4	108	 16.0%
5	5	42	 6.2%
6	6	61	 9.0%
7	7	35	 5.2%
8	8	47	 7.0%
9	9	78	 11.6%
10	10	61	 9.0%
Sysmiss		855	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_reasnot_inj: Why did you decide not to take PrEP? Please rank from most important (1) to least			
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W]		[Valid=675 /-] [Invalid=855 /-]	
Value	Label	Cases	Percentage
1	1	26	 3.9%
2	2	35	 5.2%
3	3	110	 16.3%
4	4	112	 16.6%
5	5	92	 13.6%
6	6	45	 6.7%
7	7	44	 6.5%
8	8	70	 10.4%
9	9	109	 16.1%
10	10	32	 4.7%
Sysmiss		855	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_reasnot_fam: Why did you decide not to take PrEP? Please rank from most important (1) to least			
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W]		[Valid=675 /-] [Invalid=855 /-]	
Value	Label	Cases	Percentage
1	1	28	 4.1%
2	2	42	 6.2%
3	3	50	 7.4%
4	4	88	 13.0%
5	5	73	 10.8%
6	6	88	 13.0%
7	7	86	 12.7%
8	8	130	 19.3%
9	9	57	 8.4%

# hq_prep_reasnot_fam: Why did you decide not to take PrEP? Please rank from most important (1) to leas			
Value	Label	Cases	Percentage
10	10	33	4.9%
Sysmiss		855	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_reasnot_partn: Why did you decide not to take PrEP? Please rank from most important (1) to leas			
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W]		[Valid=675 /-] [Invalid=855 /-]	
Value	Label	Cases	Percentage
1	1	18	2.7%
2	2	31	4.6%
3	3	57	8.4%
4	4	119	17.6%
5	5	72	10.7%
6	6	91	13.5%
7	7	120	17.8%
8	8	86	12.7%
9	9	50	7.4%
10	10	31	4.6%
Sysmiss		855	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_reasnot_altmth: Why did you decide not to take PrEP? Please rank from most important (1) to leas			
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W]		[Valid=675 /-] [Invalid=855 /-]	
Value	Label	Cases	Percentage
1	1	12	1.8%
2	2	36	5.3%
3	3	85	12.6%
4	4	74	11.0%
5	5	86	12.7%
6	6	90	13.3%
7	7	128	19.0%
8	8	95	14.1%
9	9	45	6.7%
10	10	24	3.6%
Sysmiss		855	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_reasnot_workcom: Why did you decide not to take PrEP? Please rank from most important (1) to leas			
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W]		[Valid=675 /-] [Invalid=855 /-]	
Value	Label	Cases	Percentage
1	1	25	3.7%
2	2	38	5.6%
3	3	36	5.3%
4	4	60	8.9%

hq_prep_reasnot_workcom: Why did you decide not to take PrEP? Please rank from most important (1) to leas

Value	Label	Cases	Percentage
5	5	84	12.4%
6	6	110	16.3%
7	7	117	17.3%
8	8	69	10.2%
9	9	107	15.9%
10	10	29	4.3%
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_reasnot_pref_trad: Why did you decide not to take PrEP? Please rank from most important (1) to leas

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=675 /-] [Invalid=855 /-]

Value	Label	Cases	Percentage
1	1	38	5.6%
2	2	21	3.1%
3	3	30	4.4%
4	4	52	7.7%
5	5	76	11.3%
6	6	103	15.3%
7	7	62	9.2%
8	8	69	10.2%
9	9	60	8.9%
10	10	164	24.3%
Sysmiss		855	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_takendaily: Do you take PrEP every day?

Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]
Statistics [NW/ W]	[Valid=566 /-] [Invalid=964 /-]

Value	Label	Cases	Percentage
1	Yes	477	84.3%
2	No	86	15.2%
93	Prefer not to answer	3	0.5%
Sysmiss		964	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_takenstrug_2: Are you struggling to take you PrEP drugs as advised by the doctor because (plea

Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]
Statistics [NW/ W]	[Valid=870 /-] [Invalid=660 /-]

Value	Label	Cases	Percentage
2	No, I take my tablets/attend injections as instructed	870	100.0%
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	

# hq_prep_takenstrug_2: Are you struggling to take you PrEP drugs as advised by the doctor because (plea			
Value	Label	Cases	Percentage
8	I am away from home	0	
9	The injections are painful	0	
10	I don't like to be seen at the clinic	0	
11	Two monthly injections are too frequent	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		660	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_takenstrug_3: Are you struggling to take you PrEP drugs as advised by the doctor because (plea			
Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]		
Statistics [NW/ W]	[Valid=143 /-] [Invalid=1387 /-]		
Value	Label	Cases	Percentage
2	No, I take my tablets/attend injections as instructed	0	
3	I forget to take my pills	143	100.0%
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	
8	I am away from home	0	
9	The injections are painful	0	
10	I don't like to be seen at the clinic	0	
11	Two monthly injections are too frequent	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1387	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_takenstrug_4: Are you struggling to take you PrEP drugs as advised by the doctor because (plea			
Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1530 /-]		
Value	Label	Cases	Percentage
2	No, I take my tablets/attend injections as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	
8	I am away from home	0	
9	The injections are painful	0	
10	I don't like to be seen at the clinic	0	
11	Two monthly injections are too frequent	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1530	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# hq_prep_takenstrug_5: Are you struggling to take you PrEP drugs as advised by the doctor because (plea			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=6 /-] [Invalid=1524 /-]	
Value	Label	Cases	Percentage
2	No, I take my tablets/attend injections as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	6	100.0%
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	
8	I am away from home	0	
9	The injections are painful	0	
10	I don't like to be seen at the clinic	0	
11	Two monthly injections are too frequent	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1524	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_takenstrug_6: Are you struggling to take you PrEP drugs as advised by the doctor because (plea			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=59 /-] [Invalid=1471 /-]	
Value	Label	Cases	Percentage
2	No, I take my tablets/attend injections as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	59	100.0%
7	I get side effects from the pills	0	
8	I am away from home	0	
9	The injections are painful	0	
10	I don't like to be seen at the clinic	0	
11	Two monthly injections are too frequent	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1471	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_takenstrug_7: Are you struggling to take you PrEP drugs as advised by the doctor because (plea			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=66 /-] [Invalid=1464 /-]	
Value	Label	Cases	Percentage
2	No, I take my tablets/attend injections as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	

hq_prep_takenstrug_7: Are you struggling to take you PrEP drugs as advised by the doctor because (plea

Value	Label	Cases	Percentage
7	I get side effects from the pills	66	100.0%
8	I am away from home	0	
9	The injections are painful	0	
10	I don't like to be seen at the clinic	0	
11	Two monthly injections are too frequent	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1464	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# hq_prep_takenstrug_8: Are you struggling to take you PrEP drugs as advised by the doctor because (plea			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=126 /-] [Invalid=1404 /-]	
Value	Label	Cases	Percentage
2	No, I take my tablets/attend injections as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	
8	I am away from home	126	100.0%
9	The injections are painful	0	
10	I don't like to be seen at the clinic	0	
11	Two monthly injections are too frequent	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1404	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_takenstrug_9: Are you struggling to take you PrEP drugs as advised by the doctor because (plea			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=26 /-] [Invalid=1504 /-]	
Value	Label	Cases	Percentage
2	No, I take my tablets/attend injections as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	
8	I am away from home	0	
9	The injections are painful	26	100.0%
10	I don't like to be seen at the clinic	0	
11	Two monthly injections are too frequent	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1504	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_takenstrug_10: Are you struggling to take you PrEP drugs as advised by the doctor because (plea			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=8 /-] [Invalid=1522 /-]	
Value	Label	Cases	Percentage
2	No, I take my tablets/attend injections as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	

hq_prep_takenstrug_10: Are you struggling to take you PrEP drugs as advised by the doctor because (plea

Value	Label	Cases	Percentage
7	I get side effects from the pills	0	
8	I am away from home	0	
9	The injections are painful	0	
10	I don't like to be seen at the clinic	8	100.0%
11	Two monthly injections are too frequent	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1522	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_takenstrug_11: Are you struggling to take you PrEP drugs as advised by the doctor because (plea

Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=1517 /-]

Value	Label	Cases	Percentage
2	No, I take my tablets/attend injections as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	
8	I am away from home	0	
9	The injections are painful	0	
10	I don't like to be seen at the clinic	0	
11	Two monthly injections are too frequent	13	100.0%
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1517	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_takenstrug_93: Are you struggling to take you PrEP drugs as advised by the doctor because (plea

Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=1504 /-]

Value	Label	Cases	Percentage
2	No, I take my tablets/attend injections as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	
8	I am away from home	0	
9	The injections are painful	0	
10	I don't like to be seen at the clinic	0	
11	Two monthly injections are too frequent	0	
93	Prefer not to answer	26	100.0%
96	Other, specify	0	
Sysmiss		1504	

# hq_prep_takenstrug_93: Are you struggling to take you PrEP drugs as advised by the doctor because (plea			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_takenstrug_96: Are you struggling to take you PrEP drugs as advised by the doctor because (plea			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=43 /-] [Invalid=1487 /-]	
Value	Label	Cases	Percentage
2	No, I take my tablets/attend injections as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	
8	I am away from home	0	
9	The injections are painful	0	
10	I don't like to be seen at the clinic	0	
11	Two monthly injections are too frequent	0	
93	Prefer not to answer	0	
96	Other, specify	43	100.0%
Sysmiss		1487	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_delay_meds: During the past 12 months have you DELAYED getting PrEP (only those who said yes			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=1304 /-] [Invalid=226 /-]	
Value	Label	Cases	Percentage
1	Yes	692	53.1%
2	No	597	45.8%
93	Prefer not to answer	15	1.2%
Sysmiss		226	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_delay_med_why_1: If yes, why (please select the top three reasons): I did not believe I was at ri			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=59 /-] [Invalid=1471 /-]	
Value	Label	Cases	Percentage
1	I did not believe I was at risk	59	100.0%
2	I was using condoms	0	
3	I don't like the injections/ they are painful	0	
4	I was travelling/ away from home	0	
5	I don't like to be seen at the clinic	0	
6	I was worried that my partner/ family will see my pills	0	
7	I do not have the time to come to the clinic every 2-3 months	0	
8	I wanted to have children/ become pregnant	0	
9	I am concerned about the side effects	0	
10	I struggle to take daily pills	0	
96	Other	0	
Sysmiss		1471	

# hq_prep_delay_med_why_1: If yes, why (please select the top three reasons): I did not believe I was at ri			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_delay_med_why_2: If yes, why (please select the top three reasons): I was using condoms			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=53 /-] [Invalid=1477 /-]	
Value	Label	Cases	Percentage
1	I did not believe I was at risk	0	
2	I was using condoms	53	100.0%
3	I don't like the injections/ they are painful	0	
4	I was travelling/ away from home	0	
5	I don't like to be seen at the clinic	0	
6	I was worried that my partner/ family will see my pills	0	
7	I do not have the time to come to the clinc every 2-3 months	0	
8	I wanted to have children/ become pregnant	0	
9	I am concerned about the side effects	0	
10	I struggle to take daily pills	0	
96	Other	0	
Sysmiss		1477	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_delay_med_why_3: If yes, why (please select the top three reasons): I don't like the injections/t			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=31 /-] [Invalid=1499 /-]	
Value	Label	Cases	Percentage
1	I did not believe I was at risk	0	
2	I was using condoms	0	
3	I don't like the injections/ they are painful	31	100.0%
4	I was travelling/ away from home	0	
5	I don't like to be seen at the clinic	0	
6	I was worried that my partner/ family will see my pills	0	
7	I do not have the time to come to the clinc every 2-3 months	0	
8	I wanted to have children/ become pregnant	0	
9	I am concerned about the side effects	0	
10	I struggle to take daily pills	0	
96	Other	0	
Sysmiss		1499	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_delay_med_why_4: If yes, why (please select the top three reasons): I was travelling/away from ho			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=397 /-] [Invalid=1133 /-]	
Value	Label	Cases	Percentage
1	I did not believe I was at risk	0	
2	I was using condoms	0	
3	I don't like the injections/ they are painful	0	
4	I was travelling/ away from home	397	100.0%
5	I don't like to be seen at the clinic	0	

hq_prep_delay_med_why_4: If yes, why (please select the top three reasons): I was travelling/away from ho

Value	Label	Cases	Percentage
6	I was worried that my partner/ family will see my pills	0	
7	I do not have the time to come to the clinic every 2-3 months	0	
8	I wanted to have children/ become pregnant	0	
9	I am concerned about the side effects	0	
10	I struggle to take daily pills	0	
96	Other	0	
Sysmiss		1133	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_delay_med_why_5: If yes, why (please select the top three reasons): I don't like to be seen at th

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=1521 /-]

Value	Label	Cases	Percentage
1	I did not believe I was at risk	0	
2	I was using condoms	0	
3	I don't like the injections/ they are painful	0	
4	I was travelling/ away from home	0	
5	I don't like to be seen at the clinic	9	100.0%
6	I was worried that my partner/ family will see my pills	0	
7	I do not have the time to come to the clinic every 2-3 months	0	
8	I wanted to have children/ become pregnant	0	
9	I am concerned about the side effects	0	
10	I struggle to take daily pills	0	
96	Other	0	
Sysmiss		1521	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_delay_med_why_6: If yes, why (please select the top three reasons): I was worried that my partner

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=1528 /-]

Value	Label	Cases	Percentage
1	I did not believe I was at risk	0	
2	I was using condoms	0	
3	I don't like the injections/ they are painful	0	
4	I was travelling/ away from home	0	
5	I don't like to be seen at the clinic	0	
6	I was worried that my partner/ family will see my pills	2	100.0%
7	I do not have the time to come to the clinic every 2-3 months	0	
8	I wanted to have children/ become pregnant	0	
9	I am concerned about the side effects	0	
10	I struggle to take daily pills	0	
96	Other	0	
Sysmiss		1528	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# hq_prep_delay_med_why_7: If yes, why (please select the top three reasons): I do not have time to come to			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=86 /-] [Invalid=1444 /-]	
Value	Label	Cases	Percentage
1	I did not believe I was at risk	0	
2	I was using condoms	0	
3	I don't like the injections/ they are painful	0	
4	I was travelling/ away from home	0	
5	I don't like to be seen at the clinic	0	
6	I was worried that my partner/ family will see my pills	0	
7	I do not have the time to come to the clinc every 2-3 months	86	100.0%
8	I wanted to have children/ become pregnant	0	
9	I am concerned about the side effects	0	
10	I struggle to take daily pills	0	
96	Other	0	
Sysmiss		1444	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_delay_med_why_8: If yes, why (please select the top three reasons): I wanted to have children/ be			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=1527 /-]	
Value	Label	Cases	Percentage
1	I did not believe I was at risk	0	
2	I was using condoms	0	
3	I don't like the injections/ they are painful	0	
4	I was travelling/ away from home	0	
5	I don't like to be seen at the clinic	0	
6	I was worried that my partner/ family will see my pills	0	
7	I do not have the time to come to the clinc every 2-3 months	0	
8	I wanted to have children/ become pregnant	3	100.0%
9	I am concerned about the side effects	0	
10	I struggle to take daily pills	0	
96	Other	0	
Sysmiss		1527	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_delay_med_why_9: If yes, why (please select the top three reasons): I am concerned about side eff			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=44 /-] [Invalid=1486 /-]	
Value	Label	Cases	Percentage
1	I did not believe I was at risk	0	
2	I was using condoms	0	
3	I don't like the injections/ they are painful	0	
4	I was travelling/ away from home	0	
5	I don't like to be seen at the clinic	0	
6	I was worried that my partner/ family will see my pills	0	
7	I do not have the time to come to the clinc every 2-3 months	0	

hq_prep_delay_med_why_9: If yes, why (please select the top three reasons): I am concerned about side eff

Value	Label	Cases	Percentage
8	I wanted to have children/ become pregnant	0	
9	I am concerned about the side effects	44	100.0%
10	I struggle to take daily pills	0	
96	Other	0	
Sysmiss		1486	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_delay_med_why_10: If yes, why (please select the top three reasons): I struggle to take daily pill

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=1484 /-]

Value	Label	Cases	Percentage
1	I did not believe I was at risk	0	
2	I was using condoms	0	
3	I don't like the injections/ they are painful	0	
4	I was travelling/ away from home	0	
5	I don't like to be seen at the clinic	0	
6	I was worried that my partner/ family will see my pills	0	
7	I do not have the time to come to the clinc every 2-3 months	0	
8	I wanted to have children/ become pregnant	0	
9	I am concerned about the side effects	0	
10	I struggle to take daily pills	46	100.0%
96	Other	0	
Sysmiss		1484	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_delay_med_why_96: If yes, why (please select the top three reasons): Other, specify

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=40 /-] [Invalid=1490 /-]

Value	Label	Cases	Percentage
1	I did not believe I was at risk	0	
2	I was using condoms	0	
3	I don't like the injections/ they are painful	0	
4	I was travelling/ away from home	0	
5	I don't like to be seen at the clinic	0	
6	I was worried that my partner/ family will see my pills	0	
7	I do not have the time to come to the clinc every 2-3 months	0	
8	I wanted to have children/ become pregnant	0	
9	I am concerned about the side effects	0	
10	I struggle to take daily pills	0	
96	Other	40	100.0%
Sysmiss		1490	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_delay_cabla: (For those who were on CABLA), what protection did you use during the 12 month C

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=258 /-] [Invalid=1272 /-]

# hq_prep_delay_cabla: (For those who were on CABLA), what protection did you use during the 12 month C			
Value	Label	Cases	Percentage
1	None, I didn't think that there was a problem if I missed a dose	62	24.0%
2	None, I was not sexually active	54	20.9%
3	None, I trust my sexual partner	33	12.8%
4	Condoms	94	36.4%
5	Oral PrEP	15	5.8%
Sysmiss		1272	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_imprt_feats_1: The potential side effects of the medicine			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Not important	249	16.3%
2	A little important	171	11.2%
3	Very important	1110	72.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_imprt_feats_2: That I can take the injectable at a clinic and do not need to keep medicines at			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Not important	208	13.6%
2	A little important	297	19.4%
3	Very important	1025	67.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_imprt_feats_3: That I must come to clinic to have the shot			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Not important	200	13.1%
2	A little important	235	15.4%
3	Very important	1095	71.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_imprt_feats_4: That other people I know and trust might also be using it.			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Not important	484	31.6%
2	A little important	331	21.6%
3	Very important	715	46.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_imprt_feats_6: Combining it with contraception.			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		

# hq_impirt_feats_6: Combining it with contraception.			
Value	Label	Cases	Percentage
1	Not important	390	25.5%
2	A little important	222	14.5%
3	Very important	918	60.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_impirt_feats_5: The possibility that long-acting injectable PrEP might "wear off" if I don't ret			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=1530 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Not important	245	16.0%
2	A little important	295	19.3%
3	Very important	990	64.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_impirt_feasts_route: Which is your preferred route (choose one)?			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=875 /-] [Invalid=655 /-]	
Value	Label	Cases	Percentage
1	Oral	261	29.8%
2	Injectable	527	60.2%
3	Implant	58	6.6%
4	Vaginal	6	0.7%
93	Prefer not to answer	23	2.6%
Sysmiss		655	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_impirt_feasts_route_men: Which is your preferred route (choose one)?			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=654 /-] [Invalid=876 /-]	
Value	Label	Cases	Percentage
1	Oral	263	40.2%
2	Injectable	382	58.4%
93	Prefer not to answer	9	1.4%
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_impirt_feasts_schedule: Which is your preferred dosing schedule (choose one)			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=1530 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Daily	239	15.6%
2	Monthly	34	2.2%
3	2 monthly	200	13.1%
4	6 monthly or annually	1027	67.1%
93	Prefer not to answer	30	2.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# hq_everSmoke: In your whole life up to now, have you ever smoked a cigarette?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	279	18.2%
2	No	1248	81.6%
93	Prefer not to answer	3	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_frstsmoke_age: How old were you when you smoked your first cigarette? If you can't remember, pl			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=278 /-] [Invalid=0 /-]		
# hq_dayssmoked_mths: How many days have you smoked at least one cigarette in the past month? [number			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=278 /-] [Invalid=0 /-]		
# hq_smokless_tabac: Have you used smokeless tobacco products such as snuff or chewing tobacco in the			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=279 /-] [Invalid=1251 /-]		
Value	Label	Cases	Percentage
1	Yes	24	8.6%
2	No	252	90.3%
93	Prefer not to answer	3	1.1%
Sysmiss		1251	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_everdrink: In your whole life up to now, have you ever drunk one "drink" of alcohol (e.g. a			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	775	50.7%
2	No	744	48.6%
93	Prefer not to answer	11	0.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_frstdrink_age: How old were you when you drank your first drink? If you can't remember, please			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=775 /-] [Invalid=0 /-]		
# hq_daysdrunk_mths: How many days have you drunk at least one drink in the past month? [number of da			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=775 /-] [Invalid=0 /-]		
# hq_more5drinks_day: How many days have you drunk 5 or more drinks (in succession) on one or more day			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=775 /-] [Invalid=0 /-]		
# hq_alcohol_3months: In the past three months have you had sex after using alcohol?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# hq_alcohol_3months: In the past three months have you had sex after using alcohol?			
Statistics [NW/ W]		[Valid=775 /-] [Invalid=755 /-]	
Value	Label	Cases	Percentage
1	Yes	184	23.7%
2	No	591	76.3%
System		755	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_alcohol_often: How often do you have a drink containing alcohol?			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=775 /-] [Invalid=755 /-]	
Value	Label	Cases	Percentage
1	Never	172	22.2%
2	Monthly or less	461	59.5%
3	2-4 times per week	98	12.6%
4	2-3 times per week	34	4.4%
5	4 times per week or more	10	1.3%
System		755	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_alcohol_unt_amt: Referring to the image above, how many units of alcohol do you drink on a typical day?			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=775 /-] [Invalid=755 /-]	
Value	Label	Cases	Percentage
1	0 to 2	350	45.2%
2	3 to 4	212	27.4%
3	5 to 6	143	18.5%
4	7 to 9	33	4.3%
5	10 or more	37	4.8%
System		755	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_alcohol_unt_exceed: Referring to the image above, how often have you had 5 or more units, on a single occasion?			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=775 /-] [Invalid=755 /-]	
Value	Label	Cases	Percentage
1	Never	206	26.6%
2	Less than monthly	477	61.5%
3	Monthly	63	8.1%
4	Weekly	26	3.4%
5	Daily or almost daily	3	0.4%
System		755	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_everuse_cannab: In your whole life up to now, have you ever used cannabis (dagga)?			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=1529 /-] [Invalid=1 /-]	

hq_everuse_cannab: In your whole life up to now, have you ever used cannabis (dagga)?

Value	Label	Cases	Percentage
1	Yes	156	10.2%
2	No	1371	89.7%
93	Prefer not to answer	2	0.1%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_frstcannab_age: How old were you when you used cannabis (dagga)? If you can't remember, please g

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=156 /-] [Invalid=0 /-]

hq_dayscannab_mths: How many days have you used cannabis in the past month? [number of days]

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=156 /-] [Invalid=0 /-]

hq_usedoth_drugs_2: Have you ever used other drugs such as (Tick all that apply) - No

Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]
Statistics [NW/ W]	[Valid=1500 /-] [Invalid=30 /-]

Value	Label	Cases	Percentage
2	No	1500	100.0%
3	Inhalants such as glue, paint thinner, gasoline or petrol	0	
4	I-methaqualone(Mandrax)	0	
5	Cocaine	0	
6	Heroin	0	
7	Club drugs	0	
93	Prefer not to answer	0	
96	Other	0	
Sysmiss		30	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_usedoth_drugs_3: Have you ever used other drugs such as (Tick all that apply) - Inhalants such as

Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=1526 /-]

Value	Label	Cases	Percentage
2	No	0	
3	Inhalants such as glue, paint thinner, gasoline or petrol	4	100.0%
4	I-methaqualone(Mandrax)	0	
5	Cocaine	0	
6	Heroin	0	
7	Club drugs	0	
93	Prefer not to answer	0	
96	Other	0	
Sysmiss		1526	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_usedoth_drugs_4: Have you ever used other drugs such as (Tick all that apply) - I-methaqualone(Ma

Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=1526 /-]

hq_usedoth_drugs_4: Have you ever used other drugs such as (Tick all that apply) - I-methaqualone(Ma

Value	Label	Cases	Percentage
2	No	0	
3	Inhalants such as glue, paint thinner, gasoline or petrol	0	
4	I-methaqualone(Mandrax)	4	100.0%
5	Cocaine	0	
6	Heroin	0	
7	Club drugs	0	
93	Prefer not to answer	0	
96	Other	0	
Sysmiss		1526	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_usedoth_drugs_5: Have you ever used other drugs such as (Tick all that apply) - Cocaine

Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=1527 /-]

Value	Label	Cases	Percentage
2	No	0	
3	Inhalants such as glue, paint thinner, gasoline or petrol	0	
4	I-methaqualone(Mandrax)	0	
5	Cocaine	3	100.0%
6	Heroin	0	
7	Club drugs	0	
93	Prefer not to answer	0	
96	Other	0	
Sysmiss		1527	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_usedoth_drugs_6: Have you ever used other drugs such as (Tick all that apply) - Heroin

Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1530 /-]

Value	Label	Cases	Percentage
2	No	0	
3	Inhalants such as glue, paint thinner, gasoline or petrol	0	
4	I-methaqualone(Mandrax)	0	
5	Cocaine	0	
6	Heroin	0	
7	Club drugs	0	
93	Prefer not to answer	0	
96	Other	0	
Sysmiss		1530	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_usedoth_drugs_7: Have you ever used other drugs such as (Tick all that apply) - Club drugs

Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=1527 /-]

Value	Label	Cases	Percentage
2	No	0	

# hq_usedoth_drugs_7: Have you ever used other drugs such as (Tick all that apply) - Club drugs			
Value	Label	Cases	Percentage
3	Inhalants such as glue, paint thinner, gasoline or petrol	0	
4	I-methaqualone(Mandrax)	0	
5	Cocaine	0	
6	Heroin	0	
7	Club drugs	3	100.0%
93	Prefer not to answer	0	
96	Other	0	
Sysmiss		1527	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# hq_usedoth_drugs_93: Have you ever used other drugs such as (Tick all that apply) - Other			
Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=1529 /-]		
Value	Label	Cases	Percentage
2	No	0	
3	Inhalants such as glue, paint thinner, gasoline or petrol	0	
4	I-methaqualone(Mandrax)	0	
5	Cocaine	0	
6	Heroin	0	
7	Club drugs	0	
93	Prefer not to answer	1	100.0%
96	Other	0	
Sysmiss		1529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# hq_usedoth_drugs_96: Have you ever used other drugs such as (Tick all that apply) - Prefer not to ans			
Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=1513 /-]		
Value	Label	Cases	Percentage
2	No	0	
3	Inhalants such as glue, paint thinner, gasoline or petrol	0	
4	I-methaqualone(Mandrax)	0	
5	Cocaine	0	
6	Heroin	0	
7	Club drugs	0	
93	Prefer not to answer	0	
96	Other	17	100.0%
Sysmiss		1513	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_othdrug_oth: Please specify more details on the kind of other drugs you have used?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=17 /-] [Invalid=0 /-]		
# hq_quest_stoptime: Questionnaire - Stop time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-]		
# sr_quest_starttime: Questionnaire - Start time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-]		
# sr_fatherclindren: Have you ever fathered any children?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=654 /-] [Invalid=876 /-]		
Value	Label	Cases	Percentage
1	Yes	251	38.4%
2	No	403	61.6%
93	Prefer not to answer	0	
98	Don't know	0	
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_numchildfath: How many children have you fathered (please include those who have died)?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=250 /-] [Invalid=0 /-]		
# sr_share_numchildfath: How many of these children are still alive?			
Information	[Type= discrete] [Format=numeric] [Range= 93-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=1529 /-]		
Value	Label	Cases	Percentage
93	Prefer not to answer	1	100.0%
Sysmiss		1529	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# sr_agefather: How many children have you fathered (please include those who have died)?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=247 /-] [Invalid=0 /-]		
# sr_share_agefather: How old were you when you first made someone pregnant?			
Information	[Type= discrete] [Format=numeric] [Range= 93-93] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=1526 /-]		
Value	Label	Cases	Percentage
93	Prefer not to answer	4	100.0%
Sysmiss		1526	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_ever_circumcised: Have you ever been circumcised?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=654 /-] [Invalid=876 /-]		
Value	Label	Cases	Percentage
1	Yes	542	82.9%
2	No	110	16.8%
93	Prefer not to answer	2	0.3%
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_circum_when: When were you circumcised (if you do not know, please make your best guess)?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=542 /-] [Invalid=988 /-]		
Value	Label	Cases	Percentage
1	As a child (under one year)	16	3.0%
2	As a child or adolescent	380	70.1%
3	As an adult (over 18 years)	139	25.6%
93	Prefer not to answer	2	0.4%
98	Don't know	5	0.9%
Sysmiss		988	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_circum_where: Where were you circumcised?			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=542 /-] [Invalid=988 /-]		
Value	Label	Cases	Percentage
1	Clinic	529	97.6%
2	Mountain	2	0.4%
3	Church	5	0.9%
96	Other	6	1.1%
Sysmiss		988	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_circum_whereoth: Please specify more details on where you were circumcised:			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=0 /-]		

# sr_currpregnant: Are you currently pregnant?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=875 /-] [Invalid=655 /-]		
Value	Label	Cases	Percentage
1	Yes	54	6.2%
2	No	819	93.6%
93	Prefer not to answer	1	0.1%
98	Don't know	1	0.1%
Sysmiss		655	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_everpregnant: Have you ever been pregnant?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=875 /-] [Invalid=655 /-]		
Value	Label	Cases	Percentage
1	Yes	714	81.6%
2	No	159	18.2%
93	Prefer not to answer	2	0.2%
Sysmiss		655	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_pregnant_last_12mths: Have you been pregnant in the last 12 months?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=728 /-] [Invalid=802 /-]		
Value	Label	Cases	Percentage
1	Yes	93	12.8%
2	No	634	87.1%
93	Prefer not to answer	1	0.1%
Sysmiss		802	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_preg_last_12mths_outcome: What was the outcome of the pregnancy?			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=93 /-] [Invalid=1437 /-]		
Value	Label	Cases	Percentage
1	Live birth at term	69	74.2%
2	Premature delivery	3	3.2%
3	Miscarriage or still birth	10	10.8%
4	Termination of pregnancy	0	
96	Other	11	11.8%
Sysmiss		1437	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_premature_last_12mths: How many weeks old was the premature delivery?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=0 /-]		
# sr_mis_stillbir_last_12mths: What was the gestation period of the miscarriage/still birth?			
Information	[Type= discrete] [Format=character] [Missing=*]		

# sr_mis_stillbir_last_12mths: What was the gestation period of the miscarriage/still birth?			
Statistics [NW/ W]		[Valid=10 /-] [Invalid=0 /-]	
# sr_agepregnant: How old were you the first time you got pregnant? [age in years]			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=725 /-] [Invalid=0 /-]	
# sr_share_agepregnant: How old were you the first time you got pregnant? [age in years]			
Information		[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=1527 /-]	
Value	Label	Cases	Percentage
93	Prefer not to answer	2	66.7%
98	Don't know	1	33.3%
Sysmiss		1527	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_times_pregnant: How many times have you been pregnant? (including pregnancies that did not go to			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=714 /-] [Invalid=0 /-]	
# sr_times_birth: How many times have you given birth? (include both live births and stillbirths.			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=714 /-] [Invalid=0 /-]	
# sr_areusemeth_avoidpreg: Are you currently using any contraceptive methods to prevent pregnancy?			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=820 /-] [Invalid=710 /-]	
Value	Label	Cases	Percentage
1	Yes	592	72.2%
2	No	226	27.6%
93	Prefer not to answer	2	0.2%
Sysmiss		710	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_currmeth_avoidpreg_1: Which methods are you currently using? Male condom			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=11 /-] [Invalid=1519 /-]	
Value	Label	Cases	Percentage
1	Male condom	11	100.0%
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	

# sr_currmeth_avoidpreg_1: Which methods are you currently using? Male condom			
Value	Label	Cases	Percentage
96	Other, specify	0	
Sysmiss		1519	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_currmeth_avoidpreg_2: Which methods are you currently using? Female condom			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=1530 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1530	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_currmeth_avoidpreg_3: Which methods are you currently using? Female sterilization ('tubal ligation')			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=1528 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	2	100.0%
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1528	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_currmeth_avoidpreg_4: Which methods are you currently using? Male sterilization ('vasectomy')			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=1530 /-]	

sr_currmeth_avoidpreg_4: Which methods are you currently using? Male sterilization ('vasectomy')

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1530	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sr_currmeth_avoidpreg_5: Which methods are you currently using? IUD/loop

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=17 /-] [Invalid=1513 /-]

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	17	100.0%
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1513	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sr_currmeth_avoidpreg_6: Which methods are you currently using? Injectable contraceptives

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=269 /-] [Invalid=1261 /-]

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	269	100.0%
7	Implants	0	

sr_currmeth_avoidpreg_6: Which methods are you currently using? Injectable contraceptives

Value	Label	Cases	Percentage
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Systemmiss		1261	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sr_currmeth_avoidpreg_7: Which methods are you currently using? Implants

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=233 /-] [Invalid=1297 /-]
---------------------------	----------------------------------

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	233	100.0%
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Systemmiss		1297	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sr_currmeth_avoidpreg_8: Which methods are you currently using? Oral contraceptive pills

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=64 /-] [Invalid=1466 /-]
---------------------------	---------------------------------

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	64	100.0%
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Systemmiss		1466	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# sr_currmeth_avoidpreg_9: Which methods are you currently using? Douching after sex			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=1530 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1530	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_currmeth_avoidpreg_10: Which methods are you currently using? Traditional methods			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=1530 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1530	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_currmeth_avoidpreg_93: Which methods are you currently using? Prefer not to answer			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=1530 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	

# sr_currmeth_avoidpreg_93: Which methods are you currently using? Prefer not to answer			
Value	Label	Cases	Percentage
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1530	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_currmeth_avoidpreg_96: Which methods are you currently using? Other, specify			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=1529 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	1	100.0%
Sysmiss		1529	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_currmeth_therspec: Other method, please specify:			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]		
# sr_whatmeth_avoidpreg12mth: In the past 12 months, have you used any method to avoid getting pregnant?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=875 /-] [Invalid=655 /-]		
Value	Label	Cases	Percentage
1	Yes	643	73.5%
2	No	229	26.2%
93	Prefer not to answer	3	0.3%
Sysmiss		655	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_meth_avoidpreg12mth_1: Which methods were you using? Male condom			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=20 /-] [Invalid=1510 /-]		

sr_meth_avoidpreg12mth_1: Which methods were you using? Male condom

Value	Label	Cases	Percentage
1	Male condom	20	100.0%
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1510	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sr_meth_avoidpreg12mth_2: Which methods were you using? Female condom

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=1529 /-]

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	1	100.0%
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1529	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

sr_meth_avoidpreg12mth_3: Which methods were you using? Female sterilization ('tubal ligation')

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1530 /-]

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	

# sr_meth_avoidpreg12mth_3: Which methods were you using? Female sterilization ('tubal ligation')			
Value	Label	Cases	Percentage
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1530	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_meth_avoidpreg12mth_4: Which methods were you using? Male sterilization ('vasectomy')			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1530 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1530	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_meth_avoidpreg12mth_5: Which methods were you using? IUD/loop			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=15 /-] [Invalid=1515 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	15	100.0%
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1515	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# sr_meth_avoidpreg12mth_6: Which methods were you using? Injectable contraceptives			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=303 /-] [Invalid=1227 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	303	100.0%
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1227	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_meth_avoidpreg12mth_7: Which methods were you using? Implants			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=241 /-] [Invalid=1289 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	241	100.0%
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1289	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_meth_avoidpreg12mth_8: Which methods were you using? Oral contraceptive pills			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=75 /-] [Invalid=1455 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	

# sr_meth_avoidpreg12mth_8: Which methods were you using? Oral contraceptive pills			
Value	Label	Cases	Percentage
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	75	100.0%
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1455	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_meth_avoidpreg12mth_9: Which methods were you using? Douching after sex			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1530 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1530	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_meth_avoidpreg12mth_10: Which methods were you using? Traditional methods			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=1530 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1530	

sr_meth_avoidpreg12mth_10: Which methods were you using? Traditional methods*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# sr_meth_avoidpreg12mth_93: Which methods were you using? Prefer not to answer****Information** [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]**Statistics [NW/ W]** [Valid=0 /-] [Invalid=1530 /-]

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1530	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# sr_meth_avoidpreg12mth_96: Which methods were you using? Other, specify****Information** [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]**Statistics [NW/ W]** [Valid=0 /-] [Invalid=1530 /-]

Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		1530	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# sr_meth_otherspec12mth: Other method, please specify:			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]		
# sr_satisf_rate_mob_clin: On a scale of 1 to 10, where 1 is not satisfied and 10 is very satisfied, how so			
Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
# sr_reco_clinic_friend: How likely are you to recommend the following to a friend: The mobile thetha nam			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very likely	1471	96.1%
3	Somewhat likely	18	1.2%
4	Not likely	41	2.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_reco_inj_prep_friend: How likely are you to recommend the following to a friend: Injectable PrEP			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very likely	1151	75.2%
3	Somewhat likely	233	15.2%
4	Not likely	146	9.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_reco_oral_prep_friend: How likely are you to recommend the following to a friend: Oral PrEP			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very likely	922	60.3%
3	Somewhat likely	397	25.9%
4	Not likely	211	13.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# sr_quest_stoptime: Questionnaire - Stop time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-]		
# srs_quest_starttime: Questionnaire - Start time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-]		
# srs_everhadsex: Have you ever had sex?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	1483	96.9%
2	No	31	2.0%

# srs_everhadsex: Have you ever had sex?			
Value	Label	Cases	Percentage
93	Prefer not to answer	16	1.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_agefirstsex: If you ever had sex (even if it was not your choice) how old were you the first			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1465 /-] [Invalid=0 /-]	
# srs_share_agefirstsex: If you ever had sex (even if it was not your choice) how old were you the first			
Information		[Type= discrete] [Format=numeric] [Range= 93-93] [Missing=*]	
Statistics [NW/ W]		[Valid=22 /-] [Invalid=1508 /-]	
Value	Label	Cases	Percentage
93	Prefer not to answer	22	100.0%
Sysmiss		1508	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_firstsexwho: When you had sex for the first time, even if it was not your choice, with whom d			
Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=1483 /-] [Invalid=47 /-]	
Value	Label	Cases	Percentage
1	Spouse (husband) / wife (married or living as a married couple)	7	0.5%
2	Husband / Boyfriend / Girlfriend	1204	81.2%
3	The partner you did not know at the time before having sex with him	206	13.9%
4	Someone I do not know	6	0.4%
5	The teacher / principal of my school	0	
6	My employer	0	
7	Family member	2	0.1%
8	Neighbor	23	1.6%
9	She was raped	4	0.3%
10	Another person	23	1.6%
98	I do not remember	8	0.5%
Sysmiss		47	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_life_numsexpartn: How many different people have you had sex with in your lifetime (including your			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1434 /-] [Invalid=0 /-]	
# srs_sharelife_numsexpartn: How many different people have you had sex with in your lifetime (including your			
Information		[Type= discrete] [Format=numeric] [Range= 93-93] [Missing=*]	
Statistics [NW/ W]		[Valid=54 /-] [Invalid=1476 /-]	
Value	Label	Cases	Percentage
93	Prefer not to answer	54	100.0%
Sysmiss		1476	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_12mth_numsexpartn: How many people have you had sex with in the past 12 months (including your husb			
Information		[Type= discrete] [Format=character] [Missing=*]	

# srs_12mth_numsexpartn: How many people have you had sex with in the past 12 months (including your husband)			
Statistics [NW/ W]		[Valid=1467 /-] [Invalid=0 /-]	
# srs_share12mth_numsexpartn: How many people have you had sex with in the past 12 months (including your husband)			
Information		[Type= discrete] [Format=numeric] [Range= 93-95] [Missing=*]	
Statistics [NW/ W]		[Valid=21 /-] [Invalid=1509 /-]	
Value	Label	Cases	Percentage
93	Prefer not to answer	18	85.7%
95	No - I haven't had sex in twelve months	3	14.3%
Sysmiss		1509	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_12mth_newsexpartn: Of the number of partners you had in the last 12 months, how many of these partn			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1426 /-] [Invalid=0 /-]	
# srs_numsexrelat: Sometimes people have more than one sexual relationship at the same time. How ma			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1479 /-] [Invalid=0 /-]	
# srs_share_numsexrelat: Sometimes people have more than one sexual relationship at the same time. How ma			
Information		[Type= discrete] [Format=numeric] [Range= 93-93] [Missing=*]	
Statistics [NW/ W]		[Valid=9 /-] [Invalid=1521 /-]	
Value	Label	Cases	Percentage
93	Prefer not to answer	9	100.0%
Sysmiss		1521	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_transsex_women: In the past 12 months, have you ever had sex with anyone (for a short period of			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=847 /-] [Invalid=683 /-]	
Value	Label	Cases	Percentage
1	Yes	35	4.1%
2	No	806	95.2%
93	Prefer not to answer	6	0.7%
Sysmiss		683	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_transsex_num: In the past 12 months how many different people have you become sexually involve			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=35 /-] [Invalid=0 /-]	
# srs_share_transsex: In the past 12 months how many different people have you become sexually involve			
Information		[Type= discrete] [Format=numeric] [Range= 0-93] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=1530 /-]	
Value	Label	Cases	Percentage
0	No	0	
93	Prefer not to answer	0	
Sysmiss		1530	

# srs_share_transsex: In the past 12 months how many different people have you become sexually involve			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sexworker: Some people have sex with other people for a living; would you consider yourself			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=847 /-] [Invalid=683 /-]	
Value	Label	Cases	Percentage
1	Yes	8	0.9%
2	No	838	98.9%
93	Prefer not to answer	1	0.1%
Sysmiss		683	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sexworker_12mths: In the past 12 months have you had sex for a living?			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=8 /-] [Invalid=1522 /-]	
Value	Label	Cases	Percentage
1	Yes	3	37.5%
2	No	5	62.5%
93	Prefer not to answer	0	
Sysmiss		1522	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sexworker_12mth_num: In the past 12 months how many people have you had sex with for a living?			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=0 /-]	
# srs_transsex_men: In the past 12 months have you paid for sex or provided a woman who is not a sex			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=640 /-] [Invalid=890 /-]	
Value	Label	Cases	Percentage
1	Yes	10	1.6%
2	No	628	98.1%
93	Prefer not to answer	2	0.3%
Sysmiss		890	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_transsex_men_paid: In the past 12 months how many different people have you paid to have sex with?			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=10 /-] [Invalid=0 /-]	
# srs_usecondom3months: Have you used a condom during sex in the past 3 months?			
Information		[Type= discrete] [Format=numeric] [Range= 0-93] [Missing=*]	
Statistics [NW/ W]		[Valid=847 /-] [Invalid=683 /-]	
Value	Label	Cases	Percentage
0	No	104	12.3%
1	Yes	230	27.2%
2	No	500	59.0%
93	Prefer not to answer	13	1.5%

# srs_usecondom3months: Have you used a condom during sex in the past 3 months?			
Value	Label	Cases	Percentage
683	Sysmiss		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_usecondomlasttime: Did you use a condom the LAST time you had sex over the past year (whether it wa			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=847 /-] [Invalid=683 /-]	
Value	Label	Cases	Percentage
1	Yes	233	27.5%
2	No	598	70.6%
93	Prefer not to answer	16	1.9%
683	Sysmiss		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_condomless_1month: Have you had any sex without a condom in the last month? (condom less sex)			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=847 /-] [Invalid=683 /-]	
Value	Label	Cases	Percentage
1	Yes	490	57.9%
2	No	308	36.4%
93	Prefer not to answer	49	5.8%
683	Sysmiss		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_condomless12months: Have you had any sex without a condom in the last 12 months? (condom less sex)			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=308 /-] [Invalid=1222 /-]	
Value	Label	Cases	Percentage
1	Yes	130	42.2%
2	No	173	56.2%
93	Prefer not to answer	5	1.6%
1222	Sysmiss		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_sexin12mths: Have you had sex with this person in the past 12 months?			
Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=1488 /-] [Invalid=42 /-]	
Value	Label	Cases	Percentage
1	Yes	1374	92.3%
2	No	99	6.7%
93	Prefer not to answer	14	0.9%
98	Don't know	1	0.1%
42	Sysmiss		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_relationship: When you last had sex with this person, what was your relationship to that perso			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=1374 /-] [Invalid=156 /-]	

# srs_recnt1_relationship: When you last had sex with this person, what was your relationship to that perso			
Value	Label	Cases	Percentage
1	We were married, or in a civil partnership, or living together as a couple	26	1.9%
2	We were in a steady relationship	1326	96.5%
3	We had previously been married, or in a civil partnership, or living together as a couple, but were not at the time	4	0.3%
4	We had previously been in a steady relationship, but were not at that time	6	0.4%
5	We had known each other before, but were not in a steady relationship at that time	4	0.3%
6	We did not know each other at that time	1	0.1%
93	Prefer not to answer	7	0.5%
Sysmiss		156	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_sex_someone: During your relationship with this person, did you have sex with someone else?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1374 /-] [Invalid=156 /-]		
Value	Label	Cases	Percentage
1	Yes	384	27.9%
2	No	971	70.7%
93	Prefer not to answer	9	0.7%
98	Don't know	10	0.7%
Sysmiss		156	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_personage: How old is this person (if you do not know, please make your best guess)? [in ye			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1356 /-] [Invalid=0 /-]		
# srs_recnt1_shareage: How old is this person (if you do not know, please make your best guess)? [in ye			
Information	[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]		
Statistics [NW/ W]	[Valid=18 /-] [Invalid=1512 /-]		
Value	Label	Cases	Percentage
93	Prefer not to answer	8	44.4%
98	Don't know	10	55.6%
Sysmiss		1512	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_lastconduse: Did you use a condom the last time you had sex with this person?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1374 /-] [Invalid=156 /-]		
Value	Label	Cases	Percentage
1	Yes	392	28.5%
2	No	973	70.8%
93	Prefer not to answer	6	0.4%
98	Don't know	3	0.2%
Sysmiss		156	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# srs_recnt1_whyastcondom: If no, why did you or [name] NOT use a condom? (last sex)			
Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=973 /-] [Invalid=557 /-]	
Value	Label	Cases	Percentage
1	I don't like condoms/interfere with pleasure	240	24.7%
2	My partner does not like condoms/ interfere with pleasure	106	10.9%
3	We did not have a condom/condom not available/no money	98	10.1%
4	I have no control over condom use/I was afraid of violence if suggested condoms	7	0.7%
5	I trust my partner	270	27.7%
6	I know my partner is HIV negative	55	5.7%
7	I was too drunk/My partner was too drunk	1	0.1%
8	Because he is circumcised	4	0.4%
9	I/my partner is trying to have a baby	13	1.3%
10	Because I/my partner is taking ART	0	
11	Religious reasons	2	0.2%
12	I am using PrEP	105	10.8%
93	Prefer not to answer	13	1.3%
96	Other, specify	18	1.8%
98	Don't know	41	4.2%
Sysmiss		557	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_aclohbefore: Did you drink alcohol before the last time you had sex with [name]?			
Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=1374 /-] [Invalid=156 /-]	
Value	Label	Cases	Percentage
1	Yes	63	4.6%
2	No	1307	95.1%
93	Prefer not to answer	3	0.2%
98	Don't know	1	0.1%
Sysmiss		156	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_giflast: The last time you had sex with [name], did you give or were you given a gift in			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=1374 /-] [Invalid=156 /-]	
Value	Label	Cases	Percentage
1	Yes	44	3.2%
2	No	1288	93.7%
3	Yes	35	2.5%
93	Prefer not to answer	7	0.5%
Sysmiss		156	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_moneylast: The last time you had sex with [name], did you give or were you given money in o			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=1374 /-] [Invalid=156 /-]	

# srs_recnt1_moneylast: The last time you had sex with [name], did you give or were you given money in o			
Value	Label	Cases	Percentage
1	Yes	74	5.4%
2	No	1259	91.6%
3	Yes	30	2.2%
93	Prefer not to answer	11	0.8%
Systemmiss		156	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_knwpartnstatus: Do you know the HIV status of [name]?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1374 /-] [Invalid=156 /-]		
Value	Label	Cases	Percentage
1	Yes	750	54.6%
2	No	595	43.3%
93	Prefer not to answer	2	0.1%
98	Don't know	27	2.0%
Systemmiss		156	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_partnstatus: What is the HIV status of [name]?			
Information	[Type= discrete] [Format=numeric] [Range= 0-93] [Missing=*]		
Statistics [NW/ W]	[Valid=750 /-] [Invalid=780 /-]		
Value	Label	Cases	Percentage
0	Partner is Negative	705	94.0%
1	Partner is Positive	41	5.5%
93	Prefer not to answer	4	0.5%
Systemmiss		780	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_partn_onart: Do you know if [name]is taking ART?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=41 /-] [Invalid=1489 /-]		
Value	Label	Cases	Percentage
1	Yes	34	82.9%
2	No	3	7.3%
93	Prefer not to answer	0	
98	Don't know	4	9.8%
Systemmiss		1489	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_knowyourhivstat: Does this person know your current HIV status?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1374 /-] [Invalid=156 /-]		
Value	Label	Cases	Percentage
1	Yes	917	66.7%
2	No	429	31.2%
93	Prefer not to answer	3	0.2%

# srs_recnt1_knowyourhivstat: Does this person know your current HIV status?			
Value	Label	Cases	Percentage
98	Don't know	25	1.8%
Sysmiss		156	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_takeprep: During your relationship with [name] in the past year, did you take PrEP to prev			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1374 /-] [Invalid=156 /-]		
Value	Label	Cases	Percentage
1	Yes	988	71.9%
2	No	347	25.3%
93	Prefer not to answer	27	2.0%
98	Don't know	12	0.9%
Sysmiss		156	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_no_preparas: Why did you decide not to take PrEP?			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=347 /-] [Invalid=1183 /-]		
Value	Label	Cases	Percentage
1	Did not know about PrEP	21	6.1%
2	I do not feel that I need it	118	34.0%
3	I am worried about its side effects or safety	55	15.9%
4	It is inconvenient to go through the process at the Clinic	67	19.3%
5	I am worried that my partner or family would disapprove	8	2.3%
93	Prefer not to answer	38	11.0%
96	Other, specify	40	11.5%
Sysmiss		1183	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recnt1_patnr_othsex: Over the past 12 months, during your relationships with X do you know or suspect			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1374 /-] [Invalid=156 /-]		
Value	Label	Cases	Percentage
1	Yes - I know he/she was going to have another partner	37	2.7%
2	No, I know this partner and he/she did not have other partners	488	35.5%
3	Yes - I know of other partners	149	10.8%
4	Yes - I believe he/she had other partners	233	17.0%
98	Don't know	467	34.0%
Sysmiss		156	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_recent1_agediff: Calculated age difference - Partner 1			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1356 /-] [Invalid=0 /-]		
# srs_emo_viofem01: In the past 12 months how many times has a current or previous partner, boyfrien			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		

srs_emo_viofem01: In the past 12 months how many times has a current or previous partner, boyfriend

Statistics [NW/ W] [Valid=876 /-] [Invalid=654 /-]

Value	Label	Cases	Percentage
0	Never	659	75.2%
1	Once	30	3.4%
2	Few	15	1.7%
3	Many	12	1.4%
97	Not Applicable (haven't been in a relationship)	160	18.3%
Systemmiss		654	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

srs_emo_viofem02: In the past 12 months how many times has a current or previous partner, boyfriend

Information [Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]

Statistics [NW/ W] [Valid=876 /-] [Invalid=654 /-]

Value	Label	Cases	Percentage
0	Never	677	77.3%
1	Once	22	2.5%
2	Few	5	0.6%
3	Many	7	0.8%
97	Not Applicable (haven't been in a relationship)	165	18.8%
Systemmiss		654	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# srs_emo_viofem03: In the past 12 months how many times has a current or previous partner, boyfriend			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=876 /-] [Invalid=654 /-]	
Value	Label	Cases	Percentage
0	Never	679	77.5%
1	Once	11	1.3%
2	Few	19	2.2%
3	Many	5	0.6%
97	Not Applicable (haven't been in a relationship)	162	18.5%
Sysmiss		654	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_emo_viofem04: In the past 12 months how many times has a current or previous partner, boyfriend			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=876 /-] [Invalid=654 /-]	
Value	Label	Cases	Percentage
0	Never	683	78.0%
1	Once	15	1.7%
2	Few	6	0.7%
3	Many	7	0.8%
97	Not Applicable (haven't been in a relationship)	165	18.8%
Sysmiss		654	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_emo_viofem05: In the past 12 months how many times has a current or previous partner, boyfriend			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=876 /-] [Invalid=654 /-]	
Value	Label	Cases	Percentage
0	Never	693	79.1%
1	Once	5	0.6%
2	Few	2	0.2%
3	Many	2	0.2%
97	Not Applicable (haven't been in a relationship)	174	19.9%
Sysmiss		654	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_phy_viofem01: In the past 12 months how many times has a current or previous partner, boyfriend			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=876 /-] [Invalid=654 /-]	
Value	Label	Cases	Percentage
0	Never	674	76.9%
1	Once	20	2.3%
2	Few	9	1.0%
3	Many	8	0.9%
97	Not Applicable (haven't been in a relationship)	165	18.8%
Sysmiss		654	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# srs_phy_viofem02: In the past 12 months how many times has a current or previous partner, boyfriend			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=876 /-] [Invalid=654 /-]	
Value	Label	Cases	Percentage
0	Never	680	77.6%
1	Once	14	1.6%
2	Few	7	0.8%
3	Many	4	0.5%
97	Not Applicable (haven't been in a relationship)	171	19.5%
Sysmiss		654	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_phy_viofem03: In the past 12 months how many times has a current or previous partner, boyfriend			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=875 /-] [Invalid=655 /-]	
Value	Label	Cases	Percentage
0	Never	693	79.2%
1	Once	5	0.6%
2	Few	3	0.3%
3	Many	3	0.3%
97	Not Applicable (haven't been in a relationship)	171	19.5%
Sysmiss		655	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_phy_viofem04: In the past 12 months how many times has a current or previous partner, boyfriend			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=876 /-] [Invalid=654 /-]	
Value	Label	Cases	Percentage
0	Never	690	78.8%
1	Once	6	0.7%
2	Few	5	0.6%
3	Many	2	0.2%
97	Not Applicable (haven't been in a relationship)	173	19.7%
Sysmiss		654	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_phy_viofem05: In the past 12 months how many times has a current or previous partner, boyfriend			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=874 /-] [Invalid=656 /-]	
Value	Label	Cases	Percentage
0	Never	693	79.3%
1	Once	2	0.2%
2	Few	6	0.7%
3	Many	3	0.3%
97	Not Applicable (haven't been in a relationship)	170	19.5%
Sysmiss		656	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# srs_sex_violem01: In the past 12 months how many times has a current or previous partner, boyfriend			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=876 /-] [Invalid=654 /-]		
Value	Label	Cases	Percentage
0	Never	700	79.9%
1	Once	4	0.5%
2	Few	1	0.1%
3	Many	0	
97	Not Applicable (haven't been in a relationship)	171	19.5%
Sysmiss		654	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sex_violem02: In the past 12 months how many times has a current or previous partner, boyfriend			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=876 /-] [Invalid=654 /-]		
Value	Label	Cases	Percentage
0	Never	697	79.6%
1	Once	2	0.2%
2	Few	1	0.1%
3	Many	2	0.2%
97	Not Applicable (haven't been in a relationship)	174	19.9%
Sysmiss		654	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sex_violem03: In the past 12 months how many times has a current or previous partner, boyfriend			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=876 /-] [Invalid=654 /-]		
Value	Label	Cases	Percentage
0	Never	696	79.5%
1	Once	6	0.7%
2	Few	1	0.1%
3	Many	2	0.2%
97	Not Applicable (haven't been in a relationship)	171	19.5%
Sysmiss		654	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_emo_violmal01: In the past 12 months how many times have you: How many times have you insulted			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=654 /-] [Invalid=876 /-]		
Value	Label	Cases	Percentage
0	Never	531	81.2%
1	Once	17	2.6%
2	Few	5	0.8%
3	Many	1	0.2%
97	Not Applicable (haven't been in a relationship)	100	15.3%
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			




# srs_emo_violmal02: In the past 12 months how many times have you: Belittled or humiliated a partner			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=654 /-] [Invalid=876 /-]	
Value	Label	Cases	Percentage
0	Never	536	82.0%
1	Once	8	1.2%
2	Few	2	0.3%
3	Many	1	0.2%
97	Not Applicable (haven't been in a relationship)	107	16.4%
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_emo_violmal03: In the past 12 months how many times have you: Done things to scare or intimidat			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=654 /-] [Invalid=876 /-]	
Value	Label	Cases	Percentage
0	Never	535	81.8%
1	Once	12	1.8%
2	Few	4	0.6%
3	Many	1	0.2%
97	Not Applicable (haven't been in a relationship)	102	15.6%
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_emo_violmal04: In the past 12 months how many times have you: Threatened to hurt a partner?			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=654 /-] [Invalid=876 /-]	
Value	Label	Cases	Percentage
0	Never	543	83.0%
1	Once	3	0.5%
2	Few	2	0.3%
3	Many	0	
97	Not Applicable (haven't been in a relationship)	106	16.2%
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_emo_violmal05: In the past 12 months how many times have you: Hurt people your partner cares ab			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=654 /-] [Invalid=876 /-]	
Value	Label	Cases	Percentage
0	Never	544	83.2%
1	Once	3	0.5%
2	Few	1	0.2%
3	Many	0	
97	Not Applicable (haven't been in a relationship)	106	16.2%
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# srs_phy_violmal01: In the last 12 months how many times did you: Slap your current or previous girl			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=654 /-] [Invalid=876 /-]	
Value	Label	Cases	Percentage
0	Never	532	81.3%
1	Once	13	2.0%
2	Few	4	0.6%
3	Many	1	0.2%
97	Not Applicable (haven't been in a relationship)	104	15.9%
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_phy_violmal02: In the last 12 months how many times did you: Push or shove your current or prev			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=653 /-] [Invalid=877 /-]	
Value	Label	Cases	Percentage
0	Never	539	82.5%
1	Once	7	1.1%
2	Few	4	0.6%
3	Many	0	
97	Not Applicable (haven't been in a relationship)	103	15.8%
Sysmiss		877	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_phy_violmal03: In the last 12 months how many times did you: Hit your current or previous girlf			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=654 /-] [Invalid=876 /-]	
Value	Label	Cases	Percentage
0	Never	540	82.6%
1	Once	5	0.8%
2	Few	2	0.3%
3	Many	0	
97	Not Applicable (haven't been in a relationship)	107	16.4%
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_phy_violmal04: In the last 12 months how many times did you: Kick, drag, beat, choke or burn yo			
Information		[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]	
Statistics [NW/ W]		[Valid=654 /-] [Invalid=876 /-]	
Value	Label	Cases	Percentage
0	Never	542	82.9%
1	Once	3	0.5%
2	Few	0	
3	Many	1	0.2%
97	Not Applicable (haven't been in a relationship)	108	16.5%
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# srs_phy_violmal05: In the last 12 months how many times did you: Threatened to use or actually use			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=654 /-] [Invalid=876 /-]		
Value	Label	Cases	Percentage
0	Never	545	83.3%
1	Once	0	
2	Few	0	
3	Many	0	
97	Not Applicable (haven't been in a relationship)	109	16.7%
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sex_violmal01: In the past 12 months how many times have you: Physically forced your current or			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=654 /-] [Invalid=876 /-]		
Value	Label	Cases	Percentage
0	Never	545	83.3%
1	Once	3	0.5%
2	Few	2	0.3%
3	Many	0	
97	Not Applicable (haven't been in a relationship)	104	15.9%
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sex_violmal02: In the past 12 months how many times have you: Used threats or intimidation to g			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=654 /-] [Invalid=876 /-]		
Value	Label	Cases	Percentage
0	Never	546	83.5%
1	Once	1	0.2%
2	Few	0	
3	Many	0	
97	Not Applicable (haven't been in a relationship)	107	16.4%
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# srs_sex_violmal03: In the past 12 months how many times have you: Ever forced your current or previ			
Information	[Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=654 /-] [Invalid=876 /-]		
Value	Label	Cases	Percentage
0	Never	544	83.2%
1	Once	3	0.5%
2	Few	2	0.3%
3	Many	1	0.2%
97	Not Applicable (haven't been in a relationship)	104	15.9%
Sysmiss		876	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# srs_useviol_12mths: Have you used physical or sexual violence on your partner in the last 12 months?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=641 /-] [Invalid=889 /-]		
Value	Label	Cases	Percentage
1	Yes	5	0.8%
2	No	633	98.8%
93	Prefer not to answer	1	0.2%
97	Not Applicable (haven't been in a relationship)	2	0.3%
98	Don't know	0	
Sysmiss		889	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# or_trouble_police: Have you ever been in trouble with the police?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	61	4.0%
2	No	1467	95.9%
93	Prefer not to answer	2	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# or_type_trouble_police: If yes, what kind of trouble?			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=61 /-] [Invalid=1469 /-]		
Value	Label	Cases	Percentage
1	Imprisoned	36	59.0%
2	Traffic fines	5	8.2%
3	Expired vehicle disc	0	
4	Driving without a licence	2	3.3%
5	Driving under influence of alcohol	1	1.6%
96	Other specify	17	27.9%
Sysmiss		1469	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# or_assisted_by: FOR FIELD WORKER COMPLETION: Did the participant respond to the question on the			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	No	184	12.0%
2	Yes	509	33.3%
3	No	557	36.4%
4	No	280	18.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# or_quest_stoptime: Questionnaire - Stop time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-]		

# pr_consent_date: Participant's Date of Consent			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-]		
# pr_verify_date: Date Verified			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-]		
# ic_consent_paycentral: Does the participant give his/her consent to receive reimbursement through PayCen			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1529 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
1	Yes	1527	99.9%
2	No	2	0.1%
Sysmiss		1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# pr_card_status: Card Status			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Active	1528	99.9%
2	Inactive	2	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# pr_comment: Comment			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=153 /-] [Invalid=0 /-]		
# payment_request_date: Payment Request Date			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-]		
# base_amount: Base visit amount			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
# additional_amount: Additional Amount			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]		
# amount: Amount			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-] [Invalid=0 /-]		
# pr_dob: Date of Birth			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1530 /-]		
# rf_staff_date: Date			
Information	[Type= discrete] [Format=character] [Missing=*]		

# rf_staff_date: Date			
Statistics [NW/ W]		[Valid=1530 /-]	
# rf_part_date: Date			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1530 /-]	
# rf_approver_date: Date			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1530 /-]	
# rf_approval: Payment approval			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1530 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Approve	1530	 100.0%
2	Decline	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# rf_reason_decline: Reason for declining payment			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=0 /-]	
# es_ques_comp: Have all questions been completed and can the survey proceed to be quality contr			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1530 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	1530	 100.0%
2	No	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# es_complete_time: End of Study Completed date/time			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1530 /-]	
# ess_calc_surv_comp: Calculate Survey Completion			
Information		[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1530 /-] [Invalid=0 /-]	
# qc_qc_performed_cra: Was the Internal QC Step completed?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1530 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	1530	 100.0%
2	No	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# qc_qc_date_cra: Date of QC			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1529 /-]	

# qc_qc_performed_qct: Was the Internal QC Step completed?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1530 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	1530	100.0%
2	No	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# qc_qc_date_qct: Date of QC	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1530 /-]