

South Africa

Jaco Dreyer, AHRI
Nompumelelo Mkwanazi, AHRI
Prof. Maryam Shahmanesh, AHRI

Thetha Nami ngithethe nawe (Let's Talk):Midline Survey

Study Documentation

July 21, 2026

Metadata Production

Metadata Producer(s)	Africa Health Research Institute (AHRI)
Identification	DDI.AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3

Table of Contents

Overview.....	4
Scope & Coverage.....	4
Producers & Sponsors.....	4
Sampling.....	5
Data Collection.....	5
Data Processing & Appraisal.....	5
Accessibility.....	5
Files Description.....	6
AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3.....	6
Variables List.....	7
AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3.....	7
Variables Description.....	30
AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3.....	31

Thetha Nami ngithethe nawe (Let's Talk):Midline Survey

Overview

Identification	AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3
Version	V3.0.0
Abstract Thetha Nami ngithethe nawe (Let's Talk): A stepped-wedge cluster randomised controlled trial of Social Mobilisation by peer navigators into community -based sexual health and HIV care (Including Pre-Exposure prophylaxis) to reduce sexually transmissible HIV amongst youth in rural KwaZulu-Natal, South Africa. Study aim: The overarching goal is to identify scalable and sustainable ways to stem the HIV epidemic and its negative impact on young people aged 15-30 in rural KwaZulu-Natal (KZN), South Africa through effective implementation of biosocial HIV prevention. Specific objectives for the trial: 1. Measure the impact of social mobilisation into decentralised SRHR services that provide tailored HIV prevention on the prevalence of transmissible HIV 2. Evaluate the acceptability, practicability, and reach of social mobilisation and decentralised SRHR with tailored HIV prevention to deliver differentiated biosocial HIV prevention 3. Inform the scale-up of differentiated biosocial HIV prevention and create an infrastructure to rapidly evaluate new products	
Kind of Data	Survey Data for Midline interview
Unit of Analysis	Young men and women aged 15-30 residing in one of the 40 administrative areas (clusters)

Scope & Coverage

Keywords	HIV; PrEP; ART; viral load; contraception; sexual behaviour; PHQ
Topics	Adolescents; young adults; HIV infections/prevention & control; South Africa/epidemiology; sexual health; randomised controlled trials
Time Period(s)	2023-2024
Countries	South Africa

Geographic Coverage

Demographic surveillance area of the Africa Health Research Institute; KwaZulu-Natal, uMkhanyakude district.

Universe

About 26,000 15-30-year-old men and women residing in 40 geographical areas (clusters) of the uMkhanyakude district in rural KwaZulu Natal are eligible to receive Let's Talk intervention, of which ~20% are at risk of HIV acquisition and would benefit from PrEP. The unit of randomisation is the administrative area supported by a pair of peer navigators: 40 administrative areas will be randomised to receive the intervention, Thetha Nami ngithethe nawe (social mobilisation by peer navigators into mobile sexual and reproductive health clinics that provide tailored HIV prevention and care) or standard of care (access HIV care and prevention through primary care clinics).

Participants must be able and willing to give written informed consent for trial participation, or assent and parental consent in the case of those aged 15-17.

Producers & Sponsors

Primary Investigator(s)	Jaco Dreyer, AHRI Nompumelelo Mkwanaazi, AHRI Prof. Maryam Shahmanesh, AHRI
--------------------------------	---

Other Producer(s)	Africa Health Research Institute (AHRI)
Funding Agency/ies	Bill and Melinda Gates foundation (BMG) , Funder
Other Acknowledgment(s)	

Sampling

Sampling Procedure

The primary outcome will be collected through three random representative population-based surveys of:

- n=2000 15-30-year-olds, 50 per cluster, at baseline,
- n=3200 15-30-year-olds, 80 per cluster, at the end of period 1 (midline) and
- n=3200 15-30-year-olds, 80 per cluster, at the end of period 2 (end-line).

We use the AHRI health and demographic surveillance system (HDSS) as a sampling frame to randomly select three separate cross-sectional samples of:

- n=3600 (90 per cluster) 15-30-year-olds stratified by gender at baseline. Based on previous studies in this setting, we anticipate that ~2800 will be contactable and eligible and that n=2000 (~50 per cluster) men and women aged 15-30, will be willing and able to provide consent to be included in the study.
- n=6000 (150 per cluster) 15-30-year-olds stratified by gender at midline (before the second step of scale up) and end-line. Based on previous studies in this setting, we anticipate that 4300 will be contactable and eligible and that n=3200 (~80 per cluster) men and women aged 15-30, will be willing and able to provide consent to be included in the study

Data Collection

Data Collection Dates	start 2023-01-11 end 2024-12-05
------------------------------	------------------------------------

Data Processing & Appraisal

Data Editing

The data collected and captured on REDCap were uploaded to a MySQL database server within a secure server cluster at AHRI.

Accessibility

Access Conditions

Access to the data requires accurate completion of the online data access application form accessible on the AHRI Data repository(<<https://data.ahri.org/>>). Data users are required to abide by the data use conditions stipulated on the application for access to the data. Failure to do so may result in their data access privileges being revoked by the Data Custodian. In order to recognise the effort and intellectual contributions of AHRI investigators in producing and curating the data, users of AHRI data must acknowledge the source of the data and abide by the terms and conditions under which the data is accessed and must cite the dataset in publication using the citation provided as part of this documentation. All analytical datasets published on the AHRI Data Repository are assigned digital object identifier (DOIs) and the DOIs can be found on the Data Repository under Study Description tab - Access policy. AHRI data users are required to always cite the dataset using the relevant DOI.

Citation Requirements

Dreyer, J., Mkwanaazi, N., & Shahmanesh, M. (2026). Thetha Nami ngithethe nawe (Let's Talk):Midline Survey [Dataset]. Africa Health Research Institute.

DOI: <https://doi.org/10.23664/AHRI.PREPIPLEMENTATION.MS.MIDLINE.SURVEY.2024.V3>

Files Description

Dataset contains 1 file(s)

AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3	
# Cases	5988
# Variable(s)	491

Variables List

Dataset contains 491 variable(s)

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IintID	Internal Individual Id	continuous	numeric-12.0	5988	0	-
2	pd_sex	Participant's Sex	discrete	numeric-12.0	5988	0	-
3	pd_dob	Participant's Date of Birth	discrete	character-11	5988	-	-
4	pd_age	Age - Calculated from Date of Birth and Visit Date	continuous	numeric-12.0	3634	2354	-
5	pd_isigodi	Participant's Local Area / Isigodi	discrete	character-22	5988	0	-
6	pd_cluster	Study Cluster	discrete	character-10	5988	0	-
7	pd_weekb..	Week Block	discrete	character-5	5988	0	-
8	pd_week	Week	continuous	numeric-12.0	5988	0	-
9	ca_attmp..	Conducting Contact Attempt	discrete	numeric-12.0	5988	0	-
10	ca_attmp..	Attempt Date and Time	discrete	character-11	5985	-	-
11	ca_attmp..	Were you able to speak to the participant?	discrete	numeric-12.0	5987	1	-
12	ca_attmp..	Outcome of Contact Attempt - spoken to	discrete	numeric-12.0	2514	3474	-
13	ca_attmp..	Outcome of Contact Attempt - not spoken to	discrete	numeric-12.0	3489	2499	-
14	ca_attmp..	Reschedule next visit date	discrete	character-11	1692	-	-
15	ca_attmp..	Conducting Contact Attempt	discrete	numeric-12.0	1956	4032	-
16	ca_attmp..	Attempt Date and Time	discrete	character-11	1852	-	-
17	ca_attmp..	Were you able to speak to the participant?	discrete	numeric-12.0	1854	4134	-
18	ca_attmp..	Outcome of Contact Attempt - spoken to	discrete	numeric-12.0	921	5067	-
19	ca_attmp..	Outcome of Contact Attempt - not spoken to	discrete	numeric-12.0	938	5050	-
20	ca_attmp..	Reschedule next visit date	discrete	character-11	663	-	-
21	ca_attmp..	Conducting Contact Attempt	discrete	numeric-12.0	795	5193	-
22	ca_attmp..	Attempt Date and Time	discrete	character-11	657	-	-
23	ca_attmp..	Were you able to speak to the participant?	discrete	numeric-12.0	657	5331	-
24	ca_attmp..	Outcome of Contact Attempt - spoken to	discrete	numeric-12.0	255	5733	-
25	ca_attmp..	Outcome of Contact Attempt - not spoken to	discrete	numeric-12.0	402	5586	-
26	ca_attmp..	Reschedule next visit date	discrete	character-11	282	-	-
27	ca_attmp..	Conducting Contact Attempt	discrete	numeric-12.0	358	5630	-
28	ca_attmp..	Attempt Date and Time	discrete	character-11	186	-	-
29	ca_attmp..	Were you able to speak to the participant?	discrete	numeric-12.0	186	5802	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
30	ca_attmp..	Outcome of Contact Attempt - spoken to	discrete	numeric-12.0	62	5926	-
31	ca_attmp..	Outcome of Contact Attempt - not spoken to	discrete	numeric-12.0	125	5863	-
32	ca_attmp..	Reschedule next visit date	discrete	character-11	86	-	-
33	ca_attmp..	Conducting Contact Attempt	discrete	numeric-12.0	110	5878	-
34	ca_attmp..	Attempt Date and Time	discrete	character-11	24	-	-
35	ca_attmp..	Were you able to speak to the participant?	discrete	numeric-12.0	24	5964	-
36	ca_attmp..	Outcome of Contact Attempt - spoken to	discrete	numeric-12.0	3	5985	-
37	ca_attmp..	Outcome of Contact Attempt - not spoken to	discrete	numeric-12.0	21	5967	-
38	ca_attmp..	Reschedule next visit date	discrete	character-11	14	-	-
39	ca_attmp..	Conducting Contact Attempt	discrete	numeric-12.0	19	5969	-
40	ca_attmp..	Attempt Date and Time	discrete	character-11	2	-	-
41	ca_attmp..	Were you able to speak to the participant?	discrete	numeric-12.0	2	5986	-
42	ca_attmp..	Outcome of Contact Attempt - spoken to	discrete	numeric-12.0	0	5988	-
43	ca_attmp..	Outcome of Contact Attempt - not spoken to	discrete	numeric-12.0	2	5986	-
44	ca_attmp..	Reschedule next visit date	discrete	character-11	1	-	-
45	ca_refus..	Who refuse participation?	discrete	numeric-12.0	229	5759	-
46	ca_proj..	Fieldworker: Request handover of Non-Contact to Project Coordinator?	discrete	numeric-12.0	896	5092	-
47	ca_proj..	Select reason for non-contact in field	discrete	numeric-12.0	770	5218	-
48	ca_proj..	Specify other reason for non-contact from field:	discrete	character-244	296	-	-
49	ca_trans..	Fieldworker: Please provide narrative	discrete	character-244	770	-	-
50	ca_coord..	Was this request for a Non-Contact approved?	discrete	numeric-12.0	771	5217	-
51	ca_coord..	Why was this request was denied?	discrete	character-1	0	0	-
52	ca_visit..	Visit Date	discrete	character-11	3634	-	-
53	ca_calc..	Calculated - Willing to be Surveyed	discrete	numeric-12.0	5988	0	-
54	ca_calc..	Calculated - Premature Completer	discrete	numeric-12.0	5988	0	-
55	ca_calc..	Calculated Refusal	discrete	numeric-12.0	5988	0	-
56	ca_calc..	Continue follow-up	discrete	numeric-12.0	5988	0	-
57	ca_calc..	Calculated - Participant mentally incapacitated	discrete	numeric-12.0	5988	0	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
58	ac_date	Capacity assessment date by Field Team	discrete	character-11	3329	-	-
59	ac_asses..	HAPPY with Step 1?	discrete	numeric-12.0	3331	2657	-
60	ac_asses..	HAPPY with Step 2?	discrete	numeric-12.0	7	5981	-
61	ac_asses..	HAPPY with Step 3?	discrete	numeric-12.0	3	5985	-
62	ac_asses..	Is this individual capable to participate?	discrete	numeric-12.0	3327	2661	-
63	ac_infor..	Please confirm that you have given the participant a copy of the Information She	discrete	numeric-12.0	3331	2657	-
64	ac_asses..	Calculated - capable to participate	discrete	numeric-12.0	5988	0	-
65	ic_careg..	Informed Consent for Care Giver - Start Time	discrete	character-11	585	-	-
66	ic_careg..	Has the volunteer's age been verified?	discrete	numeric-12.0	585	5403	-
67	ic_careg..	If yes, indicate below how the participant's age has been verified?	discrete	numeric-12.0	578	5410	-
68	ic_careg..	Who has provided consent for this volunteer to participate in this study?	discrete	numeric-12.0	578	5410	-
69	ic_careg..	Please provide child's date of birth (full)	discrete	character-11	582	-	-
70	ic_careg..	Please complete the date of birth here	discrete	character-10	2	0	-
71	ic_careg..	You confirm that I have read and understood the Information Sheet for the above	discrete	numeric-12.0	585	5403	-
72	ic_careg..	Have you been given an opportunity to ask questions about the study and been giv	discrete	numeric-12.0	584	5404	-
73	ic_careg..	Do you understand that your participation is voluntary and that you (or your chi	discrete	numeric-12.0	584	5404	-
74	ic_careg..	Do you agree for your child/ward to take part in this study?	discrete	numeric-12.0	584	5404	-
75	ic_careg..	Do you agree for your child/ward to provide a dry blood spot for anonymous HIV t	discrete	numeric-12.0	584	5404	-
76	ic_careg..	Do you agree for your child/ward to provide a dry blood spot for HIV Viral Load	discrete	numeric-12.0	584	5404	-
77	ic_careg..	Do you agree for your child/ward to be HIV tested if they request for it?	discrete	numeric-12.0	584	5404	-
78	ic_careg..	Consent to have your child/ward's HIV test result photographed?	discrete	numeric-12.0	410	5578	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
79	ic_careg..	Do you agree for your child/ward to provide vaginal swabs (females), or urine sa	discrete	numeric-12.0	583	5405	-
80	ic_careg..	Do you agree for your child/ward specimen to be stored?	discrete	numeric-12.0	584	5404	-
81	ic_careg..	Do you agree to have future research tests (such as other sexually transmitted i	discrete	numeric-12.0	584	5404	-
82	ic_careg..	Is the parent / caregiver literate (able to read and write)?	discrete	numeric-12.0	584	5404	-
83	ic_careg..	Is the illiterate parent / caregiver willing to have a witness present?	discrete	numeric-12.0	14	5974	-
84	ic_careg..	Do you agree to be contacted or your child/ward by phone in order to make appoin	discrete	numeric-12.0	584	5404	-
85	ic_careg..	Informed Consent for Care Giver - Stop Time	discrete	character-11	584	-	-
86	ic_calc..	Calculate Caregiver Consent to Participate in the Study	discrete	numeric-12.0	5988	0	-
87	ic_adole..	Informed consent for adolescents - Start time	discrete	character-11	583	-	-
88	ic_indiv..	Has the volunteer's age been verified?	discrete	numeric-12.0	583	5405	-
89	ic_indiv..	If yes, indicate below how the participant's age has been verified?	discrete	numeric-12.0	578	5410	-
90	ic_indiv..	Who has provided consent for this volunteer to participate in this study?	discrete	numeric-12.0	578	5410	-
91	ic_indiv..	Specify other details on who provided consent	discrete	character-1	0	0	-
92	ic_indiv..	Please provide child's date of birth (full)	discrete	character-11	580	-	-
93	ic_indiv..	Please complete the date of birth here	discrete	character-8	1	0	-
94	ic_indiv..	You confirm that I have read and understood the Information Sheet for the above	discrete	numeric-12.0	582	5406	-
95	ic_indiv..	Have you been given an opportunity to ask questions about the study and been giv	discrete	numeric-12.0	582	5406	-
96	ic_indiv..	Do you understand that your participation is voluntary and that you are free to	discrete	numeric-12.0	582	5406	-
97	ic_indiv..	Do you agree to take part in this study?	discrete	numeric-12.0	582	5406	-
98	ic_indiv..	Do you agree to provide a dry blood spot for anonymous HIV testing?	discrete	numeric-12.0	580	5408	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
99	ic_indiv_..	Do you agree to provide a dry blood spot for HIV VL testing?	discrete	numeric-12.0	577	5411	-
100	ic_indiv_..	Do you agree to be HIV tested today if you request for it?	discrete	numeric-12.0	409	5579	-
101	ic_indiv_..	Consent to have your HIV test result photographed?	discrete	numeric-12.0	148	5840	-
102	ic_indiv_..	Do you agree to provide vaginal swabs (females), or urine samples (males) for se	discrete	numeric-12.0	423	5565	-
103	ic_indiv_..	Do you agree for your specimen to be stored?	discrete	numeric-12.0	574	5414	-
104	ic_indiv_..	Do you agree to have future research tests (such as other sexually transmitted i	discrete	numeric-12.0	569	5419	-
105	ic_indiv_..	Is the participant literate (able to read and write)?	discrete	numeric-12.0	582	5406	-
106	ic_indiv_..	Is the illiterate participant willing to have a witness present?	discrete	numeric-12.0	0	5988	-
107	ic_indiv_..	Do you agree to be contacted by phone in order to make appointments for follow u	discrete	numeric-12.0	582	5406	-
108	ic_adole_..	Informed consent for adolescents - Stop time	discrete	character-11	580	-	-
109	ic_calc_..	Calculate Consent to Study - Minor	discrete	numeric-12.0	5988	0	-
110	ic_matur_..	Informed consent for Mature Participant - Start time	discrete	character-11	2737	-	-
111	ic_indiv_..	Has the volunteer's age been verified?	discrete	numeric-12.0	2734	3254	-
112	ic_indiv_..	If yes, indicate below how the participant's age has been verified?	discrete	numeric-12.0	2723	3265	-
113	ic_indiv_..	You confirm that I have read and understood the Information Sheet for the above	discrete	numeric-12.0	2736	3252	-
114	ic_indiv_..	Have you been given an opportunity to ask questions about the study and been giv	discrete	numeric-12.0	2736	3252	-
115	ic_indiv_..	Do you understand that your participation is voluntary and that you are free to	discrete	numeric-12.0	2736	3252	-
116	ic_indiv_..	Do you agree to take part in this study?	discrete	numeric-12.0	2736	3252	-
117	ic_indiv_..	Do you agree to provide a dry blood spot for anonymous HIV testing?	discrete	numeric-12.0	2736	3252	-
118	ic_indiv_..	Do you agree to provide a dry blood spot for HIV VL testing?	discrete	numeric-12.0	2736	3252	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
119	ic_indiv_..	Do you agree to be HIV tested today if you request for it?	discrete	numeric-12.0	2736	3252	-
120	ic_indiv_..	Consent to have your HIV test result photographed?	discrete	numeric-12.0	750	5238	-
121	ic_indiv_..	Do you agree to provide vaginal swabs (females), or urine samples (males) for se	discrete	numeric-12.0	2736	3252	-
122	ic_indiv_..	Do you agree for your specimen to be stored?	discrete	numeric-12.0	2664	3324	-
123	ic_indiv_..	Do you agree to have future research tests (such as other sexually transmitted i	discrete	numeric-12.0	2664	3324	-
124	ic_indiv_..	Is the participant literate (able to read and write)?	discrete	numeric-12.0	2730	3258	-
125	ic_indiv_..	Is the illiterate participant willing to have a witness present?	discrete	numeric-12.0	7	5981	-
126	ic_indiv_..	Do you agree to be contacted by phone in order to make appointments for follow u	discrete	numeric-12.0	2735	3253	-
127	ic_matur_..	Informed consent for Mature Participant - Stop time	discrete	character-11	2736	-	-
128	ic_calc_..	Calculate Consent to Study - Adult	discrete	numeric-12.0	5988	0	-
129	ic_calc_..	Calculated Consented to Study	discrete	numeric-12.0	5988	0	-
130	ic_calc_..	Calculated Consented to collecting samples for STI Testing	discrete	numeric-12.0	5988	0	-
131	ic_calc_..	Calculated Consented to Store collected Specimens	discrete	numeric-12.0	5988	0	-
132	ic_calc_..	Calculated Consented to HIV Testing on DBS	discrete	numeric-12.0	5988	0	-
133	ic_calc_..	Calculated Consented to Viral Load (VL) Testing on DBS	discrete	numeric-12.0	5988	0	-
134	ic_calc_..	Calculated Consented to Rapid HIV Testing	discrete	numeric-12.0	5988	0	-
135	ic_calc_..	Calculated Consented to photograph Rapid HIV Test Result	discrete	numeric-12.0	5988	0	-
136	ic_calc_..	Calculated Consented for Future Testing on collected Samples	discrete	numeric-12.0	5988	0	-
137	ie_quest_..	Questionnaire - Start time	discrete	character-11	3318	-	-
138	ie_insch_..	Are you currently still in school?	discrete	numeric-12.0	3318	2670	-
139	ie_schoo_..	In which grade are you?	discrete	numeric-12.0	1245	4743	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
140	ie_highl..	What is your highest level of education achieved / qualification ('attainment')	discrete	numeric-12.0	2074	3914	-
141	ie_schoo..	If still attending school: Which school do you attend	discrete	character-34	1245	0	-
142	ie_partc..	Have you in the past 12months participated in School Nutrition Feeding Program a	discrete	numeric-12.0	1245	4743	-
143	ie_partc..	Have you ever participated in School Nutrition Feeding Program at school?	discrete	numeric-12.0	80	5908	-
144	ie_emplo..	Are you currently in full-time or part-time employment?	discrete	numeric-12.0	3318	2670	-
145	ie_grant..	Do you receive any Government Grant for yourself?- Child support	discrete	numeric-12.0	839	5149	-
146	ie_grant..	Do you receive any Government Grant for yourself?- none	discrete	numeric-12.0	1566	4422	-
147	ie_grant..	Do you receive any Government Grant for yourself?- Foster Care	discrete	numeric-12.0	239	5749	-
148	ie_grant..	Do you receive any Government Grant for yourself?- Disability Care	discrete	numeric-12.0	11	5977	-
149	ie_grant..	Do you receive any Government Grant for yourself?- Old Age Pension	discrete	numeric-12.0	2	5986	-
150	ie_grant..	Do you receive any Government Grant for yourself?- Child Care	discrete	numeric-12.0	314	5674	-
151	ie_grant..	Do you receive any Government Grant for yourself?- Prefer not to answer	discrete	numeric-12.0	0	5988	-
152	ie_grant..	Do you receive any Government Grant for yourself?- Other, specify	discrete	numeric-12.0	543	5445	-
153	ie_grant..	Do you receive any Government Grant for yourself?- Don't know	discrete	numeric-12.0	25	5963	-
154	ie_foodf..	In the last 12 months did you or any other individuals in your household ever cu	discrete	numeric-12.0	3318	2670	-
155	ie_foodf..	In the last 12 months did you or any other individuals in your household ever cu	discrete	numeric-12.0	1225	4763	-
156	ie_quest..	Questionnaire - Stop time	discrete	character-11	3317	-	-
157	dm_quest..	Questionnaire - Start time	discrete	character-11	3318	-	-
158	dm_partc..	Have you participated in the following service/program in the last 12 months?	discrete	numeric-12.0	3318	2670	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
159	dm_partc ..	Have you participated in the following service/program in the last 12 months?	discrete	numeric-12.0	3318	2670	-
160	dm_partc ..	Have you participated in the following service / program in the last 12 months?	discrete	numeric-12.0	1801	4187	-
161	dm_partc ..	Have you participated in the following service/program in the last 12 months?	discrete	numeric-12.0	1243	4745	-
162	dm_quest ..	Questionnaire - Stop time	discrete	character-11	3318	-	-
163	mv_quest ..	Questionnaire - Start time	discrete	character-11	3318	-	-
164	mv_conf ..	There is someone in your community you could confide in about violence in the ho	discrete	numeric-12.0	3318	2670	-
165	mv_have ..	Do you have a 'functional' [tried and tested to work] plan for what to do in a c	discrete	numeric-12.0	3318	2670	-
166	mv_have ..	Do you have a safe place to stay if you have a problem or emergency?	discrete	numeric-12.0	3318	2670	-
167	mv_phq9 ..	Little interest or pleasure in doing things	discrete	numeric-12.0	3318	2670	-
168	mv_phq9 ..	Feeling down, depressed, or hopeless	discrete	numeric-12.0	3318	2670	-
169	mv_phq9 ..	Trouble falling or staying asleep, or sleeping too much	discrete	numeric-12.0	3318	2670	-
170	mv_phq9 ..	Feeling tired or having little energy	discrete	numeric-12.0	3318	2670	-
171	mv_phq9 ..	Poor appetite or overeating	discrete	numeric-12.0	3316	2672	-
172	mv_phq9 ..	Feeling bad about yourself-or that you are a failure or have let yourself or you	discrete	numeric-12.0	3315	2673	-
173	mv_phq9 ..	Trouble concentrating on things, such as reading the newspaper or watching telev	discrete	numeric-12.0	3316	2672	-
174	mv_phq9 ..	Moving or speaking so slowly that other people could have noticed? Or the opposi	discrete	numeric-12.0	3316	2672	-
175	mv_phq9 ..	Thoughts that you would be better off dead or of hurting yourself in some way	discrete	numeric-12.0	3314	2674	-
176	mv_quest ..	Questionnaire - Stop time	discrete	character-11	3318	-	-
177	hq_quest ..	Questionnaire - Start time	discrete	character-11	3317	-	-
178	hq_sti_p ..	Pain passing urine	discrete	numeric-12.0	3317	2671	-
179	hq_sti_v ..	Vaginal discharge	discrete	numeric-12.0	1803	4185	-
180	hq_sti_l ..	Lower abdominal pain	discrete	numeric-12.0	3318	2670	-
181	hq_sti_b ..	Genitals blisters or sores	discrete	numeric-12.0	3318	2670	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
182	hq_sti_l..	Genitals lumps and bumps	discrete	numeric-12.0	3317	2671	-
183	hq_sti_u..	Urethral discharge	discrete	numeric-12.0	1517	4471	-
184	hq_sti_s..	Swelling in the groin	discrete	numeric-12.0	3317	2671	-
185	hq_sti_i..	Genital itching	discrete	numeric-12.0	3317	2671	-
186	hq_sti_s..	Scrotal swelling	discrete	numeric-12.0	1516	4472	-
187	hq_sti_o..	Other	discrete	numeric-12.0	3316	2672	-
188	hq_recv_..	Have you ever received a test result for HIV?	discrete	numeric-12.0	3318	2670	-
189	hq_reas_..	If No, why have you not tested?	discrete	numeric-12.0	393	5595	-
190	hq_hiv_t..	Where did your last HIV test take place?	discrete	numeric-12.0	2922	3066	-
191	hq_pos_h..	Have you ever had a positive HIV test result?	discrete	numeric-12.0	2922	3066	-
192	hq_first_..	When was your first positive test result?	discrete	numeric-12.0	321	5667	-
193	hq_lastn_..	When was your last negative test result?	discrete	numeric-12.0	2922	3066	-
194	hq_refer_..	Were you referred to HIV treatment services?	discrete	numeric-12.0	320	5668	-
195	hq_prev_..	Have you ever taken ART for your own health?	discrete	numeric-12.0	320	5668	-
196	hq_art_t..	Have you ever taken ART to prevent Mother To Child Transmission (MTCT)?	discrete	numeric-12.0	276	5712	-
197	hq_start_..	When did you first start ART?	discrete	numeric-12.0	295	5693	-
198	hq_curr_..	Are you currently receiving ART?	discrete	numeric-12.0	320	5668	-
199	hq_art_t..	Have you ever had to stop ART?	discrete	numeric-12.0	295	5693	-
200	hq_recvf_..	Where do you currently receive your ART from?	discrete	numeric-12.0	307	5681	-
201	hq_art_e..	How often do you take your ART drugs at the exact time prescribed by your doctor	discrete	numeric-12.0	307	5681	-
202	hq_art_d..	ART During the past 12 months have you DELAYED getting ART (only those who said	discrete	numeric-12.0	295	5693	-
203	hq_pep_h..	Have you ever heard of drugs that can be taken to prevent HIV infection after po	discrete	numeric-12.0	3318	2670	-
204	hq_pep_k..	Do you know where such services are offered?	discrete	numeric-12.0	542	5446	-
205	hq_pep_t..	Have you ever taken PEP?	discrete	numeric-12.0	542	5446	-
206	hq_pep_l..	How long ago did you last take PEP?	discrete	numeric-12.0	1	5987	-
207	hq_pep_l..	Is value in:	discrete	numeric-12.0	1	5987	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
208	hq_peg_t..	Why did you take PEP?	discrete	character-15	1	0	-
209	hq_peg_g..	Where did you receive PEP from?	discrete	numeric-12.0	1	5987	-
210	hq_prep_..	Have you ever heard of PrEP?(These are tablets that people who do not have HIV c	discrete	numeric-12.0	3317	2671	-
211	hq_prep_..	Have you ever been offered PrEP?	discrete	numeric-12.0	2297	3691	-
212	hq_prep_..	Are you currently taking PrEP to prevent HIV?	discrete	numeric-12.0	174	5814	-
213	hq_prep_..	Why did you decide not to take PrEP?	discrete	numeric-12.0	93	5895	-
214	hq_prep_..	Please specify detail on the other reason why you did not take PrEP	discrete	character-106	33	-	-
215	hq_prep_..	Please tell us the name of the clinic/organisation and where it is located.	discrete	numeric-12.0	81	5907	-
216	hq_prep_..	Do you take PrEP every day?	discrete	numeric-12.0	81	5907	-
217	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because- No,	discrete	numeric-12.0	67	5921	-
218	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because- I fo	discrete	numeric-12.0	5	5983	-
219	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because-I do	discrete	numeric-12.0	0	5988	-
220	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because-Other	discrete	numeric-12.0	0	5988	-
221	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because-I som	discrete	numeric-12.0	1	5987	-
222	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because-Prefe	discrete	numeric-12.0	3	5985	-
223	hq_prep_..	Are you struggling to take you PrEP drugs as advised by the doctor because-Other	discrete	numeric-12.0	4	5984	-
224	hq_prep_..	Where / from which organisation was it provided?	discrete	numeric-12.0	174	5814	-
225	hq_prep_..	During the past 12 months have you DELAYED getting PrEP (only those who said yes	discrete	numeric-12.0	81	5907	-
226	hq_prep_..	In general, are you the type of person who would rather:	discrete	numeric-12.0	3318	2670	-
227	hq_imppt_..	The potential side effects of the medicine	discrete	numeric-12.0	3317	2671	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
228	hq_imppt..	That I can take it at a clinic and do not need to keep medicines at home	discrete	numeric-12.0	3318	2670	-
229	hq_imppt..	That I must come to clinic to have the shot	discrete	numeric-12.0	3318	2670	-
230	hq_imppt..	That other people I know and trust might also be using it.	discrete	numeric-12.0	3318	2670	-
231	hq_imppt..	The possibility that long-acting injectable PrEP might "wear off" if I don't ret	discrete	numeric-12.0	3317	2671	-
232	hq_imppt..	Combining it with contraception.	discrete	numeric-12.0	3318	2670	-
233	hq_imppt..	The need for blood tests / monitoring.	discrete	numeric-12.0	3317	2671	-
234	hq_imppt..	Which is your preferred route ?	discrete	numeric-12.0	1802	4186	-
235	hq_imppt..	Which is your preferred route ?	discrete	numeric-12.0	1517	4471	-
236	hq_imppt..	Which is your preferred dosing schedule :	discrete	numeric-12.0	3318	2670	-
237	hq_had_c..	Have you had your COVID vaccination?	discrete	numeric-12.0	3318	2670	-
238	hq_evers..	In your whole life up to now, have you ever smoked a cigarette?	discrete	numeric-12.0	3318	2670	-
239	hq_frsts..	How old were you when you smoked your first cigarette? If you can't remember, pl	discrete	numeric-12.0	381	5607	-
240	hq_dayss..	How many days have you smoked at least one cigarette in the past month?	continuous	numeric-12.0	382	5606	-
241	hq_smokl..	Have you used smokeless tobacco products such as snuff or chewing tobacco in the	discrete	numeric-12.0	381	5607	-
242	hq_everd..	In your whole life up to now, have you ever drunk one "drink" of alcohol (e.g. a	discrete	numeric-12.0	3318	2670	-
243	hq_frstd..	How old were you when you drank your first drink? If you can't remember, please	continuous	numeric-12.0	1292	4696	-
244	hq_daysd..	How many days have you drunk at least one drink in the past month?	continuous	numeric-12.0	1292	4696	-
245	hq_more5..	How many days have you drunk 5 or more drinks (in succession) on one or more day	continuous	numeric-12.0	1292	4696	-
246	hq_everu..	In your whole life up to now, have you ever used cannabis (dagga)?	discrete	numeric-12.0	3318	2670	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
247	hq_frstc ..	How old were you when you used cannabis (dagga)? If you can't remember, please g	discrete	numeric-12.0	235	5753	-
248	hq_daysc ..	How many days have you used cannabis in the past month?	continuous	numeric-12.0	235	5753	-
249	hq_usedo ..	Have you ever used other drugs such as -No	discrete	numeric-12.0	3283	2705	-
250	hq_usedo ..	Have you ever used other drugs such as - Inhalable	discrete	numeric-12.0	7	5981	-
251	hq_usedo ..	Have you ever used other drugs such as - Mandrax	discrete	numeric-12.0	1	5987	-
252	hq_usedo ..	Have you ever used other drugs such as -Cocaine	discrete	numeric-12.0	2	5986	-
253	hq_usedo ..	Have you ever used other drugs such as -Heroin	discrete	numeric-12.0	3	5985	-
254	hq_usedo ..	Have you ever used other drugs such as -Club drugs	discrete	numeric-12.0	3	5985	-
255	hq_usedo ..	Have you ever used other drugs such as - Prefer not to answer	discrete	numeric-12.0	0	5988	-
256	hq_usedo ..	Have you ever used other drugs such as - Other, specify	discrete	numeric-12.0	30	5958	-
257	hq_quest ..	Questionnaire - Stop time	discrete	character-11	3318	-	-
258	sr_quest ..	Questionnaire - Start time	discrete	character-11	3318	-	-
259	sr_fathe ..	Have you ever fathered any children?	discrete	numeric-12.0	1514	4474	-
260	sr_numch ..	How many children have you fathered (please include those who have died)?	discrete	numeric-12.0	376	5612	-
261	sr_child ..	How many of these children are still alive?	discrete	numeric-12.0	376	5612	-
262	sr_share ..	How many children have you fathered (please include those who have died)?	discrete	numeric-12.0	0	5988	-
263	sr_agefa ..	How old were you when you first made someone pregnant?	discrete	numeric-12.0	373	5615	-
264	sr_share ..	How old were you when you first made someone pregnant?	discrete	numeric-12.0	2	5986	-
265	sr_ever ..	Have you ever been circumcised?	discrete	numeric-12.0	1514	4474	-
266	sr_circu ..	When were you circumcised (if you do not know, please make your best guess)?	discrete	numeric-12.0	1071	4917	-
267	sr_circu ..	Where were you circumcised?	discrete	numeric-12.0	1071	4917	-
268	sr_curtp ..	Are you currently pregnant?	discrete	numeric-12.0	1802	4186	-
269	sr_everp ..	Have you ever been pregnant?	discrete	numeric-12.0	1803	4185	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
270	sr_pregn ..	Have you been pregnant in the last 12 months?	discrete	numeric-12.0	1139	4849	-
271	sr_agepr ..	How old were you the first time you got pregnant? [age in years]	discrete	numeric-12.0	1137	4851	-
272	sr_share ..	How old were you the first time you got pregnant? [age in years]	discrete	numeric-12.0	2	5986	-
273	sr_times ..	How many times have you been pregnant? (including pregnancies that did not go to	discrete	numeric-12.0	1110	4878	-
274	sr_times ..	How many times have you given birth? (include both live births and stillbirths.	discrete	numeric-12.0	1110	4878	-
275	sr_child ..	How many of these children are still alive?	discrete	numeric-12.0	1110	4878	-
276	sr_areus ..	Are you currently using any contraceptive methods to prevent pregnancy?	discrete	numeric-12.0	1729	4259	-
277	sr_currm ..	Which methods are you currently using?- Male condom	discrete	numeric-12.0	48	5940	-
278	sr_currm ..	Which methods are you currently using?- Female condom	discrete	numeric-12.0	1	5987	-
279	sr_currm ..	Which methods are you currently using?-Female sterilization ('tubal ligation')	discrete	numeric-12.0	3	5985	-
280	sr_currm ..	Which methods are you currently using?-Male sterilization ('vasectomy')	discrete	numeric-12.0	1	5987	-
281	sr_currm ..	Which methods are you currently using?- IUD/loop	discrete	numeric-12.0	14	5974	-
282	sr_currm ..	Which methods are you currently using?- Injectable contraceptives	discrete	numeric-12.0	446	5542	-
283	sr_currm ..	Which methods are you currently using?- Implants	discrete	numeric-12.0	329	5659	-
284	sr_currm ..	Which methods are you currently using?- Oral contraceptive pills	discrete	numeric-12.0	53	5935	-
285	sr_currm ..	Which methods are you currently using?- Douching after sex	discrete	numeric-12.0	0	5988	-
286	sr_currm ..	Which methods are you currently using?-Traditional methods	discrete	numeric-12.0	0	5988	-
287	sr_currm ..	Which methods are you currently using?-Prefer not to answer	discrete	numeric-12.0	0	5988	-
288	sr_currm ..	Which methods are you currently using?- Other, specify	discrete	numeric-12.0	0	5988	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
289	sr_whatm_..	In the past 12 months, have you used any method to avoid getting pregnant?	discrete	numeric-12.0	1803	4185	-
290	sr_meth_..	Which methods were you using?--Male condom	discrete	numeric-12.0	40	5948	-
291	sr_meth_..	Which methods were you using?--Female condom	discrete	numeric-12.0	1	5987	-
292	sr_meth_..	Which methods were you using?--Female sterilization ('tubal ligation')	discrete	numeric-12.0	2	5986	-
293	sr_meth_..	Which methods were you using?--Male sterilization ('vasectomy')	discrete	numeric-12.0	2	5986	-
294	sr_meth_..	Which methods were you using?--IUD/loop	discrete	numeric-12.0	10	5978	-
295	sr_meth_..	Which methods were you using?--Injectable contraceptives	discrete	numeric-12.0	378	5610	-
296	sr_meth_..	Which methods were you using?--Implants	discrete	numeric-12.0	262	5726	-
297	sr_meth_..	Which methods were you using?--Oral contraceptive pills	discrete	numeric-12.0	52	5936	-
298	sr_meth_..	Which methods were you using?--Douching after sex	discrete	numeric-12.0	0	5988	-
299	sr_meth_..	Which methods were you using?--Traditional methods	discrete	numeric-12.0	0	5988	-
300	sr_meth_..	Which methods were you using?--Prefer not to answer	discrete	numeric-12.0	0	5988	-
301	sr_meth_..	Which methods were you using?--Other, specify	discrete	numeric-12.0	0	5988	-
302	sr_meth_..	Other method, please specify:	discrete	numeric-12.0	0	5988	-
303	sr_quest_..	Questionnaire - Stop time	discrete	character-11	3318	-	-
304	partic_c_..	Is the participant comfortable to complete the self-interview by themselves?	discrete	numeric-12.0	3304	2684	-
305	srs_ques_..	Questionnaire - Start time	discrete	character-11	3315	-	-
306	srs_self_..	We would like you to complete the following few questions by yourself. The inter	discrete	character-1	0	0	-
307	srs_ever_..	Have you ever had sex?	discrete	numeric-12.0	3318	2670	-
308	srs_agef_..	If you ever had sex (even if it was not your choice) how old were you the first	continuous	numeric-12.0	2156	3832	-
309	srs_shar_..	If you ever had sex (even if it was not your choice) how old were you the first	discrete	numeric-12.0	176	5812	-
310	srs_firs_..	When you had sex for the first time, even if it was not your choice, with whom d	discrete	numeric-12.0	2334	3654	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
311	srs_firs_..	The first time you had sex, were you given gifts or money by your sexual partner	discrete	numeric-12.0	1835	4153	-
312	srs_firs_..	The first time you had sex, did you give gifts or money to your sexual partner?	discrete	numeric-12.0	1007	4981	-
313	srs_firs_..	Did you know the HIV status of your first partner at the time when you first had	discrete	numeric-12.0	2336	3652	-
314	srs_firs_..	What was the HIV status of your first partner at the time when you first had sex	discrete	numeric-12.0	721	5267	-
315	srs_firs_..	Did you know if your first partner was taking ART when you were having sex for t	discrete	numeric-12.0	13	5975	-
316	srs_part_..	How old was the person you first had sex with, even if it was forced or not your	continuous	numeric-12.0	1949	4039	-
317	srs_shar_..	How old was the person you first had sex with, even if it was forced or not your	discrete	numeric-12.0	387	5601	-
318	srs_firs_..	Was this person:	discrete	numeric-12.0	276	5712	-
319	srs_firs_..	How many years younger/older?	discrete	numeric-12.0	119	5869	-
320	srs_life_..	How many different people have you had sex with in your lifetime (including your	continuous	numeric-12.0	1934	4054	-
321	srs_shar_..	How many different people have you had sex with in your lifetime (including your	discrete	numeric-12.0	398	5590	-
322	srs_12mt_..	How many people have you had sex with in the past 12 months (including your husb	continuous	numeric-12.0	1985	4003	-
323	srs_shar_..	How many people have you had sex with in the past 12 months (including your husb	discrete	numeric-12.0	348	5640	-
324	srs_12mt_..	Of the number of partners you had in the last 12 months, how many of these partn	discrete	character-8	1865	0	-
325	srs_nums_..	How many sexual relationships are you in at the moment (if you do not know, plea	continuous	numeric-12.0	2080	3908	-
326	srs_shar_..	How many sexual relationships are you in at the moment (if you do not know, plea	discrete	numeric-12.0	250	5738	-
327	srs_tran_..	In the past 12 months, have you ever had sex with anyone (for a short period of	discrete	numeric-12.0	1838	4150	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
328	srs_tran ..	In the past 12 months how many different people have you become sexually involve	discrete	numeric-12.0	79	5909	-
329	srs_shar ..	In the past 12 months how many different people have you become sexually involve	discrete	numeric-12.0	39	5949	-
330	srs_sexw ..	Some people have sex with other people for a living; would you consider yourself	discrete	numeric-12.0	1838	4150	-
331	srs_tran ..	In the past 12 months have you provided a woman who is not a sex worker with hel	discrete	numeric-12.0	999	4989	-
332	srs_usec ..	Have you used a condom during sex in the past 3 months?	discrete	numeric-12.0	1838	4150	-
333	srs_usec ..	Did you use a condom the LAST time you had sex (whether it was forced or agreed)	discrete	numeric-12.0	1837	4151	-
334	srs_cond ..	Have you had any sex without a condom in the last month?	discrete	numeric-12.0	1838	4150	-
335	srs_cond ..	Have you had any sex without a condom in the last 12 months?	discrete	numeric-12.0	929	5059	-
336	srs_recn ..	Have you had sex with this person in the past 12 months?	discrete	numeric-12.0	1883	4105	-
337	srs_recn ..	When you last had sex with this person, what was your relationship to that perso	discrete	numeric-12.0	1112	4876	-
338	srs_recn ..	During your relationship with this person, did you have sex with someone else?	discrete	numeric-12.0	1111	4877	-
339	srs_recn ..	How old is this person (if you do not know, please make your best guess)? [in ye	continuous	numeric-12.0	1076	4912	-
340	srs_recn ..	How old is this person (if you do not know, please make your best guess)? [in ye	discrete	numeric-12.0	36	5952	-
341	srs_recn ..	Did you use a condom the last time you had sex with this person?	discrete	numeric-12.0	1110	4878	-
342	srs_recn ..	If no, why did you or [name] NOT use a condom? (last sex)	discrete	numeric-12.0	657	5331	-
343	srs_recn ..	Did you drink alcohol before the last time you had sex with [name]?	discrete	numeric-12.0	1111	4877	-
344	srs_recn ..	The last time you had sex with [name], did you give or were you given a gift in	discrete	numeric-12.0	1111	4877	-
345	srs_recn ..	The last time you had sex with [name], did you give or were you given money in o	discrete	numeric-12.0	1111	4877	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
346	srs_recn_..	Do you know the HIV status of [name]?	discrete	numeric-12.0	1111	4877	-
347	srs_recn_..	What is the HIV status of [name]?	discrete	numeric-12.0	661	5327	-
348	srs_recn_..	Do you know if [name]is taking ART?	discrete	numeric-12.0	67	5921	-
349	srs_recn_..	Does this person know your current HIV status?	discrete	numeric-12.0	1111	4877	-
350	srs_recn_..	During your relationship with [name] in the past year, did you take PrEP to prev	discrete	numeric-12.0	1111	4877	-
351	srs_recn_..	Why did you decide not to take PrEP?	discrete	numeric-12.0	955	5033	-
352	srs_recn_..	Over the past 12 months, during your relationships with X do you know or suspect	discrete	numeric-12.0	1110	4878	-
353	srs_rece_..	Calculated age diffrence - Partner 1	continuous	numeric-12.0	1076	4912	-
354	srs_emo_..	Insulted you or made you feel bad about yourself?	discrete	numeric-12.0	1799	4189	-
355	srs_emo_..	Belittled or humiliated you in front of other people?	discrete	numeric-12.0	1797	4191	-
356	srs_emo_..	Done things to scare or intimidate you on purpose for example, by the way he loo	discrete	numeric-12.0	1799	4189	-
357	srs_emo_..	Threatened to hurt you?	discrete	numeric-12.0	1786	4202	-
358	srs_emo_..	Hurt people you care about as a way of hurting you, or damaged things of importa	discrete	numeric-12.0	1790	4198	-
359	srs_phy_..	Slapped you or thrown something at you which could hurt you?	discrete	numeric-12.0	1783	4205	-
360	srs_phy_..	Pushed or shoved you?	discrete	numeric-12.0	1775	4213	-
361	srs_phy_..	Hit you with a fist or with something else which could hurt you?	discrete	numeric-12.0	1795	4193	-
362	srs_phy_..	Kicked, dragged, beaten, choked or burnt you?	discrete	numeric-12.0	1790	4198	-
363	srs_phy_..	Threatened to use or actually used a gun, knife or other weapon against you?	discrete	numeric-12.0	1774	4214	-
364	srs_sex_..	Physically forced you to have sex when you did not want to?	discrete	numeric-12.0	1802	4186	-
365	srs_sex_..	Used threats or intimidation to get you to have sex when you did not want to?	discrete	numeric-12.0	1801	4187	-
366	srs_sex_..	Forced you to do something else sexual that did not want to do?	discrete	numeric-12.0	1801	4187	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
367	srs_emo_..	How many times have you insulted a partner or deliberately made her feel bad a	discrete	numeric-12.0	1511	4477	-
368	srs_emo_..	Belittled or humiliated a partner in front of other people?	discrete	numeric-12.0	1510	4478	-
369	srs_emo_..	Done things to scare or intimidate a partner on purpose for example by the way y	discrete	numeric-12.0	1510	4478	-
370	srs_emo_..	Threatened to hurt a partner?	discrete	numeric-12.0	1509	4479	-
371	srs_emo_..	Hurt people your partner cares about as a way of hurting her, or damaged things	discrete	numeric-12.0	1508	4480	-
372	srs_phy_..	Slap your current or previous girlfriend or wife or throw something at her which	discrete	numeric-12.0	1507	4481	-
373	srs_phy_..	Push or shove your current or previous girlfriend or wife?	discrete	numeric-12.0	1497	4491	-
374	srs_phy_..	Hit your current or previous girlfriend or wife with a fist or with something el	discrete	numeric-12.0	1506	4482	-
375	srs_phy_..	Kick, drag, beat, choke or burn your current or previous girlfriend or wife?	discrete	numeric-12.0	1497	4491	-
376	srs_phy_..	Threatened to use or actually use a gun, knife or other weapon against your curr	discrete	numeric-12.0	1478	4510	-
377	srs_sex_..	Physically forced your current or previous girlfriend or wife to have sex with y	discrete	numeric-12.0	1510	4478	-
378	srs_sex_..	Used threats or intimidation to get your current or previous partner, girlfriend	discrete	numeric-12.0	1507	4481	-
379	srs_sex_..	Ever forced your current or previous girlfriend or wife to do something sexual t	discrete	numeric-12.0	1508	4480	-
380	srs_usev_..	Have you used physical or sexual violence on your partner in the last 12 months?	discrete	numeric-12.0	1001	4987	-
381	srs_sv_e_..	Have you ever experienced any sexual related abuse?	discrete	numeric-12.0	3318	2670	-
382	srs_sv_t_..	If it is safe for you to wait up to 3 days for help, then click HERE to give us	discrete	numeric-12.0	23	5965	-
383	srs_sv_c_..	Please tell us how you would like us to contact you:	discrete	numeric-12.0	4	5984	-
384	srs_sv_p_..	Please indicate when is best to call:	discrete	character-5	2	0	-
385	srs_sv_v_..	Please indicate which time of day is best:	discrete	character-5	1	0	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
386	or_troub_..	Have you ever been in trouble with the police?	discrete	numeric-12.0	3317	2671	-
387	or_type_..	If yes, what kind of trouble?	discrete	numeric-12.0	71	5917	-
388	or_quest_..	Questionnaire - Stop time	discrete	character-11	3307	-	-
389	hr_rapid_..	Was Rapid HIV test done?	discrete	numeric-12.0	907	5081	-
390	sc_start_..	Specimen Collection - Start time	discrete	character-11	3232	-	-
391	sc_dbs_c_..	Was a DBS Specimen collected?	discrete	numeric-12.0	3233	2755	-
392	sc_dbs_s_..	Please provide a reason for why the DBS Specimen was not collected	discrete	character-107	12	-	-
393	sc_dbs_s_..	Scan Specimen ID	discrete	character-14	3219	0	-
394	sc_dbs_h_..	HIV Result	discrete	numeric-12.0	3218	2770	-
395	sc_dbs_v_..	Viral load Result	discrete	character-12	459	0	-
396	sc_stopt_..	Specimen Collection - Stop time	discrete	character-11	3232	-	-
397	mh_inter_..	Please record Date/Time for starting - Managing HIV Results	discrete	character-11	833	-	-
398	mh_rapid_..	Rapid Screening Test Type	discrete	character-1	0	0	-
399	mh_rapid_..	What was the LOT number for the test kit?	discrete	character-11	828	0	-
400	mh_rapid_..	What is the Rapid HIV test result?	discrete	numeric-12.0	829	5159	-
401	mh_rapid_..	What was the LOT number for the test kit?	discrete	character-10	2	0	-
402	mh_rapid_..	What is the Rapid HIV test result?	discrete	numeric-12.0	3	5985	-
403	mh_rapid_..	Rapid Confirmatory Test Type	discrete	character-1	0	0	-
404	mh_rapid_..	What was the LOT number for the test kit?	discrete	character-11	825	0	-
405	mh_rapid_..	What is the Rapid HIV test result?	discrete	numeric-12.0	826	5162	-
406	mh_rapid_..	What was the LOT number for the test kit?	discrete	character-1	0	0	-
407	mh_rapid_..	What is the Rapid HIV test result?	discrete	numeric-12.0	1	5987	-
408	mh_rapid_..	Confirm the Summary HIV test result?	discrete	numeric-12.0	5988	0	-
409	mh_refer_..	Refer to Mobile Clinic	discrete	character-1	5988	0	-
410	mh_atten_..	Participant reports they are already attending clinic	discrete	numeric-12.0	24	5964	-
411	mh_targe_..	What is the agreed target date to get to the clinic?	discrete	character-11	22	-	-
412	mh_targe_..	What SMS reminder wording does the participant like?	discrete	numeric-12.0	22	5966	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
413	mh_inter..	Please record Date/Time for completing - Managing HIV Results	discrete	character-11	3181	-	-
414	sp_sti_s..	Was a sample collected for STI Testing?	discrete	numeric-12.0	1376	4612	-
415	sp_sti_s..	Specimen Collection Date	discrete	character-11	1261	-	-
416	sp_sti_r..	What is the reason why the person is not willing to provide a sample?	discrete	numeric-12.0	115	5873	-
417	sp_sti_f..	What type of sample was collected for the female participant?	discrete	numeric-12.0	726	5262	-
418	sp_urine..	Scan the Specimen ID of Urine Sample	discrete	character-14	862	0	-
419	sp_swab..	Scan the 1st Specimen ID of Vaginal Swab	discrete	character-14	395	0	-
420	sp_swab..	Scan the 2nd Specimen ID of Vaginal Swab	discrete	character-14	394	0	-
421	sp_swab..	Scan the 3rd Specimen ID of Vaginal Swab	discrete	character-14	395	0	-
422	sp_swab..	Scan the 4th Specimen ID of Vaginal Swab	discrete	character-14	395	0	-
423	sp_sti_r..	STI Test Result - Chlamydia trachomatis	discrete	numeric-12.0	1257	4731	-
424	sp_sti_r..	STI Test Result - Neisseria gonorrhoeae	discrete	numeric-12.0	1257	4731	-
425	sp_sti_r..	STI Test Result - Trichomonas vaginalis	discrete	numeric-12.0	752	5236	-
426	sp_sti_r..	Was a repeated sample collected for STI Testing?	discrete	numeric-12.0	2	5986	-
427	sp_sti_r..	Repeated Specimen Collection Date	discrete	character-11	1	-	-
428	sp_sti_r..	What is the reason why the person is not willing to provide a repeat sample?	discrete	numeric-12.0	1	5987	-
429	sp_sti_r..	What type of repeat sample was collected for the female participant?	discrete	numeric-12.0	0	5988	-
430	sp_rep_u..	Scan the Specimen ID of Repeat Urine Sample	discrete	character-14	1	0	-
431	sp_rep_s..	Scan the 1st Repeat Specimen ID of Vaginal Swab	discrete	character-1	0	0	-
432	sp_rep_s..	Scan the 2nd Repeat Specimen ID of Vaginal Swab	discrete	character-1	0	0	-
433	sp_rep_s..	Scan the 3rd Repeat Specimen ID of Vaginal Swab	discrete	character-1	0	0	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
434	sp_rep_s..	Scan the 4th Repeat Specimen ID of Vaginal Swab	discrete	character-1	0	0	-
435	sp_sti_r..	Repeated STI Test Result - Chlamydia trachomatis	discrete	character-1	1	0	-
436	sp_sti_r..	Repeated STI Test Result - Neisseria gonorrhoeae	discrete	character-1	1	0	-
437	sp_sti_r..	Repeated STI Test Result - Trichomonas vaginalis	discrete	character-1	0	0	-
438	cp_qc_date	Date of QC	discrete	character-10	5979	0	-
439	cp_send_..	Are all quality processes completed and can the survey be send to the Staging Pr	discrete	character-1	5988	0	-
440	rs_sti_r..	Was the result of the STI Test discussed with the participant?	discrete	numeric-12.0	286	5702	-
441	rs_sti_n..	Does the participant have any partners that would need notification letters?	discrete	numeric-12.0	278	5710	-
442	rs_sti_p..	Issue partner notification card - 01	discrete	character-19	122	0	-
443	rs_sti_p..	Issue partner notification card - 02	discrete	character-11	3	0	-
444	rs_sti_p..	Issue partner notification card - 03	discrete	character-11	1	0	-
445	rs_sti_p..	Issue partner notification card - 04	discrete	character-1	0	0	-
446	rs_sti_p..	Issue partner notification card - 05	discrete	character-1	0	0	-
447	rs_sti_p..	Issue partner notification card - 06	discrete	character-1	0	0	-
448	rs_sti_p..	Issue partner notification card - 07	discrete	character-1	0	0	-
449	rs_sti_p..	Issue partner notification card - 08	discrete	character-1	0	0	-
450	rs_sti_p..	Issue partner notification card - 09	discrete	character-1	0	0	-
451	rs_sti_p..	Issue partner notification card - 10	discrete	character-1	0	0	-
452	rs_sti_c..	Please tick which counseling topic were done: Promote good sexual health	discrete	numeric-12.0	277	5711	-
453	rs_sti_c..	Please tick which counseling topic were done: Fertility desires	discrete	numeric-12.0	27	5961	-
454	rs_sti_c..	Please tick which counseling topic were done: Discuss nutrition	discrete	numeric-12.0	16	5972	-
455	rs_sti_t..	If positive, were treatment given?	discrete	numeric-12.0	286	5702	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3							
#	Name	Label	Type	Format	Valid	Invalid	Question
456	rs_sti_r..	Please provide a reason as to why the Participant was not given treatment.	discrete	numeric-12.0	13	5975	-
457	ds_sti_d..	Was STI medication dispensed?	discrete	numeric-12.0	276	5712	-
458	ds_sti_d..	Generic Drug name	discrete	character-29	276	0	-
459	ds_sti_d..	Specify Other Generic Drug name	discrete	character-1	0	0	-
460	ds_sti_q..	Scan QR Code: Package	discrete	character-19	276	0	-
461	ds_sti_d..	Dose amount (for example: 1x tablet...)	discrete	character-19	276	0	-
462	ds_sti_d..	Frequency	discrete	numeric-12.0	276	5712	-
463	ds_sti_r..	Route	discrete	numeric-12.0	276	5712	-
464	ds_sti_e..	Expiry date of medication	discrete	character-11	276	-	-
465	ds_sti_l..	Lot Number	discrete	character-19	276	0	-
466	ds_sti_d..	Dispensed Date	discrete	character-11	276	-	-
467	ds_sti_d..	Was STI medication dispensed?	discrete	numeric-12.0	60	5928	-
468	ds_sti_d..	Generic Drug name	discrete	character-29	60	0	-
469	ds_sti_d..	Specify Other Generic Drug name	discrete	character-10	2	0	-
470	ds_sti_q..	Scan QR Code: Package	discrete	character-19	60	0	-
471	ds_sti_d..	Dose amount (for example: 1x tablet...)	discrete	character-9	60	0	-
472	ds_sti_d..	Frequency	discrete	numeric-12.0	60	5928	-
473	ds_sti_r..	Route	discrete	numeric-12.0	60	5928	-
474	ds_sti_e..	Expiry date of medication	discrete	character-11	60	-	-
475	ds_sti_l..	Lot Number	discrete	character-9	60	0	-
476	ds_sti_d..	Dispensed Date	discrete	character-11	60	-	-
477	ds_sti_d..	Was STI medication dispensed?	discrete	numeric-12.0	24	5964	-
478	ds_sti_d..	Generic Drug name	discrete	character-28	24	0	-
479	ds_sti_d..	Specify Other Generic Drug name	discrete	character-13	4	0	-
480	ds_sti_q..	Scan QR Code: Package	discrete	character-19	24	0	-
481	ds_sti_d..	Dose amount (for example: 1x tablet...)	discrete	character-9	24	0	-
482	ds_sti_d..	Frequency	discrete	numeric-12.0	24	5964	-
483	ds_sti_r..	Route	discrete	numeric-12.0	24	5964	-
484	ds_sti_e..	Expiry date of medication	discrete	character-11	24	-	-
485	ds_sti_l..	Lot Number	discrete	character-9	24	0	-
486	ds_sti_d..	Dispensed Date	discrete	character-11	24	-	-
487	ar_conta..	Was the participant contacted?	discrete	numeric-12.0	3	5985	-

File AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3

#	Name	Label	Type	Format	Valid	Invalid	Question
488	ar_supp_..	Was support provided?	discrete	numeric-12.0	3	5985	-
489	ar_follo_..	Is follow up needed?	discrete	numeric-12.0	3	5985	-
490	ar_follo_..	Date of follow up	discrete	character-11	3	-	-
491	ar_resol_..	Was it resolved?	discrete	numeric-12.0	3	5985	-

Variables Description

Dataset contains 491 variable(s)

File : AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3

IIntID: Internal Individual Id

Information [Type= continuous] [Format=numeric] [Range= 106-271659] [Missing=*]

Statistics [NW/ W] [Valid=5988 /-] [Invalid=0 /-] [Mean=168182.857 /-] [StdDev=72486.144 /-]

pd_sex: Participant's Sex

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=5988 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Male	2992	50.0%
2	Female	2996	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

pd_dob: Participant's Date of Birth

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=5988 /-]

pd_age: Age - Calculated from Date of Birth and Visit Date

Information [Type= continuous] [Format=numeric] [Range= 5-39] [Missing=*]

Statistics [NW/ W] [Valid=3634 /-] [Invalid=2354 /-] [Mean=22.232 /-] [StdDev=4.512 /-]

pd_isigodi: Participant's Local Area / Isigodi

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=5988 /-] [Invalid=0 /-]

pd_cluster: Study Cluster

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=5988 /-] [Invalid=0 /-]

pd_weekblock: Week Block

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=5988 /-] [Invalid=0 /-]

pd_week: Week

Information [Type= continuous] [Format=numeric] [Range= 1-44] [Missing=*]

Statistics [NW/ W] [Valid=5988 /-] [Invalid=0 /-] [Mean=22.047 /-] [StdDev=12.94 /-]

ca_attmp1_contact: Conducting Contact Attempt

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=5988 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	5987	100.0%
2	No	1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp1_datetime: Attempt Date and Time

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=5985 /-]

File : AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3

ca_attmp1_spoke_partic: Were you able to speak to the participant?

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=5987 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
1	Yes, face-to-face	2507	41.9%
2	No	3465	57.9%
3	Yes, over the telephone	15	0.3%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp1_cntct_outcome: Outcome of Contact Attempt - spoken to

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=2514 /-] [Invalid=3474 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	2214	88.1%
2	Current Resident - Not available	18	0.7%
4	Refused	137	5.4%
5	Out-migrated - Outside of PIPSA area	32	1.3%
6	Mentally Incapacitated	32	1.3%
7	Dead	0	
8	Temporarily away for more than 2 months	1	0.0%
9	Stay in currently Avoided BS/HH	0	
10	Out-migrated to unknown destination	1	0.0%
11	Out-migrated within PIPSA, but unable to visit	4	0.2%
96	Other	75	3.0%
Sysmiss		3474	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp1_no_cntct_outcome: Outcome of Contact Attempt - not spoken to

Information [Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]

Statistics [NW/ W] [Valid=3489 /-] [Invalid=2499 /-]

Value	Label	Cases	Percentage
2	Current Resident - Not available	1781	51.0%
3	No-One home	148	4.2%
5	Out-migrated - Outside of PIPSA area	1210	34.7%
6	Mentally Incapacitated	6	0.2%
7	Dead	19	0.5%
8	Temporarily away for more than 2 months	117	3.4%
9	Stay in currently Avoided BS/HH	0	
10	Out-migrated to unknown destination	106	3.0%
11	Out-migrated within PIPSA, but unable to visit	94	2.7%
96	Other	8	0.2%
Sysmiss		2499	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3

ca_attmp1_resch_vsdate: Reschedule next visit date

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1692 /-]

ca_attmp2_contact: Conducting Contact Attempt

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=1956 /-] [Invalid=4032 /-]

Value	Label	Cases	Percentage
1	Yes	1854	94.8%
2	No	102	5.2%
Sysmiss		4032	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp2_datetime: Attempt Date and Time

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1852 /-]

ca_attmp2_spoke_partic: Were you able to speak to the participant?

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=1854 /-] [Invalid=4134 /-]

Value	Label	Cases	Percentage
1	Yes, face-to-face	918	49.5%
2	No	904	48.8%
3	Yes, over the telephone	32	1.7%
Sysmiss		4134	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp2_cntct_outcome: Outcome of Contact Attempt - spoken to

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=921 /-] [Invalid=5067 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	816	88.6%
2	Current Resident - Not available	3	0.3%
4	Refused	71	7.7%
5	Out-migrated - Outside of PIPSA area	3	0.3%
6	Mentally Incapacitated	4	0.4%
7	Dead	0	
8	Temporarily away for more than 2 months	4	0.4%
9	Stay in currently Avoided BS/HH	0	
10	Out-migrated to unknown destination	0	
11	Out-migrated within PIPSA, but unable to visit	0	
96	Other	20	2.2%
Sysmiss		5067	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp2_no_cntct_outcome: Outcome of Contact Attempt - not spoken to

Information [Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]

File : AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3

ca_attmp2_no_cntct_outcome: Outcome of Contact Attempt - not spoken to

Statistics [NW/ W] [Valid=938 /-] [Invalid=5050 /-]

Value	Label	Cases	Percentage
2	Current Resident - Not available	753	80.3%
3	No-One home	33	3.5%
5	Out-migrated - Outside of PIPSA area	86	9.2%
6	Mentally Incapacitated	1	0.1%
7	Dead	0	
8	Temporarily away for more than 2 months	27	2.9%
9	Stay in currently Avoided BS/HH	1	0.1%
10	Out-migrated to unknown destination	16	1.7%
11	Out-migrated within PIPSA, but unable to visit	19	2.0%
96	Other	2	0.2%
Sysmiss		5050	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp2_resch_vsdate: Reschedule next visit date

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=663 /-]

ca_attmp3_contact: Conducting Contact Attempt

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=795 /-] [Invalid=5193 /-]

Value	Label	Cases	Percentage
1	Yes	658	82.8%
2	No	137	17.2%
Sysmiss		5193	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp3_datetime: Attempt Date and Time

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=657 /-]

ca_attmp3_spoke_partic: Were you able to speak to the participant?

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=657 /-] [Invalid=5331 /-]

Value	Label	Cases	Percentage
1	Yes, face-to-face	255	38.8%
2	No	391	59.5%
3	Yes, over the telephone	11	1.7%
Sysmiss		5331	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp3_cntct_outcome: Outcome of Contact Attempt - spoken to

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=255 /-] [Invalid=5733 /-]

File : AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3

ca_attmp3_cntct_outcome: Outcome of Contact Attempt - spoken to

Value	Label	Cases	Percentage
1	Available - Willing to participate	235	92.2%
2	Current Resident - Not available	0	
4	Refused	18	7.1%
5	Out-migrated - Outside of PIPSA area	1	0.4%
6	Mentally Incapacitated	1	0.4%
7	Dead	0	
8	Temporarily away for more than 2 months	0	
9	Stay in currently Avoided BS/HH	0	
10	Out-migrated to unknown destination	0	
11	Out-migrated within PIPSA, but unable to visit	0	
96	Other	0	
Sysmiss		5733	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp3_no_cntct_outcome: Outcome of Contact Attempt - not spoken to

Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]
Statistics [NW/ W]	[Valid=402 /-] [Invalid=5586 /-]

Value	Label	Cases	Percentage
2	Current Resident - Not available	348	86.6%
3	No-One home	9	2.2%
5	Out-migrated - Outside of PIPSA area	18	4.5%
6	Mentally Incapacitated	0	
7	Dead	1	0.2%
8	Temporarily away for more than 2 months	10	2.5%
9	Stay in currently Avoided BS/HH	0	
10	Out-migrated to unknown destination	4	1.0%
11	Out-migrated within PIPSA, but unable to visit	6	1.5%
96	Other	6	1.5%
Sysmiss		5586	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp3_resch_vsdate: Reschedule next visit date

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=282 /-]

ca_attmp4_contact: Conducting Contact Attempt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=358 /-] [Invalid=5630 /-]

Value	Label	Cases	Percentage
1	Yes	186	52.0%
2	No	172	48.0%
Sysmiss		5630	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3

ca_attmp4_datetime: Attempt Date and Time

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=186 /-]

ca_attmp4_spoke_partic: Were you able to speak to the participant?

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=186 /-] [Invalid=5802 /-]

Value	Label	Cases	Percentage
1	Yes, face-to-face	62	33.3%
2	No	120	64.5%
3	Yes, over the telephone	4	2.2%
Sysmiss		5802	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp4_cntct_outcome: Outcome of Contact Attempt - spoken to

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=62 /-] [Invalid=5926 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	55	88.7%
2	Current Resident - Not available	0	
4	Refused	4	6.5%
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Dead	0	
8	Temporarily away for more than 2 months	0	
9	Stay in currently Avoided BS/HH	0	
10	Out-migrated to unknown destination	0	
11	Out-migrated within PIPSA, but unable to visit	0	
96	Other	3	4.8%
Sysmiss		5926	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp4_no_cntct_outcome: Outcome of Contact Attempt - not spoken to

Information [Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]

Statistics [NW/ W] [Valid=125 /-] [Invalid=5863 /-]

Value	Label	Cases	Percentage
2	Current Resident - Not available	105	84.0%
3	No-One home	4	3.2%
5	Out-migrated - Outside of PIPSA area	5	4.0%
6	Mentally Incapacitated	0	
7	Dead	0	
8	Temporarily away for more than 2 months	2	1.6%
9	Stay in currently Avoided BS/HH	0	
10	Out-migrated to unknown destination	0	
11	Out-migrated within PIPSA, but unable to visit	3	2.4%
96	Other	6	4.8%

File : AHRI.PrEPIImplementation.MS.Midline.Survey.2024.v3

ca_attmp4_no_cntct_outcome: Outcome of Contact Attempt - not spoken to

Value	Label	Cases	Percentage
Sysmiss		5863	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp4_resch_vsdate: Reschedule next visit date

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=86 /-]

ca_attmp5_contact: Conducting Contact Attempt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=110 /-] [Invalid=5878 /-]

Value	Label	Cases	Percentage
1	Yes	24	21.8%
2	No	86	78.2%
Sysmiss		5878	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp5_datetime: Attempt Date and Time

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-]

ca_attmp5_spoke_partic: Were you able to speak to the participant?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-] [Invalid=5964 /-]

Value	Label	Cases	Percentage
1	Yes, face-to-face	3	12.5%
2	No	21	87.5%
3	Yes, over the telephone	0	
Sysmiss		5964	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp5_cntct_outcome: Outcome of Contact Attempt - spoken to

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=5985 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	3	100.0%
2	Current Resident - Not available	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Dead	0	
8	Temporarily away for more than 2 months	0	
9	Stay in currently Avoided BS/HH	0	
10	Out-migrated to unknown destination	0	
11	Out-migrated within PIPSA, but unable to visit	0	
96	Other	0	

File : AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3

ca_attmp5_cntct_outcome: Outcome of Contact Attempt - spoken to

Value	Label	Cases	Percentage
Sysmiss		5985	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp5_no_cntct_outcome: Outcome of Contact Attempt - not spoken to

Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]
Statistics [NW/ W]	[Valid=21 /-] [Invalid=5967 /-]

Value	Label	Cases	Percentage
2	Current Resident - Not available	19	90.5%
3	No-One home	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Dead	0	
8	Temporarily away for more than 2 months	1	4.8%
9	Stay in currently Avoided BS/HH	0	
10	Out-migrated to unknown destination	0	
11	Out-migrated within PIPSA, but unable to visit	0	
96	Other	1	4.8%
Sysmiss		5967	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp5_resch_vsdate: Reschedule next visit date

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-]

ca_attmp6_contact: Conducting Contact Attempt

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=5969 /-]

Value	Label	Cases	Percentage
1	Yes	2	10.5%
2	No	17	89.5%
Sysmiss		5969	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp6_datetime: Attempt Date and Time

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-]

ca_attmp6_spoke_partic: Were you able to speak to the participant?

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=5986 /-]

Value	Label	Cases	Percentage
1	Yes, face-to-face	0	
2	No	2	100.0%
3	Yes, over the telephone	0	
Sysmiss		5986	

File : AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3

ca_attmp6_spoke_partic: Were you able to speak to the participant?

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp6_cntct_outcome: Outcome of Contact Attempt - spoken to

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=5988 /-]

Value	Label	Cases	Percentage
1	Available - Willing to participate	0	
2	Current Resident - Not available	0	
4	Refused	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Dead	0	
8	Temporarily away for more than 2 months	0	
9	Stay in currently Avoided BS/HH	0	
10	Out-migrated to unknown destination	0	
11	Out-migrated within PIPSA, but unable to visit	0	
96	Other	0	
Sysmiss		5988	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp6_no_cntct_outcome: Outcome of Contact Attempt - not spoken to

Information [Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=5986 /-]

Value	Label	Cases	Percentage
2	Current Resident - Not available	1	50.0%
3	No-One home	0	
5	Out-migrated - Outside of PIPSA area	0	
6	Mentally Incapacitated	0	
7	Dead	0	
8	Temporarily away for more than 2 months	1	50.0%
9	Stay in currently Avoided BS/HH	0	
10	Out-migrated to unknown destination	0	
11	Out-migrated within PIPSA, but unable to visit	0	
96	Other	0	
Sysmiss		5986	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_attmp6_resch_vsdate: Reschedule next visit date

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=1 /-]

ca_refused_by: Who refuse participation?

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=229 /-] [Invalid=5759 /-]

Value	Label	Cases	Percentage
1	Self	206	90.0%

File : AHRI.PrEPImplementation.MS.Midline.Survey.2024.v3

ca_refused_by: Who refuse participation?

Value	Label	Cases	Percentage
2	Partner	0	
3	HH Head	4	1.7%
4	BS Owner	3	1.3%
5	Parent/Guardian	16	7.0%
96	Other	0	
Sysmiss		5759	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_proj_handover_request: Fieldworker: Request handover of Non-Contact to Project Coordinator?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=896 /-] [Invalid=5092 /-]		
Value	Label	Cases	Percentage
1	Yes	770	85.9%
2	No	126	14.1%
Sysmiss		5092	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_proj_noncontact_reas: Select reason for non-contact in field

Information	[Type= discrete] [Format=numeric] [Range= 12-96] [Missing=*]		
Statistics [NW/ W]	[Valid=770 /-] [Invalid=5218 /-]		
Value	Label	Cases	Percentage
12	Not found after 6 attempts	467	60.6%
13	Contacted, but unable to conduct survey after 6x contact attempts	4	0.5%
14	Unable to acquire parental consent after 6x contact visits	0	
15	Reported to be involved in gang activities	1	0.1%
96	Other	298	38.7%
Sysmiss		5218	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_proj_noncontct_reasoht: Specify other reason for non-contact from field:

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=296 /-]		

ca_transnotes_proj: Fieldworker: Please provide narrative

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=770 /-]		

ca_coordn_approval: Was this request for a Non-Contact approved?

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=771 /-] [Invalid=5217 /-]		
Value	Label	Cases	Percentage
1	Yes, approved - set as Non-Contact	771	100.0%
2	No, denied - return to Field	0	
Sysmiss		5217	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_coordn_reject_reas: Why was this request was denied?

Information

[Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W]

[Valid=0 -/] [Invalid=0 -/]

ca_visitdate: Visit Date

Information

[Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W]

[Valid=3634 -/]

ca_calc_willing_survey: Calculated - Willing to be Surveyed

Information

[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]

[Valid=5988 -/] [Invalid=0 -/]

Value

Label

Cases

Percentage

1

Yes

3319

55.4%

2

No

2669

44.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_calc_premature_comp: Calculated - Premature Completer

Information

[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]

[Valid=5988 -/] [Invalid=0 -/]

Value

Label

Cases

Percentage

1

Yes

1626

27.2%

2

No

4362

72.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_calc_refused: Calculated Refusal

Information

[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]

[Valid=5988 -/] [Invalid=0 -/]

Value

Label

Cases

Percentage

1

Yes

230

3.8%

2

No

5758

96.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_calc_continue_followup: Continue follow-up

Information

[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]

[Valid=5988 -/] [Invalid=0 -/]

Value

Label

Cases

Percentage

1

Yes

5988

100.0%

2

No

0

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ca_calc_mental_incap: Calculated - Participant mentally incapacitated

Information

[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W]

[Valid=5988 -/] [Invalid=0 -/]

Value

Label

Cases

Percentage

1

Yes

44

0.7%

2

No

5944

99.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# ac_date: Capacity assessment date by Field Team			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3329 /-]		
# ac_assess_step1: HAPPY with Step 1?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3331 /-] [Invalid=2657 /-]		
Value	Label	Cases	Percentage
1	Yes, seek signature	3324	99.8%
2	No, not happy	7	0.2%
Sysmiss		2657	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ac_assess_step2: HAPPY with Step 2?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=5981 /-]		
Value	Label	Cases	Percentage
1	Yes, seek signature	4	57.1%
2	No, not happy	3	42.9%
Sysmiss		5981	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ac_assess_step3: HAPPY with Step 3?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=5985 /-]		
Value	Label	Cases	Percentage
1	Yes, seek signature	0	
2	No, not happy	3	100.0%
Sysmiss		5985	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ac_assess_result_fw: Is this individual capable to participate?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3327 /-] [Invalid=2661 /-]		
Value	Label	Cases	Percentage
1	Yes	3326	100.0%
2	No	1	0.0%
Sysmiss		2661	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ac_inform_sheet_given: Please confirm that you have given the participant a copy of the Information She			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3331 /-] [Invalid=2657 /-]		
Value	Label	Cases	Percentage
1	Yes	3324	99.8%
2	No	7	0.2%
Sysmiss		2657	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ac_assess_result: Calculated - capable to participate			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5988 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	3326	55.5%
2	No	2662	44.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregiver_starttime: Informed Consent for Care Giver - Start Time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=585 /-]		
# ic_caregv_age_verify: Has the volunteer's age been verified?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=585 /-] [Invalid=5403 /-]		
Value	Label	Cases	Percentage
1	Yes	579	99.0%
2	No	6	1.0%
Sysmiss		5403	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_verified_how: If yes, indicate below how the participant's age has been verified?			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=578 /-] [Invalid=5410 /-]		
Value	Label	Cases	Percentage
1	Birth Certificate	302	52.2%
2	Identification Document (ID)	170	29.4%
96	Other specify	106	18.3%
Sysmiss		5410	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_who_consent: Who has provided consent for this volunteer to participate in this study?			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=578 /-] [Invalid=5410 /-]		
Value	Label	Cases	Percentage
1	Parent	397	68.7%
2	Legal Guardian	132	22.8%
3	Care giver	48	8.3%
96	Other	1	0.2%
Sysmiss		5410	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_child_dob_full: Please provide child's date of birth (full)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=582 /-]		
# ic_caregv_child_dob_part: Please complete the date of birth here			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]		

# ic_caregv_enough_info: You confirm that I have read and understood the Information Sheet for the above			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=585 -/] [Invalid=5403 -/]		
Value	Label	Cases	Percentage
1	Yes	585	100.0%
2	No	0	
Sysmiss		5403	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_ask_questions: Have you been given an opportunity to ask questions about the study and been giv			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=584 -/] [Invalid=5404 -/]		
Value	Label	Cases	Percentage
1	Yes	583	99.8%
2	No	1	0.2%
Sysmiss		5404	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_consent_voluntar: Do you understand that your participation is voluntary and that you (or your chi			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=584 -/] [Invalid=5404 -/]		
Value	Label	Cases	Percentage
1	Yes	584	100.0%
2	No	0	
Sysmiss		5404	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_consent_study: Do you agree for your child/ward to take part in this study?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=584 -/] [Invalid=5404 -/]		
Value	Label	Cases	Percentage
1	Yes	584	100.0%
2	No	0	
Sysmiss		5404	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_consent_hivdbbs: Do you agree for your child/ward to provide a dry blood spot for anonymous HIV t			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=584 -/] [Invalid=5404 -/]		
Value	Label	Cases	Percentage
1	Yes	581	99.5%
2	No	3	0.5%
Sysmiss		5404	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_consent_vldbs: Do you agree for your child/ward to provide a dry blood spot for HIV Viral Load			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=584 -/] [Invalid=5404 -/]		

# ic_caregv_consent_vldbs: Do you agree for your child/ward to provide a dry blood spot for HIV Viral Load			
Value	Label	Cases	Percentage
1	Yes	578	99.0%
2	No	6	1.0%
Sysmiss		5404	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_consent_hivtest: Do you agree for your child/ward to be HIV tested if they request for it?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=584 -/] [Invalid=5404 -/]		
Value	Label	Cases	Percentage
1	Yes	409	70.0%
2	No	175	30.0%
Sysmiss		5404	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_consent_photo: Consent to have your child/ward's HIV test result photographed?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=410 -/] [Invalid=5578 -/]		
Value	Label	Cases	Percentage
1	Yes	396	96.6%
2	No	14	3.4%
Sysmiss		5578	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_consent_stitest: Do you agree for your child/ward to provide vaginal swabs (females), or urine sa			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=583 -/] [Invalid=5405 -/]		
Value	Label	Cases	Percentage
1	Yes	424	72.7%
2	No	159	27.3%
Sysmiss		5405	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_consent_specstor: Do you agree for your child/ward specimen to be stored?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=584 -/] [Invalid=5404 -/]		
Value	Label	Cases	Percentage
1	Yes	576	98.6%
2	No	8	1.4%
Sysmiss		5404	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_consent_fut_test: Do you agree to have future research tests (such as other sexually transmitted i			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=584 -/] [Invalid=5404 -/]		
Value	Label	Cases	Percentage
1	Yes	571	97.8%

# ic_caregv_consent_fut_test: Do you agree to have future research tests (such as other sexually transmitted i			
Value	Label	Cases	Percentage
2	No	13	2.2%
Sysmiss		5404	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_literate: Is the parent / caregiver literate (able to read and write)?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=584 /-] [Invalid=5404 /-]		
Value	Label	Cases	Percentage
1	Yes	570	97.6%
2	No	14	2.4%
Sysmiss		5404	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_willing_witness: Is the illiterate parent / caregiver willing to have a witness present?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=14 /-] [Invalid=5974 /-]		
Value	Label	Cases	Percentage
1	Yes	8	57.1%
2	No	6	42.9%
Sysmiss		5974	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregv_agree_contact: Do you agree to be contacted or your child/ward by phone in order to make appoin			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=584 /-] [Invalid=5404 /-]		
Value	Label	Cases	Percentage
1	Yes	513	87.8%
2	No	71	12.2%
Sysmiss		5404	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_caregiver_stoptime: Informed Consent for Care Giver - Stop Time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=584 /-]		
# ic_calc_caregv_consent: Calculate Caregiver Consent to Participate in the Study			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=5988 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	584	9.8%
2	No	5404	90.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_adolescent_starttime: Informed consent for adolescents - Start time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=583 /-]		

# ic_indiv_age_verify1: Has the volunteer's age been verified?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=583 /-] [Invalid=5405 /-]	
Value	Label	Cases	Percentage
1	Yes	579	99.3%
2	No	4	0.7%
Sysmiss		5405	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_verified_how1: If yes, indicate below how the participant's age has been verified?			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=578 /-] [Invalid=5410 /-]	
Value	Label	Cases	Percentage
1	Birth Certificate	307	53.1%
2	Identification Document (ID)	159	27.5%
96	Other specify	112	19.4%
Sysmiss		5410	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_who_consent1: Who has provided consent for this volunteer to participate in this study?			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=578 /-] [Invalid=5410 /-]	
Value	Label	Cases	Percentage
1	Parent	378	65.4%
2	Legal Guardian	112	19.4%
3	Care giver	88	15.2%
96	Other	0	
Sysmiss		5410	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_who_consent_oth1: Specify other details on who provided consent			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=0 /-]	
# ic_indiv_child_dob_full1: Please provide child's date of birth (full)			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=580 /-]	
# ic_indiv_child_dob_part1: Please complete the date of birth here			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=0 /-]	
# ic_indiv_enough_info1: You confirm that I have read and understood the Information Sheet for the above			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=582 /-] [Invalid=5406 /-]	
Value	Label	Cases	Percentage
1	Yes	582	100.0%
2	No	0	
Sysmiss		5406	

# ic_indiv_enough_info1: You confirm that I have read and understood the Information Sheet for the above			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_ask_questions1: Have you been given an opportunity to ask questions about the study and been giv			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=582 -/] [Invalid=5406 -/]		
Value	Label	Cases	Percentage
1	Yes	581	99.8%
2	No	1	0.2%
Sysmiss		5406	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_voluntar1: Do you understand that your participation is voluntary and that you are free to			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=582 -/] [Invalid=5406 -/]		
Value	Label	Cases	Percentage
1	Yes	582	100.0%
2	No	0	
Sysmiss		5406	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_study1: Do you agree to take part in this study?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=582 -/] [Invalid=5406 -/]		
Value	Label	Cases	Percentage
1	Yes	582	100.0%
2	No	0	
Sysmiss		5406	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_hivdbs1: Do you agree to provide a dry blood spot for anonymous HIV testing?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=580 -/] [Invalid=5408 -/]		
Value	Label	Cases	Percentage
1	Yes	569	98.1%
2	No	11	1.9%
Sysmiss		5408	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_vltest1: Do you agree to provide a dry blood spot for HIV VL testing?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=577 -/] [Invalid=5411 -/]		
Value	Label	Cases	Percentage
1	Yes	559	96.9%
2	No	18	3.1%
Sysmiss		5411	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ic_indiv_consent_hivtest1: Do you agree to be HIV tested today if you request for it?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=409 /-] [Invalid=5579 /-]	
Value	Label	Cases	Percentage
1	Yes	156	38.1%
2	No	253	61.9%
Sysmiss		5579	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ic_indiv_consent_photo1: Consent to have your HIV test result photographed?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=148 /-] [Invalid=5840 /-]		
Value	Label	Cases	Percentage
1	Yes	144	97.3%
2	No	4	2.7%
Sysmiss		5840	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_stisamp1: Do you agree to provide vaginal swabs (females), or urine samples (males) for se			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=423 /-] [Invalid=5565 /-]		
Value	Label	Cases	Percentage
1	Yes	163	38.5%
2	No	260	61.5%
Sysmiss		5565	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_specstor1: Do you agree for your specimen to be stored?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=574 /-] [Invalid=5414 /-]		
Value	Label	Cases	Percentage
1	Yes	495	86.2%
2	No	79	13.8%
Sysmiss		5414	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_fut_test1: Do you agree to have future research tests (such as other sexually transmitted i			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=569 /-] [Invalid=5419 /-]		
Value	Label	Cases	Percentage
1	Yes	496	87.2%
2	No	73	12.8%
Sysmiss		5419	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_literate1: Is the participant literate (able to read and write)?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=582 /-] [Invalid=5406 /-]		
Value	Label	Cases	Percentage
1	Yes	582	100.0%
2	No	0	
Sysmiss		5406	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_willing_witness1: Is the illiterate participant willing to have a witness present?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5988 /-]		

# ic_indiv_willing_witness1: Is the illiterate participant willing to have a witness present?			
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
Sysmiss		5988	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_agree_contact1: Do you agree to be contacted by phone in order to make appointments for follow u			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=582 /-] [Invalid=5406 /-]		
Value	Label	Cases	Percentage
1	Yes	537	92.3%
2	No	45	7.7%
Sysmiss		5406	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_adolescent_stoptime: Informed consent for adolescents - Stop time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=580 /-]		
# ic_calc_minor_consent: Calculate Consent to Study - Minor			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5988 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	5406	90.3%
1	Yes	582	9.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_mature_starttime: Informed consent for Mature Participant - Start time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2737 /-]		
# ic_indiv_age_verify3: Has the volunteer's age been verified?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2734 /-] [Invalid=3254 /-]		
Value	Label	Cases	Percentage
1	Yes	2723	99.6%
2	No	11	0.4%
Sysmiss		3254	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_verified_how3: If yes, indicate below how the participant's age has been verified?			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2723 /-] [Invalid=3265 /-]		
Value	Label	Cases	Percentage
1	Birth Certificate	171	6.3%
2	Identification Document (ID)	2164	79.5%
96	Other specify	388	14.2%
Sysmiss		3265	

# ic_indiv_verified_how3: If yes, indicate below how the participant's age has been verified?			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_enough_info3: You confirm that I have read and understood the Information Sheet for the above			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2736 /-] [Invalid=3252 /-]		
Value	Label	Cases	Percentage
1	Yes	2736	100.0%
2	No	0	
Sysmiss		3252	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_ask_questions3: Have you been given an opportunity to ask questions about the study and been giv			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2736 /-] [Invalid=3252 /-]		
Value	Label	Cases	Percentage
1	Yes	2736	100.0%
2	No	0	
Sysmiss		3252	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_voluntar3: Do you understand that your participation is voluntary and that you are free to			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2736 /-] [Invalid=3252 /-]		
Value	Label	Cases	Percentage
1	Yes	2736	100.0%
2	No	0	
Sysmiss		3252	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_study3: Do you agree to take part in this study?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2736 /-] [Invalid=3252 /-]		
Value	Label	Cases	Percentage
1	Yes	2736	100.0%
2	No	0	
Sysmiss		3252	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_hivdbs3: Do you agree to provide a dry blood spot for anonymous HIV testing?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2736 /-] [Invalid=3252 /-]		
Value	Label	Cases	Percentage
1	Yes	2663	97.3%
2	No	73	2.7%
Sysmiss		3252	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ic_indiv_consent_vltest3: Do you agree to provide a dry blood spot for HIV VL testing?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2736 /-] [Invalid=3252 /-]		
Value	Label	Cases	Percentage
1	Yes	2624	95.9%
2	No	112	4.1%
Sysmiss		3252	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_hivtest3: Do you agree to be HIV tested today if you request for it?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2736 /-] [Invalid=3252 /-]		
Value	Label	Cases	Percentage
1	Yes	735	26.9%
2	No	2001	73.1%
Sysmiss		3252	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_photo3: Consent to have your HIV test result photographed?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=750 /-] [Invalid=5238 /-]		
Value	Label	Cases	Percentage
1	Yes	711	94.8%
2	No	39	5.2%
Sysmiss		5238	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_stisamp3: Do you agree to provide vaginal swabs (females), or urine samples (males) for se			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2736 /-] [Invalid=3252 /-]		
Value	Label	Cases	Percentage
1	Yes	1205	44.0%
2	No	1531	56.0%
Sysmiss		3252	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_specstor3: Do you agree for your specimen to be stored?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2664 /-] [Invalid=3324 /-]		
Value	Label	Cases	Percentage
1	Yes	2412	90.5%
2	No	252	9.5%
Sysmiss		3324	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_consent_fut_test3: Do you agree to have future research tests (such as other sexually transmitted i			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2664 /-] [Invalid=3324 /-]		

# ic_indiv_consent_fut_test3: Do you agree to have future research tests (such as other sexually transmitted i			
Value	Label	Cases	Percentage
1	Yes	2430	91.2%
2	No	234	8.8%
Sysmiss		3324	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_literate3: Is the participant literate (able to read and write)?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2730 /-] [Invalid=3258 /-]		
Value	Label	Cases	Percentage
1	Yes	2724	99.8%
2	No	6	0.2%
Sysmiss		3258	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_willing_witness3: Is the illiterate participant willing to have a witness present?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=5981 /-]		
Value	Label	Cases	Percentage
1	Yes	0	
2	No	7	100.0%
Sysmiss		5981	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_indiv_agree_contact3: Do you agree to be contacted by phone in order to make appointments for follow u			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2735 /-] [Invalid=3253 /-]		
Value	Label	Cases	Percentage
1	Yes	2570	94.0%
2	No	165	6.0%
Sysmiss		3253	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_mature_stoptime: Informed consent for Mature Participant - Stop time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2736 /-]		
# ic_calc_adult_consent: Calculate Consent to Study - Adult			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5988 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	3252	54.3%
1	Yes	2736	45.7%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_calc_study_consent: Calculated Consented to Study			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5988 /-] [Invalid=0 /-]		

# ic_calc_study_consent: Calculated Consented to Study			
Value	Label	Cases	Percentage
0	No	2670	44.6%
1	Yes	3318	55.4%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_calc_sti_sample: Calculated Consented to collecting samples for STI Testing			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5988 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	4620	77.2%
1	Yes	1368	22.8%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_calc_storspec: Calculated Consented to Store collected Specimens			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5988 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	3081	51.5%
1	Yes	2907	48.5%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_calc_hiv_dbs: Calculated Consented to HIV Testing on DBS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5988 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	2756	46.0%
1	Yes	3232	54.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_calc_vl_dbs: Calculated Consented to Viral Load (VL) Testing on DBS			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5988 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	2805	46.8%
1	Yes	3183	53.2%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_calc_hiv_testing: Calculated Consented to Rapid HIV Testing			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5988 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	5097	85.1%
1	Yes	891	14.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_calc_hiv_test_photo: Calculated Consented to photograph Rapid HIV Test Result			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5988 /-] [Invalid=0 /-]		

# ic_calc_hiv_test_photo: Calculated Consented to photograph Rapid HIV Test Result			
Value	Label	Cases	Percentage
0	No	5133	85.7%
1	Yes	855	14.3%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ic_calc_future_testing: Calculated Consented for Future Testing on collected Samples			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=5988 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	3062	51.1%
1	Yes	2926	48.9%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ie_quest_starttime: Questionnaire - Start time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-]		
# ie_inschool: Are you currently still in school?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Yes	1245	37.5%
2	No	2073	62.5%
93	Prefer not to answer	0	
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ie_schoolgrade: In which grade are you?			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=1245 /-] [Invalid=4743 /-]		
# ie_highlevledu: What is your highest level of education achieved / qualification ('attainment')			
Information	[Type= discrete] [Format=numeric] [Range= 0-93] [Missing=*]		
Statistics [NW/ W]	[Valid=2074 /-] [Invalid=3914 /-]		
Value	Label	Cases	Percentage
0	None	2	0.1%
1	Some primary	59	2.8%
2	Some secondary	534	25.7%
3	Completed secondary/matrikulated	1264	60.9%
4	Certificate	135	6.5%
5	Diploma	31	1.5%
6	Bachelors degree	43	2.1%
7	Bachelors + Diploma	3	0.1%
8	Honours	2	0.1%
9	Don't know	0	
93	Prefer not to answer	1	0.0%
Sysmiss		3914	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ie_school_name: If still attending school: Which school do you attend			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1245 /-] [Invalid=0 /-]		
# ie_partc_school_food_12m: Have you in the past 12months participated in School Nutrition Feeding Program a			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1245 /-] [Invalid=4743 /-]		
Value	Label	Cases	Percentage
1	Yes	1165	93.6%
2	No	79	6.3%
93	Prefer not to answer	1	0.1%
98	Don't Know	0	
Sysmiss		4743	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ie_partc_school_food_evr: Have you ever participated in School Nutrition Feeding Program at school?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=80 /-] [Invalid=5908 /-]		
Value	Label	Cases	Percentage
1	Yes	29	36.2%
2	No	51	63.7%
93	Prefer not to answer	0	
98	Don't Know	0	
Sysmiss		5908	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ie_employed: Are you currently in full-time or part-time employment?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Full-time employment	99	3.0%
2	No, Not employed	1879	56.6%
3	Part-time employment	225	6.8%
4	Studying	1115	33.6%
93	Prefer not to answer	0	
98	Don't know	0	
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ie_granttype_1: Do you receive any Government Grant for yourself?- Child support			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=839 /-] [Invalid=5149 /-]		
Value	Label	Cases	Percentage
1	Yes, Child support	839	100.0%
2	No, none	0	
3	Yes, Foster Care	0	
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	0	

# ie_granttype_1: Do you receive any Government Grant for yourself?- Child support			
Value	Label	Cases	Percentage
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	0	
Sysmiss		5149	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ie_granttype_2: Do you receive any Government Grant for yourself?- none			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1566 /-] [Invalid=4422 /-]		
Value	Label	Cases	Percentage
1	Yes, Child support	0	
2	No, none	1566	100.0%
3	Yes, Foster Care	0	
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	0	
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	0	
Sysmiss		4422	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ie_granttype_3: Do you receive any Government Grant for yourself?- Foster Care			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=239 /-] [Invalid=5749 /-]		
Value	Label	Cases	Percentage
1	Yes, Child support	0	
2	No, none	0	
3	Yes, Foster Care	239	100.0%
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	0	
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	0	
Sysmiss		5749	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ie_granttype_4: Do you receive any Government Grant for yourself?- Disability Care			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=11 /-] [Invalid=5977 /-]		
Value	Label	Cases	Percentage
1	Yes, Child support	0	
2	No, none	0	
3	Yes, Foster Care	0	

# ie_granttype_4: Do you receive any Government Grant for yourself?- Disability Care			
Value	Label	Cases	Percentage
4	Yes, Disability Care	11	100.0%
5	Yes, Old Age Pension	0	
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	0	
Sysmiss		5977	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ie_granttype_5: Do you receive any Government Grant for yourself?- Old Age Pension			
Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=5986 /-]	
Value	Label	Cases	Percentage
1	Yes, Child support	0	100.0%
2	No, none	0	
3	Yes, Foster Care	0	
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	2	
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	0	
Sysmiss		5986	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ie_granttype_6: Do you receive any Government Grant for yourself?- Child Care			
Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=314 /-] [Invalid=5674 /-]	
Value	Label	Cases	Percentage
1	Yes, Child support	0	100.0%
2	No, none	0	
3	Yes, Foster Care	0	
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	0	
6	Yes, Child Care	314	
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	0	
Sysmiss		5674	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ie_granttype_93: Do you receive any Government Grant for yourself?- Prefer not to answer			
Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=0 -] [Invalid=5988 -]	
Value	Label	Cases	Percentage
1	Yes, Child support	0	
2	No, none	0	
3	Yes, Foster Care	0	
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	0	
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	0	
Sysmiss		5988	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ie_granttype_96: Do you receive any Government Grant for yourself?- Other, specify			
Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=543 -] [Invalid=5445 -]	
Value	Label	Cases	Percentage
1	Yes, Child support	0	
2	No, none	0	
3	Yes, Foster Care	0	
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	0	
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	543	100.0%
98	Don't know	0	
Sysmiss		5445	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ie_granttype_98: Do you receive any Government Grant for yourself?- Don't know			
Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=25 -] [Invalid=5963 -]	
Value	Label	Cases	Percentage
1	Yes, Child support	0	
2	No, none	0	
3	Yes, Foster Care	0	
4	Yes, Disability Care	0	
5	Yes, Old Age Pension	0	
6	Yes, Child Care	0	
93	Prefer not to answer	0	
96	Other, specify	0	
98	Don't know	25	100.0%
Sysmiss		5963	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# ie_foodfreq: In the last 12 months did you or any other individuals in your household ever cu			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Yes	1225	36.9%
2	No	2090	63.0%
93	Prefer not to answer	3	0.1%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ie_foodfreqskip: In the last 12 months did you or any other individuals in your household ever cu			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1225 /-] [Invalid=4763 /-]		
Value	Label	Cases	Percentage
1	Every month	350	28.6%
2	Some months	831	67.8%
3	Ones or twice a month	44	3.6%
93	Prefer not to answer	0	
Sysmiss		4763	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ie_quest_stoptime: Questionnaire - Stop time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3317 /-]		
# dm_quest_starttime: Questionnaire - Start time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-]		
# dm_partc_thetha_prog_12m: Have you participated in the following service/program in the last 12 months?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Yes	889	26.8%
2	No	2427	73.1%
93	Prefer not to answer	0	
98	Don't know	2	0.1%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# dm_partc_isisem_prog_12m: Have you participated in the following service/program in the last 12 months?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Yes	761	22.9%
2	No	2553	76.9%
93	Prefer not to answer	0	
98	Don't know	4	0.1%

# dm_partc_isisem_prog_12m: Have you participated in the following service/program in the last 12 months?			
Value	Label	Cases	Percentage
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# dm_partc_mentor_prog_12m: Have you participated in the following service / program in the last 12 months?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1801 -] [Invalid=4187 -]		
Value	Label	Cases	Percentage
1	Yes	294	16.3%
2	No	1506	83.6%
93	Prefer not to answer	0	
98	Don't know	1	0.1%
Sysmiss		4187	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# dm_partc_sch_edu_prog_12m: Have you participated in the following service/program in the last 12 months?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1243 -] [Invalid=4745 -]		
Value	Label	Cases	Percentage
1	Yes	1027	82.6%
2	No	214	17.2%
93	Prefer not to answer	0	
98	Don't know	2	0.2%
Sysmiss		4745	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# dm_quest_stoptime: Questionnaire - Stop time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 -]		
# mv_quest_starttime: Questionnaire - Start time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 -]		
# mv_confide_violence: There is someone in your community you could confide in about violence in the ho			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 -] [Invalid=2670 -]		
Value	Label	Cases	Percentage
1	I agree	2311	69.7%
2	I do not agree	1004	30.3%
93	Prefer not to answer	3	0.1%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# mv_have_crisis_plan: Do you have a 'functional' [tried and tested to work] plan for what to do in a c			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 -] [Invalid=2670 -]		

# mv_have_crisis_plan: Do you have a 'functional' [tried and tested to work] plan for what to do in a c			
Value	Label	Cases	Percentage
1	Yes	1456	43.9%
2	No	1860	56.1%
93	Prefer not to answer	2	0.1%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# mv_have_safeplace_stay: Do you have a safe place to stay if you have a problem or emergency?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Yes	2086	62.9%
2	No	1231	37.1%
93	Prefer not to answer	1	0.0%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# mv_phq9_ment01: Little interest or pleasure in doing things			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
0	Not at all.	2925	88.2%
1	Several days	230	6.9%
2	More than half the days	58	1.7%
3	Nearly every day	105	3.2%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# mv_phq9_ment02: Feeling down, depressed, or hopeless			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
0	Not at all.	2942	88.7%
1	Several days	271	8.2%
2	More than half the days	43	1.3%
3	Nearly every day	62	1.9%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# mv_phq9_ment03: Trouble falling or staying asleep, or sleeping too much			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
0	Not at all.	3001	90.4%
1	Several days	242	7.3%
2	More than half the days	23	0.7%
3	Nearly every day	52	1.6%

# mv_phq9_ment03: Trouble falling or staying asleep, or sleeping too much			
Value	Label	Cases	Percentage
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# mv_phq9_ment04: Feeling tired or having little energy			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
0	Not at all.	2990	90.1%
1	Several days	268	8.1%
2	More than half the days	12	0.4%
3	Nearly every day	48	1.4%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# mv_phq9_ment05: Poor appetite or overeating			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3316 /-] [Invalid=2672 /-]		
Value	Label	Cases	Percentage
0	Not at all.	3011	90.8%
1	Several days	209	6.3%
2	More than half the days	22	0.7%
3	Nearly every day	74	2.2%
Sysmiss		2672	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# mv_phq9_ment06: Feeling bad about yourself-or that you are a failure or have let yourself or you			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3315 /-] [Invalid=2673 /-]		
Value	Label	Cases	Percentage
0	Not at all.	3076	92.8%
1	Several days	173	5.2%
2	More than half the days	24	0.7%
3	Nearly every day	42	1.3%
Sysmiss		2673	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# mv_phq9_ment07: Trouble concentrating on things, such as reading the newspaper or watching telev			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3316 /-] [Invalid=2672 /-]		
Value	Label	Cases	Percentage
0	Not at all.	3112	93.8%
1	Several days	150	4.5%
2	More than half the days	15	0.5%
3	Nearly every day	39	1.2%
Sysmiss		2672	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# mv_phq9_ment08: Moving or speaking so slowly that other people could have noticed? Or the opposi			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=3316 /-] [Invalid=2672 /-]	
Value	Label	Cases	Percentage
0	Not at all.	3141	94.7%
1	Several days	130	3.9%
2	More than half the days	11	0.3%
3	Nearly every day	34	1.0%
Sysmiss		2672	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# mv_phq9_ment09: Thoughts that you would be better off dead or of hurting yourself in some way			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=3314 /-] [Invalid=2674 /-]	
Value	Label	Cases	Percentage
0	Not at all.	3212	96.9%
1	Several days	77	2.3%
2	More than half the days	9	0.3%
3	Nearly every day	16	0.5%
Sysmiss		2674	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# mv_quest_stoptime: Questionnaire - Stop time			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=3318 /-]	
# hq_quest_starttime: Questionnaire - Start time			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=3317 /-]	
# hq_sti_pain_urin: Pain passing urine			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3317 /-] [Invalid=2671 /-]	
Value	Label	Cases	Percentage
1	Yes	270	8.1%
2	No	3047	91.9%
Sysmiss		2671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_sti_vag_disch: Vaginal discharge			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=1803 /-] [Invalid=4185 /-]	
Value	Label	Cases	Percentage
1	Yes	219	12.1%
2	No	1584	87.9%
Sysmiss		4185	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# hq_sti_labdom_pain: Lower abdominal pain			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Yes	384	11.6%
2	No	2934	88.4%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_sti_blist_sore: Genitals blisters or sores			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Yes	109	3.3%
2	No	3209	96.7%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_sti_lump_bump: Genitals lumps and bumps			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3317 /-] [Invalid=2671 /-]		
Value	Label	Cases	Percentage
1	Yes	35	1.1%
2	No	3282	98.9%
Sysmiss		2671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_sti_uret_disch: Urethral discharge			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1517 /-] [Invalid=4471 /-]		
Value	Label	Cases	Percentage
1	Yes	117	7.7%
2	No	1400	92.3%
Sysmiss		4471	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_sti_swel_groin: Swelling in the groin			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3317 /-] [Invalid=2671 /-]		
Value	Label	Cases	Percentage
1	Yes	50	1.5%
2	No	3267	98.5%
Sysmiss		2671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_sti_itching: Genital itching			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3317 /-] [Invalid=2671 /-]		

# hq_sti_itching: Genital itching			
Value	Label	Cases	Percentage
1	Yes	290	8.7%
2	No	3027	91.3%
Sysmiss		2671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_sti_scrot_swel: Scrotal swelling			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1516 /-] [Invalid=4472 /-]		
Value	Label	Cases	Percentage
1	Yes	8	0.5%
2	No	1508	99.5%
Sysmiss		4472	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_sti_other: Other			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3316 /-] [Invalid=2672 /-]		
Value	Label	Cases	Percentage
1	Yes	6	0.2%
2	No	3310	99.8%
Sysmiss		2672	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_recv_hivresult: Have you ever received a test result for HIV?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Yes	2922	88.1%
2	No	393	11.8%
93	Prefer not to answer	3	0.1%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_reas_no_hivtest: If No, why have you not tested?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=393 /-] [Invalid=5595 /-]		
Value	Label	Cases	Percentage
1	I don't think I have HIV	220	56.0%
2	I don't want to know my HIV status	10	2.5%
3	I don't know where to go for HIV testing	10	2.5%
4	I am worried someone will see me at the clinic and think I am HIV+	1	0.3%
5	I am worried that health workers might reveal my test results to others	0	
6	The clinic where HIV testing is available is far from my house	4	1.0%
93	Prefer not to answer	2	0.5%
96	Other specify	15	3.8%

# hq_reas_no_hivtest: If No, why have you not tested?			
Value	Label	Cases	Percentage
98	Don't know	131	33.3%
Sysmiss		5595	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_hiv_testwhere: Where did your last HIV test take place?			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2922 /-] [Invalid=3066 /-]		
Value	Label	Cases	Percentage
1	Isisekelo Sempilo Clinic	165	5.6%
2	Thetha Nami peer navigator	4	0.1%
3	DoH	1804	61.7%
4	Private Doctor	7	0.2%
5	Pharmacy	1	0.0%
6	EDI	0	
7	Ezibayeni	1	0.0%
8	Unyezi	0	
9	Isikondlakondla	1	0.0%
10	DoE	32	1.1%
11	Mphilonhle	34	1.2%
12	Star for Life	3	0.1%
13	AHRI at home	838	28.7%
96	Other, specify	32	1.1%
Sysmiss		3066	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_pos_hivresult: Have you ever had a positive HIV test result?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=2922 /-] [Invalid=3066 /-]		
Value	Label	Cases	Percentage
1	Yes	320	11.0%
2	No	2601	89.0%
93	Prefer not to answer	1	0.0%
Sysmiss		3066	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_firstposresult: When was your first positive test result?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=321 /-] [Invalid=5667 /-]		
Value	Label	Cases	Percentage
1	More than one year	0	
2	Less than one year	283	88.2%
3	Prefer not to answer	37	11.5%
93	Prefer not to answer	1	0.3%
Sysmiss		5667	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# hq_lastneghivresult: When was your last negative test result?			
Information	[Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]		
Statistics [NW/ W]	[Valid=2922 /-] [Invalid=3066 /-]		
Value	Label	Cases	Percentage
2	More than one year	1450	49.6%
3	Less than one year	1424	48.7%
4	I never got the results	45	1.5%
93	You choose not to respond	2	0.1%
98	I don't know	1	0.0%
Sysmiss		3066	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_refertreatm: Were you referred to HIV treatment services?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=320 /-] [Invalid=5668 /-]		
Value	Label	Cases	Percentage
1	Yes	309	96.6%
2	No	11	3.4%
93	Prefer not to answer	0	
Sysmiss		5668	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_prev_arttreat: Have you ever taken ART for your own health?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=320 /-] [Invalid=5668 /-]		
Value	Label	Cases	Percentage
1	Yes	295	92.2%
2	No	25	7.8%
93	Prefer not to answer	0	
Sysmiss		5668	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_art_takenmtct: Have you ever taken ART to prevent Mother To Child Transmission (MTCT)?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=276 /-] [Invalid=5712 /-]		
Value	Label	Cases	Percentage
1	Yes	179	64.9%
2	No	97	35.1%
93	Prefer not to answer	0	
Sysmiss		5712	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_start_arttreat: When did you first start ART?			
Information	[Type= discrete] [Format=numeric] [Range= 2-3] [Missing=*]		
Statistics [NW/ W]	[Valid=295 /-] [Invalid=5693 /-]		
Value	Label	Cases	Percentage
2	More than one year	269	91.2%
3	Less than one year	26	8.8%

# hq_start_arttreat: When did you first start ART?			
Value	Label	Cases	Percentage
Sysmiss		5693	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_curr_arttreat: Are you currently receiving ART?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=320 /-] [Invalid=5668 /-]		
Value	Label	Cases	Percentage
1	Yes	307	95.9%
2	No	13	4.1%
93	Prefer not to answer	0	
Sysmiss		5668	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_art_takenstop: Have you ever had to stop ART?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=295 /-] [Invalid=5693 /-]		
Value	Label	Cases	Percentage
1	Yes	9	3.1%
2	No	284	96.3%
93	Prefer not to answer	2	0.7%
Sysmiss		5693	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_recvfrom_arttreat: Where do you currently receive your ART from?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=307 /-] [Invalid=5681 /-]		
Value	Label	Cases	Percentage
1	At the clinic	301	98.0%
2	At a mobile clinic	5	1.6%
3	Pills Download	1	0.3%
4	To a private doctor	0	
5	NGO	0	
6	Outside the study area / Outside PIPSA	0	
93	You Choose Not to Answer	0	
Sysmiss		5681	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# hq_art_exttimetake: How often do you take your ART drugs at the exact time prescribed by your doctor			
Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]	
Statistics [NW/ W]		[Valid=307 /-] [Invalid=5681 /-]	
Value	Label	Cases	Percentage
1	Often	209	68.1%
2	Sometimes	4	1.3%
3	Always	94	30.6%
Sysmiss		5681	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_art_delay_meds: ART During the past 12 months have you DELAYED getting ART (only those who said			
Information		[Type= discrete] [Format=numeric] [Range= 1-97] [Missing=*]	
Statistics [NW/ W]		[Valid=295 /-] [Invalid=5693 /-]	
Value	Label	Cases	Percentage
1	Yes	4	1.4%
2	No	291	98.6%
97	NA	0	
Sysmiss		5693	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_pep_heardof: Have you ever heard of drugs that can be taken to prevent HIV infection after po			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=3318 /-] [Invalid=2670 /-]	
Value	Label	Cases	Percentage
1	Yes	542	16.3%
2	No	2774	83.6%
93	Prefer not to answer	2	0.1%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_pep_knowplaces: Do you know where such services are offered?			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=542 /-] [Invalid=5446 /-]	
Value	Label	Cases	Percentage
1	Yes	393	72.5%
2	No	149	27.5%
93	Prefer not to answer	0	
Sysmiss		5446	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_pep_taken: Have you ever taken PEP?			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=542 /-] [Invalid=5446 /-]	
Value	Label	Cases	Percentage
1	Yes	1	0.2%
2	No	540	99.6%
93	Prefer not to answer	1	0.2%
Sysmiss		5446	

# hq_pep_taken: Have you ever taken PEP?			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_pep_lasttaken: How long ago did you last take PEP?			
Information		[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=5987 /-]	
# hq_pep_lasttakenunit: Is value in:			
Information		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=5987 /-]	
Value	Label	Cases	Percentage
1	Days	0	100.0%
2	Weeks	0	
3	Months	0	
4	Years	1	
Sysmiss		5987	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_pep_takenwhy: Why did you take PEP?			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=0 /-]	
# hq_pep_getwhere: Where did you receive PEP from?			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=5987 /-]	
Value	Label	Cases	Percentage
1	Isisekelo Sempilo Clinic	0	100.0%
2	Thetha Nami peer navigator	0	
3	DoH	0	
4	Private Doctor	0	
5	Pharmacy	0	
6	EDI	0	
7	Ezibayeni	0	
8	Unyezi	0	
9	Isikondlakondla	0	
10	DoE	0	
11	Mphilonhle	0	
12	Star for Life	0	
13	AHRI at home	0	
96	Other, specify	1	
Sysmiss		5987	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_prep_knowof: Have you ever heard of PrEP?(These are tablets that people who do not have HIV c			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=3317 /-] [Invalid=2671 /-]	
Value	Label	Cases	Percentage
1	Yes	2295	69.2%
2	No	1018	30.7%

# hq_prep_knowof: Have you ever heard of PrEP?(These are tablets that people who do not have HIV c			
Value	Label	Cases	Percentage
93	Prefer not to answer	4	0.1%
Sysmiss		2671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_prep_offered: Have you ever been offered PrEP?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=2297 /-] [Invalid=3691 /-]		
Value	Label	Cases	Percentage
1	Yes	174	7.6%
2	No	2123	92.4%
93	Prefer not to answer	0	
Sysmiss		3691	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_prep_currtaken: Are you currently taking PrEP to prevent HIV?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=174 /-] [Invalid=5814 /-]		
Value	Label	Cases	Percentage
1	Yes	81	46.6%
2	No	93	53.4%
93	Prefer not to answer	0	
Sysmiss		5814	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_prep_reasnottaken: Why did you decide not to take PrEP?			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=93 /-] [Invalid=5895 /-]		
Value	Label	Cases	Percentage
1	I do not feel that I need it	20	21.5%
2	I am worried about its side effects or safety	23	24.7%
3	It is inconvenient to go through the process at the	11	11.8%
93	Prefer not to answer	6	6.5%
96	Other, specify	33	35.5%
Sysmiss		5895	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_prep_reasnototh: Please specify detail on the other reason why you did not take PrEP			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=33 /-]		
# hq_prep_getwhere: Please tell us the name of the clinic/organisation and where it is located.			
Information	[Type= discrete] [Format=numeric] [Range= 1-996] [Missing=*]		
Statistics [NW/ W]	[Valid=81 /-] [Invalid=5907 /-]		
Value	Label	Cases	Percentage
1	Esiyembeni	1	1.2%
2	Gunjaneni	1	1.2%
3	Kwamsane	4	4.9%

hq_prep_getwhere: Please tell us the name of the clinic/organisation and where it is located.

Value	Label	Cases	Percentage
4	Machibini	1	1.2%
5	Madwaleni	2	2.5%
6	Mpukunyoni	2	2.5%
7	Mtubatuba	1	1.2%
8	Nkundusi	16	19.8%
9	Ntondweni	3	3.7%
10	Somkhele	4	4.9%
11	Outside the study area	3	3.7%
12	Doctor	0	
13	Pharmacy	0	
14	Africa Centre / AHRI	8	9.9%
19	EDI	0	
20	Ezibayeni	0	
27	School/DOE	0	
28	Isisekelo Seimpilo clinic - Mtubatuba/Kwamsane/Somkhele/Mobile	31	38.3%
96	Another place within the study area	3	3.7%
996	Another organization	1	1.2%
Sysmiss		5907	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_takendaily: Do you take PrEP every day?

Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]		[Valid=81 /-] [Invalid=5907 /-]		
Value	Label	Cases	Percentage	
1	Yes	75		92.6%
2	No	6		7.4%
93	Prefer not to answer	0		
Sysmiss		5907		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hq_prep_takenstrug_2: Are you struggling to take you PrEP drugs as advised by the doctor because- No,

Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=67 /-] [Invalid=5921 /-]	
Value	Label	Cases	Percentage
2	No, I take my tablets as instructed	67	100.0%
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	
8	I am away from home	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5921	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# hq_prep_takenstrug_3: Are you struggling to take you PrEP drugs as advised by the doctor because- I fo			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=5 /-] [Invalid=5983 /-]	
Value	Label	Cases	Percentage
2	No, I take my tablets as instructed	0	
3	I forget to take my pills	5	100.0%
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	
8	I am away from home	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5983	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_takenstrug_4: Are you struggling to take you PrEP drugs as advised by the doctor because-I do			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=5988 /-]	
Value	Label	Cases	Percentage
2	No, I take my tablets as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	
8	I am away from home	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5988	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_takenstrug_5: Are you struggling to take you PrEP drugs as advised by the doctor because-Other			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=5988 /-]	
Value	Label	Cases	Percentage
2	No, I take my tablets as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	
8	I am away from home	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5988	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# hq_prep_takenstrug_6: Are you struggling to take you PrEP drugs as advised by the doctor because-I som			
Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=5987 /-]		
Value	Label	Cases	Percentage
2	No, I take my tablets as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	1	100.0%
7	I get side effects from the pills	0	
8	I am away from home	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5987	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_takenstrug_93: Are you struggling to take you PrEP drugs as advised by the doctor because-Prefe			
Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=5985 /-]		
Value	Label	Cases	Percentage
2	No, I take my tablets as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	
8	I am away from home	0	
93	Prefer not to answer	3	100.0%
96	Other, specify	0	
Sysmiss		5985	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# hq_prep_takenstrug_96: Are you struggling to take you PrEP drugs as advised by the doctor because-Other			
Information	[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=5984 /-]		
Value	Label	Cases	Percentage
2	No, I take my tablets as instructed	0	
3	I forget to take my pills	0	
4	I do not always have food to take with the pills	0	
5	Other people might see me take them	0	
6	I sometimes do not have transport to collect my pills on time	0	
7	I get side effects from the pills	0	
8	I am away from home	0	
93	Prefer not to answer	0	
96	Other, specify	4	100.0%
Sysmiss		5984	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# hq_prep_taken_from_org: Where / from which organisation was it provided?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=174 /-] [Invalid=5814 /-]		
Value	Label	Cases	Percentage
1	DoH	80	46.0%
2	Private Doctor	0	
3	Pharmacy	0	
4	Africa Centre / AHRI	9	5.2%
9	EDI	0	
10	Ezibayeni	0	
11	Unyezi	0	
12	Isikondlakondla	0	
18	Mpilonhle	0	
19	Star for Life	1	0.6%
20	Isisekelo Sempilo Clinic	80	46.0%
30	STAR / Theha Nami	0	
96	Other	4	2.3%
98	Don't know	0	
Sysmiss		5814	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_prep_delay_meds: During the past 12 months have you DELAYED getting PrEP (only those who said yes)			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=81 /-] [Invalid=5907 /-]		
Value	Label	Cases	Percentage
1	Yes	2	2.5%
2	No	79	97.5%
93	Prefer not to answer	0	
Sysmiss		5907	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_prep_freq_med_take: In general, are you the type of person who would rather:			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Take a pill every single day at home	1098	33.1%
2	Take a pill 2-3 times per week at home	323	9.7%
3	Receive an injection every 2 months at a clinic	1655	49.9%
4	Take a small pill once a month	216	6.5%
5	Insert a ring that you cannot feel inside your vagina (females only)	26	0.8%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_impvt_feats_1: The potential side effects of the medicine			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3317 /-] [Invalid=2671 /-]		

# hq_impirt_feats_1: The potential side effects of the medicine			
Value	Label	Cases	Percentage
1	Not Important	669	20.2%
2	Less Important	413	12.5%
3	Very Important	2235	67.4%
Sysmiss		2671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_impirt_feats_2: That I can take it at a clinic and do not need to keep medicines at home			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Not Important	525	15.8%
2	Less Important	398	12.0%
3	Very Important	2395	72.2%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_impirt_feats_3: That I must come to clinic to have the shot			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Not Important	555	16.7%
2	Less Important	376	11.3%
3	Very Important	2387	71.9%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_impirt_feats_4: That other people I know and trust might also be using it.			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Not Important	961	29.0%
2	Less Important	414	12.5%
3	Very Important	1943	58.6%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_impirt_feats_5: The possibility that long-acting injectable PrEP might "wear off" if I don't ret			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3317 /-] [Invalid=2671 /-]		
Value	Label	Cases	Percentage
1	Not Important	502	15.1%
2	Less Important	254	7.7%
3	Very Important	2561	77.2%
Sysmiss		2671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# hq_impirt_feats_6: Combining it with contraception.			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Not Important	522	15.7%
2	Less Important	273	8.2%
3	Very Important	2523	76.0%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_impirt_feats_7: The need for blood tests / monitoring.			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=3317 /-] [Invalid=2671 /-]		
Value	Label	Cases	Percentage
1	Not Important	512	15.4%
2	Less Important	211	6.4%
3	Very Important	2594	78.2%
Sysmiss		2671	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_impirt_feasts_route: Which is your preferred route ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1802 /-] [Invalid=4186 /-]		
Value	Label	Cases	Percentage
1	Oral	736	40.8%
2	Injectable	1039	57.7%
3	Implant	15	0.8%
4	Vaginal	12	0.7%
93	Prefer not to answer	0	
Sysmiss		4186	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_impirt_feasts_route_men: Which is your preferred route ?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1517 /-] [Invalid=4471 /-]		
Value	Label	Cases	Percentage
1	Oral	867	57.2%
2	Injectable	647	42.6%
3	Implant	0	
4	Vaginal	0	
93	Prefer not to answer	3	0.2%
Sysmiss		4471	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_impirt_feasts_schedule: Which is your preferred dosing schedule :			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		

# hq_impert_feasts_schedule: Which is your preferred dosing schedule :			
Value	Label	Cases	Percentage
1	Daily	1067	32.2%
2	Monthly	858	25.9%
3	2 monthly	1134	34.2%
4	6 monthly or annually	256	7.7%
93	Prefer not to answer	3	0.1%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_had_covid_vaccine: Have you had your COVID vaccination?			
Information	[Type= discrete] [Format=numeric] [Range= 1-97] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Yes	1257	37.9%
2	No	2059	62.1%
93	Prefer not to answer	1	0.0%
97	Not allowed for now	1	0.0%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_everSmoke: In your whole life up to now, have you ever smoked a cigarette?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		
Value	Label	Cases	Percentage
1	Yes	381	11.5%
2	No	2937	88.5%
93	Prefer not to answer	0	
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_frstSmoke_age: How old were you when you smoked your first cigarette? If you can't remember, pl			
Information	[Type= discrete] [Format=numeric] [Range= 8-28] [Missing=*]		
Statistics [NW/ W]	[Valid=381 /-] [Invalid=5607 /-]		
# hq_dayssmoked_mths: How many days have you smoked at least one cigarette in the past month?			
Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]		
Statistics [NW/ W]	[Valid=382 /-] [Invalid=5606 /-] [Mean=17.683 /-] [StdDev=12.819 /-]		
# hq_smokless_tabac: Have you used smokeless tobacco products such as snuff or chewing tobacco in the			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=381 /-] [Invalid=5607 /-]		
Value	Label	Cases	Percentage
1	Yes	20	5.2%
2	No	361	94.8%
93	Prefer not to answer	0	
Sysmiss		5607	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# hq_everdrink: In your whole life up to now, have you ever drunk one "drink" of alcohol (e.g. a			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=3318 /-] [Invalid=2670 /-]	
Value	Label	Cases	Percentage
1	Yes	1291	38.9%
2	No	2024	61.0%
93	Prefer not to answer	3	0.1%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_frstdrink_age: How old were you when you drank your first drink? If you can't remember, please			
Information		[Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]	
Statistics [NW/ W]		[Valid=1292 /-] [Invalid=4696 /-] [Mean=17.987 /-] [StdDev=3.074 /-]	
# hq_daysdrunk_mths: How many days have you drunk at least one drink in the past month?			
Information		[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]	
Statistics [NW/ W]		[Valid=1292 /-] [Invalid=4696 /-] [Mean=2.63 /-] [StdDev=4.477 /-]	
# hq_more5drinks_day: How many days have you drunk 5 or more drinks (in succession) on one or more day			
Information		[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]	
Statistics [NW/ W]		[Valid=1292 /-] [Invalid=4696 /-] [Mean=1.863 /-] [StdDev=4.012 /-]	
# hq_everuse_cannab: In your whole life up to now, have you ever used cannabis (dagga)?			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=3318 /-] [Invalid=2670 /-]	
Value	Label	Cases	Percentage
1	Yes	235	7.1%
2	No	3083	92.9%
93	Prefer not to answer	0	
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_frstcannab_age: How old were you when you used cannabis (dagga)? If you can't remember, please g			
Information		[Type= discrete] [Format=numeric] [Range= 11-29] [Missing=*]	
Statistics [NW/ W]		[Valid=235 /-] [Invalid=5753 /-]	
# hq_dayscannab_mths: How many days have you used cannabis in the past month?			
Information		[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]	
Statistics [NW/ W]		[Valid=235 /-] [Invalid=5753 /-] [Mean=15.247 /-] [StdDev=13.161 /-]	
# hq_usedoth_drugs_2: Have you ever used other drugs such as -No			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=3283 /-] [Invalid=2705 /-]	
Value	Label	Cases	Percentage
2	No	3283	100.0%
3	Inhalable like glue,ben	0	
4	I-methaqualone(Mandrax)	0	
5	Cocaine	0	
6	Heroin	0	

hq_usedoth_drugs_2: Have you ever used other drugs such as -No

Value	Label	Cases	Percentage
7	Club drugs	0	
93	Prefer not to answer	0	
96	Other	0	
Sysmiss		2705	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_usedoth_drugs_3: Have you ever used other drugs such as - Inhalable			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=7 /-] [Invalid=5981 /-]	
Value	Label	Cases	Percentage
2	No	0	100.0%
3	Inhalable like glue,ben	7	
4	I-methaqualone(Mandrax)	0	
5	Cocaine	0	
6	Heroin	0	
7	Club drugs	0	
93	Prefer not to answer	0	
96	Other	0	
Sysmiss		5981	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# hq_usedoth_drugs_4: Have you ever used other drugs such as - Mandrax			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=5987 /-]	
Value	Label	Cases	Percentage
2	No	0	
3	Inhalable like glue,ben	0	
4	I-methaqualone(Mandrax)	1	100.0%
5	Cocaine	0	
6	Heroin	0	
7	Club drugs	0	
93	Prefer not to answer	0	
96	Other	0	
Sysmiss		5987	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_usedoth_drugs_5: Have you ever used other drugs such as -Cocaine			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=5986 /-]	
Value	Label	Cases	Percentage
2	No	0	
3	Inhalable like glue,ben	0	
4	I-methaqualone(Mandrax)	0	
5	Cocaine	2	100.0%
6	Heroin	0	
7	Club drugs	0	
93	Prefer not to answer	0	
96	Other	0	
Sysmiss		5986	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_usedoth_drugs_6: Have you ever used other drugs such as -Heroin			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=5985 /-]	
Value	Label	Cases	Percentage
2	No	0	
3	Inhalable like glue,ben	0	
4	I-methaqualone(Mandrax)	0	
5	Cocaine	0	
6	Heroin	3	100.0%
7	Club drugs	0	
93	Prefer not to answer	0	
96	Other	0	
Sysmiss		5985	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_usedoth_drugs_7: Have you ever used other drugs such as -Club drugs			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=5985 /-]	

# hq_usedoth_drugs_7: Have you ever used other drugs such as -Club drugs			
Value	Label	Cases	Percentage
2	No	0	100.0%
3	Inhalable like glue,ben	0	
4	I-methaqualone(Mandrax)	0	
5	Cocaine	0	
6	Heroin	0	
7	Club drugs	3	
93	Prefer not to answer	0	
96	Other	0	
Sysmiss		5985	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_usedoth_drugs_93: Have you ever used other drugs such as - Prefer not to answer			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=5988 /-]	
Value	Label	Cases	Percentage
2	No	0	
3	Inhalable like glue,ben	0	
4	I-methaqualone(Mandrax)	0	
5	Cocaine	0	
6	Heroin	0	
7	Club drugs	0	
93	Prefer not to answer	0	
96	Other	0	
Sysmiss		5988	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_usedoth_drugs_96: Have you ever used other drugs such as - Other, specify			
Information		[Type= discrete] [Format=numeric] [Range= 2-96] [Missing=*]	
Statistics [NW/ W]		[Valid=30 /-] [Invalid=5958 /-]	
Value	Label	Cases	Percentage
2	No	0	
3	Inhalable like glue,ben	0	
4	I-methaqualone(Mandrax)	0	
5	Cocaine	0	
6	Heroin	0	
7	Club drugs	0	
93	Prefer not to answer	0	
96	Other	30	
Sysmiss		5958	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# hq_quest_stoptime: Questionnaire - Stop time			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=3318 /-]	
# sr_quest_starttime: Questionnaire - Start time			
Information		[Type= discrete] [Format=character] [Missing=*]	

# sr_quest_starttime: Questionnaire - Start time			
Statistics [NW/ W]		[Valid=3318 /-]	
# sr_fatherclindren: Have you ever fathered any children?			
Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=1514 /-] [Invalid=4474 /-]	
Value	Label	Cases	Percentage
1	Yes	375	24.8%
2	No	1135	75.0%
93	Prefer not to answer	3	0.2%
98	Don't know	1	0.1%
Sysmiss		4474	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_numchildfath: How many children have you fathered (please include those who have died)?			
Information		[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]	
Statistics [NW/ W]		[Valid=376 /-] [Invalid=5612 /-]	
# sr_children_alive_mal: How many of these children are still alive?			
Information		[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]	
Statistics [NW/ W]		[Valid=376 /-] [Invalid=5612 /-]	
# sr_share_numchildfath: How many children have you fathered (please include those who have died)?			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=5988 /-]	
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
93	Prefer not to answer	0	
Sysmiss		5988	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_agefather: How old were you when you first made someone pregnant?			
Information		[Type= discrete] [Format=numeric] [Range= 12-30] [Missing=*]	
Statistics [NW/ W]		[Valid=373 /-] [Invalid=5615 /-]	
# sr_share_agefather: How old were you when you first made someone pregnant?			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=5986 /-]	
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
93	Prefer not to answer	2	100.0%
Sysmiss		5986	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_ever_circumcised: Have you ever been circumcised?			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=1514 /-] [Invalid=4474 /-]	

# sr_ever_circumcised: Have you ever been circumcised?			
Value	Label	Cases	Percentage
1	Yes	1071	70.7%
2	No	432	28.5%
93	Prefer not to answer	11	0.7%
Sysmiss		4474	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_circum_when: When were you circumcised (if you do not know, please make your best guess)?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1071 /-] [Invalid=4917 /-]		
Value	Label	Cases	Percentage
1	As a child (under one year)	15	1.4%
2	As a child or adolescent	860	80.3%
3	As an adult (over 18 years)	170	15.9%
93	Prefer not to answer	0	
98	Don't know	26	2.4%
Sysmiss		4917	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_circum_where: Where were you circumcised?			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1071 /-] [Invalid=4917 /-]		
Value	Label	Cases	Percentage
1	Clinic	1034	96.5%
2	Mountain	5	0.5%
3	Church	1	0.1%
96	Other, specify	31	2.9%
Sysmiss		4917	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_currpregnant: Are you currently pregnant?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1802 /-] [Invalid=4186 /-]		
Value	Label	Cases	Percentage
1	Yes	72	4.0%
2	No	1688	93.7%
93	Prefer not to answer	1	0.1%
98	Don't know	41	2.3%
Sysmiss		4186	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_everpregnant: Have you ever been pregnant?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1803 /-] [Invalid=4185 /-]		
Value	Label	Cases	Percentage
1	Yes	1110	61.6%
2	No	692	38.4%

# sr_everpregnant: Have you ever been pregnant?			
Value	Label	Cases	Percentage
93	Prefer not to answer	1	0.1%
Sysmiss		4185	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_pregnant_last_12mths: Have you been pregnant in the last 12 months?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1139 -] [Invalid=4849 -]		
Value	Label	Cases	Percentage
1	Yes	342	30.0%
2	No	796	69.9%
93	Prefer not to answer	1	0.1%
Sysmiss		4849	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_agepregnant: How old were you the first time you got pregnant? [age in years]			
Information	[Type= discrete] [Format=numeric] [Range= 12-29] [Missing=*]		
Statistics [NW/ W]	[Valid=1137 -] [Invalid=4851 -]		
# sr_share_agepregnant: How old were you the first time you got pregnant? [age in years]			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=2 -] [Invalid=5986 -]		
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
93	Prefer not to answer	0	
98	Don't know	2	100.0%
Sysmiss		5986	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_times_pregnant: How many times have you been pregnant? (including pregnancies that did not go to			
Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
Statistics [NW/ W]	[Valid=1110 -] [Invalid=4878 -]		
# sr_times_birth: How many times have you given birth? (include both live births and stillbirths.			
Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=1110 -] [Invalid=4878 -]		
# sr_children_alive_fem: How many of these children are still alive?			
Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=1110 -] [Invalid=4878 -]		
# sr_areusemeth_avoidpreg: Are you currently using any contraceptive methods to prevent pregnancy?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1729 -] [Invalid=4259 -]		
Value	Label	Cases	Percentage
1	Yes	891	51.5%
2	No	838	48.5%
93	Prefer not to answer	0	

# sr_areusemeth_avoidpreg: Are you currently using any contraceptive methods to prevent pregnancy?			
Value	Label	Cases	Percentage
Sysmiss		4259	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_currmeth_avoidpreg_1: Which methods are you currently using?- Male condom			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=48 /-] [Invalid=5940 /-]		
Value	Label	Cases	Percentage
1	Male condom	48	100.0%
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5940	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_currmeth_avoidpreg_2: Which methods are you currently using?- Female condom			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=5987 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	1	100.0%
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5987	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_currmeth_avoidpreg_3: Which methods are you currently using?-Female sterilization ('tubal ligation')			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=5985 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	

# sr_currmeth_avoidpreg_3: Which methods are you currently using?-Female sterilization ('tubal ligation')			
Value	Label	Cases	Percentage
2	Female condom	0	
3	Female sterilization ('tubal ligation')	3	100.0%
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5985	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_currmeth_avoidpreg_4: Which methods are you currently using?-Male sterilization ('vasectomy')			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=5987 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	1	100.0%
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5987	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_currmeth_avoidpreg_5: Which methods are you currently using?- IUD/loop			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=14 /-] [Invalid=5974 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	14	100.0%
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	

# sr_currmeth_avoidpreg_5: Which methods are you currently using?- IUD/loop			
Value	Label	Cases	Percentage
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5974	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_currmeth_avoidpreg_6: Which methods are you currently using?- Injectable contraceptives			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=446 /-] [Invalid=5542 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	446	100.0%
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5542	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_currmeth_avoidpreg_7: Which methods are you currently using?- Implants			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=329 /-] [Invalid=5659 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	329	100.0%
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5659	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_currmeth_avoidpreg_8: Which methods are you currently using?- Oral contraceptive pills			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		

# sr_currmeth_avoidpreg_8: Which methods are you currently using?- Oral contraceptive pills			
Statistics [NW/ W]		[Valid=53 /-] [Invalid=5935 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	53	100.0%
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5935	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_currmeth_avoidpreg_9: Which methods are you currently using?- Douching after sex			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=5988 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5988	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_currmeth_avoidpreg_10: Which methods are you currently using?-Traditional methods			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=5988 /-]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	

# sr_currmeth_avoidpreg_10: Which methods are you currently using?-Traditional methods			
Value	Label	Cases	Percentage
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5988	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_currmeth_avoidpreg_93: Which methods are you currently using?-Prefer not to answer			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5988 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5988	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_currmeth_avoidpreg_96: Which methods are you currently using?- Other, specify			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5988 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5988	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# sr_whatmeth_avoidpreg12mth: In the past 12 months, have you used any method to avoid getting pregnant?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1803 /-] [Invalid=4185 /-]		
Value	Label	Cases	Percentage
1	Yes	742	41.2%
2	No	1061	58.8%
93	Prefer not to answer	0	
Sysmiss		4185	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_meth_avoidpreg12mth_1: Which methods were you using?-Male condom			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=40 /-] [Invalid=5948 /-]		
Value	Label	Cases	Percentage
1	Male condom	40	100.0%
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5948	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_meth_avoidpreg12mth_2: Which methods were you using?-Female condom			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=5987 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	1	100.0%
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5987	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# sr_meth_avoidpreg12mth_3: Which methods were you using?-Female sterilization ('tubal ligation')			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=5986 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	2	100.0%
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5986	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_meth_avoidpreg12mth_4: Which methods were you using?-Male sterilization ('vasectomy')			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=5986 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	2	100.0%
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5986	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_meth_avoidpreg12mth_5: Which methods were you using?-IUD/loop			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=10 /-] [Invalid=5978 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	10	100.0%

# sr_meth_avoidpreg12mth_5: Which methods were you using?-IUD/loop			
Value	Label	Cases	Percentage
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5978	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_meth_avoidpreg12mth_6: Which methods were you using?-Injectable contraceptives			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=378 /-] [Invalid=5610 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	378	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5610	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_meth_avoidpreg12mth_7: Which methods were you using?-Implants			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=262 /-] [Invalid=5726 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	262	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5726	

# sr_meth_avoidpreg12mth_7: Which methods were you using?-Implants			
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_meth_avoidpreg12mth_8: Which methods were you using?-Oral contraceptive pills			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=52 /-] [Invalid=5936 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	52	100.0%
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5936	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_meth_avoidpreg12mth_9: Which methods were you using?-Douching after sex			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5988 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5988	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_meth_avoidpreg12mth_10: Which methods were you using?-Traditional methods			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5988 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	

# sr_meth_avoidpreg12mth_10: Which methods were you using?-Traditional methods			
Value	Label	Cases	Percentage
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5988	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_meth_avoidpreg12mth_93: Which methods were you using?-Prefer not to answer			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=5988 /-]		
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5988	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# sr_meth_avoidpreg12mth_96: Which methods were you using?-Other, specify			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=0 -/] [Invalid=5988 -/]	
Value	Label	Cases	Percentage
1	Male condom	0	
2	Female condom	0	
3	Female sterilization ('tubal ligation')	0	
4	Male sterilization ('vasectomy')	0	
5	IUD/loop	0	
6	Injectable contraceptives	0	
7	Implants	0	
8	Oral contraceptive pills	0	
9	Douching after sex	0	
10	Traditional methods	0	
93	Prefer not to answer	0	
96	Other, specify	0	
Sysmiss		5988	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sr_meth_otherspec12mth: Other method, please specify:			
Information		[Type= discrete] [Format=numeric] [Missing=*]	
Statistics [NW/ W]		[Valid=0 -/] [Invalid=5988 -/]	
# sr_quest_stoptime: Questionnaire - Stop time			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=3318 -/]	
# partic_capable_self_int: Is the participant comfortable to complete the self-interview by themselves?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=3304 -/] [Invalid=2684 -/]	
Value	Label	Cases	Percentage
1	Yes	2812	85.1%
2	No - Fieldworker will administer the questionnaire	492	14.9%
Sysmiss		2684	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_quest_starttime: Questionnaire - Start time			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=3315 -/]	
# srs_self_interviewed: We would like you to complete the following few questions by yourself. The inter			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 -/] [Invalid=0 -/]	
# srs_everhadsex: Have you ever had sex?			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=3318 -/] [Invalid=2670 -/]	
Value	Label	Cases	Percentage
1	Yes	2319	69.9%

# srs_everhadsex: Have you ever had sex?			
Value	Label	Cases	Percentage
2	No	899	27.1%
93	Prefer not to answer	100	3.0%
Sysmiss		2670	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_agefirstsex: If you ever had sex (even if it was not your choice) how old were you the first			
Information	[Type= continuous] [Format=numeric] [Range= 0-2020] [Missing=*]		
Statistics [NW/ W]	[Valid=2156 /-] [Invalid=3832 /-] [Mean=18.875 /-] [StdDev=43.298 /-]		
# srs_share_agefirstsex: If you ever had sex (even if it was not your choice) how old were you the first			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=176 /-] [Invalid=5812 /-]		
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
93	Prefer not to answer	176	100.0%
Sysmiss		5812	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_firstsexwho: When you had sex for the first time, even if it was not your choice, with whom d			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=2334 /-] [Invalid=3654 /-]		
Value	Label	Cases	Percentage
1	Spouse (husband) / wife (married or living as a married couple)	20	0.9%
2	Husband / Boyfriend / Girlfriend	1995	85.5%
3	The partner you did not know at the time before having sex with him	109	4.7%
4	Someone I do not know	32	1.4%
5	The teacher / principal of my school	5	0.2%
6	My employer	2	0.1%
7	Family member	1	0.0%
8	Neighbor	22	0.9%
9	She was raped	6	0.3%
10	Another person	73	3.1%
98	I do not remember	69	3.0%
Sysmiss		3654	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_firstsex_gift_fem: The first time you had sex, were you given gifts or money by your sexual partner			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1835 /-] [Invalid=4153 /-]		
Value	Label	Cases	Percentage
1	I was given gifts before or after sex	87	4.7%
2	I was paid before or after having sex	58	3.2%
3	I was given both gifts and money before or after sex	101	5.5%
4	I was not given any gifts or money	1589	86.6%
93	Prefer not to answer	0	

# srs_firstsex_gift_fem: The first time you had sex, were you given gifts or money by your sexual partner			
Value	Label	Cases	Percentage
Sysmiss		4153	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_firstsex_gift_mal: The first time you had sex, did you give gifts or money to your sexual partner?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=1007 /-] [Invalid=4981 /-]		
Value	Label	Cases	Percentage
1	I gave gifts before or after sex	19	1.9%
2	I paid before or after having sex	13	1.3%
3	I gave both gifts and money before or after sex	18	1.8%
4	I did not give any gifts or money	957	95.0%
Sysmiss		4981	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_firstsex_knwstatus: Did you know the HIV status of your first partner at the time when you first had			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=2336 /-] [Invalid=3652 /-]		
Value	Label	Cases	Percentage
1	Yes	720	30.8%
2	No	1518	65.0%
93	Prefer not to answer	33	1.4%
98	Don't know	65	2.8%
Sysmiss		3652	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_firstsex_statusis: What was the HIV status of your first partner at the time when you first had sex			
Information	[Type= discrete] [Format=numeric] [Range= 0-93] [Missing=*]		
Statistics [NW/ W]	[Valid=721 /-] [Invalid=5267 /-]		
Value	Label	Cases	Percentage
0	Negative	662	91.8%
1	Positive	14	1.9%
93	Prefer not to answer	45	6.2%
Sysmiss		5267	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_firstsex_useart: Did you know if your first partner was taking ART when you were having sex for t			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=13 /-] [Invalid=5975 /-]		
Value	Label	Cases	Percentage
1	Yes, on ART	8	61.5%
2	No, not on ART	1	7.7%
93	Prefer not to answer	1	7.7%
98	Don't know	3	23.1%
Sysmiss		5975	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# srs_partnagefirstsex: How old was the person you first had sex with, even if it was forced or not your			
Information	[Type= continuous] [Format=numeric] [Range= 0-263] [Missing=*]		
Statistics [NW/ W]	[Valid=1949 /-] [Invalid=4039 /-] [Mean=20.681 /-] [StdDev=11.255 /-]		
# srs_share_partnagefirstsex: How old was the person you first had sex with, even if it was forced or not your			
Information	[Type= discrete] [Format=numeric] [Range= 3-93] [Missing=*]		
Statistics [NW/ W]	[Valid=387 /-] [Invalid=5601 /-]		
Value	Label	Cases	Percentage
3	Not sure about age	275	71.1%
93	Prefer not to answer	112	28.9%
Sysmiss		5601	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_firstestmage: Was this person:			
Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=276 /-] [Invalid=5712 /-]		
Value	Label	Cases	Percentage
0	Older	80	29.0%
1	Younger	42	15.2%
2	Of the same age	154	55.8%
Sysmiss		5712	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_firstestmyears: How many years younger/older?			
Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
Statistics [NW/ W]	[Valid=119 /-] [Invalid=5869 /-]		
Value	Label	Cases	Percentage
1	1-2 years	46	38.7%
2	3-4 years	30	25.2%
3	5-10 years	15	12.6%
4	10 + years	28	23.5%
Sysmiss		5869	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_life_numsexpartn: How many different people have you had sex with in your lifetime (including your			
Information	[Type= continuous] [Format=numeric] [Range= 0-411] [Missing=*]		
Statistics [NW/ W]	[Valid=1934 /-] [Invalid=4054 /-] [Mean=4.073 /-] [StdDev=10.431 /-]		
# srs_sharelife_numsexpartn: How many different people have you had sex with in your lifetime (including your			
Information	[Type= discrete] [Format=numeric] [Range= 3-93] [Missing=*]		
Statistics [NW/ W]	[Valid=398 /-] [Invalid=5590 /-]		
Value	Label	Cases	Percentage
3	Not sure about age	0	
93	Prefer not to answer	398	100.0%
Sysmiss		5590	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_12mth_numsexpartn: How many people have you had sex with in the past 12 months (including your husb			
Information	[Type= continuous] [Format=numeric] [Range= 0-111] [Missing=*]		

# srs_12mth_numsexpartn: How many people have you had sex with in the past 12 months (including your husb			
Statistics [NW/ W]		[Valid=1985 /-] [Invalid=4003 /-] [Mean=1.808 /-] [StdDev=3.288 /-]	
# srs_share12mth_numsexpartn: How many people have you had sex with in the past 12 months (including your husb			
Information		[Type= discrete] [Format=numeric] [Range= 93-95] [Missing=*]	
Statistics [NW/ W]		[Valid=348 /-] [Invalid=5640 /-]	
Value	Label	Cases	Percentage
93	Prefer not to answer	255	73.3%
95	Have not had sex in the past 12 months	93	26.7%
Sysmiss		5640	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_12mth_newsexpartn: Of the number of partners you had in the last 12 months, how many of these partn			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1865 /-] [Invalid=0 /-]	
# srs_numsexrelat: How many sexual relationships are you in at the moment (if you do not know, plea			
Information		[Type= continuous] [Format=numeric] [Range= 0-22] [Missing=*]	
Statistics [NW/ W]		[Valid=2080 /-] [Invalid=3908 /-] [Mean=1.242 /-] [StdDev=1.354 /-]	
# srs_share_numsexrelat: How many sexual relationships are you in at the moment (if you do not know, plea			
Information		[Type= discrete] [Format=numeric] [Range= 3-93] [Missing=*]	
Statistics [NW/ W]		[Valid=250 /-] [Invalid=5738 /-]	
Value	Label	Cases	Percentage
3	Not sure about age	0	
93	Prefer not to answer	250	100.0%
Sysmiss		5738	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_transsex_women: In the past 12 months, have you ever had sex with anyone (for a short period of			
Information		[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]	
Statistics [NW/ W]		[Valid=1838 /-] [Invalid=4150 /-]	
Value	Label	Cases	Percentage
1	Yes	118	6.4%
2	No	1654	90.0%
93	Prefer not to answer	66	3.6%
Sysmiss		4150	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_transsex_num: In the past 12 months how many different people have you become sexually involve			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=79 /-] [Invalid=5909 /-]	
# srs_share_transsex: In the past 12 months how many different people have you become sexually involve			
Information		[Type= discrete] [Format=numeric] [Range= 0-93] [Missing=*]	
Statistics [NW/ W]		[Valid=39 /-] [Invalid=5949 /-]	
Value	Label	Cases	Percentage
0	No, I haven't had one	31	79.5%
93	Prefer not to answer	8	20.5%

# srs_share_transsex: In the past 12 months how many different people have you become sexually involve			
Value	Label	Cases	Percentage
Sysmiss		5949	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_sexworker: Some people have sex with other people for a living; would you consider yourself			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1838 /-] [Invalid=4150 /-]		
Value	Label	Cases	Percentage
1	Yes	36	2.0%
2	No	1763	95.9%
93	Prefer not to answer	39	2.1%
Sysmiss		4150	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_transsex_men: In the past 12 months have you provided a woman who is not a sex worker with hel			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=999 /-] [Invalid=4989 /-]		
Value	Label	Cases	Percentage
1	Yes	41	4.1%
2	No	918	91.9%
93	Prefer not to answer	40	4.0%
Sysmiss		4989	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_usecondom3months: Have you used a condom during sex in the past 3 months?			
Information	[Type= discrete] [Format=numeric] [Range= 0-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1838 /-] [Invalid=4150 /-]		
Value	Label	Cases	Percentage
0	No, I have not had sex in the past 3 months	297	16.2%
1	Yes	641	34.9%
2	No, I have not used a condom	842	45.8%
93	Prefer not to answer	58	3.2%
Sysmiss		4150	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_usecondomlasttime: Did you use a condom the LAST time you had sex (whether it was forced or agreed)			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1837 /-] [Invalid=4151 /-]		
Value	Label	Cases	Percentage
1	Yes	702	38.2%
2	No	1076	58.6%
93	Prefer not to answer	59	3.2%
Sysmiss		4151	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_condomless_1month: Have you had any sex without a condom in the last month?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1838 /-] [Invalid=4150 /-]		

# srs_condomless_1month: Have you had any sex without a condom in the last month?			
Value	Label	Cases	Percentage
1	Yes	857	46.6%
2	No	925	50.3%
93	Prefer not to answer	56	3.0%
Sysmiss		4150	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_condomless12months: Have you had any sex without a condom in the last 12 months?			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=929 /-] [Invalid=5059 /-]		
Value	Label	Cases	Percentage
1	Yes	282	30.4%
2	No	632	68.0%
93	Prefer not to answer	15	1.6%
Sysmiss		5059	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_sexin12mths: Have you had sex with this person in the past 12 months?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1883 /-] [Invalid=4105 /-]		
Value	Label	Cases	Percentage
1	Yes	1111	59.0%
2	No	597	31.7%
93	Prefer not to answer	164	8.7%
98	Don't know	11	0.6%
Sysmiss		4105	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_relationship: When you last had sex with this person, what was your relationship to that perso			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1112 /-] [Invalid=4876 /-]		
Value	Label	Cases	Percentage
1	We were married, or in a civil partnership, or living together as a couple	36	3.2%
2	We were in a steady relationship	973	87.5%
3	We had previously been married or in a civil partnership, or living together as a couple, but were not at that time	4	0.4%
4	We had previously been in a steady relationship, but were not at that time	60	5.4%
5	We had known each other before, but were not in a steady relationship at that time	13	1.2%
6	We did not know each other at that time	8	0.7%
93	Prefer not to answer	18	1.6%
Sysmiss		4876	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_sex_someone: During your relationship with this person, did you have sex with someone else?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1111 /-] [Invalid=4877 /-]		

# srs_recnt1_sex_someone: During your relationship with this person, did you have sex with someone else?			
Value	Label	Cases	Percentage
1	Yes	269	24.2%
2	No	823	74.1%
93	Prefer not to answer	9	0.8%
98	Don't know	10	0.9%
Sysmiss		4877	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_personage: How old is this person (if you do not know, please make your best guess)? [in ye			
Information	[Type= continuous] [Format=numeric] [Range= 1-62] [Missing=*]		
Statistics [NW/ W]	[Valid=1076 /-] [Invalid=4912 /-] [Mean=24.984 /-] [StdDev=6.489 /-]		
# srs_recnt1_shareage: How old is this person (if you do not know, please make your best guess)? [in ye			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=36 /-] [Invalid=5952 /-]		
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
93	Prefer not to answer	16	44.4%
98	Don't know	20	55.6%
Sysmiss		5952	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_lastconduse: Did you use a condom the last time you had sex with this person?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1110 /-] [Invalid=4878 /-]		
Value	Label	Cases	Percentage
1	Yes	431	38.8%
2	No	657	59.2%
93	Prefer not to answer	13	1.2%
98	Don't know	9	0.8%
Sysmiss		4878	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_whyastcondom: If no, why did you or [name] NOT use a condom? (last sex)			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=657 /-] [Invalid=5331 /-]		
Value	Label	Cases	Percentage
1	I don't like condoms/interfere with pleasure	138	21.0%
2	My partner does not like condoms/ interfere with pleasure	121	18.4%
3	We did not have a condom/condom not available/no money	113	17.2%
4	I have no control over condom use/I was afraid of violence if suggested condoms	1	0.2%
5	I trust my partner	176	26.8%
6	I know my partner is HIV negative	35	5.3%
7	I was too drunk/My partner was too drunk	0	
8	Because he is circumcised	9	1.4%

# srs_recnt1_whyastcondom: If no, why did you or [name] NOT use a condom? (last sex)			
Value	Label	Cases	Percentage
9	I/my partner is trying to have a baby	15	2.3%
10	Because I/my partner is taking ART	3	0.5%
11	Religious reasons	1	0.2%
93	Prefer not to answer	19	2.9%
98	Don't know	26	4.0%
Sysmiss		5331	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_aclohbefore: Did you drink alcohol before the last time you had sex with [name]?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1111 /-] [Invalid=4877 /-]		
Value	Label	Cases	Percentage
1	Yes	61	5.5%
2	No	1041	93.7%
93	Prefer not to answer	6	0.5%
98	Don't know	3	0.3%
Sysmiss		4877	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_giftlast: The last time you had sex with [name], did you give or were you given a gift in			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1111 /-] [Invalid=4877 /-]		
Value	Label	Cases	Percentage
1	I was given gifts before or after sex	71	6.4%
2	I was paid before or after having sex	948	85.3%
3	I was given both gifts and money before or after sex	53	4.8%
4	I was not given any gifts or money	0	
93	Prefer not to answer	39	3.5%
Sysmiss		4877	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_moneylast: The last time you had sex with [name], did you give or were you given money in o			
Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]		
Statistics [NW/ W]	[Valid=1111 /-] [Invalid=4877 /-]		
Value	Label	Cases	Percentage
1	Yes, I got the money	65	5.9%
2	No, I did not give or receive money	962	86.6%
3	Yes, I gave money	41	3.7%
93	You Choose Not to Answer	43	3.9%
Sysmiss		4877	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_knwpartnstatus: Do you know the HIV status of [name]?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1111 /-] [Invalid=4877 /-]		

# srs_recnt1_knwpartnstatus: Do you know the HIV status of [name]?			
Value	Label	Cases	Percentage
1	Yes	659	59.3%
2	No	412	37.1%
93	Prefer not to answer	14	1.3%
98	Don't know	26	2.3%
Sysmiss		4877	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_partnstatus: What is the HIV status of [name]?			
Information	[Type= discrete] [Format=numeric] [Range= 0-93] [Missing=*]		
Statistics [NW/ W]	[Valid=661 /-] [Invalid=5327 /-]		
Value	Label	Cases	Percentage
0	Partner is Negative	571	86.4%
1	Partner is Positive	67	10.1%
93	Prefer not to answer	23	3.5%
Sysmiss		5327	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_partn_onart: Do you know if [name]is taking ART?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=5921 /-]		
Value	Label	Cases	Percentage
1	Yes, on ART	57	85.1%
2	No, not on ART	4	6.0%
93	Prefer not to answer	0	
98	Don't know	6	9.0%
Sysmiss		5921	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_knowyourhivstat: Does this person know your current HIV status?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1111 /-] [Invalid=4877 /-]		
Value	Label	Cases	Percentage
1	Yes	689	62.0%
2	No	377	33.9%
93	Prefer not to answer	21	1.9%
98	Don't know	24	2.2%
Sysmiss		4877	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_takeprep: During your relationship with [name] in the past year, did you take PrEP to prev			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1111 /-] [Invalid=4877 /-]		
Value	Label	Cases	Percentage
1	Yes	107	9.6%
2	No	954	85.9%
93	Prefer not to answer	15	1.4%

srs_recnt1_takeprep: During your relationship with [name] in the past year, did you take PrEP to prev

Value	Label	Cases	Percentage
98	Don't know	35	3.2%
Sysmiss		4877	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# srs_recnt1_no_prepreas: Why did you decide not to take PrEP?			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=955 /-] [Invalid=5033 /-]	
Value	Label	Cases	Percentage
1	Did not know about PrEP	412	43.1%
2	I do not feel that I need it	355	37.2%
3	I am worried about its side effects or safety	72	7.5%
4	It is inconvenient to go through the process at the Clinic	22	2.3%
93	Prefer not to answer	82	8.6%
96	96, Other, specify	12	1.3%
Sysmiss		5033	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recnt1_patnr_othsex: Over the past 12 months, during your relationships with X do you know or suspect			
Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=1110 /-] [Invalid=4878 /-]	
Value	Label	Cases	Percentage
1	Yes - I know he/she was going to have another partner	26	2.3%
2	No, I know this partner and he/she did not have other partners	306	27.6%
3	Yes - I know of other partners	76	6.8%
4	Yes - I believe he/she had other partners	121	10.9%
98	I do not know	581	52.3%
Sysmiss		4878	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_recent1_agediff: Calculated age difference - Partner 1			
Information		[Type= continuous] [Format=numeric] [Range= -25-31] [Missing=*]	
Statistics [NW/ W]		[Valid=1076 /-] [Invalid=4912 /-] [Mean=0.798 /-] [StdDev=4.836 /-]	
# srs_emo_vioolfem01: Insulted you or made you feel bad about yourself?			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=1799 /-] [Invalid=4189 /-]	
Value	Label	Cases	Percentage
0	Never	1677	93.2%
1	Once	84	4.7%
2	Few	30	1.7%
3	Many	8	0.4%
Sysmiss		4189	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_emo_vioolfem02: Belittled or humiliated you in front of other people?			
Information		[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]	
Statistics [NW/ W]		[Valid=1797 /-] [Invalid=4191 /-]	
Value	Label	Cases	Percentage
0	Never	1709	95.1%
1	Once	56	3.1%
2	Few	19	1.1%
3	Many	13	0.7%

# srs_emo_vioolfem02: Belittled or humiliated you in front of other people?			
Value	Label	Cases	Percentage
Sysmiss		4191	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_emo_vioolfem03: Done things to scare or intimidate you on purpose for example, by the way he loo			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1799 /-] [Invalid=4189 /-]		
Value	Label	Cases	Percentage
0	Never	1719	95.6%
1	Once	53	2.9%
2	Few	17	0.9%
3	Many	10	0.6%
Sysmiss		4189	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_emo_vioolfem04: Threatened to hurt you?			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1786 /-] [Invalid=4202 /-]		
Value	Label	Cases	Percentage
0	Never	1727	96.7%
1	Once	35	2.0%
2	Few	17	1.0%
3	Many	7	0.4%
Sysmiss		4202	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_emo_vioolfem05: Hurt people you care about as a way of hurting you, or damaged things of importa			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1790 /-] [Invalid=4198 /-]		
Value	Label	Cases	Percentage
0	Never	1728	96.5%
1	Once	32	1.8%
2	Few	17	0.9%
3	Many	13	0.7%
Sysmiss		4198	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_phy_vioolfem01: Slapped you or thrown something at you which could hurt you?			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1783 /-] [Invalid=4205 /-]		
Value	Label	Cases	Percentage
0	Never	1708	95.8%
1	Once	53	3.0%
2	Few	10	0.6%
3	Many	12	0.7%
Sysmiss		4205	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# srs_phy_vioolfem02: Pushed or shoved you?			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1775 /-] [Invalid=4213 /-]		
Value	Label	Cases	Percentage
0	Never	1713	96.5%
1	Once	41	2.3%
2	Few	8	0.5%
3	Many	13	0.7%
Sysmiss		4213	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_phy_vioolfem03: Hit you with a fist or with something else which could hurt you?			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1795 /-] [Invalid=4193 /-]		
Value	Label	Cases	Percentage
0	Never	1751	97.5%
1	Once	31	1.7%
2	Few	4	0.2%
3	Many	9	0.5%
Sysmiss		4193	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_phy_vioolfem04: Kicked, dragged, beaten, choked or burnt you?			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1790 /-] [Invalid=4198 /-]		
Value	Label	Cases	Percentage
0	Never	1753	97.9%
1	Once	22	1.2%
2	Few	6	0.3%
3	Many	9	0.5%
Sysmiss		4198	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_phy_vioolfem05: Threatened to use or actually used a gun, knife or other weapon against you?			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1774 /-] [Invalid=4214 /-]		
Value	Label	Cases	Percentage
0	Never	1745	98.4%
1	Once	22	1.2%
2	Few	3	0.2%
3	Many	4	0.2%
Sysmiss		4214	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_sex_vioolfem01: Physically forced you to have sex when you did not want to?			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1802 /-] [Invalid=4186 /-]		

# srs_sex_vioolfem01: Physically forced you to have sex when you did not want to?			
Value	Label	Cases	Percentage
0	Never	1777	98.6%
1	Once	19	1.1%
2	Few	4	0.2%
3	Many	2	0.1%
Sysmiss		4186	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_sex_vioolfem02: Used threats or intimidation to get you to have sex when you did not want to?			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1801 /-] [Invalid=4187 /-]		
Value	Label	Cases	Percentage
0	Never	1773	98.4%
1	Once	23	1.3%
2	Few	2	0.1%
3	Many	3	0.2%
Sysmiss		4187	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_sex_vioolfem03: Forced you to do something else sexual that did not want to do?			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1801 /-] [Invalid=4187 /-]		
Value	Label	Cases	Percentage
0	Never	1777	98.7%
1	Once	17	0.9%
2	Few	2	0.1%
3	Many	5	0.3%
Sysmiss		4187	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_emo_violmal01: How many times have you insulted a partner or deliberately made her feel bad a			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1511 /-] [Invalid=4477 /-]		
Value	Label	Cases	Percentage
0	Never	1446	95.7%
1	Once	49	3.2%
2	Few	11	0.7%
3	Many	5	0.3%
Sysmiss		4477	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_emo_violmal02: Belittled or humiliated a partner in front of other people?			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1510 /-] [Invalid=4478 /-]		
Value	Label	Cases	Percentage
0	Never	1458	96.6%
1	Once	37	2.5%

# srs_emo_violmal02: Belittled or humiliated a partner in front of other people?			
Value	Label	Cases	Percentage
2	Few	10	0.7%
3	Many	5	0.3%
Sysmiss		4478	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_emo_violmal03: Done things to scare or intimidate a partner on purpose for example by the way y			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1510 /-] [Invalid=4478 /-]		
Value	Label	Cases	Percentage
0	Never	1451	96.1%
1	Once	45	3.0%
2	Few	10	0.7%
3	Many	4	0.3%
Sysmiss		4478	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_emo_violmal04: Threatened to hurt a partner?			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1509 /-] [Invalid=4479 /-]		
Value	Label	Cases	Percentage
0	Never	1452	96.2%
1	Once	40	2.7%
2	Few	11	0.7%
3	Many	6	0.4%
Sysmiss		4479	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_emo_violmal05: Hurt people your partner cares about as a way of hurting her, or damaged things			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1508 /-] [Invalid=4480 /-]		
Value	Label	Cases	Percentage
0	Never	1460	96.8%
1	Once	32	2.1%
2	Few	13	0.9%
3	Many	3	0.2%
Sysmiss		4480	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_phy_violmal01: Slap your current or previous girlfriend or wife or throw something at her which			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1507 /-] [Invalid=4481 /-]		
Value	Label	Cases	Percentage
0	Never	1459	96.8%
1	Once	40	2.7%
2	Few	7	0.5%
3	Many	1	0.1%

# srs_phy_violmal01: Slap your current or previous girlfriend or wife or throw something at her which			
Value	Label	Cases	Percentage
Sysmiss		4481	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_phy_violmal02: Push or shove your current or previous girlfriend or wife?			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1497 /-] [Invalid=4491 /-]		
Value	Label	Cases	Percentage
0	Never	1454	97.1%
1	Once	37	2.5%
2	Few	4	0.3%
3	Many	2	0.1%
Sysmiss		4491	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_phy_violmal03: Hit your current or previous girlfriend or wife with a fist or with something el			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1506 /-] [Invalid=4482 /-]		
Value	Label	Cases	Percentage
0	Never	1457	96.7%
1	Once	38	2.5%
2	Few	10	0.7%
3	Many	1	0.1%
Sysmiss		4482	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_phy_violmal04: Kick, drag, beat, choke or burn your current or previous girlfriend or wife?			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1497 /-] [Invalid=4491 /-]		
Value	Label	Cases	Percentage
0	Never	1464	97.8%
1	Once	27	1.8%
2	Few	6	0.4%
3	Many	0	
Sysmiss		4491	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_phy_violmal05: Threatened to use or actually use a gun, knife or other weapon against your curr			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1478 /-] [Invalid=4510 /-]		
Value	Label	Cases	Percentage
0	Never	1450	98.1%
1	Once	23	1.6%
2	Few	4	0.3%
3	Many	1	0.1%
Sysmiss		4510	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# srs_sex_violmal01: Physically forced your current or previous girlfriend or wife to have sex with y			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1510 /-] [Invalid=4478 /-]		
Value	Label	Cases	Percentage
0	Never	1482	98.1%
1	Once	22	1.5%
2	Few	5	0.3%
3	Many	1	0.1%
Sysmiss		4478	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_sex_violmal02: Used threats or intimidation to get your current or previous partner, girlfriend			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1507 /-] [Invalid=4481 /-]		
Value	Label	Cases	Percentage
0	Never	1484	98.5%
1	Once	20	1.3%
2	Few	2	0.1%
3	Many	1	0.1%
Sysmiss		4481	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_sex_violmal03: Ever forced your current or previous girlfriend or wife to do something sexual t			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1508 /-] [Invalid=4480 /-]		
Value	Label	Cases	Percentage
0	Never	1485	98.5%
1	Once	20	1.3%
2	Few	2	0.1%
3	Many	1	0.1%
Sysmiss		4480	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_useviol_12mths: Have you used physical or sexual violence on your partner in the last 12 months?			
Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=1001 /-] [Invalid=4987 /-]		
Value	Label	Cases	Percentage
1	Yes	4	0.4%
2	No	992	99.1%
93	Prefer not to answer	2	0.2%
98	Don't know	3	0.3%
Sysmiss		4987	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# srs_sv_experienced: Have you ever experienced any sexual related abuse?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3318 /-] [Invalid=2670 /-]		

srs_sv_experienced: Have you ever experienced any sexual related abuse?

Value	Label	Cases	Percentage
1	Yes	23	0.7%
2	No	3295	99.3%
Sysmiss		2670	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

srs_sv_to_contact: If it is safe for you to wait up to 3 days for help, then click [HERE](#) to give us

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=5965 /-]

Value	Label	Cases	Percentage
1	Yes	4	17.4%
2	No	18	78.3%
93	Prefer not to answer	0	
98	Don't know	1	4.3%
Sysmiss		5965	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

srs_sv_contact_method: Please tell us how you would like us to contact you:

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=5984 /-]

Value	Label	Cases	Percentage
1	Via Telephone	3	75.0%
2	Social worker visited my home	1	25.0%
Sysmiss		5984	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

srs_sv_phonetime: Please indicate when is best to call:

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]

srs_sv_visittime: Please indicate which time of day is best:

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=0 /-]

or_trouble_police: Have you ever been in trouble with the police?

Information	[Type= discrete] [Format=numeric] [Range= 1-93] [Missing=*]
Statistics [NW/ W]	[Valid=3317 /-] [Invalid=2671 /-]

Value	Label	Cases	Percentage
1	Yes	71	2.1%
2	No	3243	97.8%
93	Don't want to answer	3	0.1%
Sysmiss		2671	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

or_type_trouble_police: If yes, what kind of trouble?

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=5917 /-]

# or_type_trouble_police: If yes, what kind of trouble?			
Value	Label	Cases	Percentage
1	Imprisoned	43	60.6%
2	Traffic fines	0	
3	Expired vehicle disc	0	
4	Driving without a licence	2	2.8%
5	Driving under influence of alcohol	2	2.8%
96	Other specify	24	33.8%
Sysmiss		5917	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# or_quest_stoptime: Questionnaire - Stop time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3307 /-]		
# hr_rapidtest_done: Was Rapid HIV test done?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=907 /-] [Invalid=5081 /-]		
Value	Label	Cases	Percentage
1	Yes	834	92.0%
2	No	73	8.0%
Sysmiss		5081	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sc_starttime_dbs: Specimen Collection - Start time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3232 /-]		
# sc_dbs_collected: Was a DBS Specimen collected?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3233 /-] [Invalid=2755 /-]		
Value	Label	Cases	Percentage
1	Yes	3220	99.6%
2	No	13	0.4%
Sysmiss		2755	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sc_dbs_specim_nc_reas: Please provide a reason for why the DBS Specimen was not collected			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=12 /-]		
# sc_dbs_specim_id: Scan Specimen ID			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3219 /-] [Invalid=0 /-]		
# sc_dbs_hiv_result: HIV Result			
Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]		
Statistics [NW/ W]	[Valid=3218 /-] [Invalid=2770 /-]		

# sc_dbs_hiv_result: HIV Result			
Value	Label	Cases	Percentage
0	NEGATIVE	2751	85.5%
1	POSITIVE	456	14.2%
4	INDETERMINATE	11	0.3%
Sysmiss		2770	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sc_dbs_vl_result: Viral load Result			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=459 /-] [Invalid=0 /-]		
# sc_stoptime_dbs: Specimen Collection - Stop time			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3232 /-]		
# mh_interview_starttime: Please record Date/Time for starting - Managing HIV Results			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=833 /-]		
# mh_rapidscreen_testtype: Rapid Screening Test Type			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]		
# mh_rapidscreen_lotnum: What was the LOT number for the test kit?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=828 /-] [Invalid=0 /-]		
# mh_rapidscreen_result: What is the Rapid HIV test result?			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=829 /-] [Invalid=5159 /-]		
Value	Label	Cases	Percentage
0	Valid Negative	802	96.7%
1	Valid Positive	24	2.9%
2	Discordant	0	
3	Invalid	3	0.4%
9	Not applicable	0	
Sysmiss		5159	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

# mh_rapidscreen_lotnum_rep: What was the LOT number for the test kit?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=0 /-]		
# mh_rapidscreen_result_rep: What is the Rapid HIV test result?			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=5985 /-]		
Value	Label	Cases	Percentage
0	Valid Negative	0	
1	Valid Positive	0	
2	Discordant	0	
3	Invalid	3	100.0%
9	Not applicable	0	
Sysmiss		5985	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# mh_rapidconf1_testtype: Rapid Confirmatory Test Type			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]		
# mh_rapidconf1_lotnum: What was the LOT number for the test kit?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=825 /-] [Invalid=0 /-]		
# mh_rapidconf1_result: What is the Rapid HIV test result?			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=826 /-] [Invalid=5162 /-]		
Value	Label	Cases	Percentage
0	Valid Negative	797	96.5%
1	Valid Positive	25	3.0%
2	Discordant	0	
3	Invalid	4	0.5%
9	Not applicable	0	
Sysmiss		5162	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# mh_rapidconf1_lotnum_rep: What was the LOT number for the test kit?			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]		
# mh_rapidconf1_result_rep: What is the Rapid HIV test result?			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=5987 /-]		
Value	Label	Cases	Percentage
0	Valid Negative	1	100.0%
1	Valid Positive	0	
2	Discordant	0	
3	Invalid	0	
9	Not applicable	0	

mh_rapidconf1_result_rep: What is the Rapid HIV test result?

Value	Label	Cases	Percentage
Sysmiss		5987	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

mh_rapidtest_result: Confirm the Summary HIV test result?

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=5988 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Valid Negative	798	13.3%
1	Valid Positive	24	0.4%
2	Discordant	1	0.0%
3	Invalid	0	
9	Not applicable	5165	86.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

mh_refer_mobile_clinic: Refer to Mobile Clinic

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=5988 /-] [Invalid=0 /-]

mh_attends_clinic: Participant reports they are already attending clinic

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-] [Invalid=5964 /-]

Value	Label	Cases	Percentage
1	Yes	2	8.3%
2	No	22	91.7%
3	Refused	0	
Sysmiss		5964	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

mh_target_clinicdate: What is the agreed target date to get to the clinic?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=22 /-]

mh_target_smswording: What SMS reminder wording does the participant like?

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=22 /-] [Invalid=5966 /-]

Value	Label	Cases	Percentage
1	Please don't forget your appointment	15	68.2%
2	We hope you will visit us soon	7	31.8%
3	Don't forget to get that present	0	
4	Participant doesn't have a mobile phone	0	
Sysmiss		5966	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

mh_interview_stoptime: Please record Date/Time for completing - Managing HIV Results

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=3181 /-]

# sp_sti_sample_collect: Was a sample collected for STI Testing?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=1376 /-] [Invalid=4612 /-]		
Value	Label	Cases	Percentage
1	Yes	1261	91.6%
2	No	115	8.4%
Sysmiss		4612	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sp_sti_specimen_dt: Specimen Collection Date			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=1261 /-]		
# sp_sti_reas_not_collect: What is the reason why the person is not willing to provide a sample?			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=115 /-] [Invalid=5873 /-]		
Value	Label	Cases	Percentage
1	Not interested anymore	74	64.3%
2	Will provide sample at the Clinic	33	28.7%
3	Reschedule collection for a next visit	5	4.3%
96	Other, specify	3	2.6%
Sysmiss		5873	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sp_sti_female_samp_type: What type of sample was collected for the female participant?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=726 /-] [Invalid=5262 /-]		
Value	Label	Cases	Percentage
1	Vaginal Swabs	395	54.4%
2	Urine	331	45.6%
Sysmiss		5262	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sp_urine_specimen_id: Scan the Specimen ID of Urine Sample			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=862 /-] [Invalid=0 /-]		
# sp_swab_1_specimen_id: Scan the 1st Specimen ID of Vaginal Swab			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=0 /-]		
# sp_swab_2_specimen_id: Scan the 2nd Specimen ID of Vaginal Swab			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=394 /-] [Invalid=0 /-]		
# sp_swab_3_specimen_id: Scan the 3rd Specimen ID of Vaginal Swab			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=0 /-]		

# sp_swab_4_specimen_id: Scan the 4th Specimen ID of Vaginal Swab			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=395 /-] [Invalid=0 /-]		
# sp_sti_result_ct: STI Test Result - Chlamydia trachomatis			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1257 /-] [Invalid=4731 /-]		
Value	Label	Cases	Percentage
0	NOT DETECTED	1031	82.0%
1	DETECTED	223	17.7%
2	ERROR	0	
3	INVALID	3	0.2%
Sysmiss		4731	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sp_sti_result_ng: STI Test Result - Neisseria gonorrhoeae			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=1257 /-] [Invalid=4731 /-]		
Value	Label	Cases	Percentage
0	NOT DETECTED	1197	95.2%
1	DETECTED	57	4.5%
2	ERROR	0	
3	INVALID	3	0.2%
Sysmiss		4731	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sp_sti_result_tv: STI Test Result - Trichomonas vaginalis			
Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=752 /-] [Invalid=5236 /-]		
Value	Label	Cases	Percentage
0	NOT DETECTED	684	91.0%
1	DETECTED	65	8.6%
2	ERROR	0	
3	INVALID	3	0.4%
Sysmiss		5236	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sp_sti_rep_sample_collect: Was a repeated sample collected for STI Testing?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=2 /-] [Invalid=5986 /-]		
Value	Label	Cases	Percentage
1	Yes	1	50.0%
2	No	1	50.0%
Sysmiss		5986	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sp_sti_rep_specimen_dt: Repeated Specimen Collection Date			
Information	[Type= discrete] [Format=character] [Missing=*]		

# sp_sti_rep_specimen_dt: Repeated Specimen Collection Date			
Statistics [NW/ W]		[Valid=1 /-]	
# sp_sti_rep_reas_not_collec: What is the reason why the person is not willing to provide a repeat sample?			
Information		[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=5987 /-]	
Value	Label	Cases	Percentage
1	Not interested anymore	0	
2	Unable to find participant	0	
3	Participant refused	0	
96	Other, specify	1	100.0%
Sysmiss		5987	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sp_sti_rep_samp_type: What type of repeat sample was collected for the female participant?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=5988 /-]	
Value	Label	Cases	Percentage
1	Vaginal Swabs	0	
2	Urine	0	
Sysmiss		5988	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# sp_rep_urine_specimen_id: Scan the Specimen ID of Repeat Urine Sample			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=0 /-]	
# sp_rep_swab_1_specimen_id: Scan the 1st Repeat Specimen ID of Vaginal Swab			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=0 /-]	
# sp_rep_swab_2_specimen_id: Scan the 2nd Repeat Specimen ID of Vaginal Swab			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=0 /-]	
# sp_rep_swab_3_specimen_id: Scan the 3rd Repeat Specimen ID of Vaginal Swab			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=0 /-]	
# sp_rep_swab_4_specimen_id: Scan the 4th Repeat Specimen ID of Vaginal Swab			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=0 /-]	
# sp_sti_rep_result_ct: Repeated STI Test Result - Chlamydia trachomatis			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=0 /-]	
# sp_sti_rep_result_ng: Repeated STI Test Result - Neisseria gonorrhoeae			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=0 /-]	

# sp_sti_rep_result_tv: Repeated STI Test Result - Trichomonas vaginalis			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=0 /-]	
# cp_qc_date: Date of QC			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=5979 /-] [Invalid=0 /-]	
# cp_send_to_staging: Are all quality processes completed and can the survey be send to the Staging Pr			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=5988 /-] [Invalid=0 /-]	
# rs_sti_result_discussed: Was the result of the STI Test discussed with the participant?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=286 /-] [Invalid=5702 /-]	
Value	Label	Cases	Percentage
1	Yes	278	97.2%
2	No	8	2.8%
Sysmiss		5702	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# rs_sti_need_partn_notify: Does the participant have any partners that would need notification letters?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=278 /-] [Invalid=5710 /-]	
Value	Label	Cases	Percentage
1	Yes	123	44.2%
2	No	155	55.8%
Sysmiss		5710	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# rs_sti_partn_card_1: Issue partner notification card - 01			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=122 /-] [Invalid=0 /-]	
# rs_sti_partn_card_2: Issue partner notification card - 02			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=0 /-]	
# rs_sti_partn_card_3: Issue partner notification card - 03			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=1 /-] [Invalid=0 /-]	
# rs_sti_partn_card_4: Issue partner notification card - 04			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=0 /-]	
# rs_sti_partn_card_5: Issue partner notification card - 05			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=0 /-]	

# rs_sti_partn_card_6: Issue partner notification card - 06	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]
# rs_sti_partn_card_7: Issue partner notification card - 07	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]
# rs_sti_partn_card_8: Issue partner notification card - 08	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]
# rs_sti_partn_card_9: Issue partner notification card - 09	
Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]

# rs_sti_partn_card_10: Issue partner notification card - 10			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]		
# rs_sti_counsel_done_1: Please tick which counseling topic were done: Promote good sexual health			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=277 /-] [Invalid=5711 /-]		
Value	Label	Cases	Percentage
1	Promote good sexual health	277	100.0%
2	Fertility desires	0	
3	Discuss nutrition	0	
Sysmiss		5711	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# rs_sti_counsel_done_2: Please tick which counseling topic were done: Fertility desires			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=27 /-] [Invalid=5961 /-]		
Value	Label	Cases	Percentage
1	Promote good sexual health	0	
2	Fertility desires	27	100.0%
3	Discuss nutrition	0	
Sysmiss		5961	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# rs_sti_counsel_done_3: Please tick which counseling topic were done: Discuss nutrition			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=16 /-] [Invalid=5972 /-]		
Value	Label	Cases	Percentage
1	Promote good sexual health	0	
2	Fertility desires	0	
3	Discuss nutrition	16	100.0%
Sysmiss		5972	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# rs_sti_treatm_provided: If positive, were treatment given?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=286 /-] [Invalid=5702 /-]		
Value	Label	Cases	Percentage
1	Yes	273	95.5%
2	No	13	4.5%
Sysmiss		5702	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# rs_sti_reas_not_treat: Please provide a reason as to why the Participant was not given treatment.			
Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]		
Statistics [NW/ W]	[Valid=13 /-] [Invalid=5975 /-]		
Value	Label	Cases	Percentage
1	Unable to reach participant by phone to make an appointment	0	

# rs_sti_reas_not_treat: Please provide a reason as to why the Participant was not given treatment.			
Value	Label	Cases	Percentage
2	Unable to find participant at home for appointment	3	23.1%
3	Participant temporarily away for more than 2 months	0	
4	Participant refused treatment	1	7.7%
5	Participant migrated out of PIPSA	7	53.8%
96	Other	2	15.4%
Sysmiss		5975	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ds_sti_dispensed: Was STI medication dispensed?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=276 /-] [Invalid=5712 /-]	
Value	Label	Cases	Percentage
1	Yes	276	100.0%
2	No	0	
Sysmiss		5712	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ds_sti_drug_name: Generic Drug name			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=276 /-] [Invalid=0 /-]	
# ds_sti_drug_name_oth: Specify Other Generic Drug name			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=0 /-]	
# ds_sti_qrcode: Scan QR Code: Package			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=276 /-] [Invalid=0 /-]	
# ds_sti_dose: Dose amount (for example: 1x tablet...)			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=276 /-] [Invalid=0 /-]	
# ds_sti_dose_freq: Frequency			
Information		[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]	
Statistics [NW/ W]		[Valid=276 /-] [Invalid=5712 /-]	
Value	Label	Cases	Percentage
1	Once Daily	15	5.4%
2	4 hourly	0	
3	6 hourly	1	0.4%
4	8 hourly	8	2.9%
5	Apply PRN	0	
6	12 hourly	1	0.4%
7	24 hourly	0	
8	24 hourly nocte	0	
9	Insert nocte	2	0.7%
10	Stat	249	90.2%

# ds_sti_dose_freq: Frequency			
Value	Label	Cases	Percentage
Sysmiss		5712	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ds_sti_route: Route			
Information		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]	
Statistics [NW/ W]		[Valid=276 /-] [Invalid=5712 /-]	
Value	Label	Cases	Percentage
1	Oral administration	257	93.1%
2	Intravenous injection	0	
3	Topical Application	0	
4	Intramuscular injection	19	6.9%
5	Per Vagina	0	
Sysmiss		5712	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ds_sti_exp_date: Expiry date of medication			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=276 /-]	
# ds_sti_lotnumber: Lot Number			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=276 /-] [Invalid=0 /-]	
# ds_sti_date_given: Dispensed Date			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=276 /-]	
# ds_sti_dispensed_v2: Was STI medication dispensed?			
Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=60 /-] [Invalid=5928 /-]	
Value	Label	Cases	Percentage
1	Yes	60	100.0%
2	No	0	
Sysmiss		5928	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ds_sti_drug_name_v2: Generic Drug name			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=60 /-] [Invalid=0 /-]	
# ds_sti_drug_name_oth_v2: Specify Other Generic Drug name			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=0 /-]	
# ds_sti_qrcode_v2: Scan QR Code: Package			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=60 /-] [Invalid=0 /-]	

# ds_sti_dose_v2: Dose amount (for example: 1x tablet...)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=60 /-] [Invalid=0 /-]		
# ds_sti_dose_freq_v2: Frequency			
Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]	[Valid=60 /-] [Invalid=5928 /-]		
Value	Label	Cases	Percentage
1	Once Daily	2	3.3%
2	4 hourly	0	
3	6 hourly	0	
4	8 hourly	3	5.0%
5	Apply PRN	0	
6	12 hourly	0	
7	24 hourly	0	
8	24 hourly nocte	0	
9	Insert nocte	3	5.0%
10	Stat	52	86.7%
Sysmiss		5928	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ds_sti_route_v2: Route			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=60 /-] [Invalid=5928 /-]		
Value	Label	Cases	Percentage
1	Oral administration	40	66.7%
2	Intravenous injection	1	1.7%
3	Topical Application	0	
4	Intramuscular injection	19	31.7%
5	Per Vagina	0	
Sysmiss		5928	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ds_sti_exp_date_v2: Expiry date of medication			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=60 /-]		
# ds_sti_lotnumber_v2: Lot Number			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=60 /-] [Invalid=0 /-]		
# ds_sti_date_given_v2: Dispensed Date			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=60 /-]		
# ds_sti_dispensed_v3: Was STI medication dispensed?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=5964 /-]		

# ds_sti_dispensed_v3: Was STI medication dispensed?			
Value	Label	Cases	Percentage
1	Yes	24	100.0%
2	No	0	
Sysmiss		5964	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ds_sti_drug_name_v3: Generic Drug name			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=0 /-]		
# ds_sti_drug_name_oth_v3: Specify Other Generic Drug name			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=0 /-]		
# ds_sti_qrcode_v3: Scan QR Code: Package			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=0 /-]		
# ds_sti_dose_v3: Dose amount (for example: 1x tablet...)			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=0 /-]		
# ds_sti_dose_freq_v3: Frequency			
Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=5964 /-]		
Value	Label	Cases	Percentage
1	Once Daily	1	4.2%
2	4 hourly	0	
3	6 hourly	0	
4	8 hourly	0	
5	Apply PRN	0	
6	12 hourly	0	
7	24 hourly	0	
8	24 hourly nocte	0	
9	Insert nocte	1	4.2%
10	Stat	22	91.7%
Sysmiss		5964	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ds_sti_route_v3: Route			
Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=5964 /-]		
Value	Label	Cases	Percentage
1	Oral administration	9	37.5%
2	Intravenous injection	0	
3	Topical Application	0	
4	Intramuscular injection	15	62.5%
5	Per Vagina	0	

# ds_sti_route_v3: Route			
Value	Label	Cases	Percentage
Sysmiss		5964	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ds_sti_exp_date_v3: Expiry date of medication			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-]		
# ds_sti_lotnumber_v3: Lot Number			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-] [Invalid=0 /-]		
# ds_sti_date_given_v3: Dispensed Date			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=24 /-]		
# ar_contacted: Was the participant contacted?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=5985 /-]		
Value	Label	Cases	Percentage
1	Yes	3	100.0%
2	No	0	
Sysmiss		5985	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ar_supp_given: Was support provided?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=5985 /-]		
Value	Label	Cases	Percentage
1	Yes	0	
2	No	3	100.0%
Sysmiss		5985	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ar_follow_up_needed: Is follow up needed?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=5985 /-]		
Value	Label	Cases	Percentage
1	Yes	3	100.0%
2	No	0	
Sysmiss		5985	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
# ar_follow_up_date: Date of follow up			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-]		
# ar_resolved: Was it resolved?			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		

# ar_resolved: Was it resolved?			
Statistics [NW/ W]		[Valid=3 /-] [Invalid=5985 /-]	
Value	Label	Cases	Percentage
1	Yes	2	66.7%
2	No	1	33.3%
Sysmiss		5985	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			