

South Africa

WOPS 201703

Study Documentation

March 3, 2017

Metadata Production

Metadata Producer(s)	Sweetness H Dube (SHD) , Africa Health Research Institute , Data Documentation Archivist
Production Date	March 3, 2017
Identification	DDI.WOPS.201703

Table of Contents

Overview	4
Data Collection	4
Files Description	5
WO01-03 WOPS Individuals	5
Variables List	6
WO01-03 WOPS Individuals	6
Variables Description	25
WO01-03 WOPS Individuals	26

WOPS 201703

Overview

Identification	WO01-03.WOPS.Individuals.201703
Version	Production Date: 2017-03-03
Unit of Analysis	Individual

Topics	WOPS Individuals
Time Period(s)	2010-2013
Countries	South Africa

Data Collection

Data Collection Dates	start 2010-03-01 end 2013-08-31
Time Period(s)	start 2010-03-01 end 2013-08-31
Data Collection Mode	Face-to-face [f2f]

Files Description

Dataset contains 1 file(s)

WO01-03 WOPS Individuals	
# Cases	943
# Variable(s)	591

Variables List

Dataset contains 591 variable(s)

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	WOPSACId	Unique Internal Identifier	continuous	numeric-12.0	943	0	-
2	WopsGroup	WOPS Group	discrete	numeric-12.0	715	228	-
3	DateOfIn ..	Date Of Interview	discrete	character-11	943	-	-
4	IintID	Individual Unique Internal Identifier	continuous	numeric-12.0	919	24	-
5	BSID	Bounded Structure	continuous	numeric-12.0	929	14	-
6	IsigodiN ..	Isigodi Name	discrete	character-30	943	0	-
7	OtherLoc ..	Other Location Specify	discrete	character-30	146	0	-
8	DateOfBi ..	Date Of Birth	discrete	character-11	940	-	-
9	AgeAtInt ..	Age At Interview	continuous	numeric-12.0	942	1	-
10	Sex	Sex	discrete	numeric-12.0	943	0	-
11	HHHRelType	Household head relationship type	discrete	numeric-12.0	540	403	-
12	MaritalS ..	Marital Status	discrete	numeric-12.0	540	403	-
13	HighestE ..	Highest Education Level	discrete	numeric-12.0	540	403	-
14	Currentl ..	Currently Employed	discrete	numeric-12.0	540	403	-
15	DrinkWat ..	Drink Water Source	discrete	numeric-12.0	540	403	-
16	DrinkWat ..	Drink Water Source Other Specify	discrete	character-15	45	0	-
17	ToiletType	Toilet Type	discrete	numeric-12.0	540	403	-
18	ToiletTy ..	Toilet Type Other Specify	discrete	character-15	30	0	-
19	CookFuel ..	Cook Fuel Coal	discrete	numeric-2.0	943	0	-
20	CookFuel ..	CookFuelElecGenerator	discrete	numeric-12.0	943	0	-
21	CookFuel ..	Cook Fuel Electricity Grid	discrete	numeric-12.0	943	0	-
22	CookFuel ..	Cook Fuel Gas LPG	discrete	numeric-12.0	943	0	-
23	CookFuel ..	Cook Fuel Kerosene	discrete	numeric-12.0	943	0	-
24	CookFuel ..	Cook Fuel Solar	discrete	numeric-12.0	943	0	-
25	CookFuel ..	Cook Fuel Wood	discrete	numeric-12.0	943	0	-
26	CookFuel ..	Cook Fuel Other Specify	discrete	character-7	4	0	-
27	HasGridE ..	Has Grid Electricity	discrete	numeric-12.0	943	0	-
28	AssetBic ..	Asset Bicycle	discrete	numeric-2.0	943	0	-
29	AssetCel ..	Asset Cell phone	discrete	numeric-12.0	943	0	-
30	AssetDVD	Asset DVD	discrete	numeric-2.0	943	0	-
31	AssetFri ..	Asset Fridge	discrete	numeric-2.0	943	0	-
32	AssetGas ..	Asset Gas Stove	discrete	numeric-2.0	943	0	-
33	AssetRadio	Asset Radio	discrete	numeric-2.0	943	0	-
34	AssetSofa	Asset Sofa	discrete	numeric-2.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
35	AssetTV	Asset TV	discrete	numeric-2.0	943	0	-
36	KeepsChi..	Keep Chickens/Ducks	discrete	numeric-2.0	943	0	-
37	KeepsCows	Keep Cows	discrete	numeric-2.0	943	0	-
38	KeepsGoats	Keep Goats	discrete	numeric-2.0	943	0	-
39	KeepsPigs	Keep Pigs	discrete	numeric-2.0	943	0	-
40	KeepsRab..	Keep Rabbits	discrete	numeric-2.0	943	0	-
41	KeepsOth..	Keep Other Specify	discrete	character-7	39	0	-
42	MainInco..	Main Income Source	discrete	numeric-12.0	943	0	-
43	MainInco..	Main Income ource Other Specify	discrete	character-7	6	0	-
44	FinPosCh..	Financial Position Changed	discrete	numeric-12.0	943	0	-
45	GeneralH..	General Health	discrete	numeric-12.0	943	0	-
46	DiffWork..	Difficult Work Household Acivities	discrete	numeric-12.0	943	0	-
47	HealthLa..	Health Last 2 Weeks	discrete	numeric-12.0	943	0	-
48	L2wBedSo..	Last 2 Weeks Bed Sores	discrete	numeric-2.0	943	0	-
49	L2wNause..	Last 2 Weeks Nausea or Vomiting	discrete	numeric-2.0	943	0	-
50	L2wConst..	Last 2 Weeks Constipation	discrete	numeric-2.0	943	0	-
51	L2wDryIt..	Last 2 Weeks Dry Itchy Skin	discrete	numeric-2.0	943	0	-
52	L2wDehyd..	Last 2 Weeks Dehydration	discrete	numeric-2.0	943	0	-
53	L2wPainf..	Last 2 Weeks Painful Wounds	discrete	numeric-2.0	943	0	-
54	L2wBowel..	Last 2 Weeks Bowel Control Loss	discrete	numeric-2.0	943	0	-
55	L2wAppet..	Last 2 Weeks Loss Appetite	discrete	numeric-2.0	943	0	-
56	L2wPainI..	Last 2 Weeks Pain in Body	discrete	numeric-2.0	943	0	-
57	L2wMemor..	Last 2 Weeks Memory Loss	discrete	numeric-2.0	943	0	-
58	L2wCanno..	Last 2 Weeks Cannot Sleep	discrete	numeric-2.0	943	0	-
59	L2wChest..	Last 2 Weeks Chest Pain	discrete	numeric-2.0	943	0	-
60	L2wFatigue	Last 2 Weeks Fatigue	discrete	numeric-2.0	943	0	-
61	L2wMouth..	Last 2 Weeks Mouth Discomfort	discrete	numeric-2.0	943	0	-
62	L2wOthSpec	Last 2 Weeks Other Specify	discrete	character-20	407	0	-
63	DiffMovi..	Difficulties Moving Around	discrete	numeric-12.0	943	0	-
64	DiffVigo..	Difficulties with Vigorous Activities	discrete	numeric-12.0	943	0	-
65	DiffSelf..	Difficulties With Self Care	discrete	numeric-12.0	943	0	-
66	DiffAppe..	Difficulties Maintaning General Appearance	discrete	numeric-12.0	943	0	-
67	DiffStay..	Difficulties Staying Alone	discrete	numeric-12.0	943	0	-
68	DiffAche..	Difficulties With Aches and Pains	discrete	numeric-12.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
69	DiffDisc ..	Difficulties with Discomfort	discrete	numeric-12.0	943	0	-
70	DiffDail ..	Difficulties with Daily Life	discrete	numeric-12.0	943	0	-
71	DiffConc ..	Difficulties Concentrating	discrete	numeric-12.0	943	0	-
72	DiffLear ..	Difficulties with Learning	discrete	numeric-12.0	943	0	-
73	DiffComm ..	Difficulties Participating in Community Activities	discrete	numeric-12.0	943	0	-
74	DiffConf ..	Difficulties With Conflicts	discrete	numeric-12.0	943	0	-
75	DiffFrie ..	Difficulties Maintaining Friendship	discrete	numeric-12.0	943	0	-
76	DiffStra ..	Difficulties With Strangers	discrete	numeric-12.0	943	0	-
77	DiffSleep	Difficulties With Sleep	discrete	numeric-12.0	943	0	-
78	DiffRested	Difficulties Resting	discrete	numeric-12.0	943	0	-
79	DiffSadU ..	Difficulties being Sad/ Unhappy	discrete	numeric-12.0	943	0	-
80	DiffWorry	Difficulties With Worries	discrete	numeric-12.0	943	0	-
81	VisionTe ..	Ever Tested Vision	discrete	numeric-12.0	943	0	-
82	VisionLa ..	Year Last Tested Vision	discrete	numeric-12.0	943	0	-
83	VisionLa ..	Month Last Tested Vision	discrete	numeric-12.0	943	0	-
84	VisionGL ..	Use Glasses to see Far	discrete	numeric-12.0	943	0	-
85	VisionGL ..	Use Glasses to see Closer	discrete	numeric-12.0	943	0	-
86	DiffSeei ..	Difficulties Seeing Far	discrete	numeric-12.0	943	0	-
87	DiffSeei ..	Difficulties Seeing Close	discrete	numeric-12.0	943	0	-
88	DiffSeei ..	Difficulties Seeing Daily Task	discrete	numeric-12.0	943	0	-
89	HaveMone ..	Have Money for Needs	discrete	numeric-12.0	943	0	-
90	Wellbein ..	Wellbeing Energy	discrete	numeric-12.0	943	0	-
91	Wellbein ..	Wellbeing Health	discrete	numeric-12.0	943	0	-
92	Wellbein ..	Wellbeing Self	discrete	numeric-12.0	943	0	-
93	Wellbein ..	Wellbeing Ability	discrete	numeric-12.0	943	0	-
94	Wellbein ..	Wellbeing Personal Relations	discrete	numeric-12.0	943	0	-
95	Wellbein ..	Wellbeing Living Conditions	discrete	numeric-12.0	943	0	-
96	Wellbein ..	Wellbeing as a Whole	discrete	numeric-12.0	943	0	-
97	Wellbein ..	Wellbeing Control	discrete	numeric-12.0	943	0	-
98	Wellbein ..	Wellbeing Cannot Cope	discrete	numeric-12.0	943	0	-
99	Wellbein ..	Wellbeing Quality of Life	discrete	numeric-12.0	943	0	-
100	Wellbein ..	Wellbeing Taking All Things	discrete	numeric-12.0	943	0	-
101	FuncStan ..	Functioning Standing Long	discrete	numeric-12.0	943	0	-
102	FuncTaki ..	Functioning Taking Care	discrete	numeric-12.0	943	0	-
103	FuncComm ..	Functioning Community Activities	discrete	numeric-12.0	943	0	-
104	FuncConc ..	Functioning Concentrating	discrete	numeric-12.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
105	FuncWalk ..	Functioning Walking Long	discrete	numeric-12.0	943	0	-
106	FuncBath ..	Functioning Bathing	discrete	numeric-12.0	943	0	-
107	FuncDres ..	Functioning Dressing	discrete	numeric-12.0	943	0	-
108	FuncDayt ..	Functioning Day to Day Work	discrete	numeric-12.0	943	0	-
109	FuncCarr ..	Functioning Carrying Things	discrete	numeric-12.0	943	0	-
110	FuncEating	Functioning Eating	discrete	numeric-12.0	943	0	-
111	FuncGett ..	Functioning Getting Up	discrete	numeric-12.0	943	0	-
112	FuncToilet	Functioning Using Toilet	discrete	numeric-12.0	943	0	-
113	FuncBowe ..	Functioning Bowel/Bladder	discrete	numeric-12.0	943	0	-
114	FuncTrav ..	Functioning Travelling	discrete	numeric-12.0	943	0	-
115	FuncGett ..	Functioning Getting Out	discrete	numeric-12.0	943	0	-
116	FuncEmot ..	Functioning Emotional Effect	discrete	numeric-12.0	943	0	-
117	FuncNDay ..	Functioning Number Of Days Having Difficulties	discrete	numeric-12.0	943	0	-
118	FuncDiff ..	Functioning Difficulties lasted 30 days	discrete	numeric-12.0	943	0	-
119	DeprEver ..	Ever Diagnosed of Depression	discrete	numeric-12.0	943	0	-
120	DeprTrea ..	Depression Treatment in Last 2 Weeks	discrete	numeric-12.0	943	0	-
121	DeprTrea ..	Depression Treatment in Last 12 Months	discrete	numeric-12.0	943	0	-
122	DeprSadE ..	Depression Sad/Empty Last 12 Months	discrete	numeric-12.0	943	0	-
123	DeprLost ..	Depression Lost Interest Last 12 Months	discrete	numeric-12.0	943	0	-
124	DeprEner ..	Depression Energy Decreased Last 12 Months	discrete	numeric-12.0	943	0	-
125	DeprPerM ..	Depression Period More than 2 Weeks	discrete	numeric-12.0	943	0	-
126	DeprPerM ..	Depression Period Most Of The Days	discrete	numeric-12.0	943	0	-
127	DeprPerL ..	Depression Period Lost Appetite	discrete	numeric-12.0	943	0	-
128	DeprPerS ..	Depression Period Slow Thinking	discrete	numeric-12.0	943	0	-
129	DeprPerF ..	Depression Period Falling Asleep	discrete	numeric-12.0	943	0	-
130	DeprPerW ..	Depression Period Waking Up Early	discrete	numeric-12.0	943	0	-
131	DeprPerC ..	Depression Period Concentration	discrete	numeric-12.0	943	0	-
132	DeprPerS ..	Depression Period Slow Moving	discrete	numeric-12.0	943	0	-
133	DeprPerA ..	Depression Period Anxious/Worried	discrete	numeric-12.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
134	DeprPerR..	Depression Period Restless	discrete	numeric-12.0	943	0	-
135	DeprPerL..	Depression Period Lost Confidence	discrete	numeric-12.0	943	0	-
136	DeprPerH..	Depression Period Hopeless	discrete	numeric-12.0	943	0	-
137	DeprPerS..	Depression Period Sex Decrease	discrete	numeric-12.0	943	0	-
138	DeprPerW..	Depression Period Wish you were Dead	discrete	numeric-12.0	943	0	-
139	DeprPerA..	Depression Period Attempted Suicide	discrete	numeric-12.0	943	0	-
140	HeartDis..	Ever Diagnosed Heart Disorder Ever Diagnosed	discrete	numeric-12.0	943	0	-
141	HeartDis..	Heart Disorder How Long Diagnosed	discrete	numeric-12.0	943	0	-
142	HeartDis..	Heart Disorder Treatment lasted 2 Weeks	discrete	numeric-12.0	943	0	-
143	HeartDis..	Heart Disorder Treatment Last 12 months	discrete	numeric-12.0	943	0	-
144	Arthriti..	Ever Diagnosed for Arthritis	discrete	numeric-12.0	943	0	-
145	Arthriti..	How Long Ago Diagnosed for Arthritis	discrete	numeric-12.0	943	0	-
146	Arthriti..	Arthritis Treatment in the Last 2 Weeks	discrete	numeric-12.0	943	0	-
147	Arthriti..	Arthritis Treatment in the Last 12 Months	discrete	numeric-12.0	943	0	-
148	StrokeEv..	Ever Diagnosed of Stroke	discrete	numeric-12.0	943	0	-
149	StrokeHo..	How Long Ago Diagnosed of Stroke	discrete	numeric-12.0	943	0	-
150	StrokeTm..	Stroke Treatment Lasted 2 Weeks	discrete	numeric-12.0	943	0	-
151	StrokeTm..	Stroke Treatment Lasted 12 Months	discrete	numeric-12.0	943	0	-
152	Hyperten..	Ever Diagnosed of Hypertension	discrete	numeric-12.0	943	0	-
153	Hyperten..	How Long Ago Diagnosed of Hypertension	discrete	numeric-12.0	943	0	-
154	Hyperten..	Hypertension Lasted 2 Weeks	discrete	numeric-12.0	943	0	-
155	Hyperten..	Hypertension Lasted 12 Months	discrete	numeric-12.0	943	0	-
156	AsthmaEv..	Ever Diagnosed of Asthma	discrete	numeric-12.0	943	0	-
157	AsthmaHo..	How Long Ago Diagnosed of Asthma	discrete	numeric-12.0	943	0	-
158	AsthmaTm..	Asthma Treatment Lasted 2 Weeks	discrete	numeric-12.0	943	0	-
159	AsthmaTm..	Asthma Treatment Lasted 12 Months	discrete	numeric-12.0	943	0	-
160	Diabetes..	Ever Diagnosed of Diabetes	discrete	numeric-12.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
161	Diabetes ..	How Long Ago Diagnosed of Diabetes	discrete	numeric-12.0	943	0	-
162	Diabetes ..	Diabetes Treatment Lasted 2 Weeks	discrete	numeric-12.0	943	0	-
163	Diabetes ..	Diabetes Treatment Lasted 12 Months	discrete	numeric-12.0	943	0	-
164	Diabetes ..	Seen Traditional Healer for Diabetes	discrete	numeric-12.0	943	0	-
165	Diabetes ..	Taken Traditional Healer Treatment For Diabetes	discrete	numeric-12.0	943	0	-
166	CancerEv ..	Ever Diagnosed of Cancer	discrete	numeric-12.0	943	0	-
167	CancerHo ..	How Long Ago Diagnosed of Cancer	discrete	numeric-12.0	943	0	-
168	CancerTm ..	Cancer Treatment Last 2 Weeks	discrete	numeric-12.0	943	0	-
169	CancerTm ..	Cancer Treatment in Last 12 Months	discrete	numeric-12.0	943	0	-
170	HeartDis ..	Heart Disorder Pain Walking Fast	discrete	numeric-12.0	943	0	-
171	HeartDis ..	Heart Disorder Pain Walking Slow	discrete	numeric-12.0	943	0	-
172	HeartDis ..	Heart Disorder Pain Reaction	discrete	numeric-12.0	943	0	-
173	HeartDis ..	Heart Disorder Pain Stops If Still	discrete	numeric-12.0	943	0	-
174	HeartDis ..	Heart Disorder Symptoms in Last 2 Weeks	discrete	numeric-12.0	943	0	-
175	HeartDis ..	Heart Disorder Seen Doctor	discrete	numeric-12.0	943	0	-
176	HeartDis ..	Heart Disorder Seen Traditional Healer	discrete	numeric-12.0	943	0	-
177	HeartDis ..	Heart Disorder Traditional Treatment	discrete	numeric-12.0	943	0	-
178	Arthriti ..	Arthritis Pain Last 12 Months	discrete	numeric-12.0	943	0	-
179	Arthriti ..	Arthritis Stiff Last 12 Months	discrete	numeric-12.0	943	0	-
180	Arthriti ..	Arthritis Stiff Duration	discrete	numeric-12.0	943	0	-
181	Arthriti ..	Arthritis Stiff Exercise	discrete	numeric-12.0	943	0	-
182	Arthriti ..	Arthritis Symptoms Last 2 Weeks	discrete	numeric-12.0	943	0	-
183	Arthriti ..	Arthritis Back Pain Last Month	discrete	numeric-12.0	943	0	-
184	Arthriti ..	Arthritis Back Pain Days	discrete	numeric-12.0	943	0	-
185	Arthriti ..	Arthritis Seen Doctor	discrete	numeric-12.0	943	0	-
186	Arthriti ..	Arthritis Seen Traditional Healer	discrete	numeric-12.0	943	0	-
187	Arthriti ..	Arthritis Traditional Healer Treatment	discrete	numeric-12.0	943	0	-
188	StrokePa ..	Stroke Paralysis Weak	discrete	numeric-12.0	943	0	-
189	StrokeNu ..	Stroke Numbness	discrete	numeric-12.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
190	Hyperten ..	Hypertension Seen Traditional Healer	discrete	numeric-12.0	943	0	-
191	Hyperten ..	Hypertension Traditional Healer Treatment	discrete	numeric-12.0	943	0	-
192	Hyperten ..	Hypertension Any Special Food	discrete	numeric-12.0	943	0	-
193	Hyperten ..	Hypertension Special Food	discrete	character-20	526	0	-
194	AsthmaWh ..	Asthma Wheeze 12 Months	discrete	numeric-12.0	943	0	-
195	AsthmaWh ..	Asthma Wheeze 12 Months Exercise	discrete	numeric-12.0	943	0	-
196	AsthmaTi ..	Asthma Tight Chest 12 Months	discrete	numeric-12.0	943	0	-
197	AsthmaTi ..	Asthma Tight Chest Waking	discrete	numeric-12.0	943	0	-
198	AsthmaSh ..	Asthma Short Breath	discrete	numeric-12.0	943	0	-
199	AsthmaSy ..	Asthma Symptoms Last 2 Weeks	discrete	numeric-12.0	943	0	-
200	AsthmaSe ..	Asthma Seen Doctor	discrete	numeric-12.0	943	0	-
201	AsthmaSe ..	Asthma Seen Traditional Healer	discrete	numeric-12.0	943	0	-
202	AsthmaTr ..	Asthma Traditional Healer Treatment	discrete	numeric-12.0	943	0	-
203	Diabetes ..	Diabetes Medication Last 12 Months	discrete	numeric-12.0	943	0	-
204	Diabetes ..	Diabetes Med Last 2 Weeks	discrete	numeric-12.0	943	0	-
205	Diabetes ..	Diabetes Treatment Last 2 Weeks	discrete	numeric-12.0	943	0	-
206	EyesCata ..	Eyes Cataract Last 5 Years	discrete	numeric-12.0	943	0	-
207	EyesCata ..	Eyes Cataract Surgery	discrete	numeric-12.0	943	0	-
208	EyesBlur ..	Eyes Blurry Vision Last 12 Months	discrete	numeric-12.0	943	0	-
209	EyesBrig ..	Eyes Bright Lights Last 12 Months	discrete	numeric-12.0	943	0	-
210	EyesClin ..	Ever Visited Eyes Clinic	discrete	numeric-12.0	943	0	-
211	OralLost ..	Oral Lost All Teeth	discrete	numeric-12.0	943	0	-
212	OralProb ..	Oral Problems Last 12 Months	discrete	numeric-12.0	943	0	-
213	OralDent ..	Oral Dentist last 12 Months	discrete	numeric-12.0	943	0	-
214	OralTrad ..	Oral Trad Healer Last 12 Months	discrete	numeric-12.0	943	0	-
215	OralTrad ..	Oral Traditional Healer Treatment	discrete	numeric-12.0	943	0	-
216	InjuryLa ..	Injury Last 12 Months	discrete	numeric-12.0	943	0	-
217	InjuryHow	How Injured	discrete	numeric-12.0	943	0	-
218	InjuryRe ..	Injury Received Medical Treatment	discrete	numeric-12.0	943	0	-
219	InjuryCa ..	Injury Caused Disability	discrete	numeric-12.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
220	InjuryDi ..	Injury Disabled Hand/Arm1	discrete	numeric-12.0	943	0	-
221	InjuryDi ..	Injury Disabled Hand/Arm2	discrete	numeric-2.0	943	0	-
222	InjuryDi ..	Injury Disabled Limp	discrete	numeric-2.0	943	0	-
223	InjuryDi ..	Injury Disabled Hearing	discrete	numeric-2.0	943	0	-
224	InjuryDi ..	Injury Disabled Vision	discrete	numeric-2.0	943	0	-
225	InjuryDi ..	Injury Disabled Weakness	discrete	numeric-2.0	943	0	-
226	InjuryDi ..	Injury Disabled Memory	discrete	numeric-2.0	943	0	-
227	InjuryDi ..	Injury Disabled Chewing	discrete	numeric-2.0	943	0	-
228	InjuryDi ..	Injury Disabled Other Specify	discrete	character-7	20	0	-
229	InjuryCa ..	Cause Injury	discrete	numeric-12.0	943	0	-
230	InjuryCa ..	Injury Cause Other Specify	discrete	character-20	8	0	-
231	FallSlip ..	Fall Slip Trip Last 12 Months	discrete	numeric-12.0	943	0	-
232	FallCaus ..	Fall Caused Disability	discrete	numeric-12.0	943	0	-
233	FallReci ..	Fall Recieved Medical Treatment	discrete	numeric-12.0	943	0	-
234	NFalls	Number of Falls	continuous	numeric-12.0	519	424	-
235	NYLastHa ..	Number of Years Last Had Mammo	discrete	numeric-12.0	943	0	-
236	LastTHad ..	Last Time Had Mammo	discrete	numeric-12.0	519	424	-
237	NYearNee ..	Number Years Need Health Care	continuous	numeric-12.0	943	0	-
238	NMonthsN ..	Number Months Need Health Care	continuous	numeric-12.0	519	424	-
239	NTimesNe ..	Number Times Need Health Care	discrete	numeric-12.0	519	424	-
240	ConsultT ..	Consultulted Traditional Healer	discrete	numeric-2.0	943	0	-
241	ConsultP ..	Consulted Pharmacy	discrete	numeric-2.0	943	0	-
242	ConsultG ..	Consulted Government Clinic	discrete	numeric-2.0	943	0	-
243	ConsultG ..	Consulted Government Hospital	discrete	numeric-2.0	943	0	-
244	ConsultP ..	Consulted Private Clinic	discrete	numeric-2.0	943	0	-
245	ConsultP ..	Consulted Private Hospital	discrete	numeric-2.0	943	0	-
246	ConsultO ..	Consulted Other Specify	discrete	character-7	27	0	-
247	LastGetH ..	Last Get Health Care	discrete	numeric-12.0	943	0	-
248	HadNoTra ..	Had No Transport/Afford Cost	discrete	numeric-2.0	943	0	-
249	NotKnowW ..	Not Know Where To Go	discrete	numeric-2.0	943	0	-
250	DeniedHe ..	Denied Health Care	discrete	numeric-2.0	943	0	-
251	PrevBadL ..	Previously Badly Treated	discrete	numeric-2.0	943	0	-
252	HardWork ..	Hard Work Commitments	discrete	numeric-2.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
253	ThoughtN..	Thought Not Sick Enough	discrete	numeric-2.0	943	0	-
254	RxNotEff..	Used but Not Effective	discrete	numeric-2.0	943	0	-
255	NotAffor..	Not Afford Med Fees	discrete	numeric-2.0	943	0	-
256	DidNotGe..	Did Not Get Other Specify	discrete	character-20	519	0	-
257	MainReas..	Main Reason Need Health Care	discrete	character-20	519	0	-
258	HealthPr..	Health Problems Symptoms In 12 Months	discrete	numeric-12.0	943	0	-
259	HealthPr..	Health Problem Specify	discrete	character-20	519	0	-
260	SympActO..	Symptoms Action Own Herbal	discrete	numeric-2.0	943	0	-
261	SympActT..	Symptoms Action Traditional Healer	discrete	numeric-2.0	943	0	-
262	SympActT..	Symptomps Action Took Medicine	discrete	numeric-2.0	943	0	-
263	SympActP..	Symptoms Action Pharmacy Shop	discrete	numeric-2.0	943	0	-
264	SympActG..	Symptoms Action Government Clinic	discrete	numeric-2.0	943	0	-
265	SympActP..	Symptoms Action Private Clinic	discrete	numeric-2.0	943	0	-
266	SympActG..	Symptoms Action Government Hospital	discrete	numeric-2.0	943	0	-
267	SympActP..	Symptoms Action Private Hospital	discrete	numeric-2.0	943	0	-
268	SympActD..	Symptoms Action Did Nothing	discrete	numeric-2.0	943	0	-
269	SympActO..	Symptoms Action Other Specify	discrete	character-20	545	0	-
270	SympActW..	Symptoms Action Where First	discrete	numeric-12.0	943	0	-
271	SympActW..	Symptoms Action Where First Other Specify	discrete	character-20	613	0	-
272	SympActP..	Symptoms Action Paid Fees	discrete	numeric-12.0	943	0	-
273	SympActW..	Symptoms Action Who Paid	discrete	numeric-12.0	943	0	-
274	SympActW..	Symptoms Action Who Paid Other Specify	discrete	character-20	2	0	-
275	ClinVisL..	Clinic Visit Last 12 Months	discrete	numeric-12.0	943	0	-
276	ClinVisW..	Clinic Visit Waiting Time	discrete	numeric-12.0	943	0	-
277	ClinVisW..	Clinic Visit Waiting Time You Explain	discrete	numeric-12.0	943	0	-
278	ClinVisW..	Clinic Visit Waiting Time They Explain	discrete	numeric-12.0	943	0	-
279	OverallS..	Overall ISatting Health Care Services	discrete	numeric-12.0	943	0	-
280	EverVisT..	Ever Visited Traditional Healer	discrete	numeric-12.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
281	WhyVisTr..	Why Visited Traditional Healer Closer	discrete	numeric-2.0	943	0	-
282	WhyVisTr..	Why Visited Traditional Healer Cheaper	discrete	numeric-2.0	943	0	-
283	WhyVisTr..	Why Visited Traditional Healer Pay In Goods	discrete	numeric-2.0	943	0	-
284	WhyVisTr..	Why Visited Traditional Healer Wait for Payment	discrete	numeric-2.0	943	0	-
285	WhyVisTr..	Why Visited Traditional Healer Better Treatment	discrete	numeric-2.0	943	0	-
286	Hospital..	Hospitalised Last Year	discrete	numeric-12.0	943	0	-
287	Hospital..	Hospitalised Last Year Number of times	discrete	numeric-12.0	943	0	-
288	Hospital..	Hospital Type Last Year	discrete	numeric-12.0	943	0	-
289	Hospital..	Hospital Type Last Year Other Specify	discrete	character-22	3	0	-
290	Hospital..	Hospital Why Last Year	discrete	numeric-12.0	943	0	-
291	Hospital..	Hospital Why Last Year Other Specify	discrete	character-7	0	0	-
292	Hospital..	Hospital Who Paid Last	discrete	numeric-12.0	943	0	-
293	Hospital..	Hospital Who Paid Last Other Specify	discrete	character-7	5	0	-
294	TobaccoE..	Ever Use Tobacco	discrete	numeric-12.0	943	0	-
295	TobaccoC..	Currently use Tobacco	discrete	numeric-12.0	943	0	-
296	TobaccoY..	Used Tobacco Last Year	discrete	numeric-12.0	943	0	-
297	TobaccoC..	Tobacco Cigaretts Per Day	discrete	numeric-12.0	943	0	-
298	AlcoholE..	Ever Use Alcohol	discrete	numeric-12.0	943	0	-
299	AlcoholU..	Use Alcohol Last Year	discrete	numeric-12.0	943	0	-
300	AlcoholD..	Alcohol Drinks Per Day	discrete	numeric-12.0	943	0	-
301	AlcoholU..	Alcohol Use Last Yr	discrete	numeric-12.0	943	0	-
302	NFruitSe..	Number Fruit Servings Daily	continuous	numeric-12.0	519	424	-
303	NVegServ..	Number Vegetables Servings Daily	continuous	numeric-12.0	519	424	-
304	NutrHung..	Nutrition Hungry Last Month	discrete	numeric-12.0	943	0	-
305	NutrShor..	Nutritional Short of Food Last Year	discrete	numeric-12.0	943	0	-
306	BPFIRST..	BP First Systolic	continuous	numeric-12.0	943	0	-
307	BPFIRSTD..	BP First Diastolic	continuous	numeric-12.0	943	0	-
308	BPFIRSTP..	BP First Pulse	continuous	numeric-12.0	943	0	-
309	BPSECOND..	BP Second Systolic	continuous	numeric-12.0	943	0	-
310	BPSECOND..	BP Second Diastolic	continuous	numeric-12.0	943	0	-
311	BPSECOND..	BP Second Pulse	continuous	numeric-12.0	943	0	-
312	BPTHIRDS..	BP Third Systolic	continuous	numeric-12.0	943	0	-
313	BPTHIRDD..	BP Third Diastolic	continuous	numeric-12.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
314	BPThirdP..	BP Third Pulse	continuous	numeric-12.0	943	0	-
315	CanRespo..	Can Respondent Stand	discrete	numeric-12.0	943	0	-
316	HeightCm	Height Cm	continuous	numeric-12.0	943	0	-
317	WeightKg	Weight Kg	continuous	numeric-10.0	943	0	-
318	DistLeEy	Distance Left Eye	continuous	numeric-10.0	519	424	-
319	DistRiEy	Distance Right Eye	continuous	numeric-10.0	519	424	-
320	NearLeEy	Near Left Eye	continuous	numeric-10.0	519	424	-
321	NearRiEy	Near Right Eye	continuous	numeric-10.0	519	424	-
322	NoTestLe	No Test Left	discrete	numeric-12.0	519	424	-
323	NoTestRi	No Test Right	discrete	numeric-12.0	519	424	-
324	TestRiLe	Test Right Left	discrete	numeric-12.0	519	424	-
325	GripLe1Kg	Grip Left 1Kg	continuous	numeric-10.0	519	424	-
326	GripRih1Kg	Grip Right Hand 1Kg	continuous	numeric-10.0	519	424	-
327	GripLe2Kg	Grip Left 2Kg	continuous	numeric-10.0	519	424	-
328	GripRih2Kg	Grip Right Hand 2Kg	continuous	numeric-10.0	519	424	-
329	Comments	Comments	discrete	character-7	215	0	-
330	CareBath..	Care Bathing Adult	discrete	numeric-12.0	943	0	-
331	CareEati..	Care Eating Adult	discrete	numeric-12.0	943	0	-
332	CareDres..	Care Dressing Adult	discrete	numeric-12.0	943	0	-
333	CareToil..	Care Toileting Adult	discrete	numeric-12.0	943	0	-
334	CareMovi..	Care Moving Adult	discrete	numeric-12.0	943	0	-
335	CareHygi..	Care Hygiene Adult	discrete	numeric-12.0	943	0	-
336	CareMedi..	Care Medicines Adult	discrete	numeric-12.0	943	0	-
337	CareWoun..	Care Wounds Adult	discrete	numeric-12.0	943	0	-
338	CareFetc..	Care Fetching Water Adult	discrete	numeric-12.0	943	0	-
339	CareCook..	Care Cooking Adult	discrete	numeric-12.0	943	0	-
340	CareToHe..	Care To Health care Adult	discrete	numeric-12.0	943	0	-
341	CareOthS..	Care Other Specify Adult	discrete	character-20	23	0	-
342	CarePhyH..	Care Physical How Many Adult	discrete	numeric-12.0	519	424	-
343	AsstFinM..	Assistance Financial Medicine Adult	discrete	numeric-12.0	943	0	-
344	AsstFinD..	Assistance Financial Doctor Hospital Adult	discrete	numeric-12.0	943	0	-
345	AsstFinF..	Assistance Financial Food Adult	discrete	numeric-12.0	943	0	-
346	AsstFinC..	Asstance Financial Clothing Adult	discrete	numeric-12.0	943	0	-
347	AsstFinT..	Assistance Financial Transport Adult	discrete	numeric-12.0	943	0	-
348	AsstFinS..	Assistance Financial School ExpsA	discrete	numeric-12.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
349	AsstFinO..	Assistance Finial Other Specify A	discrete	character-7	16	0	-
350	CareFinH..	Care Financial How Many Adult	discrete	numeric-12.0	519	424	-
351	MbrsSick..	Members Sick Need Care For Adult	discrete	numeric-12.0	943	0	-
352	MbrsNeed..	Members Need Treatment What For Adult	discrete	numeric-12.0	943	0	-
353	MbrsNeed..	Members Need Treatment Health Specify Adult	discrete	character-20	100	0	-
354	MbrsNeed..	Members Need Treatment Other Specify Adult	discrete	character-20	15	0	-
355	CareToMb..	Care To Members With HIV Nimer Adult	discrete	numeric-12.0	519	424	-
356	MbrsNeed..	Members Need Treatment Daily Medicines Adult	discrete	numeric-12.0	943	0	-
357	MbrsNeed..	Members Need Treatment Reminder Adult	discrete	numeric-12.0	943	0	-
358	MbrsNeed..	Members Need Treatment Accompany Adult	discrete	numeric-12.0	943	0	-
359	IllContr..	Before Ill Use to Contribute Adult	discrete	numeric-12.0	943	0	-
360	CareDiff..	Care Difficulty Adult	discrete	numeric-12.0	943	0	-
361	CareBath..	Care Bathing Child	discrete	numeric-12.0	943	0	-
362	CareEati..	Care Eating Child	discrete	numeric-12.0	943	0	-
363	CareDres..	Care Dressing Child	discrete	numeric-12.0	943	0	-
364	CareToil..	Care Toileting Child	discrete	numeric-12.0	943	0	-
365	CareMovi..	Care Moving Child	discrete	numeric-12.0	943	0	-
366	CareHygi..	Care Hygiene Child	discrete	numeric-12.0	943	0	-
367	CareMedi..	Care Medicines Child	discrete	numeric-12.0	943	0	-
368	CareWoun..	Care Wounds Child	discrete	numeric-12.0	943	0	-
369	CareFetc..	Care Fetching Water Child	discrete	numeric-12.0	943	0	-
370	CareCook..	Care Cooking Child	discrete	numeric-12.0	943	0	-
371	CareToHe..	Care To Health care Child	discrete	numeric-12.0	943	0	-
372	CareOthS..	Care Other Specify Child	discrete	character-20	20	0	-
373	CarePhyH..	Care Physical How Many Child	discrete	numeric-12.0	519	424	-
374	AsstFinM..	Assistance Financial Medicines Child	discrete	numeric-12.0	943	0	-
375	AsstFinD..	Assistance Finial Doctor Hospital Child	discrete	numeric-12.0	943	0	-
376	AsstFinF..	Assistance Finial Food Child	discrete	numeric-12.0	943	0	-
377	AsstFinC..	Assistance Financial Clothing Child	discrete	numeric-12.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
378	AsstFinT..	Assistance Finanial Transport Child	discrete	numeric-12.0	943	0	-
379	AsstFinS..	Assistance Financial School Expenses Child	discrete	numeric-12.0	943	0	-
380	AsstFinO..	Assistance Financial Other Specify Child	discrete	character-7	24	0	-
381	CareFinH..	Care Financial How Many Children	discrete	numeric-12.0	519	424	-
382	MbrsSick..	Members Sick Need Care For Children	discrete	numeric-12.0	943	0	-
383	MbrsNeed..	Members Need Treatment What For Children	discrete	numeric-12.0	943	0	-
384	MbrsNeed..	Members Need Treatment Health Specify Children	discrete	character-7	47	0	-
385	MbrsNeed..	Members Need Treatment Other Specify Children	discrete	character-7	4	0	-
386	CareToOt..	Care To Others With HIV Numbers Children	discrete	numeric-12.0	943	0	-
387	MbrsNeed..	Members Need Tretment Daily Medicines Children	discrete	numeric-12.0	943	0	-
388	MbrsNeed..	Members Need Tretment Reminder Children	discrete	numeric-12.0	943	0	-
389	MbrsNeed..	Members Need Treatment Accompany Children	discrete	numeric-12.0	943	0	-
390	IllContr..	Before Ill Contribute Children	discrete	numeric-12.0	943	0	-
391	CareDiff..	Care Difficulty Child	discrete	numeric-12.0	943	0	-
392	CareRole..	Care Role Difficulty Energy Adult	discrete	numeric-12.0	943	0	-
393	CareRole..	Care Role Difficulty Own Ailments Adult	discrete	numeric-12.0	943	0	-
394	CareRole..	Care Role Difficulty Correct Adult	discrete	numeric-12.0	943	0	-
395	CareRole..	Care Role Difficulty Visits Adult	discrete	numeric-12.0	943	0	-
396	CareRole..	Care Role Difficulty Feelings Adult	discrete	numeric-12.0	943	0	-
397	CareRole..	Care Role Difficulty Protect Adult	discrete	numeric-12.0	943	0	-
398	CareRole..	Care Role Difficulty Stigma Adult	discrete	numeric-12.0	943	0	-
399	CareRole..	Care Role Keep Busy Adult	discrete	numeric-12.0	943	0	-
400	CareRole..	Care Role Uses Abilities Adult	discrete	numeric-12.0	943	0	-
401	CareRole..	Care Role Accomplishment Adult	discrete	numeric-12.0	943	0	-
402	CareRole..	Care Role Be Useful Adult	discrete	numeric-12.0	943	0	-
403	DiedLast..	Any Died Last 2 Years	discrete	numeric-12.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
404	DiedLast ..	Number Died Last 2 Years	continuous	numeric-12.0	943	0	-
405	DiedLast ..	Number Use to Contribute Died Last 2 Years	continuous	numeric-12.0	943	0	-
406	DiedLast ..	Main Earner Died Last 2 Years	discrete	numeric-12.0	943	0	-
407	DiedLast ..	Cared For Died Last 2 Years	discrete	numeric-12.0	943	0	-
408	DiedLast ..	Died Last 2 Years Months Sick	continuous	numeric-12.0	943	0	-
409	DiedLast ..	Died Last 2 Years Age At Death	continuous	numeric-12.0	943	0	-
410	DiedLast ..	Died Last 2 Years Name	discrete	character-7	117	0	-
411	DiedLast ..	Died Last 2 Years Sex	discrete	numeric-12.0	943	0	-
412	DiedLast ..	Died Last 2 Years Relationship Type	discrete	character-7	943	0	-
413	CareRole ..	Care Role Difficult Energy	discrete	numeric-12.0	943	0	-
414	CareRole ..	Care Role Difficult Own Ailments	discrete	numeric-12.0	943	0	-
415	CareRole ..	Care Role Difficult Correct	discrete	numeric-12.0	943	0	-
416	CareRole ..	Care Role Difficult Visits	discrete	numeric-12.0	943	0	-
417	CareRole ..	Care Role Difficult Feelings	discrete	numeric-12.0	943	0	-
418	CareRole ..	Care Role Difficult Protect	discrete	numeric-12.0	943	0	-
419	CareRole ..	Care Role Difficult Stigma	discrete	numeric-12.0	943	0	-
420	CareRole ..	Care Role Keep Busy	discrete	numeric-12.0	943	0	-
421	CareRole ..	Care Role Uses Abilities	discrete	numeric-12.0	943	0	-
422	CareRole ..	Care Role Accomplishment	discrete	numeric-12.0	943	0	-
423	CareRole ..	Care Role Be Useful	discrete	numeric-12.0	943	0	-
424	FinAsstM ..	Financial Assistance Medicines	discrete	numeric-12.0	943	0	-
425	FinAsstD ..	Financial Assistance Doctor Hospital Fees	discrete	numeric-12.0	943	0	-
426	FinAsstF ..	Financial Assistance Food	discrete	numeric-12.0	943	0	-
427	FinAsstC ..	Financial Assistance Clothing	discrete	numeric-12.0	943	0	-
428	FinAsstT ..	Financial Assistance Transport	discrete	numeric-12.0	943	0	-
429	FinAsstS ..	Financial Assistance School Expences	discrete	numeric-12.0	943	0	-
430	FinAsstO ..	Financial Assistance Other Specify	discrete	character-7	9	0	-
431	FinAsstW ..	Financial Assistance Who Spouse	discrete	numeric-2.0	943	0	-
432	FinAsstW ..	Financial Assistance Who Son/Daughter	discrete	numeric-2.0	943	0	-
433	FinAsstW ..	Financial Assistance Who Grandson/Daughter	discrete	numeric-2.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
434	FinAsstW..	Financial Assistance Who Sibling	discrete	numeric-2.0	943	0	-
435	FinAsstW..	Financial Assistance Who Other Relations	discrete	numeric-2.0	943	0	-
436	FinAsstW..	Financial Assistance Who Community	discrete	numeric-2.0	943	0	-
437	FinAsstW..	Financial Assistance Who Neighbour Friend	discrete	numeric-2.0	943	0	-
438	FinAsstW..	Financial Assistance Who Government	discrete	numeric-2.0	943	0	-
439	FinAsstW..	Financial Assistance Who Church	discrete	numeric-2.0	943	0	-
440	FinAsstW..	Financial Assistance Who Insurance	discrete	numeric-2.0	943	0	-
441	FinAsstW..	Financial Assistance Who Other Specify	discrete	character-7	56	0	-
442	FinAsstH..	Financial Assistance How Long Year	continuous	numeric-12.0	943	0	-
443	FinAsstH..	Financial Assistance How Long Months	continuous	numeric-12.0	943	0	-
444	FinAsstH..	Financial Assistance How Difficult	discrete	numeric-12.0	943	0	-
445	FinAsstP..	Financial Assistance Past Contribute	discrete	numeric-12.0	943	0	-
446	FinAsstP..	Financial Assistance Past Main Provider	discrete	numeric-12.0	943	0	-
447	GrantRec..	Grant Receive Own	discrete	numeric-12.0	943	0	-
448	GrantRec..	Grant Receive Own Other Specify	discrete	character-7	10	0	-
449	GrantUse..	Grant Used For	discrete	numeric-12.0	943	0	-
450	GrantUse..	Grant Used For Other Specify	discrete	character-7	2	0	-
451	GrantOth..	Grant Other Members Care Dependency	discrete	numeric-2.0	943	0	-
452	GrantOth..	Grant Other Members Disability	discrete	numeric-2.0	943	0	-
453	GrantOth..	Grant Other Members Old Age Pension	discrete	numeric-2.0	943	0	-
454	GrantOth..	Grant Other Members Foster Care	discrete	numeric-2.0	943	0	-
455	GrantOth..	Grant Other Members Child Support	discrete	numeric-2.0	943	0	-
456	GrantOth..	Grant Other Members None	discrete	numeric-2.0	943	0	-
457	GrantOth..	Grant Other Members Other Specify	discrete	character-20	76	0	-
458	RecHelpF..	Received Help Food	discrete	numeric-12.0	943	0	-
459	RecHelpA..	Received Help Agricultural Work	discrete	numeric-12.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
460	RecHelpW..	Received Help Water	discrete	numeric-12.0	943	0	-
461	RecHelpC..	Received Help Cooking	discrete	numeric-12.0	943	0	-
462	RecHelpT..	Received Help To Clinic	discrete	numeric-12.0	943	0	-
463	RecHelpO..	Received Help Other Specify	discrete	character-7	8	0	-
464	WhoHelps..	Who Helps Parent	discrete	numeric-12.0	943	0	-
465	WhoHelps..	Who Helps Spouse	discrete	numeric-2.0	943	0	-
466	WhoHelps..	Who Helps Son/Daughter	discrete	numeric-2.0	943	0	-
467	WhoHelps..	Who Helps Grandson Old	discrete	numeric-12.0	943	0	-
468	WhoHelps..	Who Helps Granddaughter Old	discrete	numeric-12.0	943	0	-
469	WhoHelps..	Who Helps GrandsonYoung	discrete	numeric-12.0	943	0	-
470	WhoHelps..	Who Helps Grand Daughter Young	discrete	numeric-12.0	943	0	-
471	WhoHelps..	Who Helps Community Volunteer	discrete	numeric-12.0	943	0	-
472	WhoHelps..	Who Helps Neighbour	discrete	numeric-2.0	943	0	-
473	WhoHelps..	Who Helps Government	discrete	numeric-12.0	943	0	-
474	WhoHelps..	Who Helps Church	discrete	numeric-12.0	943	0	-
475	WhoHelps..	Who Helps Sibling	discrete	numeric-12.0	943	0	-
476	WhoHelps..	Who Helps Friend	discrete	numeric-12.0	943	0	-
477	WhoHelps..	Who Helps Other Specify	discrete	character-20	94	0	-
478	RecHelpH..	Received Help How Long Year	continuous	numeric-12.0	943	0	-
479	RecHelpH..	Received Help How Long Months	continuous	numeric-12.0	943	0	-
480	KnowsHIV..	Knows HIV Status	discrete	numeric-12.0	943	0	-
481	WhyNeeds..	Why Needs Care	discrete	numeric-12.0	943	0	-
482	WhyNeeds..	Why Needs Health Care Specify	discrete	character-7	89	0	-
483	WhyNeeds..	Why Needs Other Care Specify	discrete	character-20	29	0	-
484	RecCareB..	Received Care Bathing	discrete	numeric-12.0	943	0	-
485	RecCareE..	Received Care Eating	discrete	numeric-12.0	943	0	-
486	RecCareD..	Received Care Dressing	discrete	numeric-12.0	943	0	-
487	RecCareT..	Received Care Toileting	discrete	numeric-12.0	943	0	-
488	RecCareM..	Received Care Moving	discrete	numeric-12.0	943	0	-
489	RecCareH..	Received Care Hygiene	discrete	numeric-12.0	943	0	-
490	RecCareM..	Received Care Medicines	discrete	numeric-12.0	943	0	-
491	RecCareW..	Received Care Wounds	discrete	numeric-12.0	519	424	-
492	RecHelpH..	Received Help How Satisfied	discrete	numeric-12.0	943	0	-
493	RecHelpH..	Received Help How Difficult	discrete	numeric-12.0	943	0	-
494	CareAnyC..	Care Any Comment	discrete	numeric-12.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
495	CareComm ..	Care Comment	discrete	character-20	439	0	-
496	LearnedH ..	Learned HIV Years Ago	continuous	numeric-12.0	524	419	-
497	LearnedH ..	Learned HIV Months Ago	continuous	numeric-12.0	524	419	-
498	HealthWh ..	Health When Learned HIV	discrete	numeric-12.0	524	419	-
499	LearnedH ..	Learned HIV Sick Before Year	continuous	numeric-12.0	524	419	-
500	LearnedH ..	Learned HIV Sick Before Months	continuous	numeric-12.0	524	419	-
501	MovedSin ..	Moved Since Learned HIV	discrete	numeric-12.0	524	419	-
502	MovedWhy ..	Moved Why Needed Care	discrete	numeric-12.0	524	419	-
503	MovedWhy ..	Moved Why Failed Rent	discrete	numeric-12.0	524	419	-
504	MovedWhy ..	Moved Why Stigma	discrete	numeric-12.0	524	419	-
505	MovedWhy ..	Moved Why Felt Better	discrete	numeric-12.0	524	419	-
506	MovedAsO ..	Moved As Other Specify	discrete	character-20	24	0	-
507	HealthLa ..	Health Last 3 Months	discrete	numeric-12.0	524	419	-
508	L3mAppet ..	Last 3 Months Appetite	discrete	numeric-12.0	943	0	-
509	L3mNause ..	Last 3 Months Nausea/ Vomiting	discrete	numeric-12.0	943	0	-
510	L3mMemor ..	Last 3 Months Memory Loss	discrete	numeric-12.0	310	633	-
511	L3mBowel ..	Last 3 Months Bowel Bladder Control	discrete	numeric-12.0	943	0	-
512	L3mDryIt ..	Last 3 Months Dry Itchy Skin	discrete	numeric-12.0	943	0	-
513	L3mBedSo ..	Last 3Months Bed Sores	discrete	numeric-12.0	943	0	-
514	L3mPainf ..	Last 3 Months Painful Wounds	discrete	numeric-12.0	524	419	-
515	L3mHerpe ..	Last 3 Months Herpes Zoster	discrete	numeric-12.0	943	0	-
516	L3mConst ..	Last 3 Months Constipation	discrete	numeric-12.0	943	0	-
517	L3mPainI ..	Last 3 Months Pain In Body	discrete	numeric-12.0	524	419	-
518	L3mNight ..	Last 3 Months Night Sweats	discrete	numeric-12.0	943	0	-
519	L3mCanno ..	Last 3 Months Cannot Sleep	discrete	numeric-12.0	943	0	-
520	L3mChest ..	Last 3 Months Chest Pain	discrete	numeric-12.0	943	0	-
521	L3mMouth ..	Last 3 Months Mouth Throat/ Disco	discrete	numeric-12.0	943	0	-
522	L3mDehyd ..	Last 3 Months Dehydration	discrete	numeric-12.0	943	0	-
523	L3mFatigue	Last 3 Months Fatigue	discrete	numeric-12.0	943	0	-
524	L3mOthSpec	Last 3 Months Other Specify	discrete	character-20	158	0	-
525	BeforeAR ..	Before ARV Care	discrete	numeric-12.0	524	419	-
526	ARVsHowL ..	ARVs How Long Year	continuous	numeric-12.0	214	729	-
527	ARVsHowL ..	ARVs How Long Months	continuous	numeric-12.0	214	729	-
528	ARVsHowL ..	ARVs How Long Weeks	continuous	numeric-12.0	214	729	-
529	ARVprobS ..	ARV Problem Side Effects	discrete	numeric-12.0	943	0	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
530	ARVprobF..	ARV Problem Forgets	discrete	numeric-12.0	943	0	-
531	ARVprobF..	ARV Problem Foods	discrete	numeric-12.0	943	0	-
532	ARVprobN..	ARV Problem None	discrete	numeric-12.0	943	0	-
533	ARVprobO..	ARV ProbLEM Other Specify	discrete	character-7	26	0	-
534	ARVsideE..	ARV Side Effect Skin	discrete	numeric-12.0	943	0	-
535	ARVsideE..	ARV Side Effect Yellow Eyes	discrete	numeric-12.0	943	0	-
536	ARVsideE..	ARV Side Effect Weakness	discrete	numeric-12.0	943	0	-
537	ARVsideE..	ARV Side Effect Pain	discrete	numeric-12.0	943	0	-
538	ARVsideE..	ARV Side Effect Nausea	discrete	numeric-12.0	943	0	-
539	ARVsideE..	ARV Side Effect Diarrhoea	discrete	numeric-12.0	943	0	-
540	ARVsideE..	ARV Side Effect Hallucinations	discrete	numeric-12.0	943	0	-
541	ARVsideE..	ARV Side Effect Bad Dreams	discrete	numeric-12.0	943	0	-
542	ARVsideE..	ARV Side Effect Self Hate	discrete	numeric-12.0	943	0	-
543	ARVsideE..	ARV Side Effect Fears	discrete	numeric-12.0	943	0	-
544	ARVsideE..	ARV Side Effect Sadness	discrete	numeric-12.0	943	0	-
545	ARVsideE..	ARV Side Effect Unreasonable	discrete	numeric-12.0	943	0	-
546	ARVsideE..	ARV Side Effect Other Specify	discrete	character-20	83	0	-
547	ARVsideE..	ARV Side Effect Number Weeks	continuous	numeric-12.0	524	419	-
548	ARVsideE..	ARV Side Effect Still	discrete	numeric-12.0	943	0	-
549	ARVsideE..	ARV Side Effect Changed Regimen	discrete	numeric-12.0	524	419	-
550	HealthIm..	Health Improved On ARVs	discrete	numeric-12.0	524	419	-
551	Reminded..	Reminded To Take ARVs	discrete	numeric-12.0	524	419	-
552	Reminded..	Reminded To Take ARVs Other Specify	discrete	character-20	7	0	-
553	Accompan..	Accompanied To Clinic	discrete	numeric-12.0	524	419	-
554	Accompan..	Accompanies To Clinic Who	discrete	numeric-12.0	524	419	-
555	L2wDiarr..	Last 2 Weeks Diarrhoea	discrete	numeric-2.0	943	0	-
556	L2wVomit..	Last 2 Weeks Vomiting	discrete	numeric-2.0	943	0	-
557	L2wConfu..	Last 2 Weeks Confused	discrete	numeric-2.0	943	0	-
558	L2wNausea	Last 2 Weeks Nausea	discrete	numeric-2.0	943	0	-
559	L2wItchy..	Last 2 Weeks Itchy Skin	discrete	numeric-2.0	943	0	-
560	L2wIncon..	Last 2 Weeks Incontinence	discrete	numeric-2.0	943	0	-
561	L2wHerpe..	Last 2 Weeks Herpes/Zoster	discrete	numeric-2.0	943	0	-
562	L2wWeak	Last 2 Weeks Weak	discrete	numeric-2.0	943	0	-
563	L2wNight..	Last 2 Weeks Night Sweats	discrete	numeric-2.0	424	519	-

File WO01-03 WOPS Individuals							
#	Name	Label	Type	Format	Valid	Invalid	Question
564	L2wPainS..	Last 2 Weeks Pain Swallowing	discrete	numeric-2.0	424	519	-
565	L2wFever	Last 2 Weeks Fever	discrete	numeric-2.0	943	0	-
566	FuncSitt..	Function Sitting	discrete	numeric-12.0	943	0	-
567	FuncWalk..	Function Walking Short	discrete	numeric-12.0	943	0	-
568	FuncStan..	Function Standing Up	discrete	numeric-12.0	424	519	-
569	FuncClim..	Function Climbing Stairs	discrete	numeric-12.0	943	0	-
570	FuncStoo..	Function Stooping	discrete	numeric-12.0	943	0	-
571	FuncPick..	Function Picking Up	discrete	numeric-12.0	943	0	-
572	FuncMoving	Function Moving	discrete	numeric-12.0	424	519	-
573	FuncInte..	Function Interference	discrete	numeric-12.0	943	0	-
574	FuncOthe..	Function Other Devices	discrete	numeric-12.0	424	519	-
575	LungDisE..	Ever Diagnosed Lung Disorder	discrete	numeric-12.0	424	519	-
576	LungDisH..	How Long Diagnosed Lung Disorder	discrete	numeric-12.0	424	519	-
577	LungDisT..	Lung Disorder Treatment Last 2 Weeks	discrete	numeric-12.0	943	0	-
578	LungDisT..	Lung Disorder Treatment Last 12 Months	discrete	numeric-12.0	424	519	-
579	LungDisS..	Lung Disorder Short Breath	discrete	numeric-12.0	943	0	-
580	LungDisC..	Lung Disorder Cough 10 minutes	discrete	numeric-12.0	943	0	-
581	LungDisC..	Lung Disorder Cough Most Days	discrete	numeric-12.0	943	0	-
582	LungDisS..	Lung Disorder Symptoms Last 2 Weeks	discrete	numeric-12.0	943	0	-
583	LungDisM..	Lung Disorder Medicine Last 2 Weeks	discrete	numeric-12.0	943	0	-
584	LungDisM..	Lung Disorder Medicine Last 12 Months	discrete	numeric-12.0	943	0	-
585	LungDisT..	Lung Disorder TB Test Last 12 Months	discrete	numeric-12.0	424	519	-
586	LungDisC..	Lung Disorder Coughed Blood	discrete	numeric-12.0	943	0	-
587	DisSymp4..	Disease Symptoms 4 Weeks Fever	discrete	numeric-12.0	424	519	-
588	DisSymp4..	Disease Symptoms 4 Weeks Gastro	discrete	numeric-12.0	424	519	-
589	DisSymp4..	Disease Symptoms 4 Weeks Resp	discrete	numeric-12.0	424	519	-
590	DisSymp4..	-	discrete	numeric-12.0	424	519	-
591	Wave	Wave	discrete	numeric-12.0	943	0	-

Variables Description

Dataset contains 591 variable(s)

File : WO01-03 WOPS Individuals

WOPSACId: Unique Internal Identifier

Information [Type= continuous] [Format=numeric] [Range= 10001-52120] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-] [Mean=28499.984 /-] [StdDev=13338.898 /-]

WopsGroup: WOPS Group

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=715 /-] [Invalid=228 /-]

Value	Label	Cases	Percentage
1		197	27.6%
2		163	22.8%
3		179	25.0%
4		176	24.6%
Sysmiss		228	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DateOfInterview: Date Of Interview

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=943 /-]

Value	Label	Cases	Percentage
2010-02-25		1	0.1%
2010-03-03		6	0.6%
2010-03-04		7	0.7%
2010-03-05		6	0.6%
2010-03-08		3	0.3%
2010-03-09		7	0.7%
2010-03-10		7	0.7%
2010-03-11		6	0.6%
2010-03-12		6	0.6%
2010-03-15		3	0.3%
2010-03-16		7	0.7%
2010-03-17		6	0.6%
2010-03-18		6	0.6%
2010-03-19		4	0.4%
2010-03-23		6	0.6%
2010-03-24		6	0.6%
2010-03-25		3	0.3%
2010-03-26		5	0.5%
2010-03-30		3	0.3%
2010-04-06		3	0.3%
2010-04-07		2	0.2%
2010-04-08		3	0.3%
2010-04-13		4	0.4%
2010-04-14		4	0.4%
2010-04-15		3	0.3%
2010-04-16		3	0.3%
2010-04-20		4	0.4%

File : WO01-03 WOPS Individuals

DateOfInterview: Date Of Interview

Value	Label	Cases	Percentage
2010-04-21		3	0.3%
2010-04-22		3	0.3%
2010-04-23		4	0.4%
2010-04-28		3	0.3%
2010-04-29		2	0.2%
2010-04-30		2	0.2%
2010-05-03		2	0.2%
2010-05-04		6	0.6%
2010-05-05		1	0.1%
2010-05-06		4	0.4%
2010-05-07		5	0.5%
2010-05-10		3	0.3%
2010-05-11		1	0.1%
2010-05-12		6	0.6%
2010-05-13		6	0.6%
2010-05-14		7	0.7%
2010-05-16		1	0.1%
2010-05-17		4	0.4%
2010-05-18		6	0.6%
2010-05-19		6	0.6%
2010-05-20		7	0.7%
2010-05-21		4	0.4%
2010-05-24		3	0.3%
2010-05-25		6	0.6%
2010-05-26		7	0.7%
2010-05-27		4	0.4%
2010-05-28		4	0.4%
2010-05-31		4	0.4%
2010-06-01		7	0.7%
2010-06-02		7	0.7%
2010-06-03		7	0.7%
2010-06-04		8	0.8%
2010-06-07		6	0.6%
2010-06-08		4	0.4%
2010-06-09		7	0.7%
2010-06-10		6	0.6%
2010-06-14		8	0.8%
2010-06-15		6	0.6%
2010-06-17		6	0.6%
2010-06-18		6	0.6%
2010-06-21		2	0.2%
2010-06-22		7	0.7%
2010-06-23		6	0.6%

File : WO01-03 WOPS Individuals

DateOfInterview: Date Of Interview

Value	Label	Cases	Percentage
2010-06-24		6	0.6%
2010-06-25		6	0.6%
2010-06-28		5	0.5%
2010-06-29		6	0.6%
2010-06-30		4	0.4%
2010-07-01		3	0.3%
2010-07-02		2	0.2%
2010-07-05		4	0.4%
2010-07-06		7	0.7%
2010-07-07		4	0.4%
2010-07-08		1	0.1%
2010-07-09		1	0.1%
2010-07-12		2	0.2%
2010-07-13		3	0.3%
2010-07-15		4	0.4%
2010-07-16		3	0.3%
2010-07-19		2	0.2%
2010-07-20		2	0.2%
2010-07-21		3	0.3%
2010-07-22		5	0.5%
2010-07-23		2	0.2%
2010-07-26		1	0.1%
2010-07-27		2	0.2%
2010-07-28		4	0.4%
2010-07-29		5	0.5%
2010-07-30		3	0.3%
2010-08-02		1	0.1%
2010-08-03		2	0.2%
2013-04-03		1	0.1%
2013-04-25		2	0.2%
2013-04-26		4	0.4%
2013-04-29		2	0.2%
2013-04-30		7	0.7%
2013-05-02		7	0.7%
2013-05-03		4	0.4%
2013-05-04		1	0.1%
2013-05-06		5	0.5%
2013-05-07		9	1.0%
2013-05-08		8	0.8%
2013-05-09		6	0.6%
2013-05-10		6	0.6%
2013-05-13		6	0.6%
2013-05-14		8	0.8%

File : WO01-03 WOPS Individuals

DateOfInterview: Date Of Interview

Value	Label	Cases	Percentage
2013-05-15		7	0.7%
2013-05-16		6	0.6%
2013-05-17		6	0.6%
2013-05-21		8	0.8%
2013-05-22		6	0.6%
2013-05-23		6	0.6%
2013-05-24		7	0.7%
2013-05-28		9	1.0%
2013-05-29		7	0.7%
2013-05-30		7	0.7%
2013-05-31		7	0.7%
2013-06-03		2	0.2%
2013-06-04		10	1.1%
2013-06-05		5	0.5%
2013-06-06		7	0.7%
2013-06-07		7	0.7%
2013-06-08		1	0.1%
2013-06-10		6	0.6%
2013-06-11		9	1.0%
2013-06-12		6	0.6%
2013-06-13		7	0.7%
2013-06-14		6	0.6%
2013-06-16		1	0.1%
2013-06-18		5	0.5%
2013-06-19		8	0.8%
2013-06-20		9	1.0%
2013-06-21		7	0.7%
2013-06-24		4	0.4%
2013-06-25		5	0.5%
2013-06-26		9	1.0%
2013-06-27		1	0.1%
2013-06-28		3	0.3%
2013-07-01		2	0.2%
2013-07-02		3	0.3%
2013-07-03		3	0.3%
2013-07-04		3	0.3%
2013-07-05		5	0.5%
2013-07-08		4	0.4%
2013-07-09		5	0.5%
2013-07-10		10	1.1%
2013-07-11		1	0.1%
2013-07-12		8	0.8%
2013-07-15		5	0.5%

File : WO01-03 WOPS Individuals

DateOfInterview: Date Of Interview

Value	Label	Cases	Percentage
2013-07-16		6	0.6%
2013-07-17		6	0.6%
2013-07-18		4	0.4%
2013-07-19		7	0.7%
2013-07-22		2	0.2%
2013-07-23		6	0.6%
2013-07-24		4	0.4%
2013-07-25		8	0.8%
2013-07-26		5	0.5%
2013-07-29		2	0.2%
2013-07-30		8	0.8%
2013-07-31		7	0.7%
2013-08-01		6	0.6%
2013-08-02		7	0.7%
2013-08-05		6	0.6%
2013-08-06		8	0.8%
2013-08-07		5	0.5%
2013-08-08		1	0.1%
2013-08-09		1	0.1%
2013-08-12		3	0.3%
2013-08-13		3	0.3%
2013-08-14		6	0.6%
2013-08-15		7	0.7%
2013-08-16		8	0.8%
2013-08-19		5	0.5%
2013-08-20		6	0.6%
2013-08-21		7	0.7%
2013-08-22		6	0.6%
2013-08-23		7	0.7%
2013-08-26		5	0.5%
2013-08-27		7	0.7%
2013-08-28		4	0.4%
2013-08-29		2	0.2%
2013-08-30		3	0.3%
2013-09-05		2	0.2%
2013-09-06		2	0.2%
2013-09-09		3	0.3%
2013-09-10		4	0.4%
2013-09-11		3	0.3%
2013-09-12		3	0.3%
2013-09-13		4	0.4%
2013-09-17		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : WO01-03 WOPS Individuals

IntID: Individual Unique Internal Identifier

Information [Type= continuous] [Format=numeric] [Range= 200-165673] [Missing=*]

Statistics [NW/ W] [Valid=919 /-] [Invalid=24 /-] [Mean=54591.606 /-] [StdDev=36602.718 /-]

BSID: Bounded Structure

Information [Type= continuous] [Format=numeric] [Range= 10004-73546] [Missing=*]

Statistics [NW/ W] [Valid=929 /-] [Invalid=14 /-] [Mean=37303.393 /-] [StdDev=18018.686 /-]

IsigodiName: Isigodi Name

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Dukuduku		4	0.4%
Ebaswazini		29	3.1%
Esiyembeni		8	0.8%
Gunjaneni		10	1.1%
KwaMsane (Isigodi)		138	14.6%
KwaMsane (Township)		9	1.0%
Kwahoho		8	0.8%
Macambini		12	1.3%
Machibini		50	5.3%
Mahunjini		9	1.0%
Makhambane		3	0.3%
Mapheleni		62	6.6%
Mfekayi		2	0.2%
Missing		4	0.4%
Mshaya		41	4.3%
Mvutshini		2	0.2%
Myeki		59	6.3%
Nkolokothon		60	6.4%
Nkombose		97	10.3%
Nomathiya		21	2.2%
Nqopheni		51	5.4%
Nsolweni		31	3.3%
Ogengele		66	7.0%
Ophaphasi (Mdletshe)		6	0.6%
Ophaphasi (Mpukunyoni)		1	0.1%
Ophondweni		14	1.5%
Other		146	15.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

OtherLocationSpec: Other Location Specify

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=146 /-] [Invalid=0 /-]

File : WO01-03 WOPS Individuals

OtherLocationSpec: Other Location Specify

Value	Label	Cases	Percentage
Baswazini		5	3.4%
Bhoboza		8	5.5%
Bhoboza / Gugulethu		1	0.7%
Buta		1	0.7%
Buya		4	2.7%
Cakula		1	0.7%
Dubelenkunzi		12	8.2%
Dutch		1	0.7%
Edutch		2	1.4%
Enqopheni		1	0.7%
Entweni		1	0.7%
Esigongodo		1	0.7%
Esigqogqogqweni		1	0.7%
Ezinqaweni		4	2.7%
Gugulethu		1	0.7%
Indlovu Village		5	3.4%
Kwa-Msane		7	4.8%
Kwa-Msane / Indlovu Village		1	0.7%
Kwa-Mshaya		1	0.7%
Manandi		3	2.1%
Mashaya		1	0.7%
Mcakwaneni		1	0.7%
Mdolomba		4	2.7%
Missing		2	1.4%
Mpukunyoni		4	2.7%
Msane		15	10.3%
Mtholo		3	2.1%
Ndlovu , Village		1	0.7%
Njojo		3	2.1%
Nkatha		2	1.4%
Nkodibe		10	6.8%
Nsane		6	4.1%
Ntandabantu		3	2.1%
Ntweni		1	0.7%
Okhalanja		1	0.7%
Ophaphasi		5	3.4%
Qubuka		4	2.7%
Sgqogqogqweni		1	0.7%
Sibiya , Thomas		1	0.7%
Siyembeni		2	1.4%
Somkhele		8	5.5%

File : WO01-03 WOPS Individuals

OtherLocationSpec: Other Location Specify

Value	Label	Cases	Percentage
Somkhele / Nkolokothon		1	0.7%
Tamu		1	0.7%
Thandanani		1	0.7%
Tholokuhle-Macambini		1	0.7%
Zinkonjane		1	0.7%
kwa-Msane		1	0.7%
kwa-Msane / Nokhobo		1	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DateOfBirth: Date Of Birth

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=940 /-]

Value	Label	Cases	Percentage
1914-10-10		1	0.1%
1916-06-12		2	0.2%
1919-08-17		2	0.2%
1920-01-02		1	0.1%
1920-06-03		1	0.1%
1920-07-15		1	0.1%
1923-04-01		1	0.1%
1924-02-03		1	0.1%
1924-06-19		1	0.1%
1925-12-31		2	0.2%
1926-04-24		2	0.2%
1927-02-02		2	0.2%
1928-01-30		2	0.2%
1928-03-15		1	0.1%
1928-03-18		2	0.2%
1928-08-08		2	0.2%
1928-10-02		1	0.1%
1929-01-01		2	0.2%
1929-02-10		2	0.2%
1929-03-14		2	0.2%
1929-04-04		2	0.2%
1929-05-30		1	0.1%
1929-06-07		4	0.4%
1929-07-03		2	0.2%
1929-09-03		2	0.2%
1929-09-09		2	0.2%
1929-10-05		1	0.1%
1930-02-03		2	0.2%
1930-02-12		2	0.2%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1930-03-16		1	0.1%
1930-04-16		2	0.2%
1930-06-25		2	0.2%
1930-07-21		2	0.2%
1930-08-14		3	0.3%
1930-10-15		2	0.2%
1930-10-28		1	0.1%
1930-11-02		2	0.2%
1930-12-25		1	0.1%
1931-01-31		1	0.1%
1931-02-21		2	0.2%
1931-10-01		2	0.2%
1931-12-25		3	0.3%
1932-02-28		2	0.2%
1932-03-03		2	0.2%
1932-03-04		1	0.1%
1932-04-04		1	0.1%
1932-06-07		1	0.1%
1932-06-18		2	0.2%
1932-07-16		1	0.1%
1932-08-12		1	0.1%
1932-09-10		1	0.1%
1932-11-06		2	0.2%
1933-02-02		1	0.1%
1933-02-03		2	0.2%
1933-02-08		2	0.2%
1933-03-03		2	0.2%
1933-03-13		1	0.1%
1933-07-01		1	0.1%
1934-04-04		2	0.2%
1934-06-03		2	0.2%
1934-06-17		1	0.1%
1934-08-30		2	0.2%
1934-09-02		1	0.1%
1934-09-15		2	0.2%
1934-11-24		1	0.1%
1934-12-12		2	0.2%
1934-12-31		2	0.2%
1935-02-05		1	0.1%
1935-03-05		2	0.2%
1935-03-06		2	0.2%
1935-03-31		2	0.2%
1935-05-06		1	0.1%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1935-07-29		1	0.1%
1935-12-23		2	0.2%
1936-01-01		1	0.1%
1936-03-15		1	0.1%
1936-03-25		2	0.2%
1936-05-24		2	0.2%
1936-11-11		2	0.2%
1937-01-01		1	0.1%
1937-07-29		1	0.1%
1937-08-04		1	0.1%
1937-11-21		1	0.1%
1937-12-28		2	0.2%
1938-01-15		1	0.1%
1938-03-06		2	0.2%
1938-04-01		2	0.2%
1938-06-14		2	0.2%
1938-07-21		2	0.2%
1938-08-26		2	0.2%
1938-09-08		2	0.2%
1938-09-26		3	0.3%
1938-10-01		2	0.2%
1939-01-01		2	0.2%
1939-01-03		1	0.1%
1939-02-04		1	0.1%
1939-03-09		2	0.2%
1939-04-07		1	0.1%
1939-05-10		1	0.1%
1939-06-07		1	0.1%
1939-07-01		2	0.2%
1939-08-14		2	0.2%
1939-10-10		2	0.2%
1939-11-24		1	0.1%
1939-12-31		2	0.2%
1940-01-02		2	0.2%
1940-03-05		2	0.2%
1940-03-11		2	0.2%
1940-03-13		1	0.1%
1940-04-02		1	0.1%
1940-04-12		4	0.4%
1940-04-30		2	0.2%
1940-05-30		2	0.2%
1940-06-08		2	0.2%
1940-07-02		1	0.1%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1940-07-20		2	0.2%
1940-08-16		1	0.1%
1940-08-19		2	0.2%
1940-08-29		2	0.2%
1940-10-11		1	0.1%
1940-10-14		1	0.1%
1940-12-25		2	0.2%
1941-01-05		2	0.2%
1941-01-06		2	0.2%
1941-01-19		2	0.2%
1941-04-11		2	0.2%
1941-05-16		1	0.1%
1941-05-20		1	0.1%
1941-06-05		2	0.2%
1941-06-09		2	0.2%
1941-06-25		1	0.1%
1941-07-05		2	0.2%
1941-07-12		2	0.2%
1941-07-23		2	0.2%
1941-08-02		1	0.1%
1941-09-12		1	0.1%
1941-10-05		1	0.1%
1941-12-25		1	0.1%
1941-12-30		2	0.2%
1942-01-01		1	0.1%
1942-01-24		2	0.2%
1942-01-26		1	0.1%
1942-02-07		2	0.2%
1942-03-02		2	0.2%
1942-03-12		2	0.2%
1942-04-02		1	0.1%
1942-07-01		1	0.1%
1942-07-06		2	0.2%
1942-07-22		1	0.1%
1942-08-07		1	0.1%
1942-08-25		1	0.1%
1942-09-23		1	0.1%
1942-11-02		2	0.2%
1942-11-26		1	0.1%
1942-12-27		1	0.1%
1943-02-07		1	0.1%
1943-02-11		2	0.2%
1943-03-21		2	0.2%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1943-04-03		2	0.2%
1943-05-20		1	0.1%
1943-06-09		1	0.1%
1943-06-10		2	0.2%
1943-09-09		2	0.2%
1943-10-10		2	0.2%
1943-10-14		1	0.1%
1943-11-18		2	0.2%
1943-12-07		2	0.2%
1943-12-15		2	0.2%
1944-01-19		1	0.1%
1944-02-24		2	0.2%
1944-02-29		1	0.1%
1944-03-12		2	0.2%
1944-03-16		2	0.2%
1944-05-25		2	0.2%
1944-06-05		1	0.1%
1944-06-11		2	0.2%
1944-07-10		2	0.2%
1944-11-24		1	0.1%
1945-03-22		1	0.1%
1945-04-14		1	0.1%
1945-04-24		1	0.1%
1945-05-10		2	0.2%
1945-05-15		2	0.2%
1945-06-16		2	0.2%
1945-08-04		2	0.2%
1945-09-20		2	0.2%
1945-10-27		1	0.1%
1945-11-03		2	0.2%
1945-12-01		1	0.1%
1945-12-08		2	0.2%
1946-01-01		2	0.2%
1946-01-06		3	0.3%
1946-01-09		2	0.2%
1946-01-17		1	0.1%
1946-02-02		2	0.2%
1946-02-06		2	0.2%
1946-03-15		2	0.2%
1946-04-13		2	0.2%
1946-06-29		1	0.1%
1946-08-08		2	0.2%
1946-08-09		2	0.2%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1946-10-18		2	0.2%
1946-10-24		1	0.1%
1947-04-05		2	0.2%
1947-04-06		3	0.3%
1947-04-11		1	0.1%
1947-06-04		2	0.2%
1947-06-10		2	0.2%
1947-06-14		1	0.1%
1947-07-23		2	0.2%
1947-08-23		2	0.2%
1947-08-28		2	0.2%
1947-09-04		2	0.2%
1947-09-05		2	0.2%
1947-09-15		1	0.1%
1947-10-09		1	0.1%
1947-10-18		1	0.1%
1948-01-01		3	0.3%
1948-01-10		1	0.1%
1948-01-25		1	0.1%
1948-02-13		1	0.1%
1948-04-10		1	0.1%
1948-05-02		2	0.2%
1948-05-03		1	0.1%
1948-06-15		2	0.2%
1948-06-20		1	0.1%
1948-06-28		2	0.2%
1948-06-30		2	0.2%
1948-07-09		2	0.2%
1948-07-22		2	0.2%
1948-07-26		2	0.2%
1948-09-10		1	0.1%
1948-09-24		1	0.1%
1948-09-26		1	0.1%
1948-09-28		2	0.2%
1948-10-02		1	0.1%
1948-10-14		1	0.1%
1948-10-29		2	0.2%
1948-11-05		2	0.2%
1949-01-02		1	0.1%
1949-03-09		1	0.1%
1949-03-18		2	0.2%
1949-03-28		1	0.1%
1949-04-04		1	0.1%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1949-04-08		2	0.2%
1949-04-15		1	0.1%
1949-04-17		2	0.2%
1949-06-01		1	0.1%
1949-06-05		2	0.2%
1949-06-06		3	0.3%
1949-06-14		1	0.1%
1949-06-20		1	0.1%
1949-07-13		2	0.2%
1949-07-30		1	0.1%
1949-08-06		2	0.2%
1949-08-21		1	0.1%
1949-09-19		2	0.2%
1949-10-05		1	0.1%
1949-10-09		2	0.2%
1949-10-10		1	0.1%
1949-11-16		1	0.1%
1949-12-08		2	0.2%
1949-12-13		2	0.2%
1949-12-30		2	0.2%
1950-01-08		2	0.2%
1950-01-29		2	0.2%
1950-02-17		1	0.1%
1950-03-10		2	0.2%
1950-03-13		1	0.1%
1950-04-21		1	0.1%
1950-05-12		2	0.2%
1950-05-26		1	0.1%
1950-05-30		2	0.2%
1950-06-27		1	0.1%
1950-07-13		2	0.2%
1950-07-27		1	0.1%
1950-07-28		1	0.1%
1950-08-21		2	0.2%
1950-10-04		1	0.1%
1950-10-16		2	0.2%
1950-10-17		2	0.2%
1950-12-01		2	0.2%
1950-12-17		1	0.1%
1950-12-23		1	0.1%
1950-12-26		2	0.2%
1950-12-29		2	0.2%
1950-12-31		1	0.1%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1951-01-01		2	0.2%
1951-01-04		1	0.1%
1951-01-08		1	0.1%
1951-01-13		1	0.1%
1951-02-05		1	0.1%
1951-02-17		1	0.1%
1951-03-24		1	0.1%
1951-04-04		1	0.1%
1951-04-11		1	0.1%
1951-04-16		1	0.1%
1951-05-04		1	0.1%
1951-05-06		3	0.3%
1951-06-06		1	0.1%
1951-06-18		2	0.2%
1951-06-28		1	0.1%
1951-07-20		1	0.1%
1951-07-24		2	0.2%
1951-08-26		2	0.2%
1951-09-17		1	0.1%
1951-09-19		1	0.1%
1951-10-30		1	0.1%
1951-11-25		1	0.1%
1952-01-02		1	0.1%
1952-01-09		1	0.1%
1952-01-25		2	0.2%
1952-02-08		2	0.2%
1952-03-02		1	0.1%
1952-03-19		2	0.2%
1952-03-28		2	0.2%
1952-04-17		2	0.2%
1952-04-20		1	0.1%
1952-06-02		1	0.1%
1952-06-04		1	0.1%
1952-07-24		3	0.3%
1952-07-27		1	0.1%
1952-08-08		3	0.3%
1952-08-16		1	0.1%
1952-09-04		1	0.1%
1952-09-09		1	0.1%
1952-09-14		1	0.1%
1952-10-14		1	0.1%
1952-10-15		1	0.1%
1952-10-18		2	0.2%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1952-10-22		1	0.1%
1952-10-30		2	0.2%
1952-12-20		1	0.1%
1952-12-26		1	0.1%
1952-12-29		1	0.1%
1953-01-04		2	0.2%
1953-01-15		1	0.1%
1953-02-05		1	0.1%
1953-02-15		1	0.1%
1953-04-03		2	0.2%
1953-05-23		1	0.1%
1953-06-05		1	0.1%
1953-06-24		2	0.2%
1953-07-05		2	0.2%
1953-07-17		2	0.2%
1953-07-24		1	0.1%
1953-09-03		1	0.1%
1953-09-04		2	0.2%
1953-09-10		5	0.5%
1953-09-24		2	0.2%
1953-09-27		2	0.2%
1953-10-24		2	0.2%
1953-11-04		1	0.1%
1953-12-24		1	0.1%
1954-01-02		1	0.1%
1954-01-13		1	0.1%
1954-01-28		2	0.2%
1954-03-04		1	0.1%
1954-04-04		1	0.1%
1954-04-14		1	0.1%
1954-05-20		2	0.2%
1954-05-26		1	0.1%
1954-05-31		3	0.3%
1954-06-01		2	0.2%
1954-06-06		2	0.2%
1954-06-12		1	0.1%
1954-06-17		2	0.2%
1954-06-21		1	0.1%
1954-07-14		1	0.1%
1954-07-15		3	0.3%
1954-07-18		2	0.2%
1954-07-20		2	0.2%
1954-08-16		1	0.1%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1954-08-20		1	0.1%
1954-09-01		2	0.2%
1954-09-11		1	0.1%
1954-09-28		2	0.2%
1954-09-30		1	0.1%
1954-10-14		1	0.1%
1954-10-27		2	0.2%
1954-11-08		1	0.1%
1954-11-15		1	0.1%
1954-12-02		1	0.1%
1954-12-10		1	0.1%
1954-12-14		1	0.1%
1954-12-20		1	0.1%
1954-12-22		1	0.1%
1955-01-03		1	0.1%
1955-01-05		1	0.1%
1955-01-13		1	0.1%
1955-01-22		1	0.1%
1955-02-03		1	0.1%
1955-02-06		3	0.3%
1955-02-21		2	0.2%
1955-02-27		1	0.1%
1955-03-01		1	0.1%
1955-03-08		1	0.1%
1955-04-14		1	0.1%
1955-04-16		1	0.1%
1955-04-30		2	0.2%
1955-06-04		1	0.1%
1955-06-19		1	0.1%
1955-06-26		1	0.1%
1955-07-10		1	0.1%
1955-07-25		1	0.1%
1955-08-01		1	0.1%
1955-08-08		1	0.1%
1955-08-11		1	0.1%
1955-09-05		2	0.2%
1955-09-22		1	0.1%
1955-09-26		1	0.1%
1955-10-14		2	0.2%
1955-12-27		1	0.1%
1955-12-30		2	0.2%
1956-01-09		1	0.1%
1956-02-10		2	0.2%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1956-02-13		1	0.1%
1956-02-27		1	0.1%
1956-05-16		1	0.1%
1956-05-26		1	0.1%
1956-06-09		2	0.2%
1956-06-15		2	0.2%
1956-06-16		1	0.1%
1956-06-18		1	0.1%
1956-06-26		1	0.1%
1956-07-10		2	0.2%
1956-07-19		1	0.1%
1956-08-11		1	0.1%
1956-08-24		1	0.1%
1956-09-03		1	0.1%
1956-09-04		1	0.1%
1956-10-13		2	0.2%
1956-11-12		1	0.1%
1956-11-14		1	0.1%
1956-11-21		2	0.2%
1956-12-03		1	0.1%
1956-12-25		1	0.1%
1957-02-04		2	0.2%
1957-02-20		2	0.2%
1957-02-21		1	0.1%
1957-02-23		1	0.1%
1957-02-25		1	0.1%
1957-03-28		1	0.1%
1957-03-29		2	0.2%
1957-04-02		2	0.2%
1957-04-10		2	0.2%
1957-04-19		2	0.2%
1957-04-30		2	0.2%
1957-05-02		2	0.2%
1957-05-25		2	0.2%
1957-06-02		1	0.1%
1957-06-13		1	0.1%
1957-06-20		2	0.2%
1957-06-23		1	0.1%
1957-07-13		1	0.1%
1957-07-20		1	0.1%
1957-07-22		1	0.1%
1957-08-02		1	0.1%
1957-08-05		1	0.1%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1957-09-10		2	0.2%
1957-09-12		1	0.1%
1957-09-20		1	0.1%
1957-10-05		2	0.2%
1957-10-16		1	0.1%
1957-10-20		2	0.2%
1957-11-02		1	0.1%
1957-11-18		1	0.1%
1957-11-21		1	0.1%
1957-11-23		3	0.3%
1957-11-25		1	0.1%
1957-12-06		1	0.1%
1957-12-10		2	0.2%
1957-12-16		4	0.4%
1957-12-19		2	0.2%
1957-12-27		2	0.2%
1958-01-01		1	0.1%
1958-02-01		1	0.1%
1958-03-08		1	0.1%
1958-03-10		2	0.2%
1958-03-11		1	0.1%
1958-03-20		3	0.3%
1958-03-28		1	0.1%
1958-04-18		2	0.2%
1958-04-27		1	0.1%
1958-05-14		1	0.1%
1958-05-16		1	0.1%
1958-05-28		1	0.1%
1958-05-30		1	0.1%
1958-06-04		2	0.2%
1958-06-09		1	0.1%
1958-06-12		2	0.2%
1958-06-25		1	0.1%
1958-07-09		1	0.1%
1958-07-12		1	0.1%
1958-07-21		2	0.2%
1958-07-24		1	0.1%
1958-08-04		2	0.2%
1958-08-19		2	0.2%
1958-08-22		2	0.2%
1958-09-07		1	0.1%
1958-09-08		1	0.1%
1958-09-22		1	0.1%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1958-09-30		1	0.1%
1958-10-01		2	0.2%
1958-10-22		1	0.1%
1958-10-24		2	0.2%
1958-11-04		2	0.2%
1958-11-06		1	0.1%
1958-11-12		1	0.1%
1958-11-13		1	0.1%
1958-12-02		2	0.2%
1959-01-01		1	0.1%
1959-01-04		2	0.2%
1959-01-05		2	0.2%
1959-01-10		1	0.1%
1959-01-12		1	0.1%
1959-01-15		1	0.1%
1959-01-18		1	0.1%
1959-02-10		1	0.1%
1959-02-18		2	0.2%
1959-02-21		1	0.1%
1959-03-20		1	0.1%
1959-03-24		2	0.2%
1959-03-28		2	0.2%
1959-04-06		2	0.2%
1959-04-14		1	0.1%
1959-05-05		1	0.1%
1959-05-07		1	0.1%
1959-05-11		2	0.2%
1959-05-18		1	0.1%
1959-05-26		1	0.1%
1959-06-05		2	0.2%
1959-06-20		1	0.1%
1959-06-29		2	0.2%
1959-06-30		2	0.2%
1959-07-04		3	0.3%
1959-07-07		2	0.2%
1959-07-09		1	0.1%
1959-07-11		1	0.1%
1959-07-12		1	0.1%
1959-07-13		3	0.3%
1959-07-30		1	0.1%
1959-08-01		1	0.1%
1959-08-08		2	0.2%
1959-08-21		2	0.2%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1959-08-30		1	0.1%
1959-09-04		1	0.1%
1959-09-20		1	0.1%
1959-09-22		3	0.3%
1959-09-25		2	0.2%
1959-09-28		1	0.1%
1959-10-07		1	0.1%
1959-10-25		1	0.1%
1959-10-30		1	0.1%
1959-11-11		1	0.1%
1959-11-12		2	0.2%
1959-11-13		1	0.1%
1959-11-14		1	0.1%
1959-11-16		1	0.1%
1959-11-26		1	0.1%
1959-11-29		1	0.1%
1959-12-01		1	0.1%
1959-12-02		2	0.2%
1959-12-04		1	0.1%
1959-12-12		2	0.2%
1959-12-15		2	0.2%
1959-12-25		2	0.2%
1959-12-28		2	0.2%
1960-01-01		1	0.1%
1960-01-05		1	0.1%
1960-01-09		1	0.1%
1960-01-22		2	0.2%
1960-01-28		1	0.1%
1960-02-12		2	0.2%
1960-02-25		1	0.1%
1960-02-28		4	0.4%
1960-03-16		2	0.2%
1960-03-17		1	0.1%
1960-03-22		1	0.1%
1960-03-28		1	0.1%
1960-05-01		1	0.1%
1960-05-08		1	0.1%
1960-05-15		1	0.1%
1960-05-24		1	0.1%
1960-05-25		2	0.2%
1960-06-11		1	0.1%
1960-06-21		2	0.2%
1960-06-29		1	0.1%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1960-07-05		1	0.1%
1960-07-09		1	0.1%
1960-07-13		1	0.1%
1960-07-27		1	0.1%
1960-08-02		1	0.1%
1960-09-24		1	0.1%
1960-10-24		1	0.1%
1960-11-09		1	0.1%
1960-12-02		1	0.1%
1960-12-13		1	0.1%
1960-12-28		1	0.1%
1961-01-07		1	0.1%
1961-03-08		1	0.1%
1961-03-22		1	0.1%
1961-04-04		2	0.2%
1961-05-05		1	0.1%
1961-05-26		1	0.1%
1961-09-12		1	0.1%
1961-11-06		1	0.1%
1961-11-28		1	0.1%
1961-12-28		1	0.1%
1962-01-01		1	0.1%
1962-01-11		1	0.1%
1962-02-16		1	0.1%
1962-04-03		1	0.1%
1962-05-10		1	0.1%
1962-05-23		1	0.1%
1962-06-20		1	0.1%
1962-07-02		1	0.1%
1962-07-18		1	0.1%
1962-08-09		1	0.1%
1962-08-19		1	0.1%
1962-08-27		2	0.2%
1962-10-10		1	0.1%
1962-10-27		1	0.1%
1963-01-01		1	0.1%
1963-02-01		1	0.1%
1963-02-03		1	0.1%
1963-02-08		1	0.1%
1963-03-15		1	0.1%
1963-04-02		1	0.1%
1963-05-01		1	0.1%
1963-05-13		1	0.1%

File : WO01-03 WOPS Individuals

DateOfBirth: Date Of Birth

Value	Label	Cases	Percentage
1963-06-03		1	0.1%
1963-06-10		1	0.1%
1963-07-14		1	0.1%
1963-08-08		1	0.1%
1963-08-16		1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AgeAtInterview: Age At Interview

Information	[Type= continuous] [Format=numeric] [Range= 49-98] [Missing=*]
Statistics [NW/ W]	[Valid=942 /-] [Invalid=1 /-] [Mean=62.366 /-] [StdDev=9.677 /-]

Sex: Sex

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Male	225	23.9%
2	Female	718	76.1%
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HHHRelType: Household head relationship type

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=540 /-] [Invalid=403 /-]

Value	Label	Cases	Percentage
1	Self	361	66.9%
2	Wife or Husband	96	17.8%
3	Son or Daughter	9	1.7%
4	Adopted / Foster child	0	
5	Son or Daughter-in-law	0	
6	Grandchild	0	
7	Parent	41	7.6%
8	Parent-in-law	0	
9	Grandparent	0	
10	Brother or Sister	16	3.0%
21	Domestic Worker	0	
22	Tenant	1	0.2%
23	Boyfriend/Girlfriend	5	0.9%
99		11	2.0%
Sysmiss		403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MaritalStatus: Marital Status

Information	[Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]
Statistics [NW/ W]	[Valid=540 /-] [Invalid=403 /-]

File : WO01-03 WOPS Individuals

MaritalStatus: Marital Status

Value	Label	Cases	Percentage
10	Married (not further specified)	53	9.8%
20	Polygamous Marriage	21	3.9%
22	Civil Marriage (polygamous)	9	1.7%
24	Traditional Marriage (polygamous)	4	0.7%
30	Monogamous Marriage	43	8.0%
32	Civil Marriage (monogamous)	10	1.9%
34	Traditional Marriage (monogamous)	2	0.4%
40	Married, but separated	8	1.5%
42	Civil Marriage (separated)	2	0.4%
44	Traditional Marriage (separated)	1	0.2%
50	Currently not married (not further specified)	1	0.2%
60	Never been married (not further specified)	69	12.8%
61	Never been married, but engaged	39	7.2%
62	Never been married and not engaged	35	6.5%
70	Divorced	28	5.2%
80	Widowed	213	39.4%
99	Missing	2	0.4%
Sysmiss		403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HighestEducationLevel: Highest Education Level

Information [Type= discrete] [Format=numeric] [Range= 10-220] [Missing=*]

Statistics [NW/ W] [Valid=540 /-] [Invalid=403 /-]

Value	Label	Cases	Percentage
10	Grade 1 or Sub A/Class1	22	4.1%
20	Grade 2 or Sub B/Class2	36	6.7%
30	Grade 3 / Standard 1	31	5.7%
40	Grade 4 / Standard 2	37	6.9%
50	Grade 5 / Standard 3	26	4.8%
60	Grade 6 / Standard 4	24	4.4%
70	Grade 7 / Standard 5	28	5.2%
80	Grade 8 / Standard 6	26	4.8%
90	Grade 9 / Standard 7	11	2.0%
100	Grade 10 / Standard 8	4	0.7%
110	Grade 11 / Standard 9	7	1.3%
120	Grade 12 / Standard 10	14	2.6%
130	No formal education	258	47.8%
140	Less than one year	3	0.6%
150	Adult education only	1	0.2%
160	Certificate	10	1.9%
170	Diploma	0	
180	Bachelor's Degree	1	0.2%
190	Honours/Masters Degree +	0	

File : WO01-03 WOPS Individuals

HighestEducationLevel: Highest Education Level

Value	Label	Cases	Percentage
200	Don't know	0	
210	Missing	1	0.2%
220	Grade R	0	
Sysmiss		403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CurrentlyEmployed: Currently Employed

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=540 /-] [Invalid=403 /-]

Value	Label	Cases	Percentage
1	Yes	49	9.1%
2	No	489	90.6%
7	Missing	0	
9	Not Applicable	2	0.4%
Sysmiss		403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DrinkWaterSource: Drink Water Source

Information	[Type= discrete] [Format=numeric] [Range= 100-200] [Missing=*]
Statistics [NW/ W]	[Valid=540 /-] [Invalid=403 /-]

Value	Label	Cases	Percentage
100	Piped-Internal	119	22.0%
110	Piped-public tap/kiosk	135	25.0%
120	Borehole	43	8.0%
130	Well/non-borehole	3	0.6%
140	Rainwater	12	2.2%
150	Protected spring	0	
160	Flowing river/stream	39	7.2%
165	Water carrier or tanker	3	0.6%
170	Dam/stagnant water	141	26.1%
180	Other	45	8.3%
190	Missing	0	
200	Not Applicable	0	
Sysmiss		403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DrinkWaterSourceOthSpec: Drink Water Source Other Specify

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=45 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Buy water from		1	2.2%
Hire a truck to		1	2.2%
I buy from Mtub		1	2.2%
I buy water fro		1	2.2%

File : WO01-03 WOPS Individuals

DrinkWaterSourceOthSpec: Drink Water Source Other Specify

Value	Label	Cases	Percentage
Neighbour's tap		24	53.3%
Neighbour's tap		1	2.2%
Neighbours tap		4	8.9%
Tab in neighbou		1	2.2%
Tab in the yard		1	2.2%
Tap in the yard		1	2.2%
Tap is in the y		1	2.2%
Waterkan		7	15.6%
Waterkan no wat		1	2.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ToiletType: Toilet Type

Information	[Type= discrete] [Format=numeric] [Range= 10-100] [Missing=*]
Statistics [NW/ W]	[Valid=540 /-] [Invalid=403 /-]

Value	Label	Cases	Percentage
10	Flush toilet	22	4.1%
20	Ventilation Improved Pit	33	6.1%
30	Ordinary latrine	402	74.4%
40	Bucket/Chemical toilet	0	
60	No facilities (bush)	47	8.7%
70	Neighbours latrine	2	0.4%
80	Other	30	5.6%
100	Missing	4	0.7%
Sysmiss		403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ToiletTypeOthSpec: Toilet Type Other Specify

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=30 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Pit		8	26.7%
Pit in the bush		1	3.3%
Pit latrine		18	60.0%
Pit toilet		1	3.3%
pit latrine		2	6.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CookFuelCoal: Cook Fuel Coal

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	943	100.0%
1	Yes	0	
7	Missing	0	

File : WO01-03 WOPS Individuals

CookFuelCoal: Cook Fuel Coal

Value	Label	Cases	Percentage
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CookFuelElecGenerator: CookFuelElecGenerator

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	21	2.2%
1	Yes	0	
7	Missing	922	97.8%
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CookFuelElecGrid: Cook Fuel Electricity Grid

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	9	1.0%
1	Yes	395	41.9%
7	Missing	539	57.2%
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CookFuelGasLPG: Cook Fuel Gas LPG

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	18	1.9%
1	Yes	22	2.3%
7	Missing	903	95.8%
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CookFuelKerosene: Cook Fuel Kerosene

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	18	1.9%
1	Yes	55	5.8%
7	Missing	870	92.3%
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CookFuelSolar: Cook Fuel Solar

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
--------------------	------------------------------------------------------------

File : WO01-03 WOPS Individuals

CookFuelSolar: Cook Fuel Solar

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	22	2.3%
1	Yes	14	1.5%
7	Missing	907	96.2%
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CookFuelWood: Cook Fuel Wood

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	10	1.1%
1	Yes	194	20.6%
7	Missing	739	78.4%
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CookFuelOthSpec: Cook Fuel Other Specify

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=4 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Neighbo		1	25.0%
Solar		1	25.0%
Solar s		2	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HasGridElec: Has Grid Electricity

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	170	18.0%
1	Yes	365	38.7%
7	Missing	403	42.7%
9	Not Applicable	5	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AssetBicycle: Asset Bicycle

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	920	97.6%
1	Yes	23	2.4%
7	Missing	0	
9	Not Applicable	0	

File : WO01-03 WOPS Individuals

AssetBicycle: Asset Bicycle

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AssetCellPhone: Asset Cell phone

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	10	1.1%
1	Yes	340	36.1%
7	Missing	593	62.9%
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AssetDVD: Asset DVD

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	901	95.5%
1	Yes	42	4.5%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AssetFridge: Asset Fridge

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	683	72.4%
1	Yes	260	27.6%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AssetGasCooker: Asset Gas Stove

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	900	95.4%
1	Yes	43	4.6%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AssetRadio: Asset Radio

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

File : WO01-03 WOPS Individuals

AssetRadio: Asset Radio

Value	Label	Cases	Percentage
0	No	528	56.0%
1	Yes	415	44.0%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AssetSofa: Asset Sofa

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	775	82.2%
1	Yes	168	17.8%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AssetTV: Asset TV

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	662	70.2%
1	Yes	281	29.8%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

KeepsChickensDucks: Keep Chickens/Ducks

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	529	56.1%
1	Yes	414	43.9%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

KeepsCows: Keep Cows

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	844	89.5%
1	Yes	99	10.5%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : WO01-03 WOPS Individuals

KeepsGoats: Keep Goats

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	854	90.6%
1	Yes	89	9.4%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

KeepsPigs: Keep Pigs

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	939	99.6%
1	Yes	4	0.4%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

KeepsRabbits: Keep Rabbits

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	942	99.9%
1	Yes	1	0.1%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

KeepsOthSpec: Keep Other Specify

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=39 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Cats		1	2.6%
Dogs		34	87.2%
None		4	10.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MainIncomeSource: Main Income Source

Information [Type= discrete] [Format=numeric] [Range= 7-99] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
7		403	42.7%
10	Self-employed, informal jobs, selling or trading	30	3.2%
20	Income from rental property	2	0.2%

File : WO01-03 WOPS Individuals

MainIncomeSource: Main Income Source

Value	Label	Cases	Percentage
30	Wages, from formal job	70	7.4%
40	Government grants	372	39.4%
50	No source of income	50	5.3%
60	Other	6	0.6%
70	Missing	5	0.5%
80	Retirement fund	5	0.5%
99	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MainIncomeSourceOthSpec: Main Income ource Other Specify

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Do part		1	16.7%
Get mon		1	16.7%
Missing		1	16.7%
Sells m		1	16.7%
Shebeen		1	16.7%
Works a		1	16.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FinPosChange: Financial Position Changed

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Better	43	4.6%
2	About the same	221	23.4%
3	Much Worse	273	29.0%
7	Missing	403	42.7%
9	Not Applicable	3	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GeneralHealth: General Health

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Very Good	30	3.2%
2	Good	440	46.7%
3	Moderate	305	32.3%
4	Bad	138	14.6%
5	Very Bad	25	2.7%
7	Missing	0	
9	Not Applicable	5	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : WO01-03 WOPS Individuals

DiffWorkHHActivities: Difficult Work Household Activities

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	None	288	30.5%
2	Mild	226	24.0%
3	Moderate	265	28.1%
4	Severe	133	14.1%
5	Extreme/cannot do	23	2.4%
7	Missing	0	
9	Not Applicable	8	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HealthLast2w: Health Last 2 Weeks

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Very Good	17	1.8%
2	Good	308	32.7%
3	Moderate	410	43.5%
4	Bad	186	19.7%
5	Very Bad	18	1.9%
7	Missing	0	
9	Not Applicable	4	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

L2wBedSores: Last 2 Weeks Bed Sores

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	943	100.0%
1	Yes	0	
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

L2wNauseaVomiting: Last 2 Weeks Nausea or Vomiting

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	939	99.6%
1	Yes	4	0.4%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : WO01-03 WOPS Individuals

L2wConstipation: Last 2 Weeks Constipation

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	939	99.6%
1	Yes	4	0.4%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

L2wDryItchySkin: Last 2 Weeks Dry Itchy Skin**Information** [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]**Statistics [NW/ W]** [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	932	98.8%
1	Yes	11	1.2%
7	Missing	0	
9	Not Applicable	0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# L2wDehydration: Last 2 Weeks Dehydration****Information** [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]**Statistics [NW/ W]** [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	941	99.8%
1	Yes	2	0.2%
7	Missing	0	
9	Not Applicable	0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# L2wPainfulWounds: Last 2 Weeks Painful Wounds****Information** [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]**Statistics [NW/ W]** [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	936	99.3%
1	Yes	7	0.7%
7	Missing	0	
9	Not Applicable	0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# L2wBowelControlLoss: Last 2 Weeks Bowel Control Loss****Information** [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]**Statistics [NW/ W]** [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	934	99.0%
1	Yes	9	1.0%
7	Missing	0	
9	Not Applicable	0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# L2wAppetiteLoss: Last 2 Weeks Loss Appetite****Information** [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]**Statistics [NW/ W]** [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	929	98.5%
1	Yes	14	1.5%
7	Missing	0	
9	Not Applicable	0	

# L2wAppetiteLoss: Last 2 Weeks Loss Appetite			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wPainInBody: Last 2 Weeks Pain in Body			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	671	71.2%
1	Yes	272	28.8%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wMemoryLoss: Last 2 Weeks Memory Loss			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	931	98.7%
1	Yes	12	1.3%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wCannotSleep: Last 2 Weeks Cannot Sleep			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	914	96.9%
1	Yes	29	3.1%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wChestPain: Last 2 Weeks Chest Pain			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	820	87.0%
1	Yes	123	13.0%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wFatigue: Last 2 Weeks Fatigue			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	912	96.7%
1	Yes	31	3.3%

L2wFatigue: Last 2 Weeks Fatigue

Value	Label	Cases	Percentage
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

L2wMouthDiscomfort: Last 2 Weeks Mouth Discomfort

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	938	99.5%
1	Yes	5	0.5%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

L2wOthSpec: Last 2 Weeks Other Specify

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=407 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Abdominal Pain		2	0.5%
Abdominal cramps		1	0.2%
Abdominal pain		2	0.5%
Aching knees that co		1	0.2%
All joints are painf		1	0.2%
Allergic rach		1	0.2%
Angina		1	0.2%
Ankles and knees are		1	0.2%
Arthritis		1	0.2%
Asthma		1	0.2%
Bachache		1	0.2%
Back ache		8	2.0%
Back ache and right		1	0.2%
Back ache, pain in j		1	0.2%
Back ache, painful j		1	0.2%
Back pain		7	1.7%
Back pain (Occassio		1	0.2%
Back pain (mild)		1	0.2%
Back pain and Headac		1	0.2%
Back pain and pain o		1	0.2%

L2wOthSpec: Last 2 Weeks Other Specify

Value	Label	Cases	Percentage
Backach		1	0.2%
Backache		8	2.0%
Backache and knees		2	0.5%
Backache and knees p		1	0.2%
Backache and right k		1	0.2%
Backache and spine		1	0.2%
Backache but its occ		1	0.2%
Backache, feet pain,		1	0.2%
Backche		1	0.2%
Backpain		1	0.2%
Blocked nose		1	0.2%
Blocked nose since t		1	0.2%
Blurred Vision		2	0.5%
Body pains and swoll		1	0.2%
Bowel obstruction		1	0.2%
Can't stand just cra		1	0.2%
Can't use body legs		1	0.2%
Cancer of thre cervi		1	0.2%
Cervical pains		1	0.2%
Consistent hunger		1	0.2%
Constipation		1	0.2%
Constipation and dys		1	0.2%
Cough on TB treatmen		1	0.2%
Coughing, loosing we		1	0.2%
Cramps (lower torso)		1	0.2%
Cramps , Fever , Hea		1	0.2%
Cramps both legs		1	0.2%
Cramps lower part of		1	0.2%
Cramps on legs		1	0.2%
Diarhoea and tummy d		1	0.2%

L2wOthSpec: Last 2 Weeks Other Specify

Value	Label	Cases	Percentage
Diarrhea and Headac		1	0.2%
Diarrhoea		1	0.2%
Diarrhoea and Itchy		1	0.2%
Dizziness		1	0.2%
Dizziness & Fainting		1	0.2%
Dizziness , Painful		1	0.2%
Dizzness		1	0.2%
Dizzy		1	0.2%
Dizzyness		1	0.2%
Dizzyness and Headac		1	0.2%
Down feeling - hubby		1	0.2%
Energy loss, stomach		1	0.2%
Energy loss, weight		1	0.2%
Epistames		1	0.2%
Everything (P)		1	0.2%
Experiencing some pa		1	0.2%
Eye problem painful		1	0.2%
Eye problem, ear ach		1	0.2%
Eye sight is worseni		1	0.2%
Fatigue and Cramps (1	0.2%
Feeling numb , join		1	0.2%
Feeling depressed		1	0.2%
Feels very weak due		1	0.2%
Feet and backache		1	0.2%
Feet pain		1	0.2%
Flu		2	0.5%
Flu (bad) blocked no		1	0.2%
Flu runny nose		1	0.2%
Flu since last night		1	0.2%
Flu, cough, backache		1	0.2%
Flu, mouth ulcers		1	0.2%

L2wOthSpec: Last 2 Weeks Other Specify

Value	Label	Cases	Percentage
Flu, muscle weakness		1	0.2%
Flu, right knee pain		1	0.2%
Flu, runny nose, hea		1	0.2%
Flue		2	0.5%
Fracture right ankle		1	0.2%
Fractured hip		1	0.2%
Fractured leg in Sep		1	0.2%
GBM		1	0.2%
General Body Malaise		1	0.2%
General body malaise		3	0.7%
General body malaise		1	0.2%
General body weaknes		1	0.2%
Generalised body pai		1	0.2%
Had stroke, right ey		1	0.2%
Haemorrhoids		1	0.2%
Headache		24	5.9%
Headache (had a stro		1	0.2%
Headache , Dizziness		2	0.5%
Headache , Dizziness		1	0.2%
Headache , Joint Pai		1	0.2%
Headache , Joint pai		1	0.2%
Headache , Painful e		1	0.2%
Headache , Painful f		1	0.2%
Headache , Painful l		2	0.5%
Headache , lower abd		1	0.2%
Headache and abdomin		1	0.2%
Headache and neck pa		1	0.2%
Headache as well as		1	0.2%
Headache, cramps		1	0.2%

L2wOthSpec: Last 2 Weeks Other Specify

Value	Label	Cases	Percentage
Headache, lump under		1	0.2%
Headache, pain in ri		1	0.2%
Headache, shingle ey		1	0.2%
Headache,backact		1	0.2%
Headacke		1	0.2%
Hearing loss (not me		1	0.2%
Heartburn		1	0.2%
Herpes zoster, oral		1	0.2%
Hip pain, left eye i		1	0.2%
Hips and legs		1	0.2%
Hungry all the time		1	0.2%
Hyperventilating		1	0.2%
I felt excruciating		1	0.2%
Insomnia		1	0.2%
Insomnia and sollen		1	0.2%
It was only for two		1	0.2%
It's only chest pain		1	0.2%
Itchy eye		1	0.2%
Itchy eyes , poor di		1	0.2%
Itchy eyes, painful		1	0.2%
Itchy in the nose		1	0.2%
Itchy on th left		1	0.2%
Joint Pains		2	0.5%
Joint pain		5	1.2%
Joint pains		10	2.5%
Joint pains , cramps		1	0.2%
Joints		1	0.2%
Jont pains		1	0.2%
Kidney pain		1	0.2%
Knee Pain		1	0.2%
Knee pain		1	0.2%
Knees		2	0.5%
Knees and wrists pai		1	0.2%

L2wOthSpec: Last 2 Weeks Other Specify

Value	Label	Cases	Percentage
Knees are sometimes		1	0.2%
Knees pain		1	0.2%
Knees painful		1	0.2%
Knees painful on wal		1	0.2%
Knees pains a lot		1	0.2%
Knees, left knee has		1	0.2%
Lack of energy, pain		1	0.2%
Lap & Backache		1	0.2%
Left hand side of my		1	0.2%
Left hip, both knees		1	0.2%
Left keg, right leg(1	0.2%
Left knee and Right		1	0.2%
Left leg abd very de		1	0.2%
Left leg vericose ve		1	0.2%
Leg pain		2	0.5%
Legs have tingling p		1	0.2%
Loss eye sight, head		1	0.2%
Loss of appetite		1	0.2%
Lower abdominal pain		1	0.2%
Lower back and leg p		1	0.2%
Mild back ache		1	0.2%
Mild cough - TB test		1	0.2%
Mouth sores		1	0.2%
Mouth ulcer lower li		1	0.2%
Mouth ulcers,painful		1	0.2%
Muscle weakness all		1	0.2%
Muscles weakness		1	0.2%
Muscles weakness of		1	0.2%
Muscles were a bit s		1	0.2%
My eyes are itchy an		1	0.2%

L2wOthSpec: Last 2 Weeks Other Specify

Value	Label	Cases	Percentage
Neck pain		1	0.2%
Neck stiffness, Head		1	0.2%
Neck stiffness, pain		1	0.2%
Neck pain		1	0.2%
Nose block,warts all		1	0.2%
Nothing else other t		1	0.2%
Paiful knee , painfu		1	0.2%
Pain - knees, eye is		1	0.2%
Pain ful feet , knee		1	0.2%
Pain in both knees		1	0.2%
Pain in feet		1	0.2%
Pain in feet, has ce		1	0.2%
Pain in hips after w		1	0.2%
Pain in left knee		1	0.2%
Pain in right knee		3	0.7%
Pain in right leg		1	0.2%
Pain in the feet		1	0.2%
Pain in the hip		1	0.2%
Pain in the joints		1	0.2%
Pain in the knees an		1	0.2%
Pain in the kneey re		1	0.2%
Pain left leg		1	0.2%
Pain on knee joint		1	0.2%
Pain on leg		1	0.2%
Pain on legs		2	0.5%
Pain on shouder		1	0.2%
Pain on the knee		1	0.2%
Pain on the knees		1	0.2%
Pain on the legs		1	0.2%
Pain right leg		1	0.2%
Painful - re arm		1	0.2%
Painful Joints		1	0.2%
Painful bruise, ring		1	0.2%
Painful eyes		1	0.2%

L2wOthSpec: Last 2 Weeks Other Specify

Value	Label	Cases	Percentage
Painful eyes , Joint		1	0.2%
Painful fees		2	0.5%
Painful feet		8	2.0%
Painful feet ,		1	0.2%
Painful feet , eyes		1	0.2%
Painful feet , loss		1	0.2%
Painful feet , swoll		1	0.2%
Painful feet, skin (1	0.2%
Painful feet,knee,ka		1	0.2%
Painful feets		1	0.2%
Painful finger		1	0.2%
Painful joint, weakn		1	0.2%
Painful knee		2	0.5%
Painful knee and swe		1	0.2%
Painful knee walk wi		1	0.2%
Painful knees		4	1.0%
Painful knees (all j		1	0.2%
Painful knees and ha		1	0.2%
Painful kness		2	0.5%
Painful kness , feet		1	0.2%
Painful left knee, p		1	0.2%
Painful left legs ,		1	0.2%
Painful left root		1	0.2%
Painful leg		2	0.5%
Painful legs		1	0.2%
Painful lump on midd		1	0.2%
Painful macturition		1	0.2%
Painful reft arm , D		1	0.2%
Painful right knef		1	0.2%
Paralysis (left side		1	0.2%
Parpitations		1	0.2%
Per Vaginal bleeding		1	0.2%

L2wOthSpec: Last 2 Weeks Other Specify

Value	Label	Cases	Percentage
Pins and needles bot		1	0.2%
Quadriplegic		1	0.2%
Rash on the private		1	0.2%
Right arm painful (j		1	0.2%
Right knee		1	0.2%
Right knee paining a		1	0.2%
Right knee, foot pai		1	0.2%
Right leg		1	0.2%
Right leg and back a		1	0.2%
Right leg painful		1	0.2%
Right leg painful af		1	0.2%
Right leg, backache		1	0.2%
Right shoulder		1	0.2%
Ring worms, Dizzines		1	0.2%
Ringworms		1	0.2%
Running nose and pai		1	0.2%
Runny tummy - on ARV		1	0.2%
STI Warts (Umhlume)		1	0.2%
Scalp is very itchy		1	0.2%
Sentic wound on rig		1	0.2%
Severe dizziness		1	0.2%
Severe flu		2	0.5%
Severe pain both leg		1	0.2%
Sharp pains		1	0.2%
She had abdominal pa		1	0.2%
Shingles		2	0.5%
Shingles at the back		1	0.2%
Shingles on right se		1	0.2%
Shingles(face) Iam a		1	0.2%
Shingles,coughing		1	0.2%
Shoulder		1	0.2%

L2wOthSpec: Last 2 Weeks Other Specify

Value	Label	Cases	Percentage
Sinusitis, painful j		1	0.2%
Skin rash, allergic		1	0.2%
Sob on & off		1	0.2%
Spine ache		1	0.2%
Stiff muscles		1	0.2%
Stomach ache		1	0.2%
Stomach ulcers		1	0.2%
Stroke		1	0.2%
Stroke can't walk on		1	0.2%
Swelling of the legs		1	0.2%
Swollen and painful		3	0.7%
Swollen legs		1	0.2%
Swollen painful eye		1	0.2%
Swollen painful feet		1	0.2%
Tight chest		3	0.7%
Tingling pain both f		1	0.2%
Ulcer		1	0.2%
Ulceration on left c		1	0.2%
Ulceration on right		1	0.2%
Ulcers (intestines)		1	0.2%
Ulcers (stomach ulce		1	0.2%
Unable to walk due t		1	0.2%
Under breasts		1	0.2%
Upper body vey painf		1	0.2%
Very itchy skin		1	0.2%
Very painful joints,		1	0.2%
Weak muscles		1	0.2%
Weakness in my both		1	0.2%
Weakness of body		3	0.7%
Weakness of lower bo		1	0.2%
Weakness of lower li		1	0.2%

L2wOthSpec: Last 2 Weeks Other Specify

Value	Label	Cases	Percentage
Weakness of muscles,		1	0.2%
Weight loss		2	0.5%
Wound from the opera		1	0.2%
and old age		1	0.2%
can't control my bla		1	0.2%
eye infections,painf		1	0.2%
flu		1	0.2%
headache		1	0.2%
left leg painful		1	0.2%
loss of appetite , m		1	0.2%
painful feet		1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DiffMovingAround: Difficulties Moving Around

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	None	450	47.7%
2	Mild	236	25.0%
3	Moderate	147	15.6%
4	Severe	93	9.9%
5	Extreme/cannot do	12	1.3%
7	Missing	1	0.1%
9	Not Applicable	4	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DiffVigorousActivities: Difficulties with Vigorous Activities

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	None	243	25.8%
2	Mild	190	20.1%
3	Moderate	230	24.4%
4	Severe	181	19.2%
5	Extreme/cannot do	95	10.1%
7	Missing	0	
9	Not Applicable	4	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DiffSelfCare: Difficulties With Self Care

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

# DiffSelfCare: Difficulties With Self Care			
Value	Label	Cases	Percentage
1	None	784	83.1%
2	Mild	109	11.6%
3	Moderate	24	2.5%
4	Severe	18	1.9%
5	Extreme/cannot do	7	0.7%
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiffAppearance: Difficulties Maintaning General Appearance			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	789	83.7%
2	Mild	96	10.2%
3	Moderate	33	3.5%
4	Severe	18	1.9%
5	Extreme/cannot do	6	0.6%
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiffStayingAlone: Difficulties Staying Alone			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	624	66.2%
2	Mild	115	12.2%
3	Moderate	96	10.2%
4	Severe	58	6.2%
5	Extreme/cannot do	49	5.2%
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiffAchesPains: Difficulties With Aches and Pains			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	350	37.1%
2	Mild	220	23.3%
3	Moderate	235	24.9%
4	Severe	122	12.9%
5	Extreme/cannot do	15	1.6%
7	Missing	0	
9	Not Applicable	1	0.1%

# DiffAchesPains: Difficulties With Aches and Pains			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiffDiscomfort: Difficulties with Discomfort			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	364	38.6%
2	Mild	237	25.1%
3	Moderate	236	25.0%
4	Severe	92	9.8%
5	Extreme/cannot do	14	1.5%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiffDailyLife: Difficulties with Daily Life			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	75	8.0%
2	Mild	224	23.8%
3	Moderate	218	23.1%
4	Severe	74	7.8%
5	Extreme/cannot do	10	1.1%
7	Missing	341	36.2%
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiffConcentrating: Difficulties Concentrating			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	289	30.6%
2	Mild	240	25.5%
3	Moderate	297	31.5%
4	Severe	111	11.8%
5	Extreme/cannot do	5	0.5%
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiffLearning: Difficulties with Learning			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	452	47.9%
2	Mild	256	27.1%

# DiffLearning: Difficulties with Learning			
Value	Label	Cases	Percentage
3	Moderate	167	17.7%
4	Severe	58	6.2%
5	Extreme/cannot do	7	0.7%
7	Missing	0	
9	Not Applicable	3	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DiffCommunity: Difficulties Participating in Community Activities

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	None	579	61.4%
2	Mild	109	11.6%
3	Moderate	96	10.2%
4	Severe	101	10.7%
5	Extreme/cannot do	58	6.2%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DiffConflicts: Difficulties With Conflicts

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	None	602	63.8%
2	Mild	109	11.6%
3	Moderate	90	9.5%
4	Severe	84	8.9%
5	Extreme/cannot do	58	6.2%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DiffFriendships: Difficulties Mantaining Friendship

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	None	711	75.4%
2	Mild	110	11.7%
3	Moderate	58	6.2%
4	Severe	48	5.1%
5	Extreme/cannot do	16	1.7%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# DiffStrangers: Difficulties With Strangers			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	749	79.4%
2	Mild	112	11.9%
3	Moderate	34	3.6%
4	Severe	36	3.8%
5	Extreme/cannot do	9	1.0%
7	Missing	0	
9	Not Applicable	3	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiffSleep: Difficulties With Sleep			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	308	32.7%
2	Mild	181	19.2%
3	Moderate	242	25.7%
4	Severe	187	19.8%
5	Extreme/cannot do	24	2.5%
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiffRested: Difficulties Resting			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	326	34.6%
2	Mild	245	26.0%
3	Moderate	239	25.3%
4	Severe	112	11.9%
5	Extreme/cannot do	17	1.8%
7	Missing	0	
9	Not Applicable	4	0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiffSadUnhappy: Difficulties being Sad/ Unhappy			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	206	21.8%
2	Mild	143	15.2%
3	Moderate	229	24.3%
4	Severe	199	21.1%

DiffSadUnhappy: Difficulties being Sad/ Unhappy

Value	Label	Cases	Percentage
5	Extreme/cannot do	163	17.3%
7	Missing	0	
9	Not Applicable	3	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DiffWorry: Difficulties With Worries

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	None	310	32.9%
2	Mild	166	17.6%
3	Moderate	183	19.4%
4	Severe	138	14.6%
5	Extreme/cannot do	142	15.1%
7	Missing	0	
9	Not Applicable	4	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

VisionTestEver: Ever Tested Vision

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	328	34.8%
2	Never	615	65.2%
3	Don't know	0	
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

VisionLastTestYY: Year Last Tested Vision

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		47	5.0%
1		65	6.9%
2		45	4.8%
3		62	6.6%
4		8	0.8%
5		35	3.7%
6		8	0.8%
7		3	0.3%
8		5	0.5%
9		4	0.4%
10		9	1.0%
12		1	0.1%
15		3	0.3%

VisionLastTestYY: Year Last Tested Vision

Value	Label	Cases	Percentage
16		1	0.1%
20		4	0.4%
25		1	0.1%
28		1	0.1%
32		1	0.1%
34		1	0.1%
91		1	0.1%
97	Not applicable	637	67.6%
98		1	0.1%
99	Missing	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

VisionLastTestMM: Month Last Tested Vision

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		201	21.3%
1		15	1.6%
2		4	0.4%
3		3	0.3%
4		2	0.2%
5		4	0.4%
6		6	0.6%
8		1	0.1%
97	Not applicable	706	74.9%
99	Missing	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

VisionGlassesFar: Use Glasses to see Far

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	189	20.0%
2	No	740	78.5%
7	Missing	0	
9	Not Applicable	14	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

VisionGlassesClose: Use Glasses to see Closer

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	233	24.7%
2	No	696	73.8%
7	Missing	0	
9	Not Applicable	14	1.5%

# VisionGlassesClose: Use Glasses to see Closer			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiffSeeingFar: Difficulties Seeing Far			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	397	42.1%
2	Mild	200	21.2%
3	Moderate	218	23.1%
4	Severe	112	11.9%
5	Extreme/cannot do	14	1.5%
7	Missing	0	
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiffSeeingClose: Difficulties Seeing Close			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	407	43.2%
2	Mild	298	31.6%
3	Moderate	183	19.4%
4	Severe	43	4.6%
5	Extreme/cannot do	10	1.1%
7	Missing	0	
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiffSeeingDailyTasks: Difficulties Seeing Daily Task			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	279	29.6%
2	Mild	227	24.1%
3	Moderate	109	11.6%
4	Severe	12	1.3%
5	Extreme/cannot do	9	1.0%
7	Missing	305	32.3%
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HaveMoneyForNeeds: Have Money for Needs			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1		6	0.6%
2		15	1.6%

# HaveMoneyForNeeds: Have Money for Needs			
Value	Label	Cases	Percentage
3		72	7.6%
4		288	30.5%
5		136	14.4%
7		424	45.0%
9		2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WellbeingEnergy: Wellbeing Energy			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Completely	85	9.0%
2	Mostly	422	44.8%
3	Moderate	238	25.2%
4	A little	164	17.4%
5	None at all	34	3.6%
7	Missing	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WellbeingHealth: Wellbeing Health			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very Satisfied	11	1.2%
2	Satisfied	332	35.2%
3	Neither Satisfied nor Dissatisfied	210	22.3%
4	Dissatisfied	278	29.5%
5	Very Dissatisfied	111	11.8%
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WellbeingSelf: Wellbeing Self			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very Satisfied	16	1.7%
2	Satisfied	444	47.1%
3	Neither Satisfied nor Dissatisfied	185	19.6%
4	Dissatisfied	191	20.3%
5	Very Dissatisfied	106	11.2%
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WellbeingAbility: Wellbeing Ability			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		


























# WellbeingAbility: Wellbeing Ability			
Value	Label	Cases	Percentage
1	Very Satisfied	40	4.2%
2	Satisfied	429	45.5%
3	Neither Satisfied nor Dissatisfied	191	20.3%
4	Dissatisfied	180	19.1%
5	Very Dissatisfied	101	10.7%
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WellbeingPersRels: Wellbeing Personal Relations			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very Satisfied	134	14.2%
2	Satisfied	526	55.8%
3	Neither Satisfied nor Dissatisfied	103	10.9%
4	Dissatisfied	100	10.6%
5	Very Dissatisfied	78	8.3%
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WellbeingLivingConds: Wellbeing Living Conditions			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very Satisfied	47	5.0%
2	Satisfied	387	41.0%
3	Neither Satisfied nor Dissatisfied	144	15.3%
4	Dissatisfied	211	22.4%
5	Very Dissatisfied	152	16.1%
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WellbeingAsAWhole: Wellbeing as a Whole			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very Satisfied	4	0.4%
2	Satisfied	323	34.3%
3	Neither Satisfied nor Dissatisfied	271	28.7%
4	Dissatisfied	218	23.1%
5	Very Dissatisfied	115	12.2%
9	Not Applicable	12	1.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WellbeingControl: Wellbeing Control			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# WellbeingControl: Wellbeing Control			
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Never	13	1.4%
2	Almost never	150	15.9%
3	Sometimes	275	29.2%
4	Fairly often	244	25.9%
5	Very often	259	27.5%
9		2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WellbeingCannotCope: Wellbeing Cannot Cope			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Never	11	1.2%
2	Almost never	159	16.9%
3	Sometimes	304	32.2%
4	Fairly often	212	22.5%
5	Very often	248	26.3%
9		9	1.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WellbeingQofLife: Wellbeing Quality of Life			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Very Good	5	0.5%
2	Good	152	16.1%
3	Moderate	387	41.0%
4	Bad	254	26.9%
5	Very Bad	138	14.6%
7	Missing	0	
9	Not Applicable	7	0.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WellbeingTakingAllThings: Wellbeing Taking All Things			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Never	1	0.1%
2	Almost never	97	10.3%
3	Sometimes	103	10.9%
4	Fairly often	171	18.1%
5	Very often	144	15.3%
7		424	45.0%
9		3	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# FuncStandingLong: Functioning Standing Long			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	288	30.5%
2	Mild	180	19.1%
3	Moderate	214	22.7%
4	Severe	184	19.5%
5	Extreme/cannot do	73	7.7%
6		4	0.4%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncTakingCare: Functioning Taking Care			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	370	39.2%
2	Mild	231	24.5%
3	Moderate	221	23.4%
4	Severe	90	9.5%
5	Extreme/cannot do	29	3.1%
6		1	0.1%
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncCommActivities: Functioning Community Activities			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	454	48.1%
2	Mild	180	19.1%
3	Moderate	115	12.2%
4	Severe	117	12.4%
5	Extreme/cannot do	75	8.0%
6		2	0.2%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncConcentrate: Functioning Concentrating			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	597	63.3%

# FuncConcentrate: Functioning Concentrating			
Value	Label	Cases	Percentage
2	Mild	231	24.5%
3	Moderate	80	8.5%
4	Severe	30	3.2%
5	Extreme/cannot do	3	0.3%
7	Missing	0	
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncWalkingLong: Functioning Walking Long			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	None	267	28.3%
2	Mild	190	20.1%
3	Moderate	241	25.6%
4	Severe	171	18.1%
5	Extreme/cannot do	68	7.2%
6		6	0.6%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncBathing: Functioning Bathing			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	None	794	84.2%
2	Mild	104	11.0%
3	Moderate	23	2.4%
4	Severe	14	1.5%
5	Extreme/cannot do	8	0.8%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncDressing: Functioning Dressing			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	None	830	88.0%
2	Mild	69	7.3%
3	Moderate	23	2.4%
4	Severe	14	1.5%
5	Extreme/cannot do	7	0.7%
7	Missing	0	
9	Not Applicable	0	

# FuncDressing: Functioning Dressing			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncDaytodayWork: Functioning Day to Day Work			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	440	46.7%
2	Mild	207	22.0%
3	Moderate	204	21.6%
4	Severe	63	6.7%
5	Extreme/cannot do	27	2.9%
6		2	0.2%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncCarrying: Functioning Carrying Things			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	290	30.8%
2	Mild	209	22.2%
3	Moderate	227	24.1%
4	Severe	151	16.0%
5	Extreme/cannot do	63	6.7%
6		2	0.2%
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncEating: Functioning Eating			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	851	90.2%
2	Mild	51	5.4%
3	Moderate	25	2.7%
4	Severe	10	1.1%
5	Extreme/cannot do	4	0.4%
7	Missing	0	
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncGettingUp: Functioning Getting Up			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	

# FuncGettingUp: Functioning Getting Up			
Value	Label	Cases	Percentage
1	None	601	 63.7%
2	Mild	187	 19.8%
3	Moderate	111	 11.8%
4	Severe	36	 3.8%
5	Extreme/cannot do	6	 0.6%
6		1	 0.1%
7	Missing	0	
9	Not Applicable	1	 0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncToilet: Functioning Using Toilet			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	None	672	 71.3%
2	Mild	150	 15.9%
3	Moderate	68	 7.2%
4	Severe	42	 4.5%
5	Extreme/cannot do	8	 0.8%
6		1	 0.1%
7	Missing	0	
9	Not Applicable	2	 0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncBowelOrBladder: Functioning Bowel/Bladder			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	None	349	 37.0%
2	Mild	93	 9.9%
3	Moderate	52	 5.5%
4	Severe	21	 2.2%
5	Extreme/cannot do	4	 0.4%
7	Missing	424	 45.0%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncTravelling: Functioning Travelling			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	None	580	 61.5%
2	Mild	177	 18.8%
3	Moderate	102	 10.8%
4	Severe	63	 6.7%
5	Extreme/cannot do	20	 2.1%

# FuncTravelling: Functioning Travelling			
Value	Label	Cases	Percentage
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncGettingOut: Functioning Getting Out			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	579	61.4%
2	Mild	188	19.9%
3	Moderate	91	9.7%
4	Severe	58	6.2%
5	Extreme/cannot do	24	2.5%
6		1	0.1%
7	Missing	0	
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncEmotionAffected: Functioning Emotional Effect			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	202	21.4%
2	Mild	217	23.0%
3	Moderate	283	30.0%
4	Severe	139	14.7%
5	Extreme/cannot do	92	9.8%
6		3	0.3%
7	Missing	0	
9	Not Applicable	7	0.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncNDaysDifficulties: Functioning Number Of Days Having Difficulties			
Information		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1		3	0.3%
2		8	0.8%
3		14	1.5%
4		4	0.4%
5		7	0.7%
7		35	3.7%
8		3	0.3%
10		12	1.3%
14		8	0.8%
15		4	0.4%

# FuncNDaysDifficulties: Functioning Number Of Days Having Difficulties			
Value	Label	Cases	Percentage
20		7	0.7%
25		1	0.1%
30		173	18.3%
90		1	0.1%
97	Not applicable	424	45.0%
99	Missing	239	25.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncDifficulties30Days: Functioning Difficulties lasted 30 days			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	None	0	
2	Mild	0	
3	Moderate	0	
4	Severe	135	14.3%
5	Extreme/cannot do	102	10.8%
7	Missing	424	45.0%
9	Not Applicable	282	29.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprEverDiagnosed: Ever Diagnosed of Depression			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	44	4.7%
2	No	896	95.0%
7	Missing	0	
9	Not Applicable	3	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprTreatmentLast2w: Depression Treatment in Last 2 Weeks			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	8	0.8%
2	No	35	3.7%
7	Missing	0	
9	Not Applicable	900	95.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprTreatmentLast12m: Depression Treatment in Last 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	7	0.7%

# DeprTreatmentLast12m: Depression Treatment in Last 12 Months			
Value	Label	Cases	Percentage
2	No	36	3.8%
7	Missing	0	
9	Not Applicable	900	95.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprSadEmptyLast12m: Depression Sad/Empty Last 12 Months			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	621	65.9%
2	No	319	33.8%
7	Missing	0	
9	Not Applicable	3	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprLostInterestLast12m: Depression Lost Interest Last 12 Months			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	521	55.2%
2	No	421	44.6%
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprEnergyDecrLast12m: Depression Energy Decreased Last 12 Months			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	490	52.0%
2	No	451	47.8%
7	Missing	0	
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprPerMoreThan2w: Depression Period More than 2 Weeks			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	481	51.0%
2	No	199	21.1%
7	Missing	0	
9	Not Applicable	263	27.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprPerMostOfTheDay: Depression Period Most Of The Days			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	

DeprPerMostOfTheDay: Depression Period Most Of The Days

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	517	54.8%
2	No	163	17.3%
7	Missing	0	
9	Not Applicable	263	27.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeprPerLostAppetite: Depression Period Lost Appetite

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	375	39.8%
2	No	306	32.4%
7	Missing	0	
9	Not Applicable	262	27.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeprPerSlowThinking: Depression Period Slow Thinking

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	451	47.8%
2	No	231	24.5%
7	Missing	0	
9	Not Applicable	261	27.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeprPerFallAsleep: Depression Period Falling Asleep

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	440	46.7%
2	No	242	25.7%
7	Missing	0	
9	Not Applicable	261	27.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DeprPerWakeEarly: Depression Period Waking Up Early

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	362	38.4%
2	No	320	33.9%
7	Missing	0	
9	Not Applicable	261	27.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# DeprPerConcentration: Depression Period Concentration			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	320	33.9%
2	No	362	38.4%
7	Missing	0	
9	Not Applicable	261	27.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprPerSlowMoving: Depression Period Slow Moving			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	362	38.4%
2	No	319	33.8%
7	Missing	0	
9	Not Applicable	262	27.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprPerAnxiousWorried: Depression Period Anxious/Worried			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	469	49.7%
2	No	213	22.6%
7	Missing	0	
9	Not Applicable	261	27.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprPerRestless: Depression Period Restless			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	159	16.9%
2	No	523	55.5%
7	Missing	0	
9	Not Applicable	261	27.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprPerLostConfidence: Depression Period Lost Confidence			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	469	49.7%
2	No	213	22.6%
7	Missing	0	
9	Not Applicable	261	27.7%

# DeprPerLostConfidence: Depression Period Lost Confidence			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprPerHopeless: Depression Period Hopeless			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	551	58.4%
2	No	129	13.7%
7	Missing	0	
9	Not Applicable	263	27.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprPerSexDecrease: Depression Period Sex Decrease			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	328	34.8%
2	No	324	34.4%
7	Missing	0	
9	Not Applicable	291	30.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprPerWishDead: Depression Period Wish you were Dead			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	116	12.3%
2	No	566	60.0%
7	Missing	0	
9	Not Applicable	261	27.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeprPerAttemptedSuicide: Depression Period Attempted Suicide			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	15	1.6%
2	No	666	70.6%
7	Missing	0	
9	Not Applicable	262	27.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HeartDisEverDiag: Ever Diagnosed Heart Disorder Ever Diagnosed			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	15	1.6%
2	No	927	98.3%

# HeartDisEverDiag: Ever Diagnosed Heart Disorder Ever Diagnosed			
Value	Label	Cases	Percentage
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HeartDisHowLongDiag: Heart Disorder How Long Diagnosed			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	0-6 months	1	0.1%
2	7-12 months	1	0.1%
3	>12 months	13	1.4%
7	Missing	928	98.4%
9	Not application	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HeartDisTmtLast2w: Heart Disorder Treatment lasted 2 Weeks			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	9	1.0%
2	No	6	0.6%
7	Missing	0	
9	Not Applicable	928	98.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HeartDisTmtLast12m: Heart Disorder Treatment Last 12 months			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	9	1.0%
2	No	6	0.6%
7	Missing	0	
9	Not Applicable	928	98.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ArthritisEverDiag: Ever Diagnosed for Arthritis			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	256	27.1%
2	No	685	72.6%
7	Missing	0	
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ArthritisHowLongDiag: How Long Ago Diagnosed for Arthritis			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	

# ArthritisHowLongDiag: How Long Ago Diagnosed for Arthritis			
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	0-6 months	4	0.4%
2	7-12 months	15	1.6%
3	>12 months	237	25.1%
7	Missing	687	72.9%
9	Not application	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ArthritisTmtLast2w: Arthritis Treatment in the Last 2 Weeks			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	106	11.2%
2	No	150	15.9%
7	Missing	0	
9	Not Applicable	687	72.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ArthritisTmtLast12m: Arthritis Treatment in the Last 12 Months			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	186	19.7%
2	No	70	7.4%
7	Missing	0	
9	Not Applicable	687	72.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# StrokeEverDiag: Ever Diagnosed of Stroke			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	44	4.7%
2	No	896	95.0%
7	Missing	0	
9	Not Applicable	3	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# StrokeHowLongDiag: How Long Ago Diagnosed of Stroke			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	0-6 months	2	0.2%
2	7-12 months	3	0.3%
3	>12 months	39	4.1%
7	Missing	899	95.3%

StrokeHowLongDiag: How Long Ago Diagnosed of Stroke

Value	Label	Cases	Percentage
9	Not application	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

StrokeTmtLast2w: Stroke Treatment Lasted 2 Weeks

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	5	0.5%
2	No	39	4.1%
7	Missing	0	
9	Not Applicable	899	95.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# StrokeTmtLast12m: Stroke Treatment Lasted 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	6	0.6%
2	No	38	4.0%
7	Missing	0	
9	Not Applicable	899	95.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HypertensionEverDiag: Ever Diagnosed of Hypertension			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
7	Missing	0	
9	Not Applicable	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HypertensionHowLongDiag: How Long Ago Diagnosed of Hypertension			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	0-6 months	7	0.7%
2	7-12 months	14	1.5%
3	>12 months	455	48.3%
7	Missing	462	49.0%
9	Not application	5	0.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HypertensionTmtLast2w: Hypertension Lasted 2 Weeks			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
7	Missing	0	
9	Not Applicable	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HypertensionTmtLast12m: Hypertension Lasted 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
7	Missing	0	

# HypertensionTmtLast12m: Hypertension Lasted 12 Months			
Value	Label	Cases	Percentage
9	Not Applicable	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AsthmaEverDiag: Ever Diagnosed of Asthma			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	56	5.9%
2	No	883	93.6%
7	Missing	0	
9	Not Applicable	4	0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AsthmaHowLongDiag: How Long Ago Diagnosed of Asthma			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	0-6 months	1	0.1%
2	7-12 months	2	0.2%
3	>12 months	52	5.5%
7	Missing	887	94.1%
9	Not application	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AsthmaTmtLast2w: Asthma Treatment Lasted 2 Weeks			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	26	2.8%
2	No	29	3.1%
7	Missing	0	
9	Not Applicable	888	94.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AsthmaTmtLast12m: Asthma Treatment Lasted 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	33	3.5%
2	No	22	2.3%
7	Missing	0	
9	Not Applicable	888	94.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiabetesEverDiag: Ever Diagnosed of Diabetes			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		

DiabetesEverDiag: Ever Diagnosed of Diabetes

Value	Label	Cases	Percentage
1	Yes	86	9.1%
2	No	855	90.7%
7	Missing	0	
9	Not Applicable	2	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DiabetesHowLongDiag: How Long Ago Diagnosed of Diabetes

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	0-6 months	3	0.3%
2	7-12 months	5	0.5%
3	>12 months	75	8.0%
7	Missing	857	90.9%
9	Not application	3	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DiabetesTmtLast2w: Diabetes Treatment Lasted 2 Weeks

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	65	6.9%
2	No	19	2.0%
7	Missing	0	
9	Not Applicable	859	91.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DiabetesTmtLast12m: Diabetes Treatment Lasted 12 Months

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	69	7.3%
2	No	15	1.6%
7	Missing	0	
9	Not Applicable	859	91.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DiabetesSeeTradH: Seen Traditional Healer for Diabetes

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	7	0.7%
2	No	511	54.2%
7	Missing	424	45.0%
9	Not Applicable	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# DiabetesTradTmt: Taken Traditional Healer Treatment For Diabetes			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	33	3.5%
2	No	485	51.4%
7	Missing	424	45.0%
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CancerEverDiag: Ever Diagnosed of Cancer			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	13	1.4%
2	No	928	98.4%
7	Missing	0	
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CancerHowLongDiag: How Long Ago Diagnosed of Cancer			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	0-6 months	1	0.1%
2	7-12 months	2	0.2%
3	>12 months	10	1.1%
7	Missing	930	98.6%
9	Not application	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CancerTmtLast2w: Cancer Treatment Last 2 Weeks			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	3	0.3%
2	No	10	1.1%
7	Missing	0	
9	Not Applicable	930	98.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CancerTmtLast12m: Cancer Treatment in Last 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	5	0.5%
2	No	8	0.8%
7	Missing	0	

# CancerTmtLast12m: Cancer Treatment in Last 12 Months			
Value	Label	Cases	Percentage
9	Not Applicable	930	98.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HeartDisPainWalkFast: Heart Disorder Pain Walking Fast			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	229	24.3%
2	No	711	75.4%
7	Missing	0	
9	Not Applicable	3	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HeartDisPainWalkSlow: Heart Disorder Pain Walking Slow			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	83	8.8%
2	No	859	91.1%
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HeartDisPainReaction: Heart Disorder Pain Reaction			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Slow down	215	22.8%
2	Carry on walking	7	0.7%
3	Take pain relief medicine then carry on	11	1.2%
7	Missing	706	74.9%
9		4	0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HeartDisPainStopsIfStill: Heart Disorder Pain Stops If Still			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Relieved	220	23.3%
2	Not relieved	14	1.5%
7	Missing	706	74.9%
9		3	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HeartDisSympLast2w: Heart Disorder Symptoms in Last 2 Weeks			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		

# HeartDisSympLast2w: Heart Disorder Symptoms in Last 2 Weeks			
Value	Label	Cases	Percentage
1	Yes	120	12.7%
2	No	114	12.1%
7	Missing	0	
9	Not Applicable	709	75.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HeartDisSeenDoc: Heart Disorder Seen Doctor			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	82	8.7%
2	No	152	16.1%
7	Missing	0	
9	Not Applicable	709	75.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HeartDisSeenTradH: Heart Disorder Seen Traditional Healer			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	9	1.0%
2	No	225	23.9%
7	Missing	0	
9	Not Applicable	709	75.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HeartDisTradTmt: Heart Disorder Traditional Treatment			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	8	0.8%
2	No	226	24.0%
7	Missing	0	
9	Not Applicable	709	75.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ArthritisPainLast12m: Arthritis Pain Last 12 Months			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	492	52.2%
2	No	449	47.6%
7	Missing	0	
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# ArthritisStiffLast12m: Arthritis Stiff Last 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	466	49.4%
2	No	475	50.4%
7	Missing	0	
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ArthritisStiffDuration: Arthritis Stiff Duration			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	30 mins or less	251	26.6%
2	More than 30 mins	320	33.9%
7	Missing	363	38.5%
9		9	1.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ArthritisStiffExercise: Arthritis Stiff Exercise			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	347	36.8%
2	No	230	24.4%
7	Missing	0	
9	Not Applicable	366	38.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ArthritisSympLast2w: Arthritis Symptoms Last 2 Weeks			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	449	47.6%
2	No	128	13.6%
7	Missing	0	
9	Not Applicable	366	38.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ArthritisBackPainLastm: Arthritis Back Pain Last Month			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	336	35.6%
2	No	241	25.6%
7	Missing	0	
9	Not Applicable	366	38.8%

ArthritisBackPainLastm: Arthritis Back Pain Last Month

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ArthritisBackPainDays: Arthritis Back Pain Days

Information [Type= discrete] [Format=numeric] [Range= 1-9930] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		12	1.3%
2		15	1.6%
3		19	2.0%
4		46	4.9%
5		16	1.7%
6		6	0.6%
7		27	2.9%
8		21	2.2%
9		5	0.5%
10		16	1.7%
11		1	0.1%
12		13	1.4%
13		1	0.1%
14		6	0.6%
15		4	0.4%
16		5	0.5%
18		3	0.3%
20		20	2.1%
24		3	0.3%
25		1	0.1%
27		1	0.1%
28		3	0.3%
30		67	7.1%
60		4	0.4%
90		3	0.3%
97	Not applicable	607	64.4%
99	Missing	14	1.5%
9902		1	0.1%
9910		1	0.1%
9930		2	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ArthritisSeenDoc: Arthritis Seen Doctor

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	360	38.2%
2	No	216	22.9%
7	Missing	0	
9	Not Applicable	367	38.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# ArthritisSeenTradH: Arthritis Seen Traditional Healer			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	52	5.5%
2	No	524	55.6%
7	Missing	0	
9	Not Applicable	367	38.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ArthritisTradTmt: Arthritis Tradional Healer Treatment			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	63	6.7%
2	No	511	54.2%
7	Missing	0	
9	Not Applicable	369	39.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# StrokeParalysisWeak: Stroke Paralysis Weak			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	84	8.9%
2	No	857	90.9%
7	Missing	0	
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# StrokeNumbness: Stroke Numbness			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	81	8.6%
2	No	859	91.1%
7	Missing	0	
9	Not Applicable	3	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HypertensionSeenTradH: Hypertension Seen Traditional Healer			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	50	5.3%
2	No	891	94.5%
7	Missing	0	
9	Not Applicable	2	0.2%

HypertensionSeenTradH: Hypertension Seen Traditional Healer

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HypertensionTradTmt: Hypertension Traditional Healer Treatment

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	33	3.5%
2	No	15	1.6%
7	Missing	0	
9	Not Applicable	895	94.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HypertensionAnySpecialFood: Hypertension Any Special Food

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	15	1.6%
2	No	33	3.5%
7	Missing	0	
9	Not Applicable	895	94.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HypertensionSpecialFood: Hypertension Special Food

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=526 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
	Any food but without	1	0.2%
	Any food without oil	1	0.2%
	Avoids cooking oil	1	0.2%
	Boiled food	1	0.2%
	I boil all my food	1	0.2%
	I boil my food	1	0.2%
	Low fat & salt free	1	0.2%
	Low salt diet	1	0.2%
	Not applicable	511	97.1%
	Salt	1	0.2%
	Salt & fat free	1	0.2%
	Salt Free	1	0.2%
	Salt Free diet	1	0.2%
	Salt free	1	0.2%
	Strictly boiled foo	1	0.2%
	Vegetable mostly	1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# AsthmaWheeze12mReg: Asthma Wheeze 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	93	9.9%
2	No	850	90.1%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AsthmaWheeze12mExercise: Asthma Wheeze 12 Months Exercise			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	82	8.7%
2	No	859	91.1%
7	Missing	0	
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AsthmaTightChest12m: Asthma Tight Chest 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	100	10.6%
2	No	843	89.4%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AsthmaTightChestWaking: Asthma Tight Chest Waking			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	80	8.5%
2	No	862	91.4%
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AsthmaShortBreath: Asthma Short Breath			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	58	6.2%
2	No	880	93.3%
7	Missing	0	
9	Not Applicable	5	0.5%

AsthmaShortBreath: Asthma Short Breath

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AsthmaSympLast2w: Asthma Symptoms Last 2 Weeks

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	38	4.0%
2	No	95	10.1%
7	Missing	0	
9	Not Applicable	810	85.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AsthmaSeenDoc: Asthma Seen Doctor

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	59	6.3%
2	No	74	7.8%
7	Missing	0	
9	Not Applicable	810	85.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# AsthmaSecTradH: Asthma Seen Traditional Healer			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	12	1.3%
2	No	121	12.8%
7	Missing	0	
9	Not Applicable	810	85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AsthmaTradTmt: Asthma Traditional Healer Treatment			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	10	1.1%
2	No	123	13.0%
7	Missing	0	
9	Not Applicable	810	85.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiabetesMedLast12m: Diabetes Medication Last 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	73	7.7%
2	No	869	92.2%
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiabetesMedLast2w: Diabetes Med Last 2 Weeks			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	72	7.6%
2	No	871	92.4%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiabetesTmtLast2wx: Diabetes Treatment Last 2 Weeks			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	51	5.4%
2	No	892	94.6%
7	Missing	0	
9	Not Applicable	0	

# DiabetesTmtLast2wx: Diabetes Treatment Last 2 Weeks			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# EyesCataractLast5y: Eyes Cataract Last 5 Years			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	81	8.6%
2	No	858	91.0%
7	Missing	0	
9	Not Applicable	4	0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# EyesCataractSurgery: Eyes Cataract Surgery			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	34	3.6%
2	No	47	5.0%
7	Missing	0	
9	Not Applicable	862	91.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# EyesBlurryVisionLast12m: Eyes Blurry Vision Last 12 Months			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	602	63.8%
2	No	334	35.4%
7	Missing	0	
9	Not Applicable	7	0.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# EyesBrightLightsLast12m: Eyes Bright Lights Last 12 Months			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	538	57.1%
2	No	396	42.0%
7	Missing	0	
9	Not Applicable	9	1.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# EyesClinicVisitEver: Ever Visited Eyes Clinic			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	245	26.0%
2	No	690	73.2%

# EyesClinicVisitEver: Ever Visited Eyes Clinic			
Value	Label	Cases	Percentage
7	Missing	0	
9	Not Applicable	8	0.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# OralLostAllTeeth: Oral Lost All Teeth			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	16	1.7%
2	No	926	98.2%
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# OralProblemsLast12m: Oral Problems Last 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	137	14.5%
2	No	803	85.2%
7	Missing	0	
9	Not Applicable	3	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# OralDentistlast12m: Oral Dentist last 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	72	7.6%
2	No	63	6.7%
7	Missing	0	
9	Not Applicable	808	85.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# OralTradHLast12m: Oral Trad Healer Last 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	9	1.0%
2	No	126	13.4%
7	Missing	0	
9	Not Applicable	808	85.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# OralTradTmt: Oral Traditional Healer Treatment			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		

# OralTradTmt: Oral Traditional Healer Treatment			
Value	Label	Cases	Percentage
1	Yes	12	1.3%
2	No	123	13.0%
7	Missing	0	
9	Not Applicable	808	85.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# InjuryLast12m: Injury Last 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	56	5.9%
2	No	886	94.0%
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# InjuryHow: How Injured			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	It was an accident	41	4.3%
2	someone else caused it deliberately	11	1.2%
3	I did it to myself	2	0.2%
7	Missing	887	94.1%
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# InjuryReceivedMedTmt: Injury Received Medical Treatment			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	37	3.9%
2	No	12	1.3%
7	Missing	0	
9	Not Applicable	894	94.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# InjuryCausedDisability: Injury Caused Disability			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	34	3.6%
2	No	22	2.3%
7	Missing	0	
9	Not Applicable	887	94.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# InjuryDisabHandArm1: Injury Disabled Hand/Arm1			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	934	99.0%
1	Yes	9	1.0%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# InjuryDisabHandArm2: Injury Disabled Hand/Arm2			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	942	99.9%
1	Yes	1	0.1%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# InjuryDisabLimp: Injury Disabled Limp			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	927	98.3%
1	Yes	16	1.7%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# InjuryDisabHearing: Injury Disabled Hearing			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	943	100.0%
1	Yes	0	
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# InjuryDisabVision: Injury Disabled Vision			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	943	100.0%
1	Yes	0	
7	Missing	0	
9	Not Applicable	0	

# InjuryDisabVision: Injury Disabled Vision			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# InjuryDisabWeakness: Injury Disabled Weakness			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	943	100.0%
1	Yes	0	
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# InjuryDisabMemory: Injury Disabled Memory			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	943	100.0%
1	Yes	0	
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# InjuryDisabChewing: Injury Disabled Chewing			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	941	99.8%
1	Yes	2	0.2%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# InjuryDisabOthSpec: Injury Disabled Other Specify			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=20 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
	Can't s	1	5.0%
	Dog bit	1	5.0%
	Fractur	5	25.0%
	Hip fra	2	10.0%
	I burn	1	5.0%
	Injured	1	5.0%
	Left ha	1	5.0%
	None	2	10.0%
	One fin	1	5.0%
	Swollen	3	15.0%
	Ulcerat	1	5.0%

# InjuryDisabOthSpec: Injury Disabled Other Specify			
Value	Label	Cases	Percentage
in abil		1	5.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# InjuryCause: Cause Injury			
Information	[Type= discrete] [Format=numeric] [Range= 1-97] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Fall	24	2.5%
2	Stabbed	2	0.2%
3	Gun shot	1	0.1%
4	Fire or burn	1	0.1%
5	Near-drowning	0	
6	Poisoning	0	
7	Struck /hit by person/object	6	0.6%
8	Animal bite	4	0.4%
9	Electric shock	0	
10	Other	8	0.8%
11	Not Applicable	897	95.1%
97	Missing	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# InjuryCauseOthSpec: Injury Cause Other Specify			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=8 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Hit by a car		1	12.5%
Missing		6	75.0%
Thorn tree on eye		1	12.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FallSlipTripLast12m: Fall Slip Trip Last 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	107	11.3%
2	No	407	43.2%
7	Missing	424	45.0%
9	Not Applicable	5	0.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FallCausedDisability: Fall Caused Disability			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	25	2.7%
2	No	79	8.4%

# FallCausedDisability: Fall Caused Disability			
Value	Label	Cases	Percentage
7	Missing	424	45.0%
9	Not Applicable	415	44.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FallRecievedMedTmt: Fall Recieved Medical Treatment			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	11	1.2%
2	No	12	1.3%
7	Missing	424	45.0%
9	Not Applicable	496	52.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# NFalls: Number of Falls			
Information	[Type= continuous] [Format=numeric] [Range= 1-999] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-] [Mean=805.802 /-] [StdDev=390.229 /-]		
# NYLastHadMammo: Number of Years Last Had Mammo			
Information	[Type= discrete] [Format=numeric] [Range= 1-20] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		2	0.2%
2		2	0.2%
5		1	0.1%
7		936	99.3%
8		1	0.1%
20		1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LastTHadMammo: Last Time Had Mammo			
Information	[Type= discrete] [Format=numeric] [Range= 2-9] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
2		505	97.3%
9		14	2.7%
Sysmiss		424	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# NYearNeedHealthCare: Number Years Need Health Care			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=4.099 /-] [StdDev=8.9 /-]		
# NMonthsNeedHealthCare: Number Months Need Health Care			
Information	[Type= continuous] [Format=numeric] [Range= 0-95] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-] [Mean=2.464 /-] [StdDev=9.269 /-]		

# NTimesNeedHealthCare: Number Times Need Health Care			
Information	[Type= discrete] [Format=numeric] [Range= 3-9] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
3		5	1.0%
9		514	99.0%
Systemmiss		424	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ConsultTradHealer: Consulted Traditional Healer			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	937	99.4%
1	Yes	6	0.6%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ConsultPharm: Consulted Pharmacy			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	929	98.5%
1	Yes	14	1.5%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ConsultGovClinic: Consulted Government Clinic			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	463	49.1%
1	Yes	480	50.9%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ConsultGovHosp: Consulted Government Hospital			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	929	98.5%
1	Yes	14	1.5%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# ConsultPrivClinic: Consulted Private Clinic			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	932	98.8%
1	Yes	11	1.2%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ConsultPrivHosp: Consulted Private Hospital			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	941	99.8%
1	Yes	2	0.2%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ConsultOTHSpec: Consulted Other Specify			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=27 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Caravan		1	3.7%
Dr Naic		2	7.4%
Gunjane		1	3.7%
Kwa Msa		1	3.7%
Makes o		1	3.7%
Mobile		6	22.2%
None		2	7.4%
None bu		1	3.7%
Not App		5	18.5%
Own her		1	3.7%
Prepare		2	7.4%
Private		3	11.1%
Sends h		1	3.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LastGetHealthCare: Last Get Health Care			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	473	50.2%
2	No	41	4.3%
7	Missing	424	45.0%
9	Not Applicable	5	0.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# HadNoTransOrAffordCost: Had No Transport/Afford Cost			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	934	99.0%
1	Yes	9	1.0%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# NotKnowWhereToGo: Not Know Where To Go			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	942	99.9%
1	Yes	1	0.1%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DeniedHealthCare: Denied Health Care			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	932	98.8%
1	Yes	11	1.2%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# PrevBadlyTreated: Previously Badly Treated			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	940	99.7%
1	Yes	3	0.3%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HardWorkCommitments: Hard Work Commitments			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	939	99.6%
1	Yes	4	0.4%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ThoughtNotSickEnough: Thought Not Sick Enough			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	939	99.6%
1	Yes	4	0.4%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RxNotEffective: Used but Not Effective			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	940	99.7%
1	Yes	3	0.3%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# NotAffordMedFees: Not Afford Med Fees			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	943	100.0%
1	Yes	0	
7	Missing	0	
9	Not Applicable	0	

# NotAffordMedFees: Not Afford Med Fees			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DidNotGetOthSpec: Did Not Get Other Specify			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=519 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Clinic is too far an		1	0.2%
Even scared to go to		1	0.2%
I wanted to finish m		1	0.2%
Medication not avail		1	0.2%
Missing		28	5.4%
Mobile clinic didn't		1	0.2%
No medicatin was ava		1	0.2%
Not Applicable		478	92.1%
Refused operation		1	0.2%
She had to be treate		1	0.2%
The didn't have a BP		1	0.2%
They couldn't withdr		1	0.2%
They didn't give me		1	0.2%
To fetch medication		1	0.2%
Wrong return date wa		1	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MainReasonNeedHealthCare: Main Reason Need Health Care			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=519 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
3		1	0.2%
5 year pregnancy		1	0.2%
ARV		5	1.0%
ARV Collection		1	0.2%
ARV Medication		3	0.6%
ARV and Arthritis me		2	0.4%
ARV and Arthritis tr		1	0.2%
ARV and BP Medicatio		1	0.2%

MainReasonNeedHealthCare: Main Reason Need Health Care

Value	Label	Cases	Percentage
ARV and BP medicatio		5	1.0%
ARV and BP treatment		3	0.6%
ARV and TB medicatio		2	0.4%
ARV collection		64	12.3%
ARV collection (for		1	0.2%
ARV collection and C		2	0.4%
ARV collection and b		1	0.2%
ARV collection and p		1	0.2%
ARV collection for f		1	0.2%
ARV collection, (MDR		1	0.2%
ARV collection, Diab		1	0.2%
ARV collection, cram		1	0.2%
ARV collection, defa		1	0.2%
ARV collection, flu		1	0.2%
ARV collection, star		1	0.2%
ARV collection,runny		1	0.2%
ARV coollection, flu		1	0.2%
ARV initiation, TB m		1	0.2%
ARV treatment		13	2.5%
ARV treatment collec		1	0.2%
ARV's		5	1.0%
ARV's Collection		2	0.4%
ARV's and BP medicat		2	0.4%
ARV's and BP treatme		2	0.4%
ARV's and Diabetes m		1	0.2%
ARV's and blood test		1	0.2%
ARV's and pain kille		1	0.2%
ARV's collection		1	0.2%

MainReasonNeedHealthCare: Main Reason Need Health Care

Value	Label	Cases	Percentage
ARV's not available		1	0.2%
ARV's only		2	0.4%
ARV's red and itchy		1	0.2%
ARV's, BP, Arthritis		1	0.2%
ARV's- denied they g		1	0.2%
ARV, Asthavent colle		1	0.2%
ARV, pain in the bod		1	0.2%
ARV,BP and Arthritis		1	0.2%
ARV,BP,Diabetes medi		1	0.2%
Aching knees		1	0.2%
Arthritis and ARV co		1	0.2%
Arthritis and BP tre		1	0.2%
Arthritis and pre AR		1	0.2%
Arthritis medication		8	1.5%
Arthritis, CD4 check		1	0.2%
Arv collection		1	0.2%
Asthma attack		1	0.2%
Asthma treatment		1	0.2%
Asthma, BP, ARV trea		1	0.2%
Athritis, Asthma tre		1	0.2%
BP medication colle		1	0.2%
BP and medication c		1	0.2%
BP and ARV med colle		1	0.2%
BP and ARV medicatio		5	1.0%
BP and ARV treatmenr		1	0.2%
BP and ARV treatment		6	1.2%
BP and ARV's treatme		1	0.2%
BP and Arthritid med		1	0.2%
BP and Arthritis		1	0.2%

MainReasonNeedHealthCare: Main Reason Need Health Care

Value	Label	Cases	Percentage
BP and Arthritis med		2	0.4%
BP and Diabetes medi		1	0.2%
BP and Diabetes trea		2	0.4%
BP and HIV medicatio		2	0.4%
BP and Heart medicat		1	0.2%
BP and Hiv treatment		1	0.2%
BP and TB medication		1	0.2%
BP and pain control		1	0.2%
BP and pain treatmen		2	0.4%
BP check		1	0.2%
BP checks and cough		1	0.2%
BP medication		18	3.5%
BP medication and AR		1	0.2%
BP medication and Ar		1	0.2%
BP medication and re		1	0.2%
BP medication and su		1	0.2%
BP medication collec		12	2.3%
BP medication, bad f		1	0.2%
BP medication, eye t		1	0.2%
BP medication, last		1	0.2%
BP medication,painfu		1	0.2%
BP nas ARV meds		1	0.2%
BP tabs collection		1	0.2%
BP treatment		27	5.2%
BP treatment it was		1	0.2%
BP treatment and ARV		1	0.2%
BP treatment and pai		1	0.2%
BP treatment for mys		1	0.2%

MainReasonNeedHealthCare: Main Reason Need Health Care

Value	Label	Cases	Percentage
BP treatment, ARV's		1	0.2%
BP, ARV collection		2	0.4%
BP, ARV treatment		1	0.2%
BP, ARV's		1	0.2%
BP, ARV, TB medicati		1	0.2%
BP, Arthritis medica		2	0.4%
BP, Arthritis, Hiv m		1	0.2%
BP, Asthma, HIV trea		1	0.2%
BP, Diabetes, ARV co		1	0.2%
BP,ARV and Heart med		1	0.2%
BP,Arthritis, Epilep		1	0.2%
BP,Arthritis,ARV		1	0.2%
BP,Heart,Diabetes me		1	0.2%
Backache and shoulde		1	0.2%
Backache treatment		1	0.2%
Body aches		1	0.2%
Body aches and sweat		1	0.2%
Bp and ARV collectio		1	0.2%
Bp and ARV treatment		1	0.2%
Bp medication - unva		1	0.2%
Bp medication collec		2	0.4%
Bp treatment		1	0.2%
Bp treatment		1	0.2%
CD4		1	0.2%
CD4 and TB check up		1	0.2%
CD4 check		2	0.4%
CD4 check up		2	0.4%
CD4 check, cough for		1	0.2%
CD4 checks		5	1.0%
CD4, VL check due to		1	0.2%

MainReasonNeedHealthCare: Main Reason Need Health Care

Value	Label	Cases	Percentage
CD4, VL check up		1	0.2%
Cancer cells check u		1	0.2%
Check up		1	0.2%
Collection of ARV's		3	0.6%
Collection of grandc		1	0.2%
Commenced on ARV's,		1	0.2%
Couldn't pass urine		1	0.2%
Diabetes and ARV tre		1	0.2%
Diabetes and BP and		1	0.2%
Diabetes and BP trea		1	0.2%
Diabetes and hyperte		1	0.2%
Diabetes medication		1	0.2%
Diabetes, Arthritis		1	0.2%
Diabetes, BP		1	0.2%
Diabetes, BP and Hiv		1	0.2%
Diabetes, BP, ARV co		1	0.2%
Diabetesand BP treat		1	0.2%
Dizziness and BP tre		1	0.2%
Dog bite		1	0.2%
Don't know - was sic		1	0.2%
Dry and itchy skin		1	0.2%
Epilepsy and ARV col		1	0.2%
Epilepsy and HIV tre		1	0.2%
Eye infection and co		1	0.2%
Eye infection left e		1	0.2%
Eye problem		2	0.4%
Eye sight problem, c		1	0.2%
Eye surgery		1	0.2%
Eye treatment		1	0.2%

MainReasonNeedHealthCare: Main Reason Need Health Care

Value	Label	Cases	Percentage
Flu		7	1.3%
Flu, ARV collection		1	0.2%
Flu, backache		1	0.2%
Flue		3	0.6%
Food poisoning		1	0.2%
For Arthritis and Ul		1	0.2%
For arthritis		1	0.2%
For medication (P) d		1	0.2%
For my ARV treatment		1	0.2%
For my ARV's		2	0.4%
For my BP and ARV's		1	0.2%
For my back - check		1	0.2%
Fractured arm 30 yea		1	0.2%
Fractured hip		1	0.2%
Fractured left shoul		1	0.2%
HIV Medication		1	0.2%
HIV medication		1	0.2%
HIV related illness		1	0.2%
HIV test - awaiting		1	0.2%
HIV treatment		4	0.8%
HIV treatment only		2	0.4%
Have lump assessed b		1	0.2%
Headache		2	0.4%
Headache and BP medi		1	0.2%
Headache and CD4 che		1	0.2%
Headache and pain in		1	0.2%
Headache, stomach ach		1	0.2%
Hips pain		1	0.2%
Hiv and Arthritis me		1	0.2%
Hiv and BP treatment		3	0.6%
Hiv testing		1	0.2%
Hiv treatment		2	0.4%

MainReasonNeedHealthCare: Main Reason Need Health Care

Value	Label	Cases	Percentage
Hiv treatment for my		1	0.2%
Hypertension treatme		2	0.4%
I had a terrible hea		1	0.2%
I had flu but I got		1	0.2%
I had flu, given pan		1	0.2%
I had rigors		1	0.2%
I has shingles (wais		1	0.2%
I wanted to check TB		1	0.2%
I wanted to check Vi		1	0.2%
I wanted to have my		1	0.2%
I was unable to pass		1	0.2%
In 1952 abcess drain		1	0.2%
Increased BP level,		1	0.2%
Influenza		1	0.2%
Initiation of ARV's		1	0.2%
Irritation,restlessn		1	0.2%
Just to do a check u		1	0.2%
Knee was swollen and		1	0.2%
Knees pain		1	0.2%
Knees were swollen		1	0.2%
Medication (P) HIV a		1	0.2%
Medication for arthr		1	0.2%
Mental,Arthritis med		1	0.2%
Missing		1	0.2%
Missing Classes prio		1	0.2%
Mouth ulcers		1	0.2%
My ARV and Epilepsy		1	0.2%
My ARV's		1	0.2%
My ARV's and BP		1	0.2%

MainReasonNeedHealthCare: Main Reason Need Health Care

Value	Label	Cases	Percentage
My Hiv treatment		1	0.2%
My chest was whizzy		1	0.2%
My hip bone was very		1	0.2%
My sugar level was v		1	0.2%
Not Applicable		5	1.0%
Oral care		1	0.2%
POP removal		1	0.2%
Pain in the body, di		1	0.2%
Painful and swollen		1	0.2%
Painful feet		1	0.2%
Painful joints and A		1	0.2%
Painful joints, ARV		1	0.2%
Painful legs, knee j		1	0.2%
Painful right leg		1	0.2%
Painful shoulder		1	0.2%
Paining knees		1	0.2%
Painkillers and oint		1	0.2%
Pains right heel and		1	0.2%
Patella replacement,		1	0.2%
Per BP pay? Medicati		1	0.2%
Removal of cataract		1	0.2%
STI treatment		1	0.2%
Scared od scolding f		1	0.2%
Sent grandson to col		1	0.2%
Sent neighbour to co		1	0.2%
Shingles		2	0.4%
Shingles pain in the		1	0.2%
Shingles, CD4 check		1	0.2%
Skin conditions		1	0.2%
Sore throat		1	0.2%
TB and ARV treatment		1	0.2%

MainReasonNeedHealthCare: Main Reason Need Health Care

Value	Label	Cases	Percentage
TB check up and BP t		1	0.2%
TB medication		2	0.4%
TB review		1	0.2%
TB review afre compl		1	0.2%
TB test and CD4 resu		1	0.2%
Teeth extraction		1	0.2%
The ARV's collection		1	0.2%
There was something		1	0.2%
They said I must go		1	0.2%
Tight chest, blocked		1	0.2%
To ask for sputum bo		1	0.2%
To check BP		2	0.4%
To check BP they fou		1	0.2%
To check BP,Diabetes		1	0.2%
To check CD4		1	0.2%
To check CD4 and BP		1	0.2%
To check growth of l		1	0.2%
To check if I didn't		1	0.2%
To check my Hiv resu		1	0.2%
To check results for		1	0.2%
To check uterus		1	0.2%
To collect ACE medic		1	0.2%
To collect ARV's		7	1.3%
To collect ARV's (in		1	0.2%
To collect ARV's for		1	0.2%
To collect BP and Ar		1	0.2%
To collect BP and Di		1	0.2%
To collect BP medica		1	0.2%
To collect BP treatm		2	0.4%

MainReasonNeedHealthCare: Main Reason Need Health Care

Value	Label	Cases	Percentage
To collect Bp treatm		1	0.2%
To collect Hypertens		1	0.2%
To collect epileptic		1	0.2%
To collect my ARV me		1	0.2%
To collect my medica		1	0.2%
To do all the check		1	0.2%
To do check up after		1	0.2%
To do check ups afte		1	0.2%
To get ARV's		1	0.2%
To get Arthritis med		1	0.2%
To get BP and ARV me		1	0.2%
To get BP and ARV tr		1	0.2%
To get medication (A		1	0.2%
To get my ARV's		1	0.2%
To get painkillers f		1	0.2%
To have ringworm on		1	0.2%
To know my CD4		1	0.2%
To renew pension		1	0.2%
To take Asthma pump		1	0.2%
To take blood it was		1	0.2%
To take my ARV medic		1	0.2%
To take my ARV's		1	0.2%
To withdraw blood an		1	0.2%
Tooth extraction		1	0.2%
Tummy ache (runny)		1	0.2%
Ulceration on lower		1	0.2%
Wanted to check Hiv		1	0.2%

# MainReasonNeedHealthCare: Main Reason Need Health Care			
Value	Label	Cases	Percentage
Was weak,TB check,Hi		1	0.2%
Weakness of lower bo		1	0.2%
to relieve tightness		1	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HealthProbSymptIn12M: Health Problems Symptoms In 12 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	255	27.0%
2	No	259	27.5%
7	Missing	424	45.0%
9	Not Applicable	5	0.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HealthProbSpec: Health Problem Specify			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		1	0.2%
11, 15, 6, 10		1	0.2%
13		2	0.4%
13 and 15		1	0.2%
13 and legs sometime		1	0.2%
14		1	0.2%
15		2	0.4%
15,16,13		1	0.2%
15,16,6 and body itc		1	0.2%
15,9,1		1	0.2%
3 and earache		1	0.2%
8		3	0.6%
8 and 15		1	0.2%
8 chronic pain in kn		1	0.2%
ARV collection		1	0.2%
Abcess on eye		1	0.2%
Abcesses, weakness o		1	0.2%
Abdominal pains		1	0.2%
Aching feet		1	0.2%
Aching knees		1	0.2%
All joints pain and		1	0.2%

HealthProbSpec: Health Problem Specify

Value	Label	Cases	Percentage
Appetite loss		1	0.2%
Asthma attack		1	0.2%
Asthma, stroke		1	0.2%
BP medication		1	0.2%
Back ache		1	0.2%
Back ache and TB		1	0.2%
Back pain		4	0.8%
Back pain and right		1	0.2%
Backache		2	0.4%
Backache and spine		1	0.2%
Backache, painful fe		1	0.2%
Backache, painful kn		1	0.2%
Body ache		1	0.2%
Body ache and TB		1	0.2%
Body aches		1	0.2%
Body pains		5	1.0%
Body pains and ulcer		1	0.2%
Body pains, Asthma		1	0.2%
Body pais		1	0.2%
Body weakness		1	0.2%
Body weakness, Diabe		1	0.2%
Broken leg		1	0.2%
Cervical cancer		1	0.2%
Chest pain		1	0.2%
Constant headache,ba		1	0.2%
Consult - swollen fe		1	0.2%
Cough		6	1.2%
Cough and headache		1	0.2%
Cough, Loss of energ		1	0.2%
Cough, pain in right		1	0.2%
Cough, weakness of b		1	0.2%
Cough/chest pain, Fa		1	0.2%
Cramps, headache		1	0.2%

HealthProbSpec: Health Problem Specify

Value	Label	Cases	Percentage
Diarrhea, lining of		1	0.2%
Diarrhoea		3	0.6%
Dizziness		3	0.6%
Dog bite		1	0.2%
Dry and itchy skin		1	0.2%
Elevated BP		1	0.2%
Epilepsy		1	0.2%
Epileptic attack		1	0.2%
Eye pain		1	0.2%
Eye sight impaired		1	0.2%
Eyes		1	0.2%
Fatigue		1	0.2%
Fatigue and pain in		1	0.2%
Flu		9	1.7%
Flu symptoms		1	0.2%
Flu, backache, heada		1	0.2%
Flu, cough and heada		1	0.2%
Flu, mouth sores		1	0.2%
Flue		4	0.8%
Flue and weakness of		1	0.2%
Fracture ankle		1	0.2%
Fungal infection fin		1	0.2%
HIV		1	0.2%
HIV and headache		1	0.2%
Had TB completed tre		1	0.2%
Had normal flu		1	0.2%
Headache		5	1.0%
Headache, Food poiso		1	0.2%
Headache, Neck Stiff		1	0.2%
Headache, left leg		1	0.2%
Headache, painful jo		1	0.2%
Headache,pains in bo		1	0.2%
Headache,stomach		1	0.2%

HealthProbSpec: Health Problem Specify

Value	Label	Cases	Percentage
High blood sugar lev		1	0.2%
Hips pain		1	0.2%
Hyperglyceamia		1	0.2%
I fainted and woke u		1	0.2%
I was shaking		1	0.2%
Incontinence		1	0.2%
Injury left ankle an		1	0.2%
Itchiness of scalp		1	0.2%
Itchy eye, pains in		1	0.2%
Itchy eyes		1	0.2%
Itchy skin		1	0.2%
Knee was swollen and		1	0.2%
Knees pain		1	0.2%
Knees painful		1	0.2%
Knees still pain		1	0.2%
Left eye red		1	0.2%
Leg and arm painful		1	0.2%
Leg pain		1	0.2%
Loosing weight		1	0.2%
Missing		19	3.7%
Muscle weakness both		1	0.2%
Needed tp have tooth		1	0.2%
Not Applicable		264	50.9%
Numbness of left sid		1	0.2%
Numbness of right si		1	0.2%
Pain Rib		1	0.2%
Pain in eye and left		1	0.2%
Pain in the body, we		2	0.4%
Pain in the eye and		1	0.2%
Pain in the right kn		1	0.2%
Pain left chest		1	0.2%
Pain right elbow		1	0.2%
Pain right hip		2	0.4%
Pain right knee		1	0.2%
Painful		1	0.2%

HealthProbSpec: Health Problem Specify

Value	Label	Cases	Percentage
Painful body		1	0.2%
Painful feet		2	0.4%
Painful feet, Headac		1	0.2%
Painful hip after fa		1	0.2%
Painful hips		1	0.2%
Painful joints		2	0.4%
Painful joints and h		1	0.2%
Painful joints,backa		1	0.2%
Painful knees		2	0.4%
Painful knees (ongoi		1	0.2%
Painful knees and ey		1	0.2%
Painful knees and gu		1	0.2%
Painful knees and le		1	0.2%
Painful leg, knee jo		1	0.2%
Painful lump on foot		1	0.2%
Painful right foot		1	0.2%
Painful right knee		1	0.2%
Painful right leg		1	0.2%
Painful shoulder		2	0.4%
Painful womb		1	0.2%
Paining knees		1	0.2%
Pains in feet		1	0.2%
Pains joints and rig		1	0.2%
Patella replacement,		1	0.2%
Rash		1	0.2%
Right leg and backac		1	0.2%
Ringworm still apply		1	0.2%
Same as above		5	1.0%
Severe headache and		1	0.2%
Severe pain both leg		1	0.2%
Shingles		5	1.0%
Sores on face and bo		1	0.2%

HealthProbSpec: Health Problem Specify

Value	Label	Cases	Percentage
Still coughing but n		1	0.2%
Still pregnant and g		1	0.2%
Stomach ache		1	0.2%
Stroke		1	0.2%
Sweating at night, b		1	0.2%
Swollen feet		1	0.2%
Swollen gums		1	0.2%
Swollen knee		1	0.2%
TB		5	1.0%
TB and Asthma attack		1	0.2%
Tight chest, memory		1	0.2%
Tooth is loose		1	0.2%
Toothache		2	0.4%
Tummy ache (runny)		1	0.2%
Tummy is growing big		1	0.2%
Ulceration on lower		1	0.2%
Ulcers		1	0.2%
Ulcers (stomach)		1	0.2%
Vericose vains, head		1	0.2%
Weakness of body		1	0.2%
Weakness of lower bo		1	0.2%
Weakness of muscles,		1	0.2%
Weakness of the whol		1	0.2%
Weakness still there		1	0.2%
Weight loss		1	0.2%
Whitish layer formed		1	0.2%
gangerine		1	0.2%
pain under breasts		1	0.2%
tooth ache		1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SympActOwnHerbal: Symptoms Action Own Herbal

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

SympActOwnHerbal: Symptoms Action Own Herbal

Value	Label	Cases	Percentage
0	No	920	97.6%
1	Yes	23	2.4%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SympActTradH: Symptoms Action Traditional Healer

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	933	98.9%
1	Yes	10	1.1%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SympActTookMed: Symptomps Action Took Medicine

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	898	95.2%
1	Yes	45	4.8%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SympActPharmacyShop: Symptoms Action Pharmacy Shop

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	895	94.9%
1	Yes	48	5.1%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SympActGovClinic: Symptoms Action Government Clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	602	63.8%
1	Yes	341	36.2%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# SympActPrivClinic: Symptoms Action Private Clinic			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	927	98.3%
1	Yes	16	1.7%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SympActGovHosp: Symptoms Action Government Hospital			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	918	97.3%
1	Yes	25	2.7%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SympActPrivHosp: Symptoms Action Private Hospital			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	939	99.6%
1	Yes	4	0.4%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SympActDidNothing: Symptoms Action Did Nothing			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	833	88.3%
1	Yes	110	11.7%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SympActOthSpec: Symptoms Action Other Specify			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=545 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
An ambulance took me		1	0.2%
Applied vaseline		1	0.2%

SympActOthSpec: Symptoms Action Other Specify

Value	Label	Cases	Percentage
Boiled water and dra		1	0.2%
Bought painkillers		1	0.2%
Bought some medicine		1	0.2%
Couldn't afford tran		1	0.2%
Drank sea water for		1	0.2%
For X - rays		1	0.2%
Going to Ngwelezana		1	0.2%
Had no money for tra		2	0.4%
Hasn't had time		1	0.2%
I am planning to go		1	0.2%
Ignores the pain		1	0.2%
It went away		1	0.2%
It went off by it se		1	0.2%
It went off by its o		1	0.2%
Missing		232	42.6%
Not Applicable		264	48.4%
Privare Dr		1	0.2%
Privated Docter		1	0.2%
Saw a G.P		1	0.2%
Saw a GP		3	0.6%
Saw aGP		3	0.6%
Shrine		1	0.2%
Someone prayed for h		1	0.2%
Sometimes put ice on		1	0.2%
Swa a GP		1	0.2%
Took pain killers		1	0.2%
Took rest		1	0.2%
Used some herbs		1	0.2%
Visited Dr		1	0.2%
Visited G.P		2	0.4%
Visited GP		6	1.1%
Visited private doct		2	0.4%
Visited privated doc		2	0.4%
Was using hot water		1	0.2%

# SympActOthSpec: Symptoms Action Other Specify			
Value	Label	Cases	Percentage
Will be visiting cli		1	0.2%
it has gone away by		1	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SympActWhereFirst: Symptoms Action Where First			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Traditional Healer/Herbalist/Shrine	16	1.7%
2	Pharmacy/chemist/shop	38	4.0%
3	Government health care /public clinic	337	35.7%
4	Private or missionary health clinic	9	1.0%
5	Government Hospital	10	1.1%
6	Private or missionary hospital	0	
7	Missing	387	41.0%
8	Other	0	
9		146	15.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SympActWhereFirstOthSpec: Symptoms Action Where First Other Specify			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=613 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Applied vaseline		1	0.2%
Boiled water and dra		1	0.2%
Bought pain killers		1	0.2%
Bought some herbs fr		1	0.2%
Bought some medicine		1	0.2%
Church		1	0.2%
Did not do anything		1	0.2%
Did not do anythings		1	0.2%
Did nothing		8	1.3%
Did nothing , but wi		1	0.2%
Did nothing , it goe		1	0.2%
Did nothing , it got		1	0.2%
Did nothing , it wen		1	0.2%
Did nothing it just		1	0.2%

SympActWhereFirstOthSpec: Symptoms Action Where First Other Specify

Value	Label	Cases	Percentage
Did nothing it went		2	0.3%
Did nothing untilit		1	0.2%
Did'nt do any thing		1	0.2%
Did'nt do anything		1	0.2%
Did'nt do anythings		1	0.2%
Didi nothing		1	0.2%
Didn't do anything		1	0.2%
Drank suger salt sol		1	0.2%
Firstly went to see		1	0.2%
GP		1	0.2%
Hlabisa		1	0.2%
I did nothing		1	0.2%
It got better by its		1	0.2%
It was just for oned		1	0.2%
It went of by its ow		1	0.2%
Just ignores it and		1	0.2%
Just want to the pri		1	0.2%
Made own herbal reme		1	0.2%
Missing		238	38.8%
No Where		1	0.2%
No where		19	3.1%
No where. (Not appli		1	0.2%
None		5	0.8%
None (she went no w		1	0.2%
None , it went off b		1	0.2%
Not Applicable		264	43.1%
Not applicable		1	0.2%
Nothing		2	0.3%
Nothing /none		1	0.2%
Nothing she did not		1	0.2%
Nowhere		10	1.6%
Only saw a GP (Gene		1	0.2%

# SympActWhereFirstOthSpec: Symptoms Action Where First Other Specify			
Value	Label	Cases	Percentage
Only used her own he		1	0.2%
Private Docter		1	0.2%
Private Dr		1	0.2%
Private doctoor		1	0.2%
Private doctor		2	0.3%
Saw a GP away		1	0.2%
Saw a GP only		1	0.2%
Saw aGP		1	0.2%
Self treatment		1	0.2%
She did not do anyth		1	0.2%
Shop		1	0.2%
Sometimes syayed and		1	0.2%
Took self Treatment		1	0.2%
Took self medicine		3	0.5%
Took self treatment		1	0.2%
Tool self Treatment		1	0.2%
Use own herbal medic		1	0.2%
Used has own herbal		1	0.2%
Used her own herbal		1	0.2%
Visited GP		1	0.2%
Went off by its own		1	0.2%
it just got better w		1	0.2%
none		1	0.2%
self medicine		1	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SympActPaidFees: Symptoms Action Paid Fees			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	107	11.3%
2	No	419	44.4%
7	Missing	0	
9	Not Applicable	417	44.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# SympActWhoPaid: Symptoms Action Who Paid			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

SympActWhoPaid: Symptoms Action Who Paid

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Son/Daughter	18	1.9%
2	Spouse	4	0.4%
3	Self	76	8.1%
4	Other relative	3	0.3%
5	Insurance	2	0.2%
6	Was Free	4	0.4%
7	Missing	836	88.7%
9	Not Application	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

SympActWhoPaidOthSpec: Symptoms Action Who Paid Other Specify

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
	Bought then using mo	1	50.0%
	Grand daughter	1	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ClinVisLast12m: Clinic Visit Last 12 Months

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Not at all	31	3.3%
2	Once or twice	171	18.1%
3	Three to six times	232	24.6%
4	More than six times	469	49.7%
5	Don't know	0	
8	Missing	14	1.5%
9	Not applicable	26	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ClinVisWaitTime: Clinic Visit Waiting Time

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Not long	297	31.5%
2	Quite long	367	38.9%
3	Very long	266	28.2%
7	Missing	0	
9		13	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ClinVisWaitTimeYouExplain: Clinic Visit Waiting Time You Explain

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

# ClinVisWaitTimeYouExplain: Clinic Visit Waiting Time You Explain			
Value	Label	Cases	Percentage
1	Always	521	55.2%
2	Sometimes	291	30.9%
3	Never	120	12.7%
9		11	1.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ClinVisWaitTimeTheyExplain: Clinic Visit Waiting Time They Explain			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Always	530	56.2%
2	Sometimes	282	29.9%
3	Never	114	12.1%
9		17	1.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# OverallSatHCServices: Overall ISatting Health Care Services			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Satisfied	600	63.6%
2	Indiffent	185	19.6%
3	Dissatisfied	143	15.2%
7	Missing	0	
9		15	1.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# EverVisTradH: Ever Visited Traditional Healer			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	158	16.8%
2	No	781	82.8%
7	Missing	0	
9	Not Applicable	4	0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhyVisTradHCloser: Why Visited Traditional Healer Closer			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	904	95.9%
1	Yes	39	4.1%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# WhyVisTradHCheaper: Why Visited Traditional Healer Cheaper			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	933	98.9%
1	Yes	10	1.1%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhyVisTradHPayInGoods: Why Visited Traditional Healer Pay In Goods			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	939	99.6%
1	Yes	4	0.4%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhyVisTradHWaitPayment: Why Visited Traditional Healer Wait for Payment			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	928	98.4%
1	Yes	15	1.6%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhyVisTradHBetterTmt: Why Visited Traditional Healer Better Treatment			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	878	93.1%
1	Yes	65	6.9%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HospitalLastYr: Hospitalised Last Year			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	92	9.8%
2	No	851	90.2%
7	Missing	0	
9	Not Applicable	0	

# HospitalLastYr: Hospitalised Last Year			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HospitalLastYrNtimes: Hospitalised Last Year Number of times			
Information		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		1	0.1%
1		58	6.2%
2		13	1.4%
3		2	0.2%
20		1	0.1%
97	Not applicable	851	90.2%
99	Missing	17	1.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HospitalTypeLast: Hospital Type Last Year			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Public Hospital	85	9.0%
2	Private Hospital	4	0.4%
3	Charity or Church Hospital	0	
4	Old peoples's home or long term care facility	0	
5	Other	0	
7	Missing	851	90.2%
9		3	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HospitalTypeLastOthSpec: Hospital Type Last Year Other Specify			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=3 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Back pain		1	33.3%
Bay hospital		1	33.3%
Pain on ribs he sustai		1	33.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HospitalWhyLast: Hospital Why Last Year			
Information		[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1		10	1.1%
3		5	0.5%
4		7	0.7%
5		9	1.0%
7		2	0.2%
8		1	0.1%

HospitalWhyLast: Hospital Why Last Year

Value	Label	Cases	Percentage
9		3	0.3%
11		1	0.1%
12		4	0.4%
13		4	0.4%
14		3	0.3%
15		1	0.1%
17		3	0.3%
87		28	3.0%
97	Not applicable	852	90.3%
99	Missing	10	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HospitalWhyLastOthSpec: Hospital Why Last Year Other Specify

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=0 /-]

HospitalWhoPaidLast: Hospital Who Paid Last

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Son/Daughter	5	0.5%
2	Spouse	0	
3	Self	12	1.3%
4	Other relative	3	0.3%
5	Insurance	1	0.1%
6	Was Free	66	7.0%
7	Missing	851	90.2%
9	Not Application	5	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

HospitalWhoPaidLastOthSpec: Hospital Who Paid Last Other Specify

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Daughte		1	20.0%
Governm		1	20.0%
Had to		1	20.0%
I don't		1	20.0%
No one		1	20.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

TobaccoEverUse: Ever Use Tobacco

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	164	17.4%

# TobaccoEverUse: Ever Use Tobacco			
Value	Label	Cases	Percentage
2	No	776	82.3%
7	Missing	0	
9	Not Applicable	3	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# TobaccoCurrentUse: Currently use Tobacco			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	66	7.0%
2	No	35	3.7%
3		62	6.6%
7	Missing	779	82.6%
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# TobaccoYearsUsed: Used Tobacco Last Year			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		2	0.2%
2		1	0.1%
3		1	0.1%
5		3	0.3%
6		1	0.1%
8		1	0.1%
10		10	1.1%
13		1	0.1%
15		1	0.1%
20		10	1.1%
25		5	0.5%
28		2	0.2%
30		8	0.8%
35		5	0.5%
36		1	0.1%
40		6	0.6%
44		1	0.1%
45		1	0.1%
50		2	0.2%
52		1	0.1%
97	Not applicable	877	93.0%
99	Missing	3	0.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# TobaccoCigsPerDay: Tobacco Cigaretts Per Day			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		

# TobaccoCigsPerDay: Tobacco Cigaretts Per Day			
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		8	0.8%
1		5	0.5%
2		13	1.4%
3		8	0.8%
4		7	0.7%
5		9	1.0%
6		3	0.3%
20		1	0.1%
30		1	0.1%
97	Not applicable	877	93.0%
99	Missing	11	1.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AlcoholEverUse: Ever Use Alcohol			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	265	28.1%
2	No	676	71.7%
7	Missing	0	
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AlcoholUseLastM: Use Alcohol Last Year			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	110	11.7%
2	No	154	16.3%
7	Missing	0	
9	Not Applicable	679	72.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AlcoholDrinksPerDay: Alcohol Drinks Per Day			
Information		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		6	0.6%
1		40	4.2%
2		32	3.4%
3		11	1.2%
4		7	0.7%
5		4	0.4%
6		2	0.2%
7		2	0.2%

AlcoholDrinksPerDay: Alcohol Drinks Per Day

Value	Label	Cases	Percentage
8		2	0.2%
10		1	0.1%
97	Not applicable	833	88.3%
99	Missing	3	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# AlcoholUseLastYr: Alcohol Use Last Yr			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Less than once a month	35	3.7%
2	1 to 4 days a week	39	4.1%
3	1 to 7 days a month	28	3.0%
4	5 or more days per week	7	0.7%
7	Missing	833	88.3%
9	Not applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# NFruitServingsDaily: Number Fruit Servings Daily			
Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-] [Mean=11.894 /-] [StdDev=29.982 /-]		
# NVegServingsDaily: Number Vegetables Servings Daily			
Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-] [Mean=6.513 /-] [StdDev=20.184 /-]		
# NutrHungryLastM: Nutrition Hungry Last Month			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	226	24.0%
2	No	198	21.0%
7	Missing	0	
9	Not Applicable	519	55.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# NutrShortofFoodLastYr: Nutritional Short of Food Last Year			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Every Week	251	26.6%
2	Every Month	146	15.5%
3	Almost every Month	104	11.0%
4	Some Months but not every Month	145	15.4%
5	Only in 1 or 2 Months	6	0.6%
6	Never	91	9.7%
7	Missing	198	21.0%
9		2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# BPFIRSTSystolic: BP First Systolic			
Information	[Type= continuous] [Format=numeric] [Range= 82-999] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=140.31 /-] [StdDev=38.727 /-]		

# BPFIRSTDIASTOLIC: BP First Diastolic			
Information	[Type= continuous] [Format=numeric] [Range= 42-999] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=86.439 /-] [StdDev=33.147 /-]		
# BPFIRSTPULSE: BP First Pulse			
Information	[Type= continuous] [Format=numeric] [Range= 44-999] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=80.388 /-] [StdDev=32.8 /-]		
# BPSSECOND SYSTOLIC: BP Second Systolic			
Information	[Type= continuous] [Format=numeric] [Range= 85-999] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=139.366 /-] [StdDev=37.888 /-]		
# BPSSECOND DIASTOLIC: BP Second Diastolic			
Information	[Type= continuous] [Format=numeric] [Range= 48-999] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=85.445 /-] [StdDev=32.866 /-]		
# BPSSECOND PULSE: BP Second Pulse			
Information	[Type= continuous] [Format=numeric] [Range= 44-999] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=80.03 /-] [StdDev=32.496 /-]		
# BPTHIRDSYSTOLIC: BP Third Systolic			
Information	[Type= continuous] [Format=numeric] [Range= 40-999] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=138.832 /-] [StdDev=47.745 /-]		
# BPTHIRDDIASTOLIC: BP Third Diastolic			
Information	[Type= continuous] [Format=numeric] [Range= 47-999] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=85.636 /-] [StdDev=44.455 /-]		
# BPTHIRDPULSE: BP Third Pulse			
Information	[Type= continuous] [Format=numeric] [Range= 45-999] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=82.443 /-] [StdDev=61.043 /-]		
# CanRespondentStand: Can Respondent Stand			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	908	96.3%
2	No	29	3.1%
7	Missing	0	
9	Not Applicable	6	0.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HeightCm: Height Cm			
Information	[Type= continuous] [Format=numeric] [Range= 117-999] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=202.125 /-] [StdDev=185.12 /-]		
# WeightKg: Weight Kg			
Information	[Type= continuous] [Format=numeric] [Range= 29.7000007629394-999] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=104.304 /-] [StdDev=175.106 /-]		

# DistLeEy: Distance Left Eye			
Information	[Type= continuous] [Format=numeric] [Range= 0.100000001490116-999] [Missing=*/1001]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-] [Mean=29.562 /-] [StdDev=167.406 /-]		
Value	Label	Cases	Percentage
1001	..		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DistRiEy: Distance Right Eye			
Information	[Type= continuous] [Format=numeric] [Range= 0.100000001490116-999] [Missing=*/1001]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-] [Mean=25.738 /-] [StdDev=156.152 /-]		
Value	Label	Cases	Percentage
1001	..		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# NearLeEy: Near Left Eye			
Information	[Type= continuous] [Format=numeric] [Range= 0.0500000007450581-999] [Missing=*/1001]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-] [Mean=34.869 /-] [StdDev=182.925 /-]		
Value	Label	Cases	Percentage
1001	..		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# NearRiEy: Near Right Eye			
Information	[Type= continuous] [Format=numeric] [Range= 0.0500000007450581-999] [Missing=*/1001]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-] [Mean=32.955 /-] [StdDev=177.946 /-]		
Value	Label	Cases	Percentage
1001	..		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# NoTestLe: No Test Left			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
1		7	1.3%
2		497	95.8%
9		15	2.9%
System		424	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# NoTestRi: No Test Right			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
1		20	3.9%
2		494	95.2%
9		5	1.0%
System		424	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# TestRiLe: Test Right Left			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
1		21	4.0%
2		494	95.2%
9		4	0.8%
Sysmiss		424	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# GripLe1Kg: Grip Left 1Kg			
Information	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*/1001]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-] [Mean=39.376 /-] [StdDev=120.426 /-]		
Value	Label	Cases	Percentage
1001	..		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# GripRih1Kg: Grip Right Hand 1Kg			
Information	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*/1001]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-] [Mean=58.545 /-] [StdDev=173.409 /-]		
Value	Label	Cases	Percentage
1001	..		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# GripLe2Kg: Grip Left 2Kg			
Information	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*/1001]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-] [Mean=39.324 /-] [StdDev=120.435 /-]		
Value	Label	Cases	Percentage
1001	..		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# GripRih2Kg: Grip Right Hand 2Kg			
Information	[Type= continuous] [Format=numeric] [Range= 0-999] [Missing=*/1001]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-] [Mean=58.524 /-] [StdDev=173.411 /-]		
Value	Label	Cases	Percentage
1001	..		
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Comments: Comments			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=215 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Advised		10	4.7%
B/P ble		1	0.5%
BP High		1	0.5%
BP elev		1	0.5%
Blood P		2	0.9%
Blood p		4	1.9%

Comments: Comments

Value	Label	Cases	Percentage
Can't s		4	1.9%
Can't t		1	0.5%
Cannot		3	1.4%
Couldn'		1	0.5%
Council		7	3.3%
Counsel		3	1.4%
Defacte		1	0.5%
Dietary		6	2.8%
Failed		1	0.5%
Feels t		1	0.5%
Hands j		1	0.5%
Has bee		2	0.9%
Has ele		1	0.5%
Has los		1	0.5%
Has nev		1	0.5%
Has not		4	1.9%
Has rai		2	0.9%
Has run		1	0.5%
Having		1	0.5%
He has		1	0.5%
Health		9	4.2%
Her Blo		1	0.5%
Hyperte		5	2.3%
I hae t		1	0.5%
I has d		1	0.5%
Initial		1	0.5%
Joints		1	0.5%
Left th		1	0.5%
Lifesty		6	2.8%
Middle		1	0.5%
NOTE:		2	0.9%
No visi		2	0.9%
Not bee		1	0.5%
Not tak		1	0.5%
On Anti		2	0.9%
On HPT		1	0.5%
Over we		1	0.5%
Overwei		1	0.5%
Overwig		1	0.5%
Overwt-		1	0.5%
Page 11		1	0.5%
Partici		18	8.4%
Paryici		1	0.5%
Q-504:		1	0.5%
Q504 C		1	0.5%

Comments: Comments

Value	Label	Cases	Percentage
Q505 S		3	1.4%
Q507 D		1	0.5%
Q507 I		1	0.5%
Q507 /Q		1	0.5%
Q507/50		2	0.9%
Q507/51		1	0.5%
Q507/Q5		3	1.4%
Q508 H		1	0.5%
Q508 /		1	0.5%
Q508/51		1	0.5%
Q508/Q5		1	0.5%
Q509 C		1	0.5%
Q509 R		1	0.5%
Q509 /		1	0.5%
Q510 I		1	0.5%
Q514 H		1	0.5%
Q514 /Q		1	0.5%
Q514/ Q		1	0.5%
Q514/Q5		5	2.3%
Q516 A		1	0.5%
Q516 /		1	0.5%
Q516/51		5	2.3%
Q516/Q5		6	2.8%
Q517 U		1	0.5%
Raised		1	0.5%
Refused		5	2.3%
Respond		1	0.5%
Right s		1	0.5%
Scale c		1	0.5%
Scale w		1	0.5%
She cou		1	0.5%
She had		1	0.5%
She has		6	2.8%
She is		18	8.4%
She nor		1	0.5%
She rep		1	0.5%
She was		2	0.9%
Taking		1	0.5%
There w		1	0.5%
To go t		1	0.5%
Vision		3	1.4%
Will ta		1	0.5%
advised		1	0.5%
withdra		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# CareBathingA: Care Bathing Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	21	2.2%
2	No	677	71.8%
7	Missing	0	
9	Not Applicable	245	26.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareEatingA: Care Eating Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	13	1.4%
2	No	685	72.6%
7	Missing	0	
9	Not Applicable	245	26.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareDressingA: Care Dressing Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	21	2.2%
2	No	677	71.8%
7	Missing	0	
9	Not Applicable	245	26.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareToiletingA: Care Toileting Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	15	1.6%
2	No	683	72.4%
7	Missing	0	
9	Not Applicable	245	26.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareMovingA: Care Moving Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	20	2.1%
2	No	678	71.9%
7	Missing	0	
9	Not Applicable	245	26.0%

CareMovingA: Care Moving Adult

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CareHygieneA: Care Hygiene Adult

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	15	1.6%
2	No	683	72.4%
7	Missing	0	
9	Not Applicable	245	26.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CareMedicinesA: Care Medicines Adult

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	32	3.4%
2	No	598	63.4%
7	Missing	0	
9	Not Applicable	313	33.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CareWoundsA: Care Wounds Adult

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	6	0.6%
2	No	602	63.8%
7	Missing	0	
9	Not Applicable	335	35.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CareFetchingWaterA: Care Fetching Water Adult

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	268	28.4%
2	No	250	26.5%
7	Missing	424	45.0%
9	Not Applicable	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CareCookingA: Care Cooking Adult

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	338	35.8%
2	No	180	19.1%

# CareCookingA: Care Cooking Adult			
Value	Label	Cases	Percentage
7	Missing	424	45.0%
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareToHealthcareA: Care To Health care Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	84	8.9%
2	No	433	45.9%
7	Missing	424	45.0%
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareOthSpecA: Care Other Specify Adult			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=23 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	child at universit	1	4.3%
2	Cut grass	1	4.3%
3	Fishing for supper	1	4.3%
4	Gardening	2	8.7%
5	Her mother	1	4.3%
6	Hubby mental ill	1	4.3%
7	I can look after pot	1	4.3%
8	Looking after cattle	1	4.3%
9	Making tea	1	4.3%
10	Myself	1	4.3%
11	Prepare herbal medic	1	4.3%
12	Was working as a car	1	4.3%
13	Washing	8	34.8%
14	Water garden everyda	1	4.3%
15	cleaning of yard (ha	1	4.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CarePhyHowManyA: Care Physical How Many Adult			
Information	[Type= discrete] [Format=numeric] [Range= 0-9903] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
0		1	0.2%

CarePhyHowManyA: Care Physical How Many Adult

Value	Label	Cases	Percentage
1		79	15.2%
2		77	14.8%
3		78	15.0%
4		64	12.3%
5		40	7.7%
6		16	3.1%
7		12	2.3%
8		6	1.2%
9		3	0.6%
10		1	0.2%
11		1	0.2%
97	Not applicable	137	26.4%
99	Missing	3	0.6%
9903		1	0.2%
Sysmiss		424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AsstFinMedsA: Assistance Financial Medicine Adult

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	61	6.5%
2	No	822	87.2%
7	Missing	0	
9	Not Applicable	60	6.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AsstFinDocHospA: Assistance Financial Doctor Hospital Adult

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	61	6.5%
2	No	821	87.1%
7	Missing	0	
9	Not Applicable	61	6.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AsstFinFoodA: Assistance Financial Food Adult

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	742	78.7%
2	No	140	14.8%
7	Missing	0	
9	Not Applicable	61	6.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# AsstFinClothingA: Asstance Financial Clothing Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	480	50.9%
2	No	403	42.7%
7	Missing	0	
9	Not Applicable	60	6.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AsstFinTransportA: Assistance Financial Transport Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	446	47.3%
2	No	436	46.2%
7	Missing	0	
9	Not Applicable	61	6.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AsstFinSchoolExpsA: Assistance Financial School ExpsA			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	265	28.1%
2	No	615	65.2%
7	Missing	0	
9	Not Applicable	63	6.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AsstFinOthSpecA: Assistance Financial Other Specify A			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=16 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
01		1	6.2%
02		1	6.2%
03		1	6.2%
2 are s		1	6.2%
All her		1	6.2%
No care		1	6.2%
No one		2	12.5%
No sick		7	43.8%
Traditi		1	6.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareFinHowManyA: Care Financial How Many Adult			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-]		

CareFinHowManyA: Care Financial How Many Adult

Value	Label	Cases	Percentage
0		70	13.5%
1		87	16.8%
2		94	18.1%
3		91	17.5%
4		79	15.2%
5		47	9.1%
6		18	3.5%
7		16	3.1%
8		6	1.2%
9		3	0.6%
10		3	0.6%
11		1	0.2%
97	Not applicable	0	
99	Missing	4	0.8%
Sysmiss		424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# MbrsSickNeedCareForA: Members Sick Need Care For Adult			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	HIV/AIDS related	185	19.6%
2	Health related reason	334	35.4%
3	Other reason	0	
4	Don't know	0	
7	Missing	424	45.0%
9	Not applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MbrsNeedTmtWhatForA: Members Need Treatment What For Adult			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	ARV treatment	207	22.0%
2	TB treatment	100	10.6%
3	Knows it is for AIDS, but not name	15	1.6%
4	Other	0	
7	Missing	592	62.8%
8		29	3.1%
9	Not applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MbrsNeedTmtHealthSpecA: Members Need Treatment Health Specify Adult			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=100 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1 for TB		1	1.0%
Anti-Hypertension		1	1.0%
Arthritis		1	1.0%
Ascitis		1	1.0%
Asthma		4	4.0%
BP		4	4.0%
BP Diabetes		1	1.0%
BP,Mental illness		1	1.0%
Blind		2	2.0%
Bp medication if ava		1	1.0%
CA cervir		1	1.0%
Cough one off		1	1.0%
Coughing		2	2.0%
Dedema eye problem		1	1.0%
Diabetes		5	5.0%

MbrsNeedTmtHealthSpecA: Members Need Treatment Health Specify Adult

Value	Label	Cases	Percentage
Diabets		1	1.0%
Dysmenorhea		1	1.0%
Epilepsy		8	8.0%
Epileptic		5	5.0%
Flu , Headache		1	1.0%
Flu like symptoms		1	1.0%
HPT		4	4.0%
HPt		1	1.0%
Haemorrholds		1	1.0%
He was physically as		1	1.0%
Headache		3	3.0%
Heart disease		1	1.0%
Herperszoser		1	1.0%
Hypertension		8	8.0%
MDR TB		1	1.0%
Meningitis		1	1.0%
Mental Confusion		1	1.0%
Mental and Epilepsy		1	1.0%
Mental illness		2	2.0%
Mentally ill		2	2.0%
Mentally illness		1	1.0%
Menyally ill, TB, Sh		1	1.0%
Mild Stroke		1	1.0%
Old age		1	1.0%
Old age sickness		1	1.0%
Old age sickness bod		1	1.0%
Painful feet		1	1.0%
Piles		1	1.0%
Psychosis		1	1.0%
Septic wound		1	1.0%
Skin rash (severe)		1	1.0%
Slight;y challenged		1	1.0%
Stroke		2	2.0%
Stroke, Diabetes		1	1.0%
T.B		5	5.0%
TB		4	4.0%
TB,Diabetes		1	1.0%
TB,eye infection		1	1.0%
With sore and bliste		1	1.0%

# MbrsNeedTmtHealthSpecA: Members Need Treatment Health Specify Adult			
Value	Label	Cases	Percentage
eczema		1	1.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MbrsNeedTmtOthSpecA: Members Need Treatment Other Specify Adult			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=15 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Asthma		1	6.7%
Disability		2	13.3%
Flu		1	6.7%
Injury		1	6.7%
Mental Retard		1	6.7%
Mental illness		1	6.7%
Mental retard		1	6.7%
Old age		3	20.0%
Painful ears Injury		1	6.7%
Poisoned and chest i		1	6.7%
Safety aspects		1	6.7%
TB		1	6.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareToMbrWithHIVNbrA: Care To Members With HIV Nimer Adult			
Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
0		1	0.2%
1		88	17.0%
2		19	3.7%
3		5	1.0%
97	Not applicable	406	78.2%
99	Missing	0	
Sysmiss		424	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MbrsNeedTmtDailyMedsA: Members Need Treatment Daily Medicines Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	248	26.3%
2	No	102	10.8%
7	Missing	0	
9	Not Applicable	593	62.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# MbrsNeedTmtRemindA: Members Need Treatment Reminder Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	54	5.7%
2	No	190	20.1%
7	Missing	0	
9	Not Applicable	699	74.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MbrsNeedTmtAccompanyA: Members Need Treatment Accompany Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	29	3.1%
2	No	212	22.5%
7	Missing	0	
9	Not Applicable	702	74.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# IIIContribA: Before III Use to Contribute Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	252	26.7%
2	No	218	23.1%
7	Missing	0	
9	Not Applicable	473	50.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareDifficultyA: Care Difficulty Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very difficult	435	46.1%
2	A little difficult	254	26.9%
3	Not difficult	225	23.9%
7	Missing	14	1.5%
9	Not Applicable	15	1.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareBathingC: Care Bathing Child			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	238	25.2%
2	No	520	55.1%
7	Missing	0	

# CareBathingC: Care Bathing Child			
Value	Label	Cases	Percentage
9	Not Applicable	185	19.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareEatingC: Care Eating Child			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	219	23.2%
2	No	539	57.2%
7	Missing	0	
9	Not Applicable	185	19.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareDressingC: Care Dressing Child			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	231	24.5%
2	No	527	55.9%
7	Missing	0	
9	Not Applicable	185	19.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareToiletingC: Care Toileting Child			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	146	15.5%
2	No	612	64.9%
7	Missing	0	
9	Not Applicable	185	19.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareMovingC: Care Moving Child			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	86	9.1%
2	No	672	71.3%
7	Missing	0	
9	Not Applicable	185	19.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareHygieneC: Care Hygiene Child			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		

# CareHygieneC: Care Hygiene Child			
Value	Label	Cases	Percentage
1	Yes	126	13.4%
2	No	632	67.0%
7	Missing	0	
9	Not Applicable	185	19.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareMedicinesC: Care Medicines Child			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	65	6.9%
2	No	520	55.1%
7	Missing	0	
9	Not Applicable	358	38.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareWoundsC: Care Wounds Child			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	27	2.9%
2	No	532	56.4%
7	Missing	0	
9	Not Applicable	384	40.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareFetchingWaterC: Care Fetching Water Child			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	241	25.6%
2	No	272	28.8%
7	Missing	424	45.0%
9	Not Applicable	6	0.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareCookingC: Care Cooking Child			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	315	33.4%
2	No	198	21.0%
7	Missing	424	45.0%
9	Not Applicable	6	0.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

CareToHealthcareC: Care To Health care Child

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	176	18.7%
2	No	336	35.6%
7	Missing	424	45.0%
9	Not Applicable	7	0.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CareOthSpecC: Care Other Specify Child

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=20 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
14 year old		1	5.0%
2 grand children and		1	5.0%
2 grandchildren		1	5.0%
Cut grass		1	5.0%
Do gardening everyda		1	5.0%
Fishing		1	5.0%
Garden		1	5.0%
Grandchild for flu		1	5.0%
Grandchildren		1	5.0%
Prepare herbal medic		1	5.0%
Small babies but 4 b		1	5.0%
Washing		9	45.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CarePhyHowManyC: Care Physical How Many Child

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=519 /-] [Invalid=424 /-]		
Value	Label	Cases	Percentage
1		62	11.9%
2		75	14.5%
3		67	12.9%
4		44	8.5%
5		37	7.1%
6		26	5.0%
7		18	3.5%
8		10	1.9%
9		9	1.7%
10		3	0.6%
11		2	0.4%
14		1	0.2%

CarePhyHowManyC: Care Physical How Many Child

Value	Label	Cases	Percentage
97	Not applicable	164	31.6%
99	Missing	1	0.2%
System		424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AsstFinMedsC: Assistance Financial Medicines Child

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	89	9.4%
2	No	774	82.1%
7	Missing	0	
9	Not Applicable	80	8.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AsstFinDocHospC: Assistance Financial Doctor Hospital Child

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	85	9.0%
2	No	778	82.5%
7	Missing	0	
9	Not Applicable	80	8.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AsstFinFoodC: Assistance Financial Food Child

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	691	73.3%
2	No	172	18.2%
7	Missing	0	
9	Not Applicable	80	8.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AsstFinClothingC: Assistance Financial Clothing Child

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	502	53.2%
2	No	361	38.3%
7	Missing	0	
9	Not Applicable	80	8.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AsstFinTransportC: Assistance Financial Transport Child

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
--------------------	------------------------------------------------------------

AsstFinTransportC: Assistance Financial Transport Child

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	431	45.7%
2	No	430	45.6%
7	Missing	0	
9	Not Applicable	82	8.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AsstFinSchoolExpsC: Assistance Financial School Expenses Child

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	284	30.1%
2	No	576	61.1%
7	Missing	0	
9	Not Applicable	83	8.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

AsstFinOthSpecC: Assistance Financial Other Specify Child

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=24 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Child s		3	12.5%
Does no		1	4.2%
Grandch		1	4.2%
No care		1	4.2%
No chil		1	4.2%
No one		1	4.2%
No sick		12	50.0%
None		1	4.2%
and bro		1	4.2%
no sick		2	8.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CareFinHowManyC: Care Financial How Many Children

Information [Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]

Statistics [NW/ W] [Valid=519 /-] [Invalid=424 /-]

Value	Label	Cases	Percentage
0		98	18.9%
1		71	13.7%
2		87	16.8%
3		78	15.0%
4		53	10.2%
5		44	8.5%
6		31	6.0%
7		24	4.6%
8		12	2.3%

CareFinHowManyC: Care Financial How Many Children

Value	Label	Cases	Percentage
9		10	1.9%
10		7	1.3%
11		2	0.4%
12		1	0.2%
14		1	0.2%
Sysmiss		424	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MbrsSickNeedCareForC: Members Sick Need Care For Children

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
--------------------	------------------------------------------------------------

Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	HIV/AIDS related	58	6.2%
2	Health related reason	456	48.4%
3	Other reason	0	
4	Don't know	0	
7	Missing	424	45.0%
9	Not applicable	5	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MbrsNeedTmtWhatForC: Members Need Treatment What For Children

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
--------------------	------------------------------------------------------------

Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
1	ARV treatment	31	3.3%
2	TB treatment	47	5.0%
3	Knows it is for AIDS, but not name	4	0.4%
4	Other	0	
7	Missing	845	89.6%
8		14	1.5%
9	Not applicable	2	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MbrsNeedTmtHealthSpecC: Members Need Treatment Health Specify Children

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	-------------------------------------------------

Statistics [NW/ W]	[Valid=47 /-] [Invalid=0 /-]
---------------------------	------------------------------

Value	Label	Cases	Percentage
Abdomin		1	2.1%
Asthma		9	19.1%
Body so		1	2.1%
Can't s		2	4.3%
Chest p		1	2.1%
Cough		1	2.1%
Epileps		5	10.6%
Epilept		1	2.1%
Eye pro		1	2.1%

# MbrsNeedTmtHealthSpecC: Members Need Treatment Health Specify Children			
Value	Label	Cases	Percentage
Eyes pr		1	2.1%
Fever		1	2.1%
Flu		6	12.8%
Headach		2	4.3%
Just fi		1	2.1%
Kidney		1	2.1%
Mental		1	2.1%
Mentall		1	2.1%
Physica		1	2.1%
Psychos		1	2.1%
Sicknes		1	2.1%
T.B		1	2.1%
TB		4	8.5%
Tonsill		1	2.1%
Trty		1	2.1%
Wounds		1	2.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MbrsNeedTmtOthSpecC: Members Need Treatment Other Specify Children			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Asthma		1	25.0%
Disabil		1	25.0%
Immunis		1	25.0%
Mentall		1	25.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareToOthersWithHIVNbrC: Care To Others With HIV Numbers Children			
Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		26	2.8%
2		3	0.3%
3		1	0.1%
97	Not applicable	912	96.7%
99	Missing	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MbrsNeedTmtDailyMedsC: Members Need Tretment Daily Medicines Children			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	52	5.5%
2	No	44	4.7%
7	Missing	0	

# MbrsNeedTmtDailyMedsC: Members Need Tretment Daily Medicines Children			
Value	Label	Cases	Percentage
9	Not Applicable	847	89.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MbrsNeedTmtRemindC: Members Need Tretment Reminder Children			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	46	4.9%
2	No	6	0.6%
7	Missing	0	
9	Not Applicable	891	94.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MbrsNeedTmtAccompanyC: Members Need Treatment Accompany Children			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	42	4.5%
2	No	9	1.0%
7	Missing	0	
9	Not Applicable	892	94.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# IllContribC: Before Ill Contribute Children			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	120	12.7%
2	No	227	24.1%
7	Missing	0	
9	Not Applicable	596	63.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareDifficultyC: Care Difficulty Child			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very difficult	375	39.8%
2	A little difficult	241	25.6%
3	Not difficult	263	27.9%
7	Missing	28	3.0%
9	Not Applicable	36	3.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleDiffEnergyA: Care Role Difficulty Energy Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		

# CareRoleDiffEnergyA: Care Role Difficulty Energy Adult			
Value	Label	Cases	Percentage
1	Very much	0	
2	Some	0	
3	None	0	
7	Missing	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleDiffOwnAilmentsA: Care Role Difficulty Own Ailments Adult			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Very much	0	
2	Some	0	
3	None	0	
7	Missing	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleDiffCorrectA: Care Role Difficulty Correct Adult			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Very much	0	
2	Some	0	
3	None	0	
7	Missing	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleDiffVisitsA: Care Role Difficulty Visits Adult			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Very much	0	
2	Some	0	
3	None	0	
7	Missing	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleDiffFeelingsA: Care Role Difficulty Feelings Adult			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Very much	0	
2	Some	0	
3	None	0	
7	Missing	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# CareRoleDiffProtectA: Care Role Difficulty Protect Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	0	
2	Some	0	
3	None	0	
7	Missing	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleDiffStigmaA: Care Role Difficulty Stigma Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	0	
2	Some	0	
3	None	0	
7	Missing	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleKeepBusyA: Care Role Keep Busy Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	0	
2	Some	0	
3	None	0	
7	Missing	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleUsesAbilitiesA: Care Role Uses Abilities Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	0	
2	Some	0	
3	None	0	
7	Missing	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# CareRoleAccomplishmentA: Care Role Accomplishment Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	0	
2	Some	0	
3	None	0	
7	Missing	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleBeUsefulA: Care Role Be Useful Adult			
Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	0	
2	Some	0	
3	None	0	
7	Missing	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiedLast2yAny: Any Died Last 2 Years			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	381	40.4%
2	No	562	59.6%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiedLast2yNumber: Number Died Last 2 Years			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=58.637 /-] [StdDev=46.941 /-]		
# DiedLast2yNContrib: Number Use to Contribute Died Last 2 Years			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=58.387 /-] [StdDev=47.243 /-]		
# DiedLast2yMainEarner: Main Earner Died Last 2 Years			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	130	13.8%
2	No	245	26.0%
7	Missing	0	
9	Not Applicable	568	60.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# DiedLast2yCaredFor: Cared For Died Last 2 Years			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	237	25.1%
2	No	142	15.1%
7	Missing	0	
9	Not Applicable	564	59.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DiedLast2yMonthsSick: Died Last 2 Years Months Sick			
Information	[Type= continuous] [Format=numeric] [Range= 0-97] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=75.539 /-] [StdDev=37.964 /-]		
# DiedLast2yAgeAtDeath: Died Last 2 Years Age At Death			
Information	[Type= continuous] [Format=numeric] [Range= 19-997] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=784.17 /-] [StdDev=397.926 /-]		
# DiedLast2yName: Died Last 2 Years Name			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=117 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Alfred		1	0.9%
Amblost		1	0.9%
Bheki		1	0.9%
Bhumana		1	0.9%
Bongeki		1	0.9%
Busani		1	0.9%
Busisiw		1	0.9%
Buthele		2	1.7%
Buyelap		1	0.9%
Celi ,		1	0.9%
Dezi ,		1	0.9%
Duma ,		1	0.9%
Elias		1	0.9%
Ernest		1	0.9%
Felokwa		1	0.9%
Hebron		1	0.9%
Hlekisi		1	0.9%
Hlengiw		1	0.9%
Jabu		1	0.9%
Jabulan		1	0.9%
Jabulil		1	0.9%
Jeffrey		1	0.9%
Jonson		1	0.9%
Joseph		1	0.9%
Khethiw		2	1.7%
Khululi		1	0.9%

DiedLast2yName: Died Last 2 Years Name

Value	Label	Cases	Percentage
Khumalo		3	2.6%
Langa ,		1	0.9%
Lina ,		1	0.9%
Lungisa		2	1.7%
Mabaso		1	0.9%
Malazi		1	0.9%
Mandlak		1	0.9%
Manteng		1	0.9%
Mbuyazi		1	0.9%
Mdladla		1	0.9%
Mdletsh		1	0.9%
Michael		1	0.9%
Mjabhis		1	0.9%
Mkhwana		6	5.1%
Mntuyaz		1	0.9%
Msweli		1	0.9%
Mthembu		1	0.9%
Mthunzi		1	0.9%
Mtshali		1	0.9%
N.P Zul		1	0.9%
Nalungi		1	0.9%
Nana		1	0.9%
Ncube ,		1	0.9%
Ndlovu		1	0.9%
Neli ,		1	0.9%
Nelly		1	0.9%
Ngema ,		1	0.9%
Ngiqham		1	0.9%
Ngwane		1	0.9%
Nkosina		1	0.9%
Nkosiye		1	0.9%
Nokuthu		2	1.7%
Nomthan		1	0.9%
Nomusa		1	0.9%
Nomvula		1	0.9%
Nonhlan		2	1.7%
Nontomb		1	0.9%
Ntombel		1	0.9%
Nxumalo		1	0.9%
Petros		1	0.9%
Qhamkil		1	0.9%
Qhamuki		1	0.9%
Robert		1	0.9%
Royal		1	0.9%
Sabelo		2	1.7%

# DiedLast2yName: Died Last 2 Years Name			
Value	Label	Cases	Percentage
Sabisil		1	0.9%
Sbusiso		1	0.9%
Sebenzi		1	0.9%
Shesha		1	0.9%
Simange		1	0.9%
Simelan		1	0.9%
Siso		1	0.9%
Sizakel		1	0.9%
Slindil		1	0.9%
Sphiwe		2	1.7%
Thandaz		1	0.9%
Thandiw		2	1.7%
Themba		1	0.9%
Thembel		1	0.9%
Theodor		1	0.9%
Thobile		1	0.9%
Thokoza		1	0.9%
Thomas		1	0.9%
Thulani		3	2.6%
Xolani		1	0.9%
Xolile		1	0.9%
Zandile		1	0.9%
Zanele		4	3.4%
Zodwa		2	1.7%
Zulu ,		1	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.





















# DiedLast2ySex: Died Last 2 Years Sex			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Male	119	12.6%
2	Female	117	12.4%
9	Not Applicable	707	75.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# DiedLast2yRelType: Died Last 2 Years Relationship Type			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
AFC		1	0.1%
BGF		3	0.3%
CHD		108	11.5%
GCH		7	0.7%
GPA		2	0.2%
MIS		2	0.2%

# DiedLast2yRelType: Died Last 2 Years Relationship Type			
Value	Label	Cases	Percentage
NAD		706	74.9%
OFR		14	1.5%
OTH		1	0.1%
PLW		4	0.4%
PRN		33	3.5%
SDL		3	0.3%
SIB		13	1.4%
SPS		46	4.9%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleDiffEnergy: Care Role Difficult Energy			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	137	14.5%
2	Some	60	6.4%
3	None	36	3.8%
7	Missing	706	74.9%
9		4	0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleDiffOwnAilments: Care Role Difficult Own Ailments			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	121	12.8%
2	Some	60	6.4%
3	None	52	5.5%
7	Missing	706	74.9%
9		4	0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleDiffCorrect: Care Role Difficult Correct			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	112	11.9%
2	Some	66	7.0%
3	None	54	5.7%
7	Missing	706	74.9%
9		5	0.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleDiffVisits: Care Role Difficult Visits			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		

# CareRoleDiffVisits: Care Role Difficult Visits			
Value	Label	Cases	Percentage
1	Very much	105	11.1%
2	Some	72	7.6%
3	None	55	5.8%
7	Missing	706	74.9%
9		5	0.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleDiffFeelings: Care Role Difficult Feelings			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	136	14.4%
2	Some	57	6.0%
3	None	39	4.1%
7	Missing	706	74.9%
9		5	0.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleDiffProtect: Care Role Difficult Protect			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	94	10.0%
2	Some	74	7.8%
3	None	65	6.9%
7	Missing	706	74.9%
9		4	0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleDiffStigma: Care Role Difficult Stigma			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	53	5.6%
2	Some	36	3.8%
3	None	143	15.2%
7	Missing	706	74.9%
9		5	0.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleKeepBusy: Care Role Keep Busy			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	92	9.8%
2	Some	82	8.7%

# CareRoleKeepBusy: Care Role Keep Busy			
Value	Label	Cases	Percentage
3	None	58	 6.2%
7	Missing	707	 75.0%
9		4	 0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleUsesAbilities: Care Role Uses Abilities			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	118	 12.5%
2	Some	74	 7.8%
3	None	40	 4.2%
7	Missing	707	 75.0%
9		4	 0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleAccomplishment: Care Role Accomplishment			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	149	 15.8%
2	Some	46	 4.9%
3	None	36	 3.8%
7	Missing	707	 75.0%
9		5	 0.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareRoleBeUseful: Care Role Be Useful			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very much	178	 18.9%
2	Some	35	 3.7%
3	None	19	 2.0%
7	Missing	707	 75.0%
9		4	 0.4%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FinAsstMedicines: Financial Assistance Medicines			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	158	 16.8%
2	No	785	 83.2%
7	Missing	0	
9	Not Applicable	0	

# FinAsstMedicines: Financial Assistance Medicines			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FinAsstDocHospFees: Financial Assistance Doctor Hospital Fees			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
7	Missing	0	
9	Not Applicable	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FinAsstFood: Financial Assistance Food			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	683	72.4%
2	No	260	27.6%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FinAsstClothing: Financial Assistance Clothing			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	483	51.2%
2	No	460	48.8%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FinAsstTransport: Financial Assistance Transport			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	470	49.8%
2	No	473	50.2%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FinAsstSchoolExps: Financial Assistance School Expences			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	309	32.8%
2	No	630	66.8%

FinAsstSchoolExps: Financial Assistance School Expenses

Value	Label	Cases	Percentage
7	Missing	0	
9	Not Applicable	4	0.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FinAsstOthSpec: Financial Assistance Other Specify

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Buildin		1	11.1%
Eletric		1	11.1%
He only		1	11.1%
Hubby a		1	11.1%
Husband		1	11.1%
Only li		1	11.1%
Parcels		1	11.1%
Self em		1	11.1%
They co		1	11.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FinAsstWhoSpouse: Financial Assistance Who Spouse

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	821	87.1%
1	Yes	122	12.9%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FinAsstWhoSonDaughter: Financial Assistance Who Son/Daughter

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	688	73.0%
1	Yes	255	27.0%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FinAsstWhoGrandsonDaughter: Financial Assistance Who Grandson/Daughter

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	927	98.3%
1	Yes	16	1.7%
7	Missing	0	

# FinAsstWhoGrandsonDaughter: Financial Assistance Who Grandson/Daughter			
Value	Label	Cases	Percentage
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FinAsstWhoSibling: Financial Assistance Who Sibling			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	933	98.9%
1	Yes	10	1.1%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FinAsstWhoOtherRel: Financial Assistance Who Other Relations			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	937	99.4%
1	Yes	6	0.6%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FinAsstWhoCommunity: Financial Assistance Who Community			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	942	99.9%
1	Yes	1	0.1%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FinAsstWhoNeighbourFriend: Financial Assistance Who Neighbour Friend			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	941	99.8%
1	Yes	2	0.2%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FinAsstWhoGovernment: Financial Assistance Who Government			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		

FinAsstWhoGovernment: Financial Assistance Who Government

Value	Label	Cases	Percentage
0	No	608	64.5%
1	Yes	335	35.5%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FinAsstWhoChurch: Financial Assistance Who Church

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	942	99.9%
1	Yes	1	0.1%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FinAsstWhoInsurance: Financial Assistance Who Insurance

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	942	99.9%
1	Yes	1	0.1%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FinAsstWhoOthSpec: Financial Assistance Who Other Specify

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=56 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
3 sons		1	1.8%
Boyfrie		1	1.8%
Brother		1	1.8%
Church		1	1.8%
Cousin		1	1.8%
Gets mo		2	3.6%
Government		1	1.8%
Her bro		1	1.8%
Husband		2	3.6%
Job		1	1.8%
Love pa		1	1.8%
Mother		2	3.6%
Nephew		2	3.6%
On cont		2	3.6%
One guy		1	1.8%
Parent		4	7.1%

# FinAsstWhoOthSpec: Financial Assistance Who Other Specify			
Value	Label	Cases	Percentage
People		1	1.8%
Removin		1	1.8%
Salary		3	5.4%
Sarary		1	1.8%
Self		1	1.8%
Self em		3	5.4%
Selling		4	7.1%
Sister		1	1.8%
Son/dau		12	21.4%
Tempora		1	1.8%
Tempral		1	1.8%
Wages		1	1.8%
Work		1	1.8%
daughte		1	1.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FinAsstHowLongYY: Financial Assistance How Long Year			
Information	[Type= continuous] [Format=numeric] [Range= 0-9905] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=43.486 /-] [StdDev=324.017 /-]		
# FinAsstHowLongMM: Financial Assistance How Long Months			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=47.755 /-] [StdDev=48.575 /-]		
# FinAsstHowDifficult: Financial Assistance How Difficult			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Very difficult	187	19.8%
2	A little difficult	196	20.8%
3	Not difficult	294	31.2%
7	Missing	251	26.6%
9	Not Applicable	15	1.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FinAsstPastContrib: Financial Assistance Past Contribute			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	686	72.7%
2	No	256	27.1%
7	Missing	0	
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FinAsstPastMainProvider: Financial Assistance Past Main Provider			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# FinAsstPastMainProvider: Financial Assistance Past Main Provider			
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	489	51.9%
2	No	193	20.5%
7	Missing	0	
9	Not Applicable	261	27.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# GrantRecOwn: Grant Receive Own			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes,Care dependency	71	7.5%
2	Yes,Disability	159	16.9%
3	Yes, Old age pension	499	52.9%
4	No,None	209	22.2%
6	Other	0	
7	Missing	0	
9		5	0.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# GrantRecOwnOthSpec: Grant Receive Own Other Specify			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=10 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Disabil		1	10.0%
Husband		1	10.0%
I earn		1	10.0%
Plus re		1	10.0%
Retirem		1	10.0%
Sells j		1	10.0%
Sick pe		2	20.0%
Tempora		1	10.0%
Wage fr		1	10.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# GrantUsedFor: Grant Used For			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Own upkeep	72	7.6%
2	Household expenses	1	0.1%
3	Care and support another household	646	68.5%
4	Given to adult member of household	12	1.3%
5	Other	0	
7	Missing	212	22.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# GrantUsedForOthSpec: Grant Used For Other Specify			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=2 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Especia		1	50.0%
I don't		1	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# GrantOtherMbrsCareDep: Grant Other Members Care Dependency			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	939	99.6%
1	Yes	4	0.4%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# GrantOtherMbrsDisability: Grant Other Members Disability			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	902	95.7%
1	Yes	41	4.3%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# GrantOtherMbrsOldAgePension: Grant Other Members Old Age Pension			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	880	93.3%
1	Yes	63	6.7%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# GrantOtherMbrsFosterCare: Grant Other Members Foster Care			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	931	98.7%
1	Yes	12	1.3%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# GrantOtherMbrsChildSupport: Grant Other Members Child Support			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	573	60.8%
1	Yes	370	39.2%
7	Missing	0	
9	Not Applicable	0	

GrantOtherMbrsChildSupport: Grant Other Members Child Support

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GrantOtherMbrsNone: Grant Other Members None

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	450	47.7%
1	Yes	493	52.3%
7	Missing	0	
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

GrantOtherMbrsOthSpec: Grant Other Members Other Specify

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=76 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
01		2	2.6%
01 Child		1	1.3%
01 Grand child		1	1.3%
01 child		1	1.3%
01 other one is stil		1	1.3%
02		8	10.5%
02 Grandchildren		1	1.3%
02 grand children		2	2.6%
02 grandchildren		1	1.3%
03		2	2.6%
04		2	2.6%
04 foster care and 1		1	1.3%
04 stopped last year		1	1.3%
1 Kid		2	2.6%
1 child		1	1.3%
1 grand child		1	1.3%
1 kid		2	2.6%
2 Grand children		1	1.3%
2 Kids		5	6.6%
2 children		6	7.9%
2 grand children		1	1.3%
2 grand children (mo		1	1.3%
2 grand children and		1	1.3%
2 grandchildren		4	5.3%
3 Kids		2	2.6%

# GrantOtherMbrsOthSpec: Grant Other Members Other Specify			
Value	Label	Cases	Percentage
3	Their mothers rece	1	1.3%
3	children 1 is stopp	1	1.3%
3	children	9	11.8%
3	grand children, te	1	1.3%
3	kids	2	2.6%
3	of her sister's ch	1	1.3%
4	great grand childr	1	1.3%
5	grandchildren	1	1.3%
	Brother's sister's p	1	1.3%
	Child support used b	1	1.3%
	Mom's	1	1.3%
	My late daughter's c	1	1.3%
	Orphan hood	1	1.3%
	Orphanage support gr	1	1.3%
	Someone does	1	1.3%
	Used by mom	1	1.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RecHelpFood: Received Help Food			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
7	Missing	0	
9	Not Applicable	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RecHelpAgriWork: Received Help Agricultural Work			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
7	Missing	0	
9	Not Applicable	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RecHelpWater: Received Help Water			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		

# RecHelpWater: Received Help Water			
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
7	Missing	0	
9	Not Applicable	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RecHelpCooking: Received Help Cooking			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
7	Missing	0	
9	Not Applicable	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RecHelpToClinic: Received Help To Clinic			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
7	Missing	0	
9	Not Applicable	943	100.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RecHelpOthSpec: Received Help Other Specify			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=8 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
Daughte		2	25.0%
Grandch		1	12.5%
Her dau		1	12.5%
Looking		1	12.5%
Only on		1	12.5%
Son mak		1	12.5%
Son`s c		1	12.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhoHelpsParent: Who Helps Parent			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	931	98.7%
1	Yes	12	1.3%

# WhoHelpsParent: Who Helps Parent			
Value	Label	Cases	Percentage
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhoHelpsSpouse: Who Helps Spouse			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	744	78.9%
1	Yes	199	21.1%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhoHelpsSonDaughter: Who Helps Son/Daughter			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	320	33.9%
1	Yes	623	66.1%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhoHelpsGsonOld: Who Helps Grandson Old			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	852	90.3%
1	Yes	91	9.7%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhoHelpsGdaughterOld: Who Helps Granddaughter Old			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	766	81.2%
1	Yes	177	18.8%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhoHelpsGsonYoung: Who Helps Grandson Young			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		

# WhoHelpsGsonYoung: Who Helps GrandsonYoung			
Value	Label	Cases	Percentage
0	No	843	89.4%
1	Yes	100	10.6%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhoHelpsGDaughterYoung: Who Helps Grand Daughter Young			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	832	88.2%
1	Yes	111	11.8%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhoHelpsCommVol: Who Helps Community Volunteer			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	934	99.0%
1	Yes	9	1.0%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhoHelpsNeighbour: Who Helps Neighbour			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	940	99.7%
1	Yes	3	0.3%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhoHelpsGovernment: Who Helps Government			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	940	99.7%
1	Yes	3	0.3%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# WhoHelpsChurch: Who Helps Church			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	911	96.6%
1	Yes	32	3.4%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhoHelpsSibling: Who Helps Sibling			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	924	98.0%
1	Yes	19	2.0%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhoHelpsFriend: Who Helps Friend			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	943	100.0%
1	Yes	0	
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhoHelpsOthSpec: Who Helps Other Specify			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=94 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
	Boyfriend	1	1.1%
	Brother	2	2.1%
	Brother's child	1	1.1%
	Brother's wife	1	1.1%
	Cousin and cousin's	1	1.1%
	Daughter -in-law	1	1.1%
	Daughter in law	1	1.1%
	Daughter-in-law	2	2.1%
	Daughter-in-law	10	10.6%
	Domestic Worker	2	2.1%
	Domestic worke hired	1	1.1%

WhoHelpsOthSpec: Who Helps Other Specify

Value	Label	Cases	Percentage
Domestic worker		5	5.3%
Domestic worker, bro		1	1.1%
Foster child		1	1.1%
Girlfreind		1	1.1%
Girlfriend		1	1.1%
Girlfriend (my son's		1	1.1%
Grand kids		1	1.1%
Her patients		1	1.1%
Her sister's son's a		1	1.1%
Her son wife		2	2.1%
Her son wife Daughte		1	1.1%
Her sons wife		1	1.1%
Hireed a gardener to		1	1.1%
His son spouse		1	1.1%
House helper		1	1.1%
Household members		1	1.1%
Husband sister siste		1	1.1%
Its somebody (a lad		1	1.1%
Lady who looks after		1	1.1%
Late sister's son		1	1.1%
Love partner and son		1	1.1%
My brother		1	1.1%
My brother's kids fr		1	1.1%
My other son who liv		1	1.1%
My sister		3	3.2%
My sister's children		1	1.1%
My sister's daughter		1	1.1%
My sister, nephew		1	1.1%
Neibars child but as		1	1.1%
Neighbour (maid)		1	1.1%
Nephew		1	1.1%
Niece		3	3.2%
Niece, sister		1	1.1%

# WhoHelpsOthSpec: Who Helps Other Specify			
Value	Label	Cases	Percentage
Other relative		11	11.7%
Pays some people oc		1	1.1%
Relative		1	1.1%
Sister		2	2.1%
Sister in law		2	2.1%
Sister's children		1	1.1%
Sister's childrenwho		1	1.1%
Sister's son and dau		1	1.1%
Soldiers who are ren		1	1.1%
Sometimes hires some		1	1.1%
Step kids		1	1.1%
They get help from p		1	1.1%
They hire somebody a		1	1.1%
They hire somebody t		1	1.1%
care gwers		1	1.1%
great grand children		1	1.1%
other relative		1	1.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RecHelpHowLongYY: Received Help How Long Year			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=20.752 /-] [StdDev=29.337 /-]		
# RecHelpHowLongMM: Received Help How Long Months			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-] [Mean=30.735 /-] [StdDev=45.404 /-]		
# KnowsHIVStatus: Knows HIV Status			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	697	73.9%
2	No	244	25.9%
7	Missing	0	
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# WhyNeedsCare: Why Needs Care			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		

WhyNeedsCare: Why Needs Care

Value	Label	Cases	Percentage
1	HIV/AIDS related	171	18.1%
2	Health related reason	4	0.4%
3	Other reason	89	9.4%
4	Don't know	29	3.1%
7	Missing	647	68.6%
8		2	0.2%
9	Not applicable	1	0.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WhyNeedsHealthCareSpec: Why Needs Health Care Specify

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=89 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Arthrit		3	3.4%
Asthma		2	2.2%
Asthmat		2	2.2%
Athriti		7	7.9%
BP and		2	2.2%
BP, eye		1	1.1%
Bed rid		1	1.1%
Blindne		1	1.1%
Blurred		3	3.4%
Diabete		2	2.2%
Diabets		1	1.1%
Distend		1	1.1%
Epileps		1	1.1%
Firthri		1	1.1%
General		1	1.1%
HPT		10	11.2%
HPT , A		1	1.1%
HPT , D		1	1.1%
HPT , I		1	1.1%
HPT , P		1	1.1%
HPT and		1	1.1%
HPT-Hyp		1	1.1%
HPt		2	2.2%
HPt , A		2	2.2%
Headach		1	1.1%
Hyperte		14	15.7%
I am ag		1	1.1%
I am pa		1	1.1%
I have		1	1.1%
Joint p		2	2.2%
Jonts p		1	1.1%
No eye		1	1.1%

WhyNeedsHealthCareSpec: Why Needs Health Care Specify

Value	Label	Cases	Percentage
Old age		2	2.2%
Painful		3	3.4%
Palpata		1	1.1%
Paralys		1	1.1%
Shingle		1	1.1%
Social		2	2.2%
Stroke		5	5.6%
Unable		1	1.1%
Weaknes		1	1.1%
taking		1	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

WhyNeedsOtherCareSpec: Why Needs Other Care Specify

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=29 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Diabetic rx		1	3.4%
Fell and broke ankle		1	3.4%
Financial support		1	3.4%
For social problem		1	3.4%
Hypertension		5	17.2%
I am now old		1	3.4%
Joint Pains		1	3.4%
Old age		2	6.9%
Painful arm		1	3.4%
Social Problem		1	3.4%
Social problem		12	41.4%
Socila problem		1	3.4%
because I am old and		1	3.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RecCareBathing: Received Care Bathing

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	23	2.4%
2	No	918	97.3%
7	Missing	0	
9	Not Applicable	2	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RecCareEating: Received Care Eating

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=943 /-] [Invalid=0 /-]

RecCareEating: Received Care Eating

Value	Label	Cases	Percentage
1	Yes	10	1.1%
2	No	931	98.7%
7	Missing	0	
9	Not Applicable	2	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RecCareDressing: Received Care Dressing

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	19	2.0%
2	No	922	97.8%
7	Missing	0	
9	Not Applicable	2	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RecCareToileting: Received Care Toileting

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	24	2.5%
2	No	917	97.2%
7	Missing	0	
9	Not Applicable	2	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RecCareMoving: Received Care Moving

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	27	2.9%
2	No	914	96.9%
7	Missing	0	
9	Not Applicable	2	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

RecCareHygiene: Received Care Hygiene

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	20	2.1%
2	No	921	97.7%
7	Missing	0	
9	Not Applicable	2	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# RecCareMedicines: Received Care Medicines			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	44	4.7%
2	No	826	87.6%
7	Missing	0	
9	Not Applicable	73	7.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RecCareWounds: Received Care Wounds			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=519 /-] [Invalid=424 /-]	
Value	Label	Cases	Percentage
1	Yes	5	1.0%
2	No	512	98.7%
7	Missing	0	
9	Not Applicable	2	0.4%
Sysmiss		424	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RecHelpHowSatisfied: Received Help How Satisfied			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Satisfied	276	29.3%
2	Indiffent	35	3.7%
3	Dissatisfied	144	15.3%
7	Missing	482	51.1%
9		6	0.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RecHelpHowDifficult: Received Help How Difficult			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Very difficult	108	11.5%
2	A little difficult	97	10.3%
3	Not difficult	248	26.3%
7	Missing	482	51.1%
9	Not Applicable	8	0.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# CareAnyComment: Care Any Comment			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	439	46.6%

CareAnyComment: Care Any Comment

Value	Label	Cases	Percentage
2	No	502	53.2%
7	Missing	0	
9	Not Applicable	2	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

CareComment: Care Comment

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=439 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1. Explain: Needs		1	0.2%
63 year old not on p		1	0.2%
83 year old, owns a		1	0.2%
A sister from the cl		1	0.2%
Africa Centre man ca		1	0.2%
Africa Centre never		2	0.5%
After investigation		1	0.2%
All her kids died ha		1	0.2%
All my 05 children a		1	0.2%
All my children are		6	1.4%
All my children have		1	0.2%
All my grand child a		1	0.2%
All my kids died of		1	0.2%
All people who died		1	0.2%
Allinah is an old la		1	0.2%
Although I don't hav		1	0.2%
As I am giving care		1	0.2%
At times she does no		1	0.2%
Because of being in		1	0.2%
Black cat, Thandiwe,		1	0.2%
Care for 2 Hiv posit		1	0.2%

CareComment: Care Comment

Value	Label	Cases	Percentage
Cares for an old mot		1	0.2%
Clinic (Somkhele) in		1	0.2%
Clinic is very far t		1	0.2%
Collects drugs from		1	0.2%
Community care worke		1	0.2%
Complaned of in avai		1	0.2%
Deseite of my taking		1	0.2%
Desperate to get mar		1	0.2%
Didn't gey a house l		1	0.2%
Doesn't appreciate A		1	0.2%
Doesn't have childre		1	0.2%
Even when I'm sick e		1	0.2%
Financial Assistance		1	0.2%
Financial assistance		2	0.5%
Financial support is		2	0.5%
Four of my children		1	0.2%
Getrude is a divorce		1	0.2%
Getting to clinic ha		1	0.2%
Govt grant not enoug		1	0.2%
Had TB spine in 2007		1	0.2%
Had eye surgery and		1	0.2%
Has 5 grand children		1	0.2%
Has a problem about		1	0.2%
Has a problem becaus		1	0.2%
Has a son (teacher)		1	0.2%
Has been diagnosed w		1	0.2%
Has complaned of the		1	0.2%

CareComment: Care Comment

Value	Label	Cases	Percentage
Has financial proble		1	0.2%
Has got 8 children (1	0.2%
Has got two wives an		1	0.2%
Has no job , the mon		1	0.2%
He has report that h		1	0.2%
He has reported to b		1	0.2%
He mostly does not g		1	0.2%
He report that he is		1	0.2%
He reported that is		1	0.2%
He sometimes can't g		1	0.2%
Healthy looking driv		1	0.2%
Her daughter stays w		1	0.2%
Her two daughters le		1	0.2%
I Have a huge family		1	0.2%
I Noticed difficulty		1	0.2%
I allowed you Africa		1	0.2%
I always visit clini		1	0.2%
I am HIV positive an		1	0.2%
I am a prone to this		1	0.2%
I am all by myself m		1	0.2%
I am bewitched by li		1	0.2%
I am disappointed wi		1	0.2%
I am failing to conv		1	0.2%
I am living a very d		1	0.2%
I am looking after a		1	0.2%
I am looking after g		1	0.2%
I am not comfortable		1	0.2%

CareComment: Care Comment

Value	Label	Cases	Percentage
I am not getting fin		1	0.2%
I am not happy with		1	0.2%
I am not satisfied b		1	0.2%
I am not sure about		1	0.2%
I am not working , I		1	0.2%
I am not working and		1	0.2%
I am not working hav		1	0.2%
I am not working no		1	0.2%
I am now scared to g		1	0.2%
I am old and sick my		1	0.2%
I am on ARV's and I		1	0.2%
I am out of work . A		1	0.2%
I am paying someone		1	0.2%
I am satisfied		1	0.2%
I am satisfied with		2	0.5%
I am sick have a mil		1	0.2%
I am sometimes left		1	0.2%
I am staying alone w		1	0.2%
I am staying at my s		1	0.2%
I am staying with el		1	0.2%
I am staying with my		2	0.5%
I am staying with ot		1	0.2%
I am still caughing		1	0.2%
I am still mourning		1	0.2%
I am taking care of		1	0.2%
I am the only one re		1	0.2%
I am unable to do mo		1	0.2%

CareComment: Care Comment

Value	Label	Cases	Percentage
I am worried about t		1	0.2%
I am worried because		1	0.2%
I am worried if I di		1	0.2%
I am worried that th		1	0.2%
I did not receive fi		1	0.2%
I discovered that I'		1	0.2%
I do not have HIV, w		1	0.2%
I do not have money		1	0.2%
I do not want my par		1	0.2%
I do not want to che		1	0.2%
I do not want to kno		1	0.2%
I do things like coo		1	0.2%
I don't have a toile		1	0.2%
I don't have any sou		1	0.2%
I don't have prper h		1	0.2%
I don't know how I g		1	0.2%
I don't know where I		1	0.2%
I don?t like the pl		1	0.2%
I don?t have a house		2	0.5%
I don?t have an ID B		1	0.2%
I fell off from the		1	0.2%
I got HIV from my hu		1	0.2%
I got Hiv from my hu		1	0.2%
I got the sickness f		1	0.2%
I had to take him to		1	0.2%
I have a large famil		1	0.2%
I have a problem wit		1	0.2%

CareComment: Care Comment

Value	Label	Cases	Percentage
I have a question :		1	0.2%
I have a very big fa		1	0.2%
I have blurred visio		1	0.2%
I have financial pro		1	0.2%
I have grown up chil		1	0.2%
I have just discover		1	0.2%
I have just started		1	0.2%
I have many children		1	0.2%
I have poor vision I		1	0.2%
I have too many sick		1	0.2%
I just need to be be		1	0.2%
I left my partner 4		1	0.2%
I lost my car in a c		1	0.2%
I lost my wife who w		1	0.2%
I make it a point th		1	0.2%
I need a house of m		1	0.2%
I need a house for m		1	0.2%
I need a house of my		9	2.1%
I need a house or my		1	0.2%
I need a low income		1	0.2%
I need a toilet to b		1	0.2%
I need a wheel chair		2	0.5%
I need electricity i		1	0.2%
I need fencing for m		1	0.2%
I need financial sup		1	0.2%
I need food parcels		1	0.2%
I need food voucher		1	0.2%

CareComment: Care Comment

Value	Label	Cases	Percentage
I need glasses for m		1	0.2%
I need help for buil		1	0.2%
I need help for my s		1	0.2%
I need help with chi		1	0.2%
I need to eat health		1	0.2%
I need water no wate		1	0.2%
I once got dependanc		1	0.2%
I only receive assis		1	0.2%
I sometimes finds it		1	0.2%
I sometimes wish I w		1	0.2%
I stay alone my wife		1	0.2%
I stopped receiving		1	0.2%
I used to have mild		1	0.2%
I want to build my m		1	0.2%
I was badly treated		1	0.2%
I was getting sick p		1	0.2%
I was infected by my		1	0.2%
I was married to Mr		1	0.2%
I was once tested po		1	0.2%
I was so lucky not t		1	0.2%
I was told long ago		1	0.2%
I was told recently		1	0.2%
I was working for a		1	0.2%
I wish I can get som		1	0.2%
I woild like to be a		1	0.2%
I wonder if Africa C		1	0.2%
I would be glad if I		1	0.2%

CareComment: Care Comment

Value	Label	Cases	Percentage
I would be grateful		1	0.2%
I would like to get		5	1.1%
I'm staying with my		1	0.2%
I'm not working my s		1	0.2%
I'm trying to build		1	0.2%
I've got two childre		1	0.2%
I've never thought t		2	0.5%
I've not been receiv		1	0.2%
If only I can get tr		1	0.2%
If you find Hiv in m		1	0.2%
In 2009 my daughter		1	0.2%
In 2010 I was approc		1	0.2%
It is difficult to g		1	0.2%
It is mostly difficu		1	0.2%
It is right to stop		1	0.2%
It is very difficult		1	0.2%
It was easy for the		1	0.2%
Jane is very sicial		1	0.2%
Kids are always drun		1	0.2%
Looks after one lady		1	0.2%
Looks very depressed		1	0.2%
Lost 10 of her kids		1	0.2%
Lost her daughter th		1	0.2%
Lost her son in 2011		1	0.2%
Missing		8	1.8%
Mobile clinic does n		1	0.2%
Most of my children		1	0.2%
Mr Duze is a retired		1	0.2%

CareComment: Care Comment

Value	Label	Cases	Percentage
Mr Myeza got 3 wives		1	0.2%
Mr Nxumalo is on ARV		1	0.2%
Mr Shobede is known		1	0.2%
Mrs Zulu is a sangom		1	0.2%
Ms Mdamba feels like		1	0.2%
Ms Mngomezulu was re		1	0.2%
Ms Msane has sent al		1	0.2%
Ms Mthiyane is a pen		1	0.2%
Ms Tembe is Hiv posi		1	0.2%
Ms Thethwayo stays b		1	0.2%
Ms Zulu requested th		1	0.2%
My HIV does not make		1	0.2%
My House is not in g		1	0.2%
My Husband died in S		1	0.2%
My Husband is physic		1	0.2%
My brother's daughte		1	0.2%
My children are not		9	2.1%
My daughter is Hiv p		1	0.2%
My daughter is not w		1	0.2%
My daughter is very		1	0.2%
My daughter not rece		1	0.2%
My daughter who died		1	0.2%
My daughter who was		1	0.2%
My daughter-in-law i		1	0.2%
My family depends on		1	0.2%
My family is taking		1	0.2%
My financial assista		2	0.5%

CareComment: Care Comment

Value	Label	Cases	Percentage
My grandchild in on		1	0.2%
My grandchild is als		1	0.2%
My grandchild who is		1	0.2%
My heart was very so		1	0.2%
My house is in a mes		1	0.2%
My house is not in a		1	0.2%
My husband is a woma		1	0.2%
My husband left me f		1	0.2%
My husband sleeps ar		1	0.2%
My husband was a bre		1	0.2%
My husband who died		1	0.2%
My late wife who is		1	0.2%
My mom died recently		1	0.2%
My mother in law is		1	0.2%
My only son epilepti		1	0.2%
My other 02 children		1	0.2%
My other son is on H		1	0.2%
My sister in law had		1	0.2%
My sister's children		1	0.2%
My son (adopted) die		1	0.2%
My son and his famil		1	0.2%
My son got sick for		1	0.2%
My son is ill on ARV		1	0.2%
My son is late no on		1	0.2%
My son is sick not r		1	0.2%
My son is sick with		1	0.2%
My son is very sick		2	0.5%

CareComment: Care Comment

Value	Label	Cases	Percentage
My son was shot dead		1	0.2%
My wife and other ch		1	0.2%
My wife died in 2010		1	0.2%
My wife died of canc		1	0.2%
Never been to hospit		1	0.2%
No care / Support re		1	0.2%
No clean water suppl		1	0.2%
No house no water su		1	0.2%
No one is working at		1	0.2%
No one working no de		1	0.2%
No water in our area		1	0.2%
No water in our publ		1	0.2%
No water in the area		1	0.2%
No water supply , no		1	0.2%
No water supply no e		1	0.2%
Not happy with Afric		1	0.2%
Not married but part		1	0.2%
Not receiving care /		1	0.2%
Not sure when she wa		1	0.2%
On ARV healthy looki		1	0.2%
On ARV's, all her ch		1	0.2%
On ARV, widow, son a		1	0.2%
On ARV`s defaulted 3		1	0.2%
On conversation it c		1	0.2%
On pension (disabili		1	0.2%
One day I woke up wi		1	0.2%
Out of so many house		1	0.2%

CareComment: Care Comment

Value	Label	Cases	Percentage
Participant complain		1	0.2%
Participant is 61 ye		1	0.2%
Participant's wife h		1	0.2%
Pension application		1	0.2%
Please chech Hiv sta		1	0.2%
Please check kidney		1	0.2%
Please make blood su		1	0.2%
Please test for Hiv		1	0.2%
Prefers to go to pri		1	0.2%
Recently I became Ep		1	0.2%
Rejoice is Hiv posit		1	0.2%
Requested to be call		1	0.2%
Requested to be phon		1	0.2%
Requests HIV tests a		1	0.2%
Respondent and daugh		1	0.2%
Right eye is complet		1	0.2%
Sbongile is a very p		1	0.2%
Sent her 2 children		1	0.2%
She complaining abou		1	0.2%
She complains that s		1	0.2%
She complaned of a h		1	0.2%
She complaned of the		1	0.2%
She has an Hiv posit		1	0.2%
She has report to be		1	0.2%
She is the main fina		1	0.2%
She is unhappy becou		1	0.2%
She is worried about		1	0.2%

CareComment: Care Comment

Value	Label	Cases	Percentage
She mostly can't get		1	0.2%
She need a wheel cha		1	0.2%
She stays in one sha		1	0.2%
She still cooks if h		1	0.2%
She was once started		1	0.2%
Since I started my A		1	0.2%
Someone from Afrca C		1	0.2%
Someone from Africa		1	0.2%
Sometimes at the cli		1	0.2%
Sometimes there is n		1	0.2%
Son stays somewhere		1	0.2%
Speech is detoriatin		1	0.2%
Spouse is married to		1	0.2%
Spouse is very reluc		1	0.2%
Spouse passed away a		1	0.2%
Spouse tested negati		1	0.2%
Stays alone was prom		1	0.2%
Stays alone, childre		1	0.2%
Stays with his broth		1	0.2%
Stays with nephew fo		1	0.2%
Still lives here but		1	0.2%
Survived TB spine ba		1	0.2%
Takes care of her 93		1	0.2%
The only problem we		1	0.2%
The care we receive		1	0.2%
The financial assist		5	1.1%
The last time I chec		1	0.2%

CareComment: Care Comment

Value	Label	Cases	Percentage
The last time I dona		1	0.2%
The money I am gett		1	0.2%
The municipality org		1	0.2%
The only problem I h		1	0.2%
The water tap is ver		1	0.2%
There is an ongoing		1	0.2%
There is no one work		1	0.2%
There is no safe wat		1	0.2%
There is no source o		1	0.2%
There is no water in		1	0.2%
There is sometimes n		1	0.2%
They stopped my disa		1	0.2%
This is between Afri		1	0.2%
Unemployed had a str		1	0.2%
Upset for Africa Cen		1	0.2%
Upset with clinic mo		1	0.2%
Use to have cramps a		1	0.2%
Very unhappy about t		1	0.2%
Very unhappy with da		1	0.2%
Water problem to ir		1	0.2%
Water is a problem i		1	0.2%
We are all sick at h		1	0.2%
We don?t have water		1	0.2%
We have a child who		1	0.2%
We have a prblem of		1	0.2%
We have flush toilet		1	0.2%
We have water supply		1	0.2%

# CareComment: Care Comment			
Value	Label	Cases	Percentage
We need water , elec		1	0.2%
We need water supply		1	0.2%
Weak completed TB tr		1	0.2%
When I gave birth (h		1	0.2%
Whenever there is a		1	0.2%
Widow hubby passed a		1	0.2%
Widow, she was teste		1	0.2%
Wife died in 2008 no		1	0.2%
Wife passed away in		1	0.2%
Will not give her bl		1	0.2%
Wish for waterkan to		1	0.2%
Works in Gauteng has		1	0.2%
Worried about her di		1	0.2%
Zethu changed reside		1	0.2%
my feet are very pai		1	0.2%
my grand children ar		1	0.2%
needs financial assi		1	0.2%
no one is working at		1	0.2%
sara is Hypertensive		1	0.2%
she complain that sh		1	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LearnedHIVYearsAgo: Learned HIV Years Ago			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=524 /-] [Invalid=419 /-] [Mean=8.082 /-] [StdDev=18.891 /-]		
# LearnedHIVMonthsAgo: Learned HIV Months Ago			
Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]		
Statistics [NW/ W]	[Valid=524 /-] [Invalid=419 /-] [Mean=19.834 /-] [StdDev=38.544 /-]		
# HealthWhenLearnedHIV: Health When Learned HIV			
Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=524 /-] [Invalid=419 /-]		

HealthWhenLearnedHIV: Health When Learned HIV

Value	Label	Cases	Percentage
1		194	37.0%
2		158	30.2%
3		172	32.8%
Systemmiss		419	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LearnedHIVSickBeforeYY: Learned HIV Sick Before Year

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=524 /-] [Invalid=419 /-] [Mean=42.233 /-] [StdDev=47.994 /-]

LearnedHIVSickBeforeMM: Learned HIV Sick Before Months

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=524 /-] [Invalid=419 /-] [Mean=41.368 /-] [StdDev=45.927 /-]

# MovedSinceLearnedHIV: Moved Since Learned HIV			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=524 /-] [Invalid=419 /-]		
Value	Label	Cases	Percentage
1	Yes	37	7.1%
2	No	486	92.7%
7	Missing	0	
9	Not Applicable	1	0.2%
Sysmiss		419	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MovedWhyNeededCare: Moved Why Needed Care			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=524 /-] [Invalid=419 /-]		
Value	Label	Cases	Percentage
1	Yes	6	1.1%
2	No	4	0.8%
7	Missing	0	
9	Not Applicable	514	98.1%
Sysmiss		419	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MovedWhyFailedRent: Moved Why Failed Rent			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=524 /-] [Invalid=419 /-]		
Value	Label	Cases	Percentage
1	Yes	1	0.2%
2	No	6	1.1%
7	Missing	0	
9	Not Applicable	517	98.7%
Sysmiss		419	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MovedWhyStigma: Moved Why Stigma			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=524 /-] [Invalid=419 /-]		
Value	Label	Cases	Percentage
1	Yes	3	0.6%
2	No	6	1.1%
7	Missing	0	
9	Not Applicable	515	98.3%
Sysmiss		419	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# MovedWhyFeltBetter: Moved Why Felt Better			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=524 /-] [Invalid=419 /-]		

MovedWhyFeltBetter: Moved Why Felt Better

Value	Label	Cases	Percentage
1	Yes	1	0.2%
2	No	6	1.1%
7	Missing	0	
9	Not Applicable	517	98.7%
Sysmiss		419	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MovedAsOthSpec: Moved As Other Specify

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	-------------------------------------------------

Statistics [NW/ W]	[Valid=24 /-] [Invalid=0 /-]
---------------------------	------------------------------

Value	Label	Cases	Percentage
Angry		1	4.2%
Family conflict		1	4.2%
Got her own house no		1	4.2%
Got my RDP house		1	4.2%
Got own site		1	4.2%
I left my partner		1	4.2%
I wanted to build my		1	4.2%
Marriage issues sort		1	4.2%
Moved by Mine		1	4.2%
Moved from where I w		1	4.2%
Needed more space		1	4.2%
Needed to be with fa		1	4.2%
Needed to care for b		1	4.2%
Neighbourhood not he		1	4.2%
She was staying alon		1	4.2%
Stopped working		1	4.2%
To be with partner		1	4.2%
To live on my own		1	4.2%
Took over my parents		1	4.2%
Violence in the plac		1	4.2%
Wanted bigger space		1	4.2%
Was sick and there w		1	4.2%
We bought another si		1	4.2%

# MovedAsOthSpec: Moved As Other Specify			
Value	Label	Cases	Percentage
no apparent reason		1	4.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HealthLast3m: Health Last 3 Months			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=524 /-] [Invalid=419 /-]		
Value	Label	Cases	Percentage
1	Very Good	192	36.6%
2	Good	240	45.8%
3	Moderate	91	17.4%
4	Bad	0	
5	Very Bad	0	
7	Missing	0	
9	Not Applicable	1	0.2%
Sysmiss		419	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L3mAppetite: Last 3 Months Appetite			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	302	32.0%
1	Yes	8	0.8%
7	Missing	633	67.1%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L3mNauseaVomiting: Last 3 Months Nausea/Vomiting			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	303	32.1%
1	Yes	7	0.7%
7	Missing	633	67.1%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L3mMemoryLoss: Last 3 Months Memory Loss			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=310 /-] [Invalid=633 /-]		
Value	Label	Cases	Percentage
0	No	304	98.1%
1	Yes	6	1.9%
7	Missing	0	
9	Not Applicable	0	
Sysmiss		633	

# L3mMemoryLoss: Last 3 Months Memory Loss			
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L3mBowelBladderControl: Last 3 Months Bowel Bladder Control			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	305	32.3%
1	Yes	5	0.5%
7	Missing	633	67.1%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L3mDryItchySkin: Last 3 Months Dry Itchy Skin			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	301	31.9%
1	Yes	9	1.0%
7	Missing	633	67.1%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L3mBedSores: Last 3Months Bed Sores			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	310	32.9%
1	Yes	0	
7	Missing	633	67.1%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L3mPainfulWounds: Last 3 Months Painful Wounds			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=524 /-] [Invalid=419 /-]	
Value	Label	Cases	Percentage
0	No	519	99.0%
1	Yes	5	1.0%
7	Missing	0	
9	Not Applicable	0	
Sysmiss		419	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L3mHerpesZoster: Last 3 Months Herpes Zoster			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	513	54.4%

L3mHerpesZoster: Last 3 Months Herpes Zoster

Value	Label	Cases	Percentage
1	Yes	11	1.2%
7	Missing	419	44.4%
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

L3mConstipation: Last 3 Months Constipation

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	307	32.6%
1	Yes	3	0.3%
7	Missing	633	67.1%
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

L3mPainInBody: Last 3 Months Pain In Body

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=524 /-] [Invalid=419 /-]

Value	Label	Cases	Percentage
0	No	406	77.5%
1	Yes	118	22.5%
7	Missing	0	
9	Not Applicable	0	
Sysmiss		419	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

L3mNightSweats: Last 3 Months Night Sweats

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	502	53.2%
1	Yes	22	2.3%
7	Missing	419	44.4%
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

L3mCannotSleep: Last 3 Months Cannot Sleep

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	503	53.3%
1	Yes	21	2.2%
7	Missing	419	44.4%
9	Not Applicable	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# L3mChestPain: Last 3 Months Chest Pain			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	455	48.3%
1	Yes	69	7.3%
7	Missing	419	44.4%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L3mMouthThroatDisco: Last 3 Months Mouth Throat/Disco			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	305	32.3%
1	Yes	5	0.5%
7	Missing	633	67.1%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L3mDehydration: Last 3 Months Dehydration			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	0	
1	Yes	3	0.3%
7	Missing	940	99.7%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L3mFatigue: Last 3 Months Fatigue			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	290	30.8%
1	Yes	20	2.1%
7	Missing	633	67.1%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L3mOthSpec: Last 3 Months Other Specify			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=158 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Abdominal crames		1	0.6%
Allergic rash		1	0.6%
Anorexia		1	0.6%

L3mOthSpec: Last 3 Months Other Specify

Value	Label	Cases	Percentage
Bachache		1	0.6%
Back ache		5	3.2%
Back pain		1	0.6%
Back pain and dizzyn		1	0.6%
Backache and knee pa		1	0.6%
Blocked nose		1	0.6%
Blocked nose, weakne		1	0.6%
Blurred Vision		1	0.6%
Body weak, right kne		1	0.6%
Canstipation		1	0.6%
Constipation , Painf		1	0.6%
Diarhoea		1	0.6%
Diarrhoea		1	0.6%
Discomfort in the st		1	0.6%
Dizziness		2	1.3%
Dizziness, Hallucina		1	0.6%
Dizzyness		2	1.3%
Dizzyness (Occassio		1	0.6%
Epilepsy		1	0.6%
Eye ache		1	0.6%
Eye problem and red,		1	0.6%
Feeling some pains b		1	0.6%
Flu		1	0.6%
Flu, Shingles		1	0.6%
Fracture right leg		1	0.6%
Fractured right ankl		1	0.6%
General Body Malaise		1	0.6%
General body malaise		1	0.6%
Generalized body mal		1	0.6%
Gought		1	0.6%
Haemorrholds		1	0.6%
Hallucinations		1	0.6%
Has not gone back to		1	0.6%
Headache		10	6.3%

L3mOthSpec: Last 3 Months Other Specify

Value	Label	Cases	Percentage
Headache , Dizziness		1	0.6%
Headache , lower abd		1	0.6%
Headache, Food poiso		1	0.6%
Headache, lump under		1	0.6%
Headache, painful kn		1	0.6%
Herper Zoster , Head		1	0.6%
Itchiness of scalp		1	0.6%
Itchy and painful ey		1	0.6%
Itchy eyes and face		1	0.6%
Joint Pains		1	0.6%
Joint pain		3	1.9%
Joint pains		3	1.9%
Joints are stiff		1	0.6%
Knees and backache		1	0.6%
Loosing weight		1	0.6%
Loosong Weight		1	0.6%
Lower abdominal pain		3	1.9%
Malaise		1	0.6%
Mild back ache		2	1.3%
Mild pain in right l		1	0.6%
Mouth sores		1	0.6%
Muscle weakness		2	1.3%
My ankles sometimes		1	0.6%
My blood sugat level		1	0.6%
Neck stiffness, numb		1	0.6%
None other than pain		1	0.6%
Pain in between shou		1	0.6%
Pain in feet		1	0.6%
Pain in knees		3	1.9%
Pain in muscles		1	0.6%
Pain in right leg		1	0.6%
Pain in testes		1	0.6%

L3mOthSpec: Last 3 Months Other Specify

Value	Label	Cases	Percentage
Pain in the kianey r		1	0.6%
Pain in the knees		1	0.6%
Pain in the right kn		1	0.6%
Pain on knee joint		1	0.6%
Pain on legs		2	1.3%
Pain under breasts		1	0.6%
Painful feet		1	0.6%
Painful fees and han		1	0.6%
Painful feet		8	5.1%
Painful feet , diffi		1	0.6%
Painful feet , growt		1	0.6%
Painful feet and ski		1	0.6%
Painful feets		1	0.6%
Painful feets , tong		1	0.6%
Painful feets and Di		1	0.6%
Painful joints (knee		1	0.6%
Painful knees		2	1.3%
Painful left leg wit		1	0.6%
Painful leg		2	1.3%
Painful macturition		1	0.6%
Painful re leg		1	0.6%
Painful womb		1	0.6%
Painfulfeet & kness		1	0.6%
Pv Discharge per vag		1	0.6%
Runny tummy, muscle		1	0.6%
Sharp pains		1	0.6%
Shingles		3	1.9%
Shingles and pain on		1	0.6%
Skin rash for one we		1	0.6%
Skin rash on body an		1	0.6%
Spine ache		1	0.6%
Stiff muscles		2	1.3%

L3mOthSpec: Last 3 Months Other Specify

Value	Label	Cases	Percentage
Stomach ache		1	0.6%
Swollen ankles		1	0.6%
TB		2	1.3%
The grandson says sh		1	0.6%
Tight chest		1	0.6%
Ulcer		1	0.6%
Ulcers		1	0.6%
Ulcers, weakness of		1	0.6%
Vaginal bleding , lo		1	0.6%
Very painful joints,		1	0.6%
Weakness of the body		1	0.6%
Weight loss		3	1.9%
Weiht loss		1	0.6%
cant do activities o		1	0.6%
headache		1	0.6%
pains (hand)		1	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

BeforeARVCare: Before ARV Care

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=524 /-] [Invalid=419 /-]

Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
7	Missing	0	
9	Not Applicable	524	100.0%
Sysmiss		419	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ARVsHowLongYY: ARVs How Long Year

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=214 /-] [Invalid=729 /-] [Mean=44.299 /-] [StdDev=47.291 /-]

ARVsHowLongMM: ARVs How Long Months

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=214 /-] [Invalid=729 /-] [Mean=53.907 /-] [StdDev=47.947 /-]

ARVsHowLongWW: ARVs How Long Weeks

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=214 /-] [Invalid=729 /-] [Mean=65.313 /-] [StdDev=46.103 /-]

ARVprobSideEffects: ARV Problem Side Effects

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
--------------------	------------------------------------------------------------

# ARVprobSideEffects: ARV Problem Side Effects			
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	368	39.0%
1	Yes	156	16.5%
7	Missing	419	44.4%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVprobForgets: ARV Problem Forgets			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	514	54.5%
1	Yes	10	1.1%
7	Missing	419	44.4%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVprobFoods: ARV Problem Foods			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	519	55.0%
1	Yes	5	0.5%
7	Missing	419	44.4%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVprobNone: ARV Problem None			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	387	41.0%
1	Yes	137	14.5%
7	Missing	419	44.4%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVprobOthSpec: ARV PROBLEM Other Specify			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=26 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
	Abcesse	1	3.8%
	Anorexi	1	3.8%
	Body pa	1	3.8%
	Body sh	1	3.8%
	But sin	1	3.8%

# ARVprobOthSpec: ARV PROBLEM Other Specify			
Value	Label	Cases	Percentage
Had TB		1	3.8%
Her ARV		1	3.8%
Itchy s		1	3.8%
My brea		1	3.8%
My tumm		1	3.8%
No side		4	15.4%
None		7	26.9%
Pain in		1	3.8%
Ulcers/		1	3.8%
Used to		1	3.8%
Wanting		1	3.8%
Weight		1	3.8%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVsideEffSkin: ARV Side Effect Skin			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	84	8.9%
2	No	303	32.1%
7	Missing	419	44.4%
9	Not Applicable	137	14.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVsideEffYellowEyes: ARV Side Effect Yellow Eyes			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	1	0.1%
2	No	386	40.9%
7	Missing	419	44.4%
9	Not Applicable	137	14.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVsideEffWeakness: ARV Side Effect Weakness			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	47	5.0%
2	No	340	36.1%
7	Missing	419	44.4%
9	Not Applicable	137	14.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVsideEffPain: ARV Side Effect Pain			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		

# ARVsideEffPain: ARV Side Effect Pain			
Value	Label	Cases	Percentage
1	Yes	65	6.9%
2	No	322	34.1%
7	Missing	419	44.4%
9	Not Applicable	137	14.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVsideEffNausea: ARV Side Effect Nausea			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	34	3.6%
2	No	353	37.4%
7	Missing	419	44.4%
9	Not Applicable	137	14.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVsideEffDiarrhoea: ARV Side Effect Diarrhoea			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	45	4.8%
2	No	341	36.2%
7	Missing	419	44.4%
9	Not Applicable	138	14.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVsideEffHallucinations: ARV Side Effect Hallucinations			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	50	5.3%
2	No	337	35.7%
7	Missing	419	44.4%
9	Not Applicable	137	14.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVsideEffBadDreams: ARV Side Effect Bad Dreams			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	70	7.4%
2	No	316	33.5%
7	Missing	419	44.4%
9	Not Applicable	138	14.6%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# ARVsideEffSelfHate: ARV Side Effect Self Hate			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	14	1.5%
2	No	373	39.6%
7	Missing	419	44.4%
9	Not Applicable	137	14.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVsideEffFears: ARV Side Effect Fears			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	34	3.6%
2	No	353	37.4%
7	Missing	419	44.4%
9	Not Applicable	137	14.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVsideEffSadness: ARV Side Effect Sadness			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	29	3.1%
2	No	356	37.8%
7	Missing	419	44.4%
9	Not Applicable	139	14.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVsideEffUnreasonable: ARV Side Effect Unreasonable			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	33	3.5%
2	No	354	37.5%
7	Missing	419	44.4%
9	Not Applicable	137	14.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVsideEffOthSpec: ARV Side Effect Other Specify			
Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=83 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
	Abcesses	1	1.2%
	Aching feet	1	1.2%
	Appetite loss	1	1.2%
	Back ache	1	1.2%

ARVsideEffOthSpec: ARV Side Effect Other Specify

Value	Label	Cases	Percentage
Backache		1	1.2%
Body shape		1	1.2%
Body shape changed		4	4.8%
Body shape changed,		1	1.2%
Body soled		1	1.2%
Both legs are stiff		1	1.2%
Change in body shape		1	1.2%
Change in the body		1	1.2%
Change in the body s		1	1.2%
Dizzines , Painful f		1	1.2%
Dizziness		6	7.2%
Dizzyness and Headac		1	1.2%
Drowziness		1	1.2%
Drowziness, Headache		1	1.2%
Engorged Blood Vesse		1	1.2%
Engorged Veins		1	1.2%
Excessive secretion		1	1.2%
Fast heart beating		1	1.2%
Gets hungry more aft		1	1.2%
Headache		1	1.2%
Headache the Diarrho		1	1.2%
I was aging very fas		1	1.2%
Itching around the e		1	1.2%
Itchy skin		2	2.4%
Itchyness of skin bu		1	1.2%
Loss of appetite		1	1.2%
Lower abdominal pain		2	2.4%
Lymphadenopathy		1	1.2%
Metabolic acidosis		1	1.2%
Mouth ulcers		1	1.2%
Muscle weakness and		1	1.2%

# ARVsideEffOthSpec: ARV Side Effect Other Specify			
Value	Label	Cases	Percentage
My weight was 1 kg I		1	1.2%
Notices changes in h		1	1.2%
Pain ful feet (4 yea		1	1.2%
Pain in the body		1	1.2%
Pain in the body and		1	1.2%
Painful fees		1	1.2%
Painful feet		6	7.2%
Painful feet , Dizzi		1	1.2%
Painful feet Still e		1	1.2%
Painful feet still h		1	1.2%
Painful feet with cr		1	1.2%
Painful fet		1	1.2%
Painful rt foot 03 d		1	1.2%
Rash		1	1.2%
Red eyes		1	1.2%
Shingles		2	2.4%
Still having		1	1.2%
Swollen feet		2	2.4%
TB		1	1.2%
Ulcer, painful right		1	1.2%
Unable to sleep no b		1	1.2%
Vericise veins		1	1.2%
Vomiting		1	1.2%
Weight loss		5	6.0%
in somnia		1	1.2%
inability for sleep		1	1.2%
weight loss		1	1.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVsideEffNweeks: ARV Side Effect Number Weeks			
Information	[Type= continuous] [Format=numeric] [Range= 0-260] [Missing=*]		
Statistics [NW/ W]	[Valid=524 /-] [Invalid=419 /-] [Mean=60.966 /-] [StdDev=44.807 /-]		
# ARVsideEffStill: ARV Side Effect Still			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	Yes	96	10.2%

# ARVsideEffStill: ARV Side Effect Still			
Value	Label	Cases	Percentage
2	No	143	15.2%
7	Missing	419	44.4%
9	Not Applicable	285	30.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# ARVsideEffChangedRegimen: ARV Side Effect Changed Regimen			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=524 +/-] [Invalid=419 +/-]		
Value	Label	Cases	Percentage
1	Yes	62	11.8%
2	No	178	34.0%
7	Missing	0	
9	Not Applicable	284	54.2%
Sysmiss		419	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# HealthImprovedOnARVs: Health Improved On ARVs			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=524 +/-] [Invalid=419 +/-]		
Value	Label	Cases	Percentage
1	Very much	290	55.3%
2	Same as before	86	16.4%
3	Is worse	11	2.1%
7	Missing	135	25.8%
9		2	0.4%
Sysmiss		419	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# RemindedToTakeARVs: Reminded To Take ARVs			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=524 /-] [Invalid=419 /-]	
Value	Label	Cases	Percentage
1	Daily or almost daily	34	6.5%
2	Several times a week	12	2.3%
3	Only once in a while	28	5.3%
4	Rarely or never	257	49.0%
5	At first but not now	54	10.3%
6	Other	0	
7	Missing	135	25.8%
9		4	0.8%
Sysmiss		419	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# RemindedToTakeARVsOthSpec: Reminded To Take ARVs Other Specify			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=7 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
	Never	3	42.9%
	No	1	14.3%
	Nobody knows	1	14.3%
	Radio is his reminde	1	14.3%
	There is no one	1	14.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AccompaniedToClinic: Accompanied To Clinic			
Information		[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]	
Statistics [NW/ W]		[Valid=524 /-] [Invalid=419 /-]	
Value	Label	Cases	Percentage
1	Yes, always	13	2.5%
2	Yes, sometimes	8	1.5%
3	Only when feeling sick	13	2.5%
4	No	355	67.7%
7	Missing	135	25.8%
Sysmiss		419	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# AccompaniesToClinicWho: Accompanies To Clinic Who			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=524 /-] [Invalid=419 /-]	
Value	Label	Cases	Percentage
1	Family member	30	5.7%
2	Friend	0	
3	Community Volunteer	3	0.6%
7	Missing	490	93.5%
9		1	0.2%

# AccompaniesToClinicWho: Accompanies To Clinic Who			
Value	Label	Cases	Percentage
Systemmiss		419	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wDiarrhoea: Last 2 Weeks Diarrhoea			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	881	93.4%
1	Yes	62	6.6%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wVomiting: Last 2 Weeks Vomiting			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	931	98.7%
1	Yes	12	1.3%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wConfused: Last 2 Weeks Confused			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	938	99.5%
1	Yes	5	0.5%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wNausea: Last 2 Weeks Nausea			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	No	941	99.8%
1	Yes	2	0.2%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wItchySkin: Last 2 Weeks Itchy Skin			
Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		

# L2wItchySkin: Last 2 Weeks Itchy Skin			
Value	Label	Cases	Percentage
0	No	861	91.3%
1	Yes	82	8.7%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wIncontinence: Last 2 Weeks Incontinence			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	941	99.8%
1	Yes	2	0.2%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wHerpesZoster: Last 2 Weeks Herpes/Zoster			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	939	99.6%
1	Yes	4	0.4%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wWeak: Last 2 Weeks Weak			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	903	95.8%
1	Yes	40	4.2%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wNightSweats: Last 2 Weeks Night Sweats			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=424 /-] [Invalid=519 /-]	
Value	Label	Cases	Percentage
0	No	386	91.0%
1	Yes	38	9.0%
7	Missing	0	
9	Not Applicable	0	
Sysmiss		519	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# L2wPainSwallowing: Last 2 Weeks Pain Swallowing			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=424 /-] [Invalid=519 /-]	
Value	Label	Cases	Percentage
0	No	423	99.8%
1	Yes	1	0.2%
7	Missing	0	
9	Not Applicable	0	
Sysmiss		519	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# L2wFever: Last 2 Weeks Fever			
Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	No	892	94.6%
1	Yes	51	5.4%
7	Missing	0	
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncSitting: Function Sitting			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	169	17.9%
2	Mild	121	12.8%
3	Moderate	95	10.1%
4	Severe	38	4.0%
5	Extreme/cannot do	1	0.1%
7	Missing	519	55.0%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncWalkingShort: Function Walking Short			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	185	19.6%
2	Mild	137	14.5%
3	Moderate	64	6.8%
4	Severe	25	2.7%
5	Extreme/cannot do	13	1.4%
7	Missing	519	55.0%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

# FuncStandingUp: Function Standing Up			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=424 /-] [Invalid=519 /-]	
Value	Label	Cases	Percentage
1	None	130	30.7%
2	Mild	140	33.0%
3	Moderate	109	25.7%
4	Severe	39	9.2%
5	Extreme/cannot do	6	1.4%
7	Missing	0	
9	Not Applicable	0	
Sysmiss		519	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncClimbingStairs: Function Climbing Stairs			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	129	13.7%
2	Mild	120	12.7%
3	Moderate	126	13.4%
4	Severe	32	3.4%
5	Extreme/cannot do	17	1.8%
7	Missing	519	55.0%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncStooping: Function Stooping			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	53	5.6%
2	Mild	122	12.9%
3	Moderate	151	16.0%
4	Severe	59	6.3%
5	Extreme/cannot do	38	4.0%
7	Missing	519	55.0%
9	Not Applicable	1	0.1%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncPickingUp: Function Picking Up			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	310	32.9%
2	Mild	92	9.8%
3	Moderate	18	1.9%

# FuncPickingUp: Function Picking Up			
Value	Label	Cases	Percentage
4	Severe	3	0.3%
5	Extreme/cannot do	1	0.1%
7	Missing	519	55.0%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncMoving: Function Moving			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=424 /-] [Invalid=519 /-]	
Value	Label	Cases	Percentage
1	None	330	77.8%
2	Mild	61	14.4%
3	Moderate	14	3.3%
4	Severe	11	2.6%
5	Extreme/cannot do	8	1.9%
7	Missing	0	
9	Not Applicable	0	
Sysmiss		519	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncInterference: Function Interference			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	None	28	3.0%
2	Mild	142	15.1%
3	Moderate	170	18.0%
4	Severe	67	7.1%
5	Extreme/cannot do	11	1.2%
6		1	0.1%
7	Missing	519	55.0%
9	Not Applicable	5	0.5%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# FuncOtherDevices: Function Other Devices			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=424 /-] [Invalid=519 /-]	
Value	Label	Cases	Percentage
1	Yes	51	12.0%
2	No	363	85.6%
7	Missing	0	
9	Not Applicable	10	2.4%
Sysmiss		519	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LungDisEverDiag: Ever Diagnosed Lung Disorder			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	

# LungDisEverDiag: Ever Diagnosed Lung Disorder			
Statistics [NW/ W]		[Valid=424 /-] [Invalid=519 /-]	
Value	Label	Cases	Percentage
1	Yes	7	1.7%
2	No	416	98.1%
7	Missing	0	
9	Not Applicable	1	0.2%
Sysmiss		519	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LungDisHowLongDiag: How Long Diagnosed Lung Disorder			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=424 /-] [Invalid=519 /-]	
Value	Label	Cases	Percentage
1		1	0.2%
3		5	1.2%
7		417	98.3%
9		1	0.2%
Sysmiss		519	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LungDisTmtLast2w: Lung Disorder Treatment Last 2 Weeks			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	0	
2	No	6	0.6%
7	Missing	519	55.0%
9	Not Applicable	418	44.3%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LungDisTmtLast12m: Lung Disorder Treatment Last 12 Months			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=424 /-] [Invalid=519 /-]	
Value	Label	Cases	Percentage
1	Yes	2	0.5%
2	No	4	0.9%
7	Missing	0	
9	Not Applicable	418	98.6%
Sysmiss		519	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LungDisShortBreath: Lung Disorder Short Breath			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	25	2.7%
2	No	399	42.3%

# LungDisShortBreath: Lung Disorder Short Breath			
Value	Label	Cases	Percentage
7	Missing	519	55.0%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LungDisCough10min: Lung Disorder Cough 10 minutes			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	40	4.2%
2	No	384	40.7%
7	Missing	519	55.0%
9	Not Applicable	0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LungDisCoughMostDays: Lung Disorder Cough Most Days			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	16	1.7%
2	No	406	43.1%
7	Missing	519	55.0%
9	Not Applicable	2	0.2%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LungDisSympLast2w: Lung Disorder Symptoms Last 2 Weeks			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	23	2.4%
2	No	27	2.9%
7	Missing	519	55.0%
9	Not Applicable	374	39.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LungDisMedLast2w: Lung Disorder Medicine Last 2 Weeks			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1	Yes	16	1.7%
2	No	34	3.6%
7	Missing	519	55.0%
9	Not Applicable	374	39.7%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# LungDisMedLast12m: Lung Disorder Medicine Last 12 Months			
Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]	
Statistics [NW/ W]		[Valid=943 /-] [Invalid=0 /-]	

LungDisMedLast12m: Lung Disorder Medicine Last 12 Months

Value	Label	Cases	Percentage
1	Yes	13	1.4%
2	No	37	3.9%
7	Missing	519	55.0%
9	Not Applicable	374	39.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LungDisTBtestLast12m: Lung Disorder TB Test Last 12 Months

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=424 /-] [Invalid=519 /-]

Value	Label	Cases	Percentage
1	Yes	138	32.5%
2	No	279	65.8%
7	Missing	0	
9	Not Applicable	7	1.7%
Sysmiss		519	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

LungDisCoughedBlood: Lung Disorder Coughed Blood

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Yes	0	
2	No	0	
7	Missing	519	55.0%
9	Not Applicable	424	45.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DisSymp4wFever: Disease Symptoms 4 Weeks Fever

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=424 /-] [Invalid=519 /-]

Value	Label	Cases	Percentage
1	Yes	68	16.0%
2	No	356	84.0%
7	Missing	0	
9	Not Applicable	0	
Sysmiss		519	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DisSymp4wGastro: Disease Symptoms 4 Weeks Gastro

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=424 /-] [Invalid=519 /-]

Value	Label	Cases	Percentage
1	Yes	99	23.3%
2	No	325	76.7%
7	Missing	0	
9	Not Applicable	0	

# DisSymp4wGastro: Disease Symptoms 4 Weeks Gastro			
Value	Label	Cases	Percentage
Sysmiss		519	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DisSymp4wResp: Disease Symptoms 4 Weeks Resp			
Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]	[Valid=424 /-] [Invalid=519 /-]		
Value	Label	Cases	Percentage
1	Yes	105	24.8%
2	No	319	75.2%
7	Missing	0	
9	Not Applicable	0	
Sysmiss		519	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# DisSymp4wSkin			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=424 /-] [Invalid=519 /-]		
Value	Label	Cases	Percentage
1		113	26.7%
2		311	73.3%
Sysmiss		519	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# Wave: Wave			
Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=943 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		424	45.0%
2		519	55.0%
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			