

**South Africa**

**Child Psychometric Scales.V1.0**

**Study Documentation**

August 4, 2017

# Metadata Production

<b>Metadata Producer(s)</b>	Sweetness H. Dube (SHD) , Africa Health Research Institute , Data Documentation Archivist
<b>Production Date</b>	August 4, 2017
<b>Identification</b>	DDI.Child.Psychometric.Scales

# Table of Contents

<a href="#">Overview</a> .....	4
<a href="#">Data Collection</a> .....	4
<a href="#">Files Description</a> .....	5
<a href="#">ChildPsychometricScales</a> .....	5
<a href="#">Variables List</a> .....	6
<a href="#">ChildPsychometricScales</a> .....	6
<a href="#">Variables Description</a> .....	8
<a href="#">ChildPsychometricScales</a> .....	9

## Child Psychometric Scales.V1.0

### Overview

<b>Identification</b>	Child.Psychometric.Scales.V1.0
<b>Version</b>	Production Date: 2017-08-04
<b>Unit of Analysis</b>	Individual

<b>Topics</b>	Childs Psychometric Scales
<b>Time Period(s)</b>	2017
<b>Countries</b>	South Africa

### Data Collection

<b>Data Collection Dates</b>	start 2017-08-04 end 2017-08-04
<b>Time Period(s)</b>	start 2017-08-04 end 2017-08-04
<b>Data Collection Mode</b>	Face-to-face [f2f]

# Files Description

Dataset contains 1 file(s)

<b>ChildPsychometricScales</b>	
<b># Cases</b>	380
<b># Variable(s)</b>	53

# Variables List

Dataset contains 53 variable(s)

File ChildPsychometricScales							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	<a href="#">PID</a>	Unique participant identifier	continuous	numeric-12.0	380	0	-
2	<a href="#">Timepoint</a>	Follow-up visit sequence	discrete	numeric-12.0	380	0	-
3	<a href="#">sc1raw</a>	AnxDep Raw Score	discrete	numeric-12.0	380	0	-
4	<a href="#">sc1t</a>	AnxDep Percentile	continuous	numeric-12.0	380	0	-
5	<a href="#">sc1pct</a>	AnxDep t Score	continuous	numeric-12.0	380	0	-
6	<a href="#">sc2raw</a>	WithDep Raw Score	discrete	numeric-12.0	380	0	-
7	<a href="#">sc2t</a>	WithDep Percentile	continuous	numeric-12.0	380	0	-
8	<a href="#">sc2pct</a>	WithDep t Score	continuous	numeric-12.0	380	0	-
9	<a href="#">sc3raw</a>	Somatic Raw Score	discrete	numeric-12.0	380	0	-
10	<a href="#">sc3t</a>	Somatic Percentile	continuous	numeric-12.0	380	0	-
11	<a href="#">sc3pct</a>	Somatic t Score	continuous	numeric-12.0	380	0	-
12	<a href="#">sc4raw</a>	Social Raw Score	discrete	numeric-12.0	380	0	-
13	<a href="#">sc4t</a>	Social Percentile	continuous	numeric-12.0	380	0	-
14	<a href="#">sc4pct</a>	Social t Score	continuous	numeric-12.0	380	0	-
15	<a href="#">sc5raw</a>	Thought Raw Score	discrete	numeric-12.0	380	0	-
16	<a href="#">sc5t</a>	Thought Percentile	continuous	numeric-12.0	380	0	-
17	<a href="#">sc5pct</a>	Thought t Score	continuous	numeric-12.0	380	0	-
18	<a href="#">sc6raw</a>	Attention Raw Score	discrete	numeric-12.0	380	0	-
19	<a href="#">sc6t</a>	Attention Percentile	continuous	numeric-12.0	380	0	-
20	<a href="#">sc6pct</a>	Attention t Score	continuous	numeric-12.0	380	0	-
21	<a href="#">sc7raw</a>	RuleBreak Raw Score	discrete	numeric-12.0	380	0	-
22	<a href="#">sc7t</a>	RuleBreak Percentile	continuous	numeric-12.0	380	0	-
23	<a href="#">sc7pct</a>	RuleBreak t Score	continuous	numeric-12.0	380	0	-
24	<a href="#">sc8raw</a>	Aggressive Raw Score	continuous	numeric-12.0	380	0	-
25	<a href="#">sc8t</a>	Aggressive Percentile	continuous	numeric-12.0	380	0	-
26	<a href="#">sc8pct</a>	Aggressive t Score	continuous	numeric-12.0	380	0	-
27	<a href="#">sc9raw</a>	Internal Raw Score	continuous	numeric-12.0	380	0	-
28	<a href="#">sc9t</a>	Internal Percentile	continuous	numeric-12.0	380	0	-
29	<a href="#">sc9pct</a>	Internal t Score	continuous	numeric-12.0	380	0	-
30	<a href="#">sc10raw</a>	External Raw Score	continuous	numeric-12.0	380	0	-
31	<a href="#">sc10t</a>	External Percentile	continuous	numeric-12.0	380	0	-
32	<a href="#">sc10pct</a>	External t Score	continuous	numeric-12.0	380	0	-
33	<a href="#">sc11raw</a>	TotProb Raw Score	continuous	numeric-12.0	380	0	-
34	<a href="#">sc11t</a>	TotProb Percentile	continuous	numeric-12.0	380	0	-
35	<a href="#">sc11pct</a>	TotProb t Score	continuous	numeric-12.0	380	0	-
36	<a href="#">dsm1raw</a>	Affdisord Raw Score	discrete	numeric-12.0	380	0	-

<b>File ChildPsychometricScales</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
37	<a href="#">dsm1t</a>	Affdisord t Score	continuous	numeric-12.0	380	0	-
38	<a href="#">dsm1pct</a>	Affdisord Percentile	continuous	numeric-12.0	380	0	-
39	<a href="#">dsm2raw</a>	Anxdisord Raw Score	discrete	numeric-12.0	380	0	-
40	<a href="#">dsm2t</a>	Anxdisord t Score	continuous	numeric-12.0	380	0	-
41	<a href="#">dsm2pct</a>	Anxdisord Percentile	continuous	numeric-12.0	380	0	-
42	<a href="#">dsm3raw</a>	Somaticpr Raw Score	discrete	numeric-12.0	380	0	-
43	<a href="#">dsm3t</a>	Somaticpr t Score	continuous	numeric-12.0	380	0	-
44	<a href="#">dsm3pct</a>	Somaticpr Percentile	continuous	numeric-12.0	380	0	-
45	<a href="#">dsm4raw</a>	Adhd Raw Score	discrete	numeric-12.0	380	0	-
46	<a href="#">dsm4t</a>	Adhd t Score	continuous	numeric-12.0	380	0	-
47	<a href="#">dsm4pct</a>	Adhd Percentile	continuous	numeric-12.0	380	0	-
48	<a href="#">dsm5raw</a>	Opposit Raw Score	discrete	numeric-12.0	380	0	-
49	<a href="#">dsm5t</a>	Opposit t Score	continuous	numeric-12.0	380	0	-
50	<a href="#">dsm5pct</a>	Opposit Percentile	continuous	numeric-12.0	380	0	-
51	<a href="#">dsm6raw</a>	Conduct Raw Score	continuous	numeric-12.0	380	0	-
52	<a href="#">dsm6t</a>	Conduct t Score	continuous	numeric-12.0	380	0	-
53	<a href="#">dsm6pct</a>	Conduct Percentile	continuous	numeric-12.0	380	0	-

# Variables Description

Dataset contains 53 variable(s)

## File : ChildPsychometricScales

### # PID: Unique participant identifier

**Information** [Type= continuous] [Format=numeric] [Range= 1-519] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=254.547 /-] [StdDev=156.116 /-]

### # Timepoint: Follow-up visit sequence

**Information** [Type= discrete] [Format=numeric] [Range= 0-24] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Baseline	0	
3	3 month follow-up	0	
6	6 month follow-up	0	
9	9 month follow-up	0	
24	24 month follow-up	380	100.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # sc1raw: AnxDep Raw Score

**Information** [Type= discrete] [Format=numeric] [Range= 0-20] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		159	41.8%
1		61	16.1%
2		65	17.1%
3		20	5.3%
4		21	5.5%
5		16	4.2%
6		14	3.7%
7		6	1.6%
8		7	1.8%
9		2	0.5%
10		4	1.1%
11		2	0.5%
13		1	0.3%
16		1	0.3%
20		1	0.3%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # sc1t: AnxDep Percentile

**Information** [Type= continuous] [Format=numeric] [Range= 50-88] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=52.445 /-] [StdDev=4.997 /-]

### # sc1pct: AnxDep t Score

**Information** [Type= continuous] [Format=numeric] [Range= 50-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=57.655 /-] [StdDev=13.449 /-]

### # sc2raw: WithDep Raw Score

**Information** [Type= discrete] [Format=numeric] [Range= 0-13] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-]

## File : ChildPsychometricScales

### # sc2raw: WithDep Raw Score

Value	Label	Cases	Percentage
0		184	48.4%
1		59	15.5%
2		63	16.6%
3		24	6.3%
4		23	6.1%
5		8	2.1%
6		5	1.3%
7		1	0.3%
8		3	0.8%
9		2	0.5%
10		3	0.8%
11		1	0.3%
12		3	0.8%
13		1	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # sc2t: WithDep Percentile

**Information** [Type= continuous] [Format=numeric] [Range= 50-91] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=54.839 /-] [StdDev=7.193 /-]

### # sc2pct: WithDep t Score

**Information** [Type= continuous] [Format=numeric] [Range= 50-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=64.126 /-] [StdDev=16.711 /-]

### # sc3raw: Somatic Raw Score

**Information** [Type= discrete] [Format=numeric] [Range= 0-13] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		229	60.3%
1		64	16.8%
2		33	8.7%
3		21	5.5%
4		13	3.4%
5		4	1.1%
6		7	1.8%
7		2	0.5%
8		1	0.3%
9		1	0.3%
10		3	0.8%
11		1	0.3%
13		1	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # sc3t: Somatic Percentile

**Information** [Type= continuous] [Format=numeric] [Range= 50-82] [Missing=\*]

## File : ChildPsychometricScales

### # sc3t: Somatic Percentile

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-] [Mean=53.289 /-] [StdDev=5.66 /-]

### # sc3pct: Somatic t Score

Information [Type= continuous] [Format=numeric] [Range= 50-99] [Missing=\*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-] [Mean=60.253 /-] [StdDev=15.228 /-]

### # sc4raw: Social Raw Score

Information [Type= discrete] [Format=numeric] [Range= 0-15] [Missing=\*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		196	51.6%
1		60	15.8%
2		50	13.2%
3		21	5.5%
4		20	5.3%
5		12	3.2%
6		7	1.8%
7		3	0.8%
8		4	1.1%
10		2	0.5%
11		3	0.8%
12		1	0.3%
15		1	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # sc4t: Social Percentile

Information [Type= continuous] [Format=numeric] [Range= 50-84] [Missing=\*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-] [Mean=52.563 /-] [StdDev=4.809 /-]

### # sc4pct: Social t Score

Information [Type= continuous] [Format=numeric] [Range= 50-99] [Missing=\*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-] [Mean=58.271 /-] [StdDev=13.038 /-]

### # sc5raw: Thought Raw Score

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=\*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		301	79.2%
1		39	10.3%
2		21	5.5%
3		5	1.3%
4		7	1.8%
5		3	0.8%
6		2	0.5%
8		1	0.3%
10		1	0.3%

## File : ChildPsychometricScales

### # sc5raw: Thought Raw Score

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # sc5t: Thought Percentile

**Information** [Type= continuous] [Format=numeric] [Range= 50-74] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=50.997 /-] [StdDev=3.101 /-]

### # sc5pct: Thought t Score

**Information** [Type= continuous] [Format=numeric] [Range= 50-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=53.276 /-] [StdDev=9.127 /-]

### # sc6raw: Attention Raw Score

**Information** [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		168	44.2%
1		56	14.7%
2		64	16.8%
3		15	3.9%
4		25	6.6%
5		13	3.4%
6		8	2.1%
7		10	2.6%
8		6	1.6%
9		3	0.8%
10		4	1.1%
11		3	0.8%
12		2	0.5%
13		1	0.3%
14		1	0.3%
16		1	0.3%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # sc6t: Attention Percentile

**Information** [Type= continuous] [Format=numeric] [Range= 50-83] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=52.274 /-] [StdDev=4.578 /-]

### # sc6pct: Attention t Score

**Information** [Type= continuous] [Format=numeric] [Range= 50-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=57.324 /-] [StdDev=12.13 /-]

### # sc7raw: RuleBreak Raw Score

**Information** [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		241	63.4%
1		53	13.9%
2		32	8.4%

## File : ChildPsychometricScales

### # sc7raw: RuleBreak Raw Score

Value	Label	Cases	Percentage
3		13	3.4%
4		14	3.7%
5		4	1.1%
6		11	2.9%
8		3	0.8%
9		4	1.1%
10		1	0.3%
12		1	0.3%
14		2	0.5%
16		1	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # sc7t: RuleBreak Percentile

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 50-80] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=380 /-] [Invalid=0 /-] [Mean=52.503 /-] [StdDev=5.361 /-]

### # sc7pct: RuleBreak t Score

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 50-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=380 /-] [Invalid=0 /-] [Mean=57.497 /-] [StdDev=13.811 /-]

### # sc8raw: Aggressive Raw Score

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=380 /-] [Invalid=0 /-] [Mean=3.753 /-] [StdDev=5.216 /-]

### # sc8t: Aggressive Percentile

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 50-94] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=380 /-] [Invalid=0 /-] [Mean=53.597 /-] [StdDev=6.746 /-]

### # sc8pct: Aggressive t Score

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 50-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=380 /-] [Invalid=0 /-] [Mean=60.197 /-] [StdDev=16.275 /-]

### # sc9raw: Internal Raw Score

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-42] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=380 /-] [Invalid=0 /-] [Mean=4.411 /-] [StdDev=5.4 /-]

### # sc9t: Internal Percentile

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 33-89] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=380 /-] [Invalid=0 /-] [Mean=46.882 /-] [StdDev=10.539 /-]

### # sc9pct: Internal t Score

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 5-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=380 /-] [Invalid=0 /-] [Mean=40.397 /-] [StdDev=30.058 /-]

### # sc10raw: External Raw Score

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-48] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=380 /-] [Invalid=0 /-] [Mean=4.868 /-] [StdDev=7.046 /-]

## File : ChildPsychometricScales

### # sc10t: External Percentile

**Information** [Type= continuous] [Format=numeric] [Range= 33-85] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=45.632 /-] [StdDev=11.485 /-]

### # sc10pct: External t Score

**Information** [Type= continuous] [Format=numeric] [Range= 5-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=36.918 /-] [StdDev=31.379 /-]

### # sc11raw: TotProb Raw Score

**Information** [Type= continuous] [Format=numeric] [Range= 2-129] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=18.029 /-] [StdDev=18.355 /-]

### # sc11t: TotProb Percentile

**Information** [Type= continuous] [Format=numeric] [Range= 31-81] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=46.374 /-] [StdDev=10.079 /-]

### # sc11pct: TotProb t Score

**Information** [Type= continuous] [Format=numeric] [Range= 3-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=38.05 /-] [StdDev=29.041 /-]

### # dsm1raw: Affdisord Raw Score

**Information** [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		223	58.7%
1		49	12.9%
2		55	14.5%
3		20	5.3%
4		14	3.7%
5		6	1.6%
6		4	1.1%
7		3	0.8%
8		2	0.5%
9		1	0.3%
10		1	0.3%
11		1	0.3%
12		1	0.3%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # dsm1t: Affdisord t Score

**Information** [Type= continuous] [Format=numeric] [Range= 50-78] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=53.008 /-] [StdDev=5.128 /-]

### # dsm1pct: Affdisord Percentile

**Information** [Type= continuous] [Format=numeric] [Range= 50-99] [Missing=\*]

**Statistics [NW/ W]** [Valid=380 /-] [Invalid=0 /-] [Mean=59.674 /-] [StdDev=14.444 /-]

### # dsm2raw: Anxdisord Raw Score

**Information** [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=\*]

## File : ChildPsychometricScales

### # dsm2raw: Anxdisord Raw Score

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		211	55.5%
1		60	15.8%
2		65	17.1%
3		22	5.8%
4		13	3.4%
5		4	1.1%
6		2	0.5%
7		1	0.3%
8		1	0.3%
10		1	0.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # dsm2t: Anxdisord t Score

Information [Type= continuous] [Format=numeric] [Range= 50-77] [Missing=\*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-] [Mean=52.521 /-] [StdDev=4.54 /-]

### # dsm2pct: Anxdisord Percentile

Information [Type= continuous] [Format=numeric] [Range= 50-99] [Missing=\*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-] [Mean=58.229 /-] [StdDev=13.093 /-]

### # dsm3raw: Somaticpr Raw Score

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=\*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		253	66.6%
1		65	17.1%
2		32	8.4%
3		9	2.4%
4		9	2.4%
5		5	1.3%
6		2	0.5%
7		3	0.8%
8		2	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # dsm3t: Somaticpr t Score

Information [Type= continuous] [Format=numeric] [Range= 50-80] [Missing=\*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-] [Mean=53.484 /-] [StdDev=5.908 /-]

### # dsm3pct: Somaticpr Percentile

Information [Type= continuous] [Format=numeric] [Range= 50-99] [Missing=\*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-] [Mean=60.755 /-] [StdDev=16.167 /-]

### # dsm4raw: Adhd Raw Score

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=\*]

## File : ChildPsychometricScales

### # dsm4raw: Adhd Raw Score

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		168	44.2%
1		53	13.9%
2		67	17.6%
3		21	5.5%
4		28	7.4%
5		6	1.6%
6		16	4.2%
7		4	1.1%
8		7	1.8%
9		3	0.8%
10		3	0.8%
11		1	0.3%
12		3	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # dsm4t: Adhd t Score

Information [Type= continuous] [Format=numeric] [Range= 50-76] [Missing=\*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-] [Mean=51.961 /-] [StdDev=4.387 /-]

### # dsm4pct: Adhd Percentile

Information [Type= continuous] [Format=numeric] [Range= 50-99] [Missing=\*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-] [Mean=56.268 /-] [StdDev=12.224 /-]

### # dsm5raw: Opposit Raw Score

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=\*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		203	53.4%
1		54	14.2%
2		49	12.9%
3		22	5.8%
4		17	4.5%
5		9	2.4%
6		18	4.7%
7		2	0.5%
8		6	1.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # dsm5t: Opposit t Score

Information [Type= continuous] [Format=numeric] [Range= 50-73] [Missing=\*]

Statistics [NW/ W] [Valid=380 /-] [Invalid=0 /-] [Mean=52.611 /-] [StdDev=5.038 /-]

### # dsm5pct: Opposit Percentile

Information [Type= continuous] [Format=numeric] [Range= 50-99] [Missing=\*]

<b>File : ChildPsychometricScales</b>	
<b># dsm5pct: Opposit Percentile</b>	
<b>Statistics [NW/ W]</b>	[Valid=380 /-] [Invalid=0 /-] [Mean=58.176 /-] [StdDev=13.821 /-]

<b># dsm6raw: Conduct Raw Score</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=380 /-] [Invalid=0 /-] [Mean=1.705 /-] [StdDev=3.212 /-]
<b># dsm6t: Conduct t Score</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 50-89] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=380 /-] [Invalid=0 /-] [Mean=53.861 /-] [StdDev=6.88 /-]
<b># dsm6pct: Conduct Percentile</b>	
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 50-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=380 /-] [Invalid=0 /-] [Mean=60.834 /-] [StdDev=16.836 /-]