

South Africa

**Doyle, Aoife, London School of Hygiene & Tropical Medicine
Seeley, Janet, Africa Health Research Institute**

**Health service provision for and utilisation by young
people (10-24 years) study conducted between September
2016 and August 2017 within the Africa Health Research
Institute's Population Intervention Programme Surveillance
Area in northern KwaZulu-Natal, South Africa**

Study Documentation

April 9, 2019

Metadata Production

Metadata Producer(s)	Africa Health Research Institute (AHRI)
Identification	DDI.AHRI.HSYP.Data

Table of Contents

Overview	4
Scope & Coverage	4
Producers & Sponsors	4
Sampling	5
Data Collection	5
Data Processing & Appraisal	5
Accessibility	5
Files Description	7
ClinicLinkAYP	7
DHIS Hlabisa short	7
HSYPPinkregister2	7
HSYPSchoolreg	7
HSYPTickregister	7
Variables List	8
ClinicLinkAYP	8
DHIS Hlabisa short	8
HSYPPinkregister2	9
HSYPSchoolreg	9
HSYPTickregister	11
Variables Description	13
ClinicLinkAYP	14
DHIS Hlabisa short	20
HSYPPinkregister2	22
HSYPSchoolreg	32
HSYPTickregister	41

Health service provision for and utilisation by young people (10-24 years) study conducted between September 2016 and August 2017 within the Africa Health Research Institute's Population Intervention Programme Surveillance Area in northern KwaZulu-Natal, South Africa

Overview	
Identification	AHRI.HSYP.Data
Version	V1.0.0
Abstract	
<p>The aim of this formative research was to explore current health service provision for adolescents and young people (10-24 years old) in rural KwaZulu-Natal and to identify potential areas for improvement of services. The specific objectives were: (1) to summarise government health policy in relation to young people and the services that should be available (2) to document the primary health care services that are available to young people (3) to document health service utilisation by young people (4) to document and assess the appropriateness of the locations where young people could potentially access health services (places they congregate or meet) (5) to explore facilitators and barriers to health service uptake by young people (6) to outline a proposal to develop and test the impact of an intervention to improve health service utilisation by young people. The study methods comprised qualitative interviews with young people, health workers and key stakeholders (District officials, local leaders, parents/guardians), participatory mapping by young people of their communities, and a retrospective health record review. The data available are both qualitative and quantitative. Qualitative data comprise anonymised and de-identified transcripts, audio-recordings, interview summaries, drawings, and notes from spiral walk observations. Quantitative data comprise (1) health register review data captured in the field on REDCap forms: main variables are age, gender, presenting condition, treatment given, screening of learners, referrals (2) District Health Information System (DHIS) adolescent health indicator data for the 17 PHCC in Mtubatuba and Hlabisa sub-districts for the period May 2016-September 2016. (3) ClinicLink data for 11 PHCC and one hospital linked to the AHRI population intervention platform for the period Jan-Dec 2017: main variables are age, gender, reason for attendance.</p>	
Kind of Data	Health register data; coded textual data; textual data; audio recordings; drawings
Unit of Analysis	Individual and group interview data. Individual and aggregate health register data

Scope & Coverage	
Keywords	South Africa; Adolescent; Health Services; Young Adult
Topics	Adolescent; Adolescent Behavior; Primary Health Care/statistics & numerical data; Qualitative Research; Quality of Health Care; Reproductive Health Services; Humans; South Africa
Time Period(s)	2016-2017
Countries	South Africa
Geographic Coverage	
Population Intervention Programme Study Area of the Africa Health Research Institute	
Universe	
Rural and peri-urban young males and females aged 10-24 years and adults (all ages)	

Producers & Sponsors	
Primary Investigator(s)	Doyle, Aoife, London School of Hygiene & Tropical Medicine Seeley, Janet, Africa Health Research Institute
Other Producer(s)	Africa Health Research Institute (AHRI)

Funding Agency/ies	ViiV Healthcare (ViiV) , Causal Pathways to population health impact of HIV antiretroviral treatment
Other Acknowledgment(s)	Mchunu, Lerato , Supervised data collection, collected data , AHRI Ngwenya, Nothando , Managed data collection , AHRI Gumede, Dumile , Managed data collection , AHRI Nkosi, Busi , Documented/archived qualitative data , AHRI

Sampling

Sampling Procedure

Participants were recruited face to face in the schools, community and health facilities using purposive sampling

Data Collection

Data Collection Dates	start 2016-09-01 end 2017-08-30
------------------------------	------------------------------------

Data Processing & Appraisal

Data Editing

Transcribed data were translated into English and iteratively analysed for themes using content analysis. A deductive and inductive organising framework was used to organise the data and to develop codes and themes. After familiarisation with the interviews, three researchers (BN, LSM, NN) and fieldworkers conducted initial open coding independently. These were reviewed by two co-authors (JS and AD). Themes were determined by the content of the interview guides combined with an inductive development of codes as they emerged from the data

Accessibility

Access Conditions

The representative of the Receiving Organization agrees to comply with the following conditions:

1. Access to the restricted data will be limited to the Lead Researcher and other members of the research team listed in this request.
2. Copies of the restricted data or any data created on the basis of the original data will not be copied or made available to anyone other than those mentioned in this Data Access Agreement, unless formally authorized by the Data Archive.
3. The data will only be processed for the stated statistical and research purpose. They will be used for solely for reporting of aggregated information, and not for investigation of specific individuals or organizations. Data will not in any way be used for any administrative, proprietary or law enforcement purposes.
4. The Lead Researcher must state if it is their intention to match the restricted microdata with any other micro-dataset. If any matching is to take place, details must be provided of the datasets to be matched and of the reasons for the matching. Any datasets created as a result of matching will be considered to be restricted and must comply with the terms of this Data Access Agreement.
5. The Lead Researcher undertakes that no attempt will be made to identify any individual person, family, business, enterprise or organization. If such a unique disclosure is made inadvertently, no use will be made of the identity of any person or establishment discovered and full details will be reported to the Data Archive. The identification will not be revealed to any other person not included in the Data Access Agreement.
6. The Lead Researcher will implement security measures to prevent unauthorized access to licensed microdata acquired from the Data Archive. The microdata must be destroyed upon the completion of this research, unless the Data Archive obtains satisfactory guarantee that the data can be secured and provides written authorization to the Receiving Organization to retain them. Destruction of the microdata will be confirmed in writing by the Lead Researcher to the Data Archive.
7. Any books, articles, conference papers, theses, dissertations, reports, or other publications that employ data obtained from the Data Archive will cite the source of data in accordance with the citation requirement provided with the dataset.
8. An electronic copy of all reports and publications based on the requested data will be sent to the Data Archive.

9. The original collector of the data, the Data Archive, and the relevant funding agencies bear no responsibility for use of the data or for interpretations or inferences based upon such uses.

10. This agreement will come into force on the date that approval is given for access to the restricted dataset and remain in force until the completion date of the project or an earlier date if the project is completed ahead of time.

11. If there are any changes to the project specification, security arrangements, personnel or organization detailed in this application form, it is the responsibility of the Lead Researcher to seek the agreement of the Data Archive to these changes. Where there is a change to the employer organization of the Lead Researcher this will involve a new application being made and termination of the original project.

12. Breaches of the agreement will be taken seriously and the Data Archive will take action against those responsible for the lapse if willful or accidental. Failure to comply with the directions of the Data Archive will be deemed to be a major breach of the agreement and may involve recourse to legal proceedings. The Data Archive will maintain and share with partner data archives a register of those individuals and organizations which are responsible for breaching the terms of the Data Access Agreement and will impose sanctions on release of future data to these parties.

Citation Requirements

<https://doi.org/10.23664/AHRI.HSYP.Data>

Files Description

Dataset contains 5 file(s)

ClinicLinkAYP	
# Cases	37694
# Variable(s)	31

DHIS_Hlabisa_short	
# Cases	185
# Variable(s)	4

HSYPpinkregister2	
# Cases	4121
# Variable(s)	16

HSYPschoolreg	
# Cases	209
# Variable(s)	49

HSYPtickregister	
# Cases	115
# Variable(s)	14

Variables List

Dataset contains 114 variable(s)

File ClinicLinkAYP							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	IntId	PIPIId	continuous	numeric-12.0	17052	20642	-
2	IdNo	Participant Identification(sequential)	continuous	numeric-12.0	37694	0	-
3	VisitDate	Clinic Visit Date	discrete	character-11	37694	-	-
4	Facility_..	Reason for Visit	discrete	numeric-12.0	37694	0	-
5	DoBVP	VPDate Of Birth	discrete	character-8	37694	0	-
6	DateOfBi_..	Date Of Birth	discrete	character-10	37694	0	-
7	Facility_..	Name of Facility	discrete	character-20	37694	0	-
8	Facility_..	FacilityNameCode	discrete	character-3	37694	0	-
9	counter	-	discrete	numeric-9.0	37694	0	-
10	novisits	-	discrete	numeric-9.0	37694	0	-
11	novisit_gp	Number of visits/client	discrete	numeric-9.0	37694	0	-
12	samevisit	-	discrete	numeric-12.0	37694	0	-
13	count	-	continuous	numeric-9.0	37694	0	-
14	uniqueVis	-	discrete	numeric-9.0	37694	0	-
15	uniqueID	-	discrete	numeric-9.0	37694	0	-
16	mthvisit	Month of clinic visit	discrete	numeric-9.0	37694	0	-
17	yrvisit	Year of clinic visit	discrete	character-11	37694	-	-
18	yob	Year of birth (string)	discrete	character-4	37694	0	-
19	yob_f	Year of birth (long)	discrete	character-11	37694	-	-
20	yob2	Year of birth (float)	discrete	character-11	37694	-	-
21	dob	-	discrete	character-11	37694	-	-
22	age1	Age of client	discrete	numeric-9.0	37694	0	-
23	days1	-	continuous	numeric-9.0	37694	0	-
24	mthdob	Month of birth	discrete	numeric-9.0	37694	0	-
25	yrdob	Year of birth	discrete	numeric-9.0	37694	0	-
26	yrdiff	-	discrete	numeric-9.0	37694	0	-
27	agegroup	Age group of client	discrete	numeric-9.0	37694	0	-
28	ayp	Adolescent or young person (10-24y)	discrete	numeric-9.0	37694	0	-
29	ado	Adolescent (10-19y)	discrete	numeric-9.0	37694	0	-
30	mthvisit_..	-	continuous	numeric-9.0	36379	1315	-
31	mthvisit_..	-	continuous	numeric-9.0	36379	1315	-

File DHIS_Hlabisa_short							
#	Name	Label	Type	Format	Valid	Invalid	Question

File DHIS_Hlabisa_short							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	DataElem ..	Data Element Name	discrete	character-69	185	0	-
2	Total	-	continuous	numeric-10.0	185	0	-
3	PHC	PHC	discrete	numeric-10.0	185	0	-
4	MaySep16	-	continuous	numeric-9.0	148	37	-

File HSYPPinkregister2							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	recordid	Record ID	continuous	numeric-8.0	4121	0	-
2	age	1. Age	discrete	numeric-8.0	4121	0	-
3	nameofcl ..	2. Name of clinic	discrete	numeric-8.0	4121	0	-
4	location ..	Where was mobile clinic located ?	discrete	character-14	682	0	-
5	clinicvi ..	6. Clinic visit date by patient	discrete	character-11	-	-	-
6	provisio ..	8. Provisional Diagnosis 1	discrete	numeric-44.0	4121	0	-
7	provisio ..	9. Provisional Diagnosis 2	discrete	numeric-44.0	241	3880	-
8	provisio ..	10. Provisional Diagnosis 3	discrete	numeric-44.0	6	4115	-
9	treatment	11. Treatment/Management 1	discrete	numeric-41.0	4121	0	-
10	treatment2	12. Treatment/Management 2	discrete	numeric-41.0	1055	3066	-
11	treatment3	13. Treatment/Management 3	discrete	numeric-41.0	161	3960	-
12	othertre ..	Other Treatment/Management	discrete	character-29	6	0	-
13	followup ..	14. Follow-up visit	discrete	numeric-8.0	4102	19	-
14	gender	15. Gender	discrete	numeric-8.0	4121	0	-
15	datec	Date of capture	discrete	character-11	-	-	-
16	agegp	Age group of client	discrete	numeric-10.0	4121	0	-

File HSYPschoolreg							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	recordid	Record ID	continuous	numeric-8.0	209	0	-
2	schoolcode	-	discrete	numeric-9.0	209	0	-
3	dateextr ..	Date extracted	discrete	character-11	-	-	-
4	dateofre ..	Date of register	discrete	character-11	209	-	-
5	gender	Gender	discrete	numeric-8.0	209	0	-
6	grade8sc ..	Grade 8 screened	discrete	numeric-8.0	208	1	-
7	grade10s ..	Grade 10 screened	discrete	numeric-8.0	209	0	-
8	underwei ..	Underweight	discrete	numeric-8.0	208	1	-
9	overweight	Overweight	discrete	numeric-8.0	208	1	-
10	oralhealth	Oral health	discrete	numeric-8.0	208	1	-
11	eyehealth	Eye health	discrete	numeric-8.0	209	0	-
12	hearing	Hearing	discrete	numeric-8.0	206	3	-

File HSYPschoolreg							
#	Name	Label	Type	Format	Valid	Invalid	Question
13	speech	Speech	discrete	numeric-8.0	208	1	-
14	suspecte..	Suspected TB	discrete	numeric-8.0	208	1	-
15	psycho..	Psycho-social	discrete	numeric-8.0	207	2	-
16	immunise..	Immunised total	discrete	numeric-8.0	208	1	-
17	twelveyr..	12yr Td given	discrete	numeric-8.0	207	2	-
18	minorail..	Minor ailment	discrete	numeric-8.0	209	0	-
19	dewormin..	De-worming dose	discrete	numeric-8.0	206	3	-
20	followup	Follow-up	discrete	numeric-8.0	208	1	-
21	otherref..	Other referrals	discrete	numeric-8.0	206	3	-
22	treatmen..	Treatment given (choice=Advice given)	discrete	numeric-9.0	209	0	-
23	treatmen..	Treatment given (choice=Refer for dental caries)	discrete	numeric-9.0	209	0	-
24	treatmen..	Treatment given (choice=No abnormalities detected (NAD))	discrete	numeric-9.0	209	0	-
25	treatmen..	Treatment given (choice=Refer for poor eye sight)	discrete	numeric-9.0	209	0	-
26	treatmen..	Treatment given (choice=Deworming)	discrete	numeric-9.0	209	0	-
27	treatmen..	Treatment given (choice=PVD)	discrete	numeric-9.0	209	0	-
28	treatmen..	Treatment given (choice=Refer to clinic for check-up)	discrete	numeric-9.0	209	0	-
29	treatmen..	Treatment given (choice=Wasted/low weight- refer to clinic)	discrete	numeric-9.0	209	0	-
30	treatmen..	Treatment given (choice=Wax on ear)	discrete	numeric-9.0	209	0	-
31	treatmen..	Treatment given (choice=Whitespots/acne/ pimples)	discrete	numeric-9.0	209	0	-
32	treatmen..	Treatment given (choice=Td given)	discrete	numeric-9.0	209	0	-
33	treatmen..	Treatment given (choice=Refer to Social Worker)	discrete	numeric-9.0	209	0	-
34	treatmen..	Treatment given (choice=Refer for cardiac problem)	discrete	numeric-9.0	209	0	-
35	treatmen..	Treatment given (choice=Refer for trauma and injuries)	discrete	numeric-9.0	209	0	-
36	treatmen..	Treatment given (choice=Refer for urinary problem)	discrete	numeric-9.0	209	0	-

File HSYPschoolreg							
#	Name	Label	Type	Format	Valid	Invalid	Question
37	treatmen ..	Treatment given (choice=Wound care)	discrete	numeric-9.0	209	0	-
38	treatmen ..	Treatment given (choice=Symptomatic Treatment)	discrete	numeric-9.0	209	0	-
39	treatmen ..	Treatment given (choice=Respiratory problems and Oral problems)	discrete	numeric-9.0	209	0	-
40	treatmen ..	Treatment given (choice=General non-specific complaints)	discrete	numeric-9.0	209	0	-
41	treatmen ..	Treatment given (choice=Ear problems)	discrete	numeric-9.0	209	0	-
42	treatmen ..	Treatment given (choice=Anaemia)	discrete	numeric-9.0	209	0	-
43	treatmen ..	Treatment given (choice=Referral to high level)	discrete	numeric-9.0	209	0	-
44	treatmen ..	Treatment given (choice=Gastric problems)	discrete	numeric-9.0	209	0	-
45	treatmen ..	Treatment given (choice=Abscess)	discrete	numeric-9.0	209	0	-
46	treatmen ..	Treatment given (choice=GI problems)	discrete	numeric-9.0	209	0	-
47	treatmen ..	Treatment given (choice=Positive pregnancy test)	discrete	numeric-9.0	209	0	-
48	treatmen ..	Treatment given (choice=Refused refer)	discrete	numeric-9.0	209	0	-
49	treatmen ..	Treatment given (choice=Info and psychological support (including reassurance))	discrete	numeric-9.0	209	0	-

File HSYPtickregister							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	record_id	Record ID	continuous	numeric-8.0	115	0	-
2	healthfa ..	Health facility code	discrete	numeric-9.0	115	0	-
3	monthreg ..	4. Month register was done	discrete	numeric-14.0	115	0	-
4	registerno	5. Register number	continuous	numeric-8.0	115	0	-
5	pagenumber	6. Page number	continuous	numeric-8.0	115	0	-
6	dateofda ..	7. Date of data extraction	discrete	character-11	115	-	-
7	familypl ..	8. Family planning acceptor under 18 years	discrete	numeric-8.0	115	0	-
8	diabetes ..	9. Diabetes client under 18 years new	discrete	numeric-8.0	114	1	-
9	mentalhe ..	10. Mental health clients under 18 years	discrete	numeric-8.0	115	0	-

File HSYPTickregister							
#	Name	Label	Type	Format	Valid	Invalid	Question
10	tddoseat ..	11. Td dose at 12 years	discrete	numeric-8.0	115	0	-
11	anc1stvi ..	12. ANC 1st visit under 18 years	discrete	numeric-8.0	114	1	-
12	phcclien ..	13. PHC clients seen by professional Nurse	discrete	numeric-8.0	115	0	-
13	datacons ..	63. Are the data consistent ?	discrete	numeric-8.0	115	0	-
14	inconsis ..	Please explain the inconsistency in the data	discrete	character-141	5	-	-

Variables Description

Dataset contains 114 variable(s)

File : ClinicLinkAYP

IIntId: PIPId

Information [Type= continuous] [Format=numeric] [Range= 54-215790] [Missing=*]

Statistics [NW/ W] [Valid=17052 /-] [Invalid=20642 /-] [Mean=107343.931 /-] [StdDev=62564.689 /-]

IdNo: Participant Identification(sequential)

Information [Type= continuous] [Format=numeric] [Range= 16-90476] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-] [Mean=45379.206 /-] [StdDev=26080.115 /-]

VisitDate: Clinic Visit Date

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-]

FacilityServiceName: Reason for Visit

Information [Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Child Health - Vaccinations & Growth Monitoring	205	0.5%
2	Chronic Care - ART Follow-up	7829	20.8%
3	Chronic Care - ART Initiation	209	0.6%
4	Chronic Care - CCMDD	271	0.7%
5	Chronic Care - Diabetes	23	0.1%
6	Chronic Care - HIV Testing	1840	4.9%
7	Chronic Care - Hypertension	83	0.2%
8	Chronic Care - Mental Health	96	0.3%
9	Chronic Care - Other	487	1.3%
10	Chronic Care - TB	274	0.7%
11	Emergency care	67	0.2%
12	Family Planning - First visit	1155	3.1%
13	Family Planning - Follow-up	2167	5.7%
14	Maternity - Antenatal	6662	17.7%
15	Maternity - Delivery	81	0.2%
16	Maternity - PostNatal	406	1.1%
17	Minor Ailment - First visit	11783	31.3%
18	Minor Ailment - Follow-up	2828	7.5%
19	Other - unspecified	389	1.0%
20	Rehabilitation	430	1.1%
21	Reproductive Health & Circumcision	317	0.8%
22	Research - PIP Referral	81	0.2%
23	Research - Study appointment	8	0.0%
24	Research - Study visit	3	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

DoBVP: VPDate Of Birth

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-]

File : ClinicLinkAYP

DateOfBirth: Date Of Birth

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-]

FacilityName: Name of Facility

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Esiyembeni Clinic		419	1.1%
Gunjaneni Clinic		2768	7.3%
Hluhluwe Clinic		4286	11.4%
KwaMsane Clinic		5175	13.7%
Machibini Clinic		2332	6.2%
Madwaleni Clinic		2722	7.2%
Mpukunyoni Clinic		4423	11.7%
Mtubatuba Clinic		5808	15.4%
Nkundusi Clinic		2778	7.4%
Ntondweni Clinic		1768	4.7%
Somkhele Clinic		5215	13.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

FacilityNameCode: FacilityNameCode

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
ESC		419	1.1%
GJC		2768	7.3%
HLC		4286	11.4%
KMC		5175	13.7%
MCC		2332	6.2%
MDC		2722	7.2%
MPC		4423	11.7%
MTC		5808	15.4%
NKC		2778	7.4%
NTC		1768	4.7%
SMC		5215	13.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

counter

Information [Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-]

File : ClinicLinkAYP

counter

Value	Label	Cases	Percentage
1		17475	46.4%
2		7515	19.9%
3		4492	11.9%
4		2933	7.8%
5		1924	5.1%
6		1276	3.4%
7		798	2.1%
8		517	1.4%
9		308	0.8%
10		177	0.5%
11		111	0.3%
12		65	0.2%
13		43	0.1%
14		27	0.1%
15		15	0.0%
16		9	0.0%
17		4	0.0%
18		2	0.0%
19		1	0.0%
20		1	0.0%
21		1	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

novisits

Information [Type= discrete] [Format=numeric] [Range= 1-21] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-]

novisit_gp: Number of visits/client

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	1	9943	26.4%
2	2	6072	16.1%
3	3	4725	12.5%
4	4+	16954	45.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

samevisit

Information [Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		35108	93.1%
1		2474	6.6%
2		96	0.3%

File : ClinicLinkAYP

samevisit

Value	Label	Cases	Percentage
3		4	0.0%
11		12	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

count

Information	[Type= continuous] [Format=numeric] [Range= 16-233370] [Missing=*]
Statistics [NW/ W]	[Valid=37694 /-] [Invalid=0 /-] [Mean=117076.071 /-] [StdDev=66894.214 /-]

uniqueVis

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=37694 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		1315	3.5%
1		36379	96.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

uniqueID

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=37694 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		20219	53.6%
1		17475	46.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

mthvisit: Month of clinic visit

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=37694 /-] [Invalid=0 /-]

yrvisit: Year of clinic visit

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=37694 /-]

Value	Label	Cases	Percentage
3977		37694	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

job: Year of birth (string)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=37694 /-] [Invalid=0 /-]

job_f: Year of birth (long)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=37694 /-]

job2: Year of birth (float)

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=37694 /-]

File : ClinicLinkAYP

dob

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-]

age1: Age of client

Information [Type= discrete] [Format=numeric] [Range= 10-24] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-]

days1

Information [Type= continuous] [Format=numeric] [Range= 0-365] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-] [Mean=185.032 /-] [StdDev=105.606 /-]

mthdob: Month of birth

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-]

yrdob: Year of birth

Information [Type= discrete] [Format=numeric] [Range= 1992-2007] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-]

yrdiff

Information [Type= discrete] [Format=numeric] [Range= 10-25] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-]

agegroup: Age group of client

Information [Type= discrete] [Format=numeric] [Range= 0-100] [Missing=*]

Statistics [NW/ W] [Valid=37694 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	<5y	0	
5	5-9y	0	
10	10-14y	5397	14.3%
15	15-19y	12256	32.5%
20	20-24y	20041	53.2%
25	25-29y	0	
30	30-34y	0	
35	35-39y	0	
40	40-44y	0	
45	45-49y	0	
50	50-54y	0	
55	55-59y	0	
60	60-64y	0	
65	65-69y	0	
70	70-74y	0	
75	75-79y	0	
80	80-84y	0	
85	85-89y	0	
90	90-94y	0	

File : ClinicLinkAYP

agegroup: Age group of client

Value	Label	Cases	Percentage
95	95-99y	0	
100	100+y	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ayp: Adolescent or young person (10-24y)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=37694 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	0	
1	yes	37694	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

ado: Adolescent (10-19y)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=37694 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	20041	53.2%
1	yes	17653	46.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

mthvisit_freq

Information	[Type= continuous] [Format=numeric] [Range= 11-4782] [Missing=*]
Statistics [NW/ W]	[Valid=36379 /-] [Invalid=1315 /-] [Mean=2278.926 /-] [StdDev=1110.29 /-]

mthvisit_freqAYP

Information	[Type= continuous] [Format=numeric] [Range= 2-667] [Missing=*]
Statistics [NW/ W]	[Valid=36379 /-] [Invalid=1315 /-] [Mean=374.637 /-] [StdDev=144.912 /-]

File : DHIS_Hlabisa_short

DataElementName: Data Element Name

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=185 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Antenatal 1st visit under 18 years		16	8.6%
Birth defects case - mother under 18 years		17	9.2%
Delivery in facility under 18 years		17	9.2%
Diabetes client under 18 years new		17	9.2%
FP Acceptor 18 years and older		17	9.2%
FP Acceptor under 18 years		17	9.2%
Mental health client 18 years and older		17	9.2%
Mental health client under 18 years		17	9.2%
PHC headcount total		16	8.6%
Sub-dermal Implant inserted - under 18yrs		17	9.2%
Td dose at 12 years		17	9.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Total

Information [Type= continuous] [Format=numeric] [Range= 0-156401] [Missing=*]

Statistics [NW/ W] [Valid=185 /-] [Invalid=0 /-] [Mean=4553.178 /-] [StdDev=17386.963 /-]

PHC: PHC

Information [Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]

Statistics [NW/ W] [Valid=185 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		11	5.9%
2		11	5.9%
3		11	5.9%
4		11	5.9%
5		9	4.9%
6		11	5.9%
7		11	5.9%
8		11	5.9%

File : DHIS_Hlabisa_short

PHC: PHC

Value	Label	Cases	Percentage
9		11	5.9%
10		11	5.9%
11		11	5.9%
13		11	5.9%
14		11	5.9%
15		11	5.9%
16		11	5.9%
17		11	5.9%
18		11	5.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

MaySep16

Information	[Type= continuous] [Format=numeric] [Range= 0-45990] [Missing=*]
Statistics [NW/ W]	[Valid=148 /-] [Invalid=37 /-] [Mean=1736.236 /-] [StdDev=5724.099 /-]

File : HSYPPinkregister2

recordid: Record ID

Information [Type= continuous] [Format=numeric] [Range= 1-4126] [Missing=*]

Statistics [NW/ W] [Valid=4121 /-] [Invalid=0 /-] [Mean=2064.684 /-] [StdDev=1191.13 /-]

age: 1. Age

Information [Type= discrete] [Format=numeric] [Range= 10-24] [Missing=*]

Statistics [NW/ W] [Valid=4121 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
10		140	3.4%
11		148	3.6%
12		157	3.8%
13		147	3.6%
14		158	3.8%
15		198	4.8%
16		241	5.8%
17		262	6.4%
18		360	8.7%
19		363	8.8%
20		385	9.3%
21		355	8.6%
22		371	9.0%
23		425	10.3%
24		411	10.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

nameofclinic: 2. Name of clinic

Information [Type= discrete] [Format=numeric] [Range= 1-22] [Missing=*]

Statistics [NW/ W] [Valid=4121 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	HLA_01	0	
2	MPE_02	0	
3	INH_03	0	
4	MAK_04	0	
5	MAC_05	0	
6	NKU_06	1846	44.8%
7	NTO_07	0	
8	MAD_08	0	
9	GUN_09	1591	38.6%
10	MAC_10	0	
11	ESI_11	0	
12	SOM_12	0	
13	MPU_13	0	
14	MTU_14	0	
15	KWA_15	0	
16	EZW_16	0	
17	SIP_17	0	

File : HSYPpinkregister2

nameofclinic: 2. Name of clinic

Value	Label	Cases	Percentage
18	HM1_18	0	
19	HM2_19	0	
20	MT1_20	684	16.6%
21	MT2_21	0	
22	MO1_22	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

locationofmobileclinic: Where was mobile clinic located ?

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=682 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
Chwebeni		55	8.1%
Cross Road		148	21.7%
Gwanzi		2	0.3%
Madanyini		12	1.8%
Makhambane		43	6.3%
Makhombe		6	0.9%
Mlambo		16	2.3%
Monzi		20	2.9%
Mshaya		32	4.7%
Mvutsheni		3	0.4%
Ndombeni		73	10.7%
Ndumbili		15	2.2%
Nkombose		2	0.3%
Norwood		4	0.6%
Ogengele		28	4.1%
Palm Ridge		17	2.5%
Police Station		9	1.3%
Sibonokuhle		118	17.3%
Vezobala		14	2.1%
Zabezintsha		65	9.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

clinicvisitdatebypatient: 6. Clinic visit date by patient

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

provisionaldiagnosis: 8. Provisional Diagnosis 1

Information	[Type= discrete] [Format=numeric] [Range= 1-41] [Missing=*]
Statistics [NW/ W]	[Valid=4121 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	General non-specific complaints	476	11.6%
2	Fever (unspecified)	6	0.1%
3	Joint problems	10	0.2%
4	Skin problems	172	4.2%

File : HSYPPinkregister2

provisionaldiagnosis: 8. Provisional Diagnosis 1

Value	Label	Cases	Percentage
5	Eye problems	49	1.2%
6	Nose problems (epistaxis, sinusitis)	29	0.7%
7	Ear problems	28	0.7%
8	Mouth/oral problems	119	2.9%
9	Respiratory problems (excluding TB)	277	6.7%
10	TB and screening for TB	73	1.8%
11	Chronic conditions (excluding HIV)	30	0.7%
12	HIV	547	13.3%
13	Cardiac problems	4	0.1%
14	GI problems	191	4.6%
15	Urinary problems	54	1.3%
16	Sexual Transmitted Infection (Excluding HIV)	144	3.5%
17	Circumcision	11	0.3%
18	Sexual Reproductive Health	172	4.2%
19	Family planning	711	17.3%
20	Antenatal care	537	13.0%
21	Delivery	31	0.8%
22	Post-natal care	50	1.2%
23	Abortion	3	0.1%
24	Anaemia	10	0.2%
25	Vaccination	10	0.2%
26	Epilepsy (including convulsions)	77	1.9%
27	Mental health	8	0.2%
28	Trauma/injury	143	3.5%
29	Violence	14	0.3%
30	Abscess	64	1.6%
31	Wound care	46	1.1%
32	Review	9	0.2%
33	Disability grant	0	
34	Other	0	
35	Emergencies	3	0.1%
36	Infectious diseases	1	0.0%
37	Admin request	4	0.1%
38	Nutritional Problems	1	0.0%
39	Not Recorded	5	0.1%
40	Not clear	2	0.0%
41	Miscarriage	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

provisionaldiagnosis2: 9. Provisional Diagnosis 2

Information	[Type= discrete] [Format=numeric] [Range= 1-41] [Missing=*]		
Statistics [NW/ W]	[Valid=241 /-] [Invalid=3880 /-]		
Value	Label	Cases	Percentage
1	General non-specific complaints	45	18.7%

File : HSYPPinkregister2

provisionaldiagnosis2: 9. Provisional Diagnosis 2

Value	Label	Cases	Percentage
2	Fever (unspecified)	2	0.8%
3	Joint problems	1	0.4%
4	Skin problems	16	6.6%
5	Eye problems	1	0.4%
6	Nose problems (epistaxis, sinusitis)	3	1.2%
7	Ear problems	2	0.8%
8	Mouth/oral problems	5	2.1%
9	Respiratory problems (excluding TB)	20	8.3%
10	TB and screening for TB	1	0.4%
11	Chronic conditions (excluding HIV)	4	1.7%
12	HIV	22	9.1%
13	Cardiac problems	0	
14	GI problems	30	12.4%
15	Urinary problems	3	1.2%
16	Sexual Transmitted Infection (Excluding HIV)	21	8.7%
17	Circumcision	0	
18	Sexual Reproductive Health	19	7.9%
19	Family planning	22	9.1%
20	Antenatal care	8	3.3%
21	Delivery	1	0.4%
22	Post-natal care	0	
23	Abortion	1	0.4%
24	Anaemia	1	0.4%
25	Vaccination	3	1.2%
26	Epilepsy (including convulsions)	6	2.5%
27	Mental health	0	
28	Trauma/injury	2	0.8%
29	Violence	0	
30	Abscess	2	0.8%
31	Wound care	0	
32	Review	0	
33	Disability grant	0	
34	Other	0	
35	Emergencies	0	
36	Infectious diseases	0	
37	Admin request	0	
38	Nutritional Problems	0	
39	Not Recorded	0	
40	Not clear	0	
41	Miscarriage	0	
Sysmiss		3880	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : HSYPPinkregister2

provisionaldiagnosis3: 10. Provisional Diagnosis 3

Information [Type= discrete] [Format=numeric] [Range= 1-41] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=4115 /-]

Value	Label	Cases	Percentage
1	General non-specific complaints	0	
2	Fever (unspecified)	0	
3	Joint problems	0	
4	Skin problems	0	
5	Eye problems	0	
6	Nose problems (epistaxis, sinusitis)	0	
7	Ear problems	0	
8	Mouth/oral problems	0	
9	Respiratory problems (excluding TB)	0	
10	TB and screening for TB	1	16.7%
11	Chronic conditions (excluding HIV)	0	
12	HIV	0	
13	Cardiac problems	0	
14	GI problems	3	50.0%
15	Urinary problems	0	
16	Sexual Transmitted Infection (Excluding HIV)	0	
17	Circumcision	0	
18	Sexual Reproductive Health	0	
19	Family planning	1	16.7%
20	Antenatal care	0	
21	Delivery	1	16.7%
22	Post-natal care	0	
23	Abortion	0	
24	Anaemia	0	
25	Vaccination	0	
26	Epilepsy (including convulsions)	0	
27	Mental health	0	
28	Trauma/injury	0	
29	Violence	0	
30	Abscess	0	
31	Wound care	0	
32	Review	0	
33	Disability grant	0	
34	Other	0	
35	Emergencies	0	
36	Infectious diseases	0	
37	Admin request	0	
38	Nutritional Problems	0	
39	Not Recorded	0	
40	Not clear	0	
41	Miscarriage	0	

File : HSYPPinkregister2

provisionaldiagnosis3: 10. Provisional Diagnosis 3

Value	Label	Cases	Percentage
Sysmiss		4115	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatment: 11. Treatment/Management 1

Information	[Type= discrete] [Format=numeric] [Range= 1-41] [Missing=*]
Statistics [NW/ W]	[Valid=4121 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	Antibiotics	797	19.3%
2	Panadol/Aspirin	372	9.0%
3	Anti-inflammatory	51	1.2%
4	Anti-helminths	68	1.7%
5	Antihistamines (chlorpheniramin)	65	1.6%
6	Anti-retroviral treatment (ART)	537	13.0%
7	TB treatment	39	0.9%
8	Anti-fungal treatment	3	0.1%
9	Asthma treatment	29	0.7%
10	Antihypertensive treatment	22	0.5%
11	Gastritis treatment	66	1.6%
12	Diabetic treatment	0	
13	Epileptic treatment	72	1.7%
14	Corticosteroids	2	0.0%
15	Vitamins and supplements	497	12.1%
16	Vaccination	92	2.2%
17	Eye ointment/drops and ear ointment/drops	16	0.4%
18	Minor procedures/dressing	109	2.6%
19	Symptomatic treatment	204	5.0%
20	IV fluids	3	0.1%
21	ORS (including Sorol)	51	1.2%
22	Family planning	739	17.9%
23	Info and psychosocial support	62	1.5%
24	Other	6	0.1%
25	Circumcision	0	
26	Disability grant	0	
27	Health education	11	0.3%
28	Referral to higher level	72	1.7%
29	Referral to social services	3	0.1%
30	Referral for HIV testing	6	0.1%
31	Referral for pregnancy testing	16	0.4%
32	Referral for further lab testing	83	2.0%
33	Psychopharma	7	0.2%
34	TB SCREENING	0	
35	Admin request.....	2	0.0%
36	Absconded	1	0.0%
37	Refer to Nutritional Advisor	0	

File : HSYPPinkregister2

treatment: 11. Treatment/Management 1

Value	Label	Cases	Percentage
38	Not recorded	17	0.4%
39	Antenatal care	0	
40	Post antenatal care	1	0.0%
41	Delivery	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatment2: 12. Treatment/Management 2

Information	[Type= discrete] [Format=numeric] [Range= 1-41] [Missing=*]
Statistics [NW/ W]	[Valid=1055 /-] [Invalid=3066 /-]

Value	Label	Cases	Percentage
1	Antibiotics	128	12.1%
2	Panadol/Aspirin	360	34.1%
3	Anti-inflammatory	15	1.4%
4	Anti-helminths	8	0.8%
5	Antihistamines (chlorpheniramin)	30	2.8%
6	Anti-retroviral treatment (ART)	19	1.8%
7	TB treatment	0	
8	Anti-fungul treatment	2	0.2%
9	Asthma treatment	1	0.1%
10	Antihypertensive treatment	4	0.4%
11	Gastritis treatment	16	1.5%
12	Diabetic treatment	2	0.2%
13	Epileptic treatment	8	0.8%
14	Corticosteroids	6	0.6%
15	Vitamins and supplements	102	9.7%
16	Vaccination	15	1.4%
17	Eye ointment/drops and ear ointment/drops	3	0.3%
18	Minor procedures/dressing	17	1.6%
19	Symptomatic treatment	159	15.1%
20	IV fluids	0	
21	ORS (including Sorol)	31	2.9%
22	Family planning	31	2.9%
23	Info and psychosocial support	7	0.7%
24	Other	0	
25	Circumcision	0	
26	Disability grant	0	
27	Health education	2	0.2%
28	Referral to higher level	20	1.9%
29	Referral to social services	0	
30	Referral for HIV testing	8	0.8%
31	Referral for pregnancy testing	2	0.2%
32	Referral for further lab testing	27	2.6%
33	Psychopharma	0	
34	TB SCREENING	31	2.9%

File : HSYPPinkregister2

treatment2: 12. Treatment/Management 2

Value	Label	Cases	Percentage
35	Admin request.....	0	
36	Absconded	0	
37	Refer to Nutritional Advisor	0	
38	Not recorded	0	
39	Antenatal care	1	0.1%
40	Post antenatal care	0	
41	Delivery	0	
Sysmiss		3066	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatment3: 13. Treatment/Management 3

Information [Type= discrete] [Format=numeric] [Range= 1-41] [Missing=*]

Statistics [NW/ W] [Valid=161 /-] [Invalid=3960 /-]

Value	Label	Cases	Percentage
1	Antibiotics	11	6.8%
2	Panadol/Aspirin	38	23.6%
3	Anti-inflammatory	2	1.2%
4	Anti-helminths	3	1.9%
5	Antihistamines (chlorpheniramin)	2	1.2%
6	Anti-retroviral treatment (ART)	1	0.6%
7	TB treatment	1	0.6%
8	Anti-fungul treatment	0	
9	Asthma treatment	0	
10	Antihypertensive treatment	1	0.6%
11	Gastritis treatment	2	1.2%
12	Diabetic treatment	0	
13	Epileptic treatment	1	0.6%
14	Corticosteroids	1	0.6%
15	Vitamins and supplements	14	8.7%
16	Vaccination	3	1.9%
17	Eye ointment/drops and ear ointment/drops	1	0.6%
18	Minor procedures/dressing	13	8.1%
19	Symptomatic treatment	38	23.6%
20	IV fluids	1	0.6%
21	ORS (including Sorol)	7	4.3%
22	Family planning	10	6.2%
23	Info and psychosocial support	1	0.6%
24	Other	0	
25	Circumcision	0	
26	Disability grant	0	
27	Health education	0	
28	Referral to higher level	2	1.2%
29	Referral to social services	0	
30	Referral for HIV testing	0	

File : HSYPPinkregister2

treatment3: 13. Treatment/Management 3

Value	Label	Cases	Percentage
31	Referral for pregnancy testing	1	0.6%
32	Referral for further lab testing	4	2.5%
33	Psychopharma	0	
34	TB SCREENING	2	1.2%
35	Admin request.....	0	
36	Absconded	0	
37	Refer to Nutritional Advisor	1	0.6%
38	Not recorded	0	
39	Antenatal care	0	
40	Post antenatal care	0	
41	Delivery	0	
Systemmiss		3960	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

othertreatment: Other Treatment/Management

Information	[Type= discrete] [Format=character] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
Done		5	83.3%
Left original in BLOEMFONTEIN		1	16.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

followupvisit: 14. Follow-up visit

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=4102 /-] [Invalid=19 /-]		
Value	Label	Cases	Percentage
0	No	3098	75.5%
1	Yes	1004	24.5%
Systemmiss		19	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

gender: 15. Gender

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=4121 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	Female	3172	77.0%
1	Male	949	23.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

datec: Date of capture

Information	[Type= discrete] [Format=character] [Missing=*]
--------------------	---

agegp: Age group of client

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=4121 /-] [Invalid=0 /-]

File : HSYPpinkregister2

agegp: Age group of client

Value	Label	Cases	Percentage
1	10-14 yrs	750	18.2%
2	15-19 yrs	1424	34.6%
3	20-24 yrs	1947	47.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : HSYPschoolreg

recordid: Record ID

Information [Type= continuous] [Format=numeric] [Range= 1-301] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-] [Mean=107.641 /-] [StdDev=66.584 /-]

schoolcode

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		33	15.8%
2		25	12.0%
3		1	0.5%
4		97	46.4%
5		3	1.4%
6		6	2.9%
7		44	21.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dateextracted: Date extracted

Information [Type= discrete] [Format=character] [Missing=*]

dateofregister: Date of register

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=209 /-]

gender: Gender

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Female	147	70.3%
1	Male	62	29.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

grade8screened: Grade 8 screened

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=208 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	No	131	63.0%
1	Yes	77	37.0%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

grade10screened: Grade 10 screened

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	131	62.7%
1	Yes	78	37.3%

File : HSYPschoolreg

grade10screened: Grade 10 screened

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

underweight: Underweight

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=208 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	No	205	98.6%
1	Yes	3	1.4%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

overweight: Overweight

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=208 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	No	207	99.5%
1	Yes	1	0.5%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

oralhealth: Oral health

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=208 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	No	194	93.3%
1	Yes	14	6.7%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

eyehealth: Eye health

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	203	97.1%
1	Yes	6	2.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

hearing: Hearing

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=206 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	No	205	99.5%
1	Yes	1	0.5%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : HSYPschoolreg			
# speech: Speech			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=208 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
0	No	208	100.0%
1	Yes	0	
Sysmiss		1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# suspectedtb: Suspected TB			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=208 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
0	No	205	98.6%
1	Yes	3	1.4%
Sysmiss		1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# psychosocial: Psycho-social			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=207 /-] [Invalid=2 /-]		
Value	Label	Cases	Percentage
0	No	206	99.5%
1	Yes	1	0.5%
Sysmiss		2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# immunisedtotal: Immunised total			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=208 /-] [Invalid=1 /-]		
Value	Label	Cases	Percentage
0	No	208	100.0%
1	Yes	0	
Sysmiss		1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# twelveyrtdgiven: 12yr Td given			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=207 /-] [Invalid=2 /-]		
Value	Label	Cases	Percentage
0	No	109	52.7%
1	Yes	98	47.3%
Sysmiss		2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			
# minorailment: Minor ailment			
Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		

File : HSYPschoolreg

minorailment: Minor ailment

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	199	95.2%
1	Yes	10	4.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dewormingdose: De-worming dose

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=206 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	No	197	95.6%
1	Yes	9	4.4%
Systemiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

followup: Follow-up

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=208 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	No	208	100.0%
1	Yes	0	
Systemiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

otherreferrals: Other referrals

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=206 /-] [Invalid=3 /-]

Value	Label	Cases	Percentage
0	No	187	90.8%
1	Yes	19	9.2%
Systemiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__1: Treatment given (choice=Advice given)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	208	99.5%
1	Checked	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__2: Treatment given (choice=Refer for dental caries)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

File : HSYPschoolreg

treatmentgiven__2: Treatment given (choice=Refer for dental caries)

Value	Label	Cases	Percentage
0	Unchecked	204	97.6%
1	Checked	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__3: Treatment given (choice=No abnormalities detected (NAD))

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	209	100.0%
1	Checked	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__4: Treatment given (choice=Refer for poor eye sight)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	204	97.6%
1	Checked	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__5: Treatment given (choice=Deworming)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	201	96.2%
1	Checked	8	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__6: Treatment given (choice=PVD)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	208	99.5%
1	Checked	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__7: Treatment given (choice=Refer to clinic for check-up)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	201	96.2%
1	Checked	8	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : HSYPschoolreg

treatmentgiven__8: Treatment given (choice=Wasted/low weight- refer to clinic)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	209	100.0%
1	Checked	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__9: Treatment given (choice=Wax on ear)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	208	99.5%
1	Checked	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__10: Treatment given (choice=Whitespots/acne/pimples)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	208	99.5%
1	Checked	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__11: Treatment given (choice=Td given)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	139	66.5%
1	Checked	70	33.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__12: Treatment given (choice=Refer to Social Worker)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	207	99.0%
1	Checked	2	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__13: Treatment given (choice=Refer for cardiac problem)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	206	98.6%
1	Checked	3	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : HSYPSchoolreg

treatmentgiven__14: Treatment given (choice=Refer for trauma and injuries)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	208	99.5%
1	Checked	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__15: Treatment given (choice=Refer for urinary problem)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	206	98.6%
1	Checked	3	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__16: Treatment given (choice=Wound care)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	207	99.0%
1	Checked	2	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__17: Treatment given (choice=Symptomatic Treatment)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	205	98.1%
1	Checked	4	1.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__18: Treatment given (choice=Respiratory problems and Oral problems)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	207	99.0%
1	Checked	2	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__19: Treatment given (choice=General non-specific complaints)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	207	99.0%
1	Checked	2	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : HSYPschoolreg

treatmentgiven__20: Treatment given (choice=Ear problems)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	208	99.5%
1	Checked	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__21: Treatment given (choice=Anaemia)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	208	99.5%
1	Checked	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__22: Treatment given (choice=Referral to high level)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	199	95.2%
1	Checked	10	4.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__23: Treatment given (choice=Gastric problems)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	208	99.5%
1	Checked	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__24: Treatment given (choice=Abscess)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	208	99.5%
1	Checked	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

treatmentgiven__25: Treatment given (choice=GI problems)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	208	99.5%
1	Checked	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : HSYPschoolreg**# treatmentgiven_26: Treatment given (choice=Positive pregnancy test)****Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]**Statistics [NW/ W]** [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	208	99.5%
1	Checked	1	0.5%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# treatmentgiven_27: Treatment given (choice=Refused refer)****Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]**Statistics [NW/ W]** [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	208	99.5%
1	Checked	1	0.5%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.***# treatmentgiven_28: Treatment given (choice=Info and psychological support (including reassurance))****Information** [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]**Statistics [NW/ W]** [Valid=209 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	Unchecked	208	99.5%
1	Checked	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File : HSYPTickregister

record_id: Record ID

Information [Type= continuous] [Format=numeric] [Range= 1-115] [Missing=*]

Statistics [NW/ W] [Valid=115 /-] [Invalid=0 /-] [Mean=58 /-] [StdDev=33.342 /-]

healthfacility: Health facility code

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=115 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		97	84.3%
2		16	13.9%
3		2	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

monthregisterwasdone: 4. Month register was done

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=115 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	January 2016	0	
2	February 2016	0	
3	March 2016	0	
4	April 2016	0	
5	May 2016	6	5.2%
6	June 2016	14	12.2%
7	July 2016	12	10.4%
8	August 2016	71	61.7%
9	September 2016	12	10.4%
10	October 2016	0	
11	November 2016	0	
12	December 2016	0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

registerno: 5. Register number

Information [Type= continuous] [Format=numeric] [Range= 1007-3685] [Missing=*]

Statistics [NW/ W] [Valid=115 /-] [Invalid=0 /-] [Mean=1578.87 /-] [StdDev=764.436 /-]

pagenumber: 6. Page number

Information [Type= continuous] [Format=numeric] [Range= 22-286] [Missing=*]

Statistics [NW/ W] [Valid=115 /-] [Invalid=0 /-] [Mean=78.096 /-] [StdDev=56.047 /-]

dateofdataextraction: 7. Date of data extraction

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=115 /-]

Value	Label	Cases	Percentage
2017-02-09		16	13.9%
2017-03-03		2	1.7%
2017-04-06		71	61.7%
2017-04-07		26	22.6%

File : HSYPTickregister

dateofdataextraction: 7. Date of data extraction

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

familyplanningacceptor: 8. Family planning acceptor under 18 years

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=115 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	86	74.8%
1	Yes	29	25.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

diabetesclientunder18yearsnew: 9. Diabetes client under 18 years new

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=114 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	No	112	98.2%
1	Yes	2	1.8%
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

mentalhealthclientbelow18yrs: 10. Mental health clients under 18 years

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=115 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	36	31.3%
1	Yes	79	68.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

tddoseat12yrs: 11. Td dose at 12 years

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=115 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	106	92.2%
1	Yes	9	7.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

anc1stvisitunder18years: 12. ANC 1st visit under 18 years

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=114 /-] [Invalid=1 /-]

Value	Label	Cases	Percentage
0	No	114	100.0%
1	Yes	0	
Sysmiss		1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

phcclientseennurse: 13. PHC clients seen by professional Nurse

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=115 /-] [Invalid=0 /-]

File : HSYPTickregister

phcclientseennurse: 13. PHC clients seen by professional Nurse

Value	Label	Cases	Percentage
0	No	14	12.2%
1	Yes	101	87.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

dataconsistent: 63. Are the data consistent ?

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=115 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	No	5	4.3%
1	Yes	110	95.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

inconsistencyinthedata: Please explain the inconsistency in the data

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-]

Value	Label	Cases	Percentage
Nurse ticked on both family planning acceptor under 18 and family planning acceptor 18 and older		1	20.0%
Nurse ticked on both family planning acceptor under 18 and family planning acceptor 18 and older		3	60.0%
The nurse did not specify the type of family planning whether it ORAL PILL CYCLE / NURETHISTERC MEDROXYPREC IUCD/SUB DERMAL IMPLANT		1	20.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.